



2018 Consumer Confidence Report

White Beach

Drinking Water System

Commander, Fleet Activities, Okinawa



Issued in accordance with Commander, Navy Installation Command Policy Letter 5200, Ser N4/13U84441, 15 Oct 13.

Introduction

Commander, Fleet Activities, Okinawa (CFAO) is pleased to provide our customers with this annual Consumer Confidence Report (CCR) for the CFAO Drinking Water System that supports White Beach. CFAO occupied facilities on Kadena Air Base and Military Housing are covered under the Air Force CCR. The web site for accessing the Air Force CCR is listed in the “Additional Sources of Information” on page 3.

This report explains where our water comes from and summarizes the quality of water we received at White Beach in 2018. Our goal is to continue providing safe, dependable and clean drinking water. The drinking water at CFAO White Beach facilities meets all standards for safe drinking water.

Source of Water

The drinking water for White Beach comes from the following surface water sources: Fukuji Dam, Arakawa Dam, Aha Dam, Fungawa Dam, Benoki Dam, Kanna Dam, Yamashiro Dam, and rivers that are located in the northern area of the Main Island of Okinawa (Figure 1).

Water from these sources is filtered and disinfected at the Ishikawa Water Treatment Plant (WTP). The Ishikawa WTP, then supplies the treated water to various municipalities. We purchase our drinking water from Uruma City for White Beach.

Water Distribution Systems

The Naval Facilities Engineering Command Far East Public Works Department Okinawa (PWD) operates the water distribution system servicing White Beach. The purchased water is temporarily stored in a bulk water tank before being distributed to the facilities.




Figure 1 Water Sources and Water Facilities on Main Island of Okinawa

Water Quality

Our drinking water is required to meet the water quality standards established in the Japan Environmental Governing Standards (JEGS) and the U.S. National Primary Drinking Water Regulations (NPDWR). The JEGS are Department of Defense (DoD) governing standards intended to ensure DoD activities and installations in Japan protect human health and the environment and to ensure safe drinking water is provided to all DoD personnel. The U.S. Navy adopted the NPDWR in 2013 for the drinking water provided at the overseas U.S. Navy installations to meet U.S. drinking water quality standards. To continually ensure that our water is safe to drink, the JEGS and the NPDWR require us to regularly monitor and test our water for contaminants.

Important Health Information

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as those with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. US Environmental Protection Agency (EPA) and Centers for Disease Control and Prevention guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline at 1-800-426-4791 or visiting the EPA website at <https://www.epa.gov/dwstandardsregulations/drinking-water-contaminant-human-health-effects-information>.

Possible Source of Contaminants

As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals. It can also pick up other contaminants resulting from the presence of animals or human activities. Drinking water, including bottled water, may reasonably be expected to contain trace amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA Safe Drinking Water Hotline at 1-800-426-4791 or visiting the EPA website at <https://www.epa.gov/dwstandardsregulations>.

Potential Contaminants

Lead

Elevated levels of lead can cause adverse health effects, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and building plumbing. For low use taps or when water has been sitting in service lines for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to two minutes before using the water for drinking or cooking. Information on lead in drinking water is available at <https://www.epa.gov/ground-water-and-drinking-water/basic-information-about-lead-drinking-water>.

Nitrate/Nitrite

Nitrates are naturally present in soil, water, and food. They are used primarily to make fertilizer. Nitrates themselves are relatively nontoxic. However, when

swallowed, they are converted to nitrites that can react with hemoglobin in the blood, creating methemoglobin. This methemoglobin cannot transport oxygen, causing shortness of breath and blue baby syndrome. Information on Nitrate in drinking water is available at <https://safewater.zendesk.com/hc/en-us/sections/202346267-Nitrate>.

Arsenic

Arsenic is odorless and tasteless. It enters drinking water supplies from natural deposits in the earth or from agricultural and industrial practices. People who over a period of many years drink water contaminated with arsenic in excess of the drinking water standards could experience skin damage or problems with their circulatory system, and may have an increased risk of getting cancer. Information on Arsenic in drinking water is available at <https://safewater.zendesk.com/hc/en-us/sections/202366558-Arsenic>.

Drinking Water Monitoring

We use both Japanese and EPA approved laboratory methods to analyze our drinking water. We monitor our drinking water for the following contaminants at frequencies prescribed by the JEGS and the NPDWR.

Contaminants	Frequency
pH and Chlorine Residual	Daily
Total Coliform	Monthly
Disinfection Byproducts (Bromate)	Monthly through July 2016, then Quarterly per regulations
Inorganic Chemicals (e.g. Nitrate/Nitrite & Arsenic), Organic Chemicals and Disinfection Byproducts (Total Trihalomethanes & Haloacetic Acids 5), Lead and Copper	Annually
PCBs, Herbicides and Pesticides	Once every 3 years
Radionuclides	Once every 3 years
Asbestos	Once every 9 years

The table on page 3 lists the results of the analysis performed in 2018. Only those contaminants detected are listed in the table.

Additional Sources of Information

USEPA:

<https://www.epa.gov/ground-water-and-drinking-water> or the Safe Drinking Water Hotline (1-800-426-4791).

Centers for Disease Control and Prevention:

<http://www.cdc.gov/healthywater/drinking/>

Kadena Air Force CCR:

<http://www.kadena.af.mil/About-Us/Consumer-Confidence-Reports/>

The Okinawa Prefectural Enterprise Bureau provides water monitoring results for the Water Treatment Plants (Only in Japanese):

<http://www.eb.pref.okinawa.jp/water/80/181>

Frequently Asked Questions

My water doesn't taste, smell or look good. What's wrong with it?

Even when water meets standards, it still may have an objectionable taste, smell or appearance. These are aesthetic characteristics that do not pose health risks. Cloudiness is typically caused by air bubbles. A chlorine taste can be improved by letting the water stand exposed to air. Rusty colored water and metallic tastes are due to iron in the water. They are not a health risk and can be improved by running the tap until the water color clears. If you wish to improve the taste, smell or appearance of your water,

you can also install a home water filter. Please keep in mind that the filters require regular maintenance and replacement.

Will using a home water filter make the water safer or healthier?

Most filters improve the taste, smell and appearance of water, but they do not necessarily make the water safer or healthier. Please keep in mind that filters require regular maintenance and replacement. If maintenance of water filters is ignored, then water quality problems may occur.

What is a precautionary Boil Water Advisory?

If a problem is detected in the distribution system such as a drop in water pressure or a break in main water line, PWD puts out a precautionary Boil Water Advisory. It advises consumers that the water must be boiled to kill bacteria potentially present in the water before consumption. After the problem is resolved and water quality verified, PWD lifts the advisory.

WHITE BEACH – DRINKING WATER CONTAMINANTS DETECTED IN 2018

Contaminants	Unit of Measurement	Detected Level		Standard (AL/ MCL/ MRDL)	Violation	Possible Source of Contamination
		High	Low		Yes / No	
INORGANIC CONTAMINANTS						
Antimony	ppb	0.40	-	6	No	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder
Lead	mg/L	0.0100	0.0100	0.015 ¹	No	Corrosion of plumbing systems Erosion of natural deposits
Copper	mg/L	0.0140	0.0140	1.3 ¹	No	Corrosion of plumbing systems Erosion of natural deposits
DISINFECTANTS & DISINFECTION BYPRODUCTS						
Residual Chlorine	mg/L	0.5	0.1	4.0 ²	No	Disinfectant
Bromate	mg/L	0.00300	0.00200	0.01	No	By-product of drinking water disinfection
Total Trihalomethanes	mg/L	0.07220	0.04310	0.08	No	By-product of drinking water disinfection
Haloacetic Acids (HAA5)	mg/L	0.00720	0.00350	0.06	No	By-product of drinking water disinfection

Abbreviations and Definitions:

AL (Action Level): The concentration of a contaminant in water that establishes the appropriate treatment for a water system.

MCL (Maximum Contaminant Level): The highest level of a contaminant allowed in drinking water.

MRDL (Maximum Residual Disinfectant Level): The level of a disinfectant added for water treatment measured at the consumer's tap, which may not be exceeded without the unacceptable possibility of adverse health effects.

mg/L: milligrams per liter.

N.D. (Non Detected) Contaminant not detected and if present below MRL reported.

Notes:

¹Lead and Copper - Action Level - More than 10 percent of tap water samples collected during any monitoring period was greater than 0.015 mg/L for lead and 1.3 mg/L for copper.

²Residual Chlorine - Maximum Residual Disinfectant Level.

CFAO monitors for many contaminants and only those detected by laboratory analysis or at sampling locations are listed above.

For more information on this report, or to participate in quarterly water quality meetings, please contact Darlene Ward, Drinking Water Program Manager, NAVFAC FE PWD Okinawa Environmental Division at 622-1395 or darlene.ward@fe.navy.mil.



2018年 水道水質白書

ホワイトビーチ

在沖米海軍艦隊活動司令部



本白書は、海軍施設部隊司令部(CNIC)指針書 2013年10月15日 5200 N4/13U84441 に準拠する。
本和訳は、参照のためであり、英文を優先する。

はじめに

本水道水質白書は、在沖米海軍艦隊活動司令部(CFAO)の施設であるホワイトビーチの水道施設を対象としています。嘉手納空軍基地内の CFAO 占有施設、また軍住居施設の水質情報は、米空軍水道水質白書に含まれています。嘉手納空軍基地ウェブサイトは、本白書 2 ページの「その他の水道水に関する情報」欄に記載してあります。

本白書では、ホワイトビーチに供給した水道水の水源情報、また 2018 年の水質情報を提供します。CFAO では、「安全で安心な水」を常に供給する事を目標としています。ホワイトビーチの水道水はその目標としている水質基準を満たしています。

水源

ホワイトビーチの水道水は沖縄本島北部エリアの河川を含め福地ダム、新川ダム、安波ダム、普久川ダム、辺野喜ダム、漢那ダム、山城ダムなどの地表水を水源としています(図1参照)。

これらの地表水は、石川浄水場において浄化・消毒されます。浄化された水は、石川浄水場から市町村に供給されます。ホワイトビーチの水道水はうるま市から購入しています。

配水施設

ホワイトビーチの配水施設は、米海軍極東施設技術部隊沖繩施設技術部 (NAVFAC FE PWDO)が管理・運営しており、うるま市からの水道水をいったん貯水タンクに受水し各建物に供給しています。

水道水の水質

CFAO 施設での水道水は、日本環境管理基準 (JEGS) 及び米国第 1 種飲料水規則 (NPDWR) の基準を満たさなければなりません。この JEGS は、国防総省の自律的な基準であり、日本国内の国防総省所属部隊及び施設が人々の健康及び自然環境を守ることを目的としています。また、米海軍は 2013 年より、合衆国本国との水質基準に合わせるため、NPDWR の基準を海外の米海軍施設の




図1 沖縄本島の原水と水道施設

水道水にも導入しました。水道水の安全性を確保するため、JEGS 並びに NPDWR に遵い定期的な検査を義務づけています。

健康に関する重要なお知らせ

科学療法で治療中の癌患者、移植手術患者、HIV 感染者・エイズ患者、免疫不全患者、一部の高齢者や乳児など免疫力の低下している人は、他の人よりも、水道水中の混入物質により敏感に反応することがあり、特に感染症を発症するリスクが高くなる場合があります。該当する方は基地の水道水の使用について医師などに相談することをお勧めします。米国環境保護庁 (USEPA) 及び疾病予防センターは、その感染症の原因であるクリプトスポリジウムやその他の微生物汚染に関する必要な情報とガイドラインを USEPA の飲料水ホットライン 1-800-426-4791、又は下記のウェブサイトにてその情報の詳細を掲載しています。<https://www.epa.gov/dwstandardsregulations/drinking-water-contaminant-human-health-effects-information>

水道水の汚染源

水源の水は地表を流れ、地下を通過する過程で天然ミネラルが水に溶け込みます。また、その過程で動物や人間の活動に由来する不純物も溶け込み混入することがあります。したがって、ペットボトル入りの飲料水や水道水にも微量の不純物が混入している可能性があります。しかしながら不純物の混入は必ずしも健康を害するという事ではありません。混入物質やその水による健康への影響の詳細は、米国環境保護庁(USEPA)の飲料水ホットライン 1-800-426-4791、又は下記のウェブサイト

でその情報を確認することができます。
<https://www.epa.gov/dwstandardsregulations>

混入する恐れのある物質

鉛

高濃度の鉛を含んだ水道水は、特に妊婦や幼児の健康に悪影響を及ぼします。水道水中の鉛は、主に水道配管と家庭用水道設備の材料及び部品から溶け出してきたものです。水道水の使用量が少なかったり、あるいは配管に何時間も滞留した場合には、飲用前又は料理に使用する前に30秒から2分間流すことによって鉛摂取の可能性を最小限に抑えることができます。水道水中の鉛に関する情報は下記のウェブサイト

で閲覧できます。
<https://www.epa.gov/ground-water-and-drinking-water/basic-information-about-lead-drinking-water>

硝酸塩・亜硝酸塩

硝酸塩は、土壌、水、食物の中に自然に存在し、主として肥料製造に使用されます。硝酸塩自体は比較的毒性はありませんが、経口摂取すると亜硝酸塩へと変化します。更に亜硝酸塩は血中のヘモグロビンと反応するとメトヘモグロビンを形成します。このメトヘモグロビンは、酸素を運ぶことが出来ないため、息切れやブルーベビー症候群等の原因となります。水道水中の硝酸塩に関する情報は下記のウェブサイト

で閲覧できます。
<https://safewater.zendesk.com/hc/en-us/sections/202346267-Nitrate>

砒素

砒素は無味無臭で、水道水への混入源は天然鉱床又は農業・工業活動等が考えられます。水質基準を超えた砒素を含む水を長年飲み続けると、皮膚の損傷、循環器疾患や、癌発症の危険性が増加することがあります。水道水中の砒素に関する情報は下記のウェブサイト

で閲覧できます。
<https://safewater.zendesk.com/hc/en-us/sections/202366558-Arsenic>

水道水の検査

ホワイトビーチでは、水道水の検査を下記の表に示した検査項目及び頻度で、日本の公定法及び米国環境保護庁認可の方法に従って実施しています。

検査項目	検査頻度
pH、残留塩素	毎日
全大腸菌群	毎月
消毒副生成物(臭素酸)	2016年7月まで毎月、その後3ヶ月に1回
無機化学物質(硝酸塩・亜硝酸塩、砒素等)、有機化学物質、消毒副生成物(総トリハロメタン、ハロ酢酸総和)、鉛、銅	年1回
PCB類、除草剤、農薬	3年に1回
放射性核種	3年に1回
アスベスト	9年に1回

2018年に行われた水質検査で検出された混入物のみを3ページの表に記載しました。

その他の水道水に関する情報

米国環境保護庁:

<https://www.epa.gov/ground-water-and-drinking-water>
 若しくは飲料水ホットライン (1-800-426-4791)

米国疾病予防センター:

<http://www.cdc.gov/healthywater/drinking/>

嘉手納米空軍水道水白書:

<http://www.kadena.af.mil/About-Us/Consumer-Confidence-Reports/>

沖縄県企業局は各浄水場の水質検査結果をウェブサイトにて公表しています(日本語のみ):

<http://www.eb.pref.okinawa.jp/water/80/181>

よくある質問と回答

水道水の味、臭い、外観が気になります。何か悪いのでしょうか?

水道水が水質基準を満たしていたとしても、不快な味、臭い、色がある場合がありますが、健康上の問題はありません。例として、空気の気泡による一時的な白い濁りや塩素臭等があげられます。塩素臭は、水を空気にある程度触れさせておくことで改善できます。また、赤茶けた水や金属味は、水中の鉄分が原因です。健康上問題はありますが、使用する前に水が透明になるまで流すことに

よって改善できます。また、浄水器で、味、臭い、外観を改善することもできます。ただし、浄水器のフィルターは、定期的な点検と交換が必要です。

家庭用の浄水フィルターで水道水の安全性を向上できますか？

ほとんどの浄水フィルターは水道水の味、臭い、外観を改善しますが、だからと言って、安全性や健康面での影響が改善されているということではありません。更に、フィルターは定期的なメンテナンスや交換が必要だということを忘れてはいけま

せん。もし怠るようなことがあれば、水質問題が生じる恐れがあります。

水道水煮沸消毒勧告とは？

配水施設の水圧の低下あるいは水道管の破損等の問題が生じた場合、NAVFAC FE PWDO は予防的措置として水道水煮沸消毒勧告を出します。この勧告は、水道水の使用の前に、水中に潜在している細菌を殺菌するため、必ず水道水を煮沸する等の予防手段を知らせるものです。配水施設の問題が解決し、水道水の安全性を確認した後勧告は解除されます。

ホワイトビーチ - 2018年に水道水から検出された混入物質

物質	測定単位	検出値		基準 (AL*/MCL/ MRDL**)	基準との 比較	可能性のある混入源
		最大	最小			
無機化学物質						
アンチモン	mg/L	0.40	-	6	基準内	製油所からの排出；防火剤；セラミック；電化製品；はんだ
鉛	mg/L	0.0100	0.0100	0.015 ¹	基準内	家庭用水道配管の腐食, 天然鉱床の侵食
銅	mg/L	0.140	0.0140	1.3 ¹	基準内	家庭用水道配管の腐食, 天然鉱床の侵食
消毒剤及び消毒副生成物						
残留塩素	mg/L	0.5	0.1	4.0 ²	基準内	消毒剤
臭素酸	mg/L	0.00300	0.00200	0.01	基準内	水道水消毒の副生成物
総トリハロメタン	mg/L	0.07220	0.04310	0.08	基準内	水道水消毒の副生成物
ハロ酢酸総和	mg/L	0.00720	0.00350	0.06	基準内	水道水消毒の副生成物

表中の略語：

AL：対処レベル（配水施設に適切な措置を取る事を規定する水道水中の濃度）

MCL：最大許容混入値（飲料水として許容できる該当物質の混入量の最大値）

MRDL：最大残留消毒剤濃度（消費者の蛇口で測定される水処理のための消毒剤のレベルで、健康に悪影響を与える可能性がある濃度を超過してはならない）

mg/L：1リットル中に含まれる重さ(1,000分の1グラム)

ND：不検出

基準に関する注記：

¹ 鉛及び銅に対しては、- 対処レベル - 調査期間中に採取された水道水のサンプルにおいて、実際に対処が必要となるのは採取したサンプル数の10%以上が、鉛における許容値である0.015 mg/L、そして銅における許容値である1.3 mg/Lを超過した場合になります。

² 残留塩素に対しては、最大残留消毒剤濃度

CFAO では、上記の物質だけでなく日本環境管理基準及び米国第1種飲料水規則に基づき様々な物質を検査していますが、上記の表には検出された物質のみを記載しています。

水道使用者は何をすべきですか？

水道使用者は何も対策をとる必要はありません。今までどおりに水道水を使用して下さい。水道水の安全性が確認できなくなった場合には、24時間以内に通知します。

ホワイトビーチの水道水を飲用する他の方々に、このお知らせを掲示板やメールで伝えてください。本白書又は水質に関するお問い合わせは、沖縄施設技術部環境課 飲料水担当者(電話:622-1395)まで。

