FINAL

ENVIRONMENTAL ASSESSMENT

for

AMBULATORY CARE CENTER REPLACEMENT

at

JOINT BASE PEARL HARBOR-HICKAM, OAHU, HAWAII

February 2022



This page intentionally left blank.

DEPARTMENT OF DEFENSE DEPARTMENT OF THE NAVY

FINDING OF NO SIGNIFICANT IMPACT (FONSI) FOR AMBULATORY CARE CENTER REPLACEMENT AT JOINT BASE PEARL HARBOR-HICKAM, OAHU, HAWAII

Pursuant to Council on Environmental Quality (CEQ) regulations (40 Code of Federal Regulations [CFR] §§ 1500 to 1508) implementing the procedural provisions of the National Environmental Policy Act (NEPA) (42 United States Code (U.S.C.) §4321 et seq.) and United States Department of the Navy (Navy) NEPA regulations (32 CFR Part 775), the Navy gives notice that an Environmental Assessment (EA) has been prepared and an Environmental Impact Statement (EIS) is not required for the proposed new ambulatory care center (ACC). The action will be implemented as set out in Alternative 1, the Preferred Alternative.

Purpose and Need: The purpose of the Proposed Action is to provide comprehensive primary care, dental, behavioral health, occupational, and preventive special medicine services to active duty service members and beneficiaries in facilities that are appropriately sized, configured, and sited to meet mission requirements and comply with current federal criteria for military health facilities.

The Proposed Action is needed to rectify current capacity deficiencies at the existing service clinics and ensure that the services continue to provide high-quality health care to entitled military personnel, dependents, and retirees in the Joint Base Pearl Harbor-Hickam (JBPHH) region.

Proposed Action: JBPHH proposes to construct and operate a new Ambulatory Care Center (ACC) to consolidate existing facilities and services separately managed by the Navy, Department of the Air Force (Air Force), and Department of the Army (Army) to a location at JBPHH. The new facility would be a Tri-Service ACC shared by Navy, Air Force, and Army medical activities to meet the needs of both JBPHH and the Defense Health Agency (DHA) Hawaii Market. The proposed ACC would be sustained and administered by DHA, a tenant at JBPHH. Logistics would be supported by Tripler Army Medical Center (TAMC). In addition to supporting the Hawaii Market, the new ACC would also support the current clinical functions of the Naval Health Clinic Hawaii, the Air Force 15th Medical Group, and TAMC in providing a full range of military operations and sustaining the readiness and health of all active duty personnel. The construction of the Proposed Action would be implemented over approximately two years beginning with construction as early as fiscal year (FY) 2025, and steady state operations would begin by FY 2030.

Alternatives Considered:

<u>No Action Alternative</u> - Under the No Action Alternative, the new ACC would not be constructed, and the existing Service clinics would continue to be used for all existing health care services. Existing clinics do not have the building space capacity needed to meet mission requirements and comply with current federal criteria for military health facilities. Therefore, the No Action Alternative would not meet the purpose and need for the Proposed Action. The No Action Alternative is used to analyze the consequences of not undertaking the Proposed Action and provides a benchmark enabling decision-makers to compare the magnitude of environmental effects of the action alternatives.

Action Alternatives - Based on screening criteria and an alternatives evaluation process, three practicable action alternatives were found to achieve the Proposed Action and satisfy the project's purpose and need. The three action alternative sites carried forward for evaluation in the EA are: Tradewinds-Par 3 Site (Alternative 1, the Preferred Alternative), Kuntz Gate Site (Alternative 2) and Bloch Arena Site (Alternative 3).

At each site, the Proposed Action would construct the following:

- An approximately 250,000-ft² (23,226-m²) health/dental clinic facility (over multiple stories),
- An approximately 7,500-ft² (697-m²) central utility plant to service the health/dental clinic,
- Approximately 1,500 parking stalls,
- Site preparation work and utility connections including electricity, water, storm sewer, and sanitary sewer.

Alternative 1 (Preferred Alternative) - Tradewinds-Par 3 Site

The Tradewinds-Par 3 Site is located on the Hickam side of JBPHH, adjacent (east) to the Hickam Par 3 Golf Course. The primary ACC site would be bounded by four secondary roads as follows: Kuntz Avenue to the north, McClelland Street to the west, Mountain Home Street to the south, and McChord Street to the east. Parking may be located across McClelland Street on a portion of the Par 3 Golf Course parcel or along Kuntz Avenue on a parcel currently occupied by a veterinary treatment facility (currently planned for relocation).

The proposed layout of this alternative places the three-story clinic building, with a footprint of approximately 84,000 ft2 (7,804 m2), along Kuntz Avenue, with a six-story parking garage including 900 parking spaces and two separate surface parking lots with a total of 600 spaces. The area where the veterinary treatment facility building is currently located would be landscaped or used for additional future surface parking expansion.

Alternative 1 was selected as the preferred alternative because it best meets the purpose of and need for the action and as described in the EA, it also has the fewest potential environmental impacts.

Alternative 2 - Kuntz Gate Site

The Kuntz Gate Site is located on the Hickam side of JBPHH, west of the Kuntz Gate. The primary ACC site would be bounded by two secondary roads as follows: Halehaka Street to the west and Kuntz Avenue to the south. A drainage canal runs along the parcel's north border and a group of shops and warehouses are situated east of the site. A parking structure would be included, and additional surface parking would be located across Halehaka Street on what is currently a surface parking lot (Hickam Vehicle Resale Lot) and across Kuntz Avenue on what is currently two of four ballfields.

Similar to the proposed layout of Alternative 1, the proposed layout of Alternative 2 also mainly consists of the three-story clinic building, a six-story parking garage and two separate surface parking lots. To preserve green open space and existing tree lines, the proposed layout could avoid using the site area south of Kuntz Avenue.

Alternative 3 - Bloch Arena Site

The Bloch Arena Site is located on the Pearl Harbor side of JBPHH, north of Nimitz Gate near Bloch Arena. The primary ACC site would be bounded by two secondary roads as follows: North Road to the northwest, and Battleship Drive to the northeast. Situated to the southeast of the site are the Morale, Welfare, and Recreation youth sports office, Pearl Harbor Gym, and the 4,000 seat Bloch Arena. A parking structure and additional surface parking would be located to the southwest of the ACC on what is now a large surface parking lot.

In the Alternative 3 proposed layout, the 900-stall parking garage would be a three-story building that has the same or lower building height as Building 150 to reduce the level of modern intrusions into the surrounding historic viewsheds. One large surface parking lot would satisfy parking needs for 600 vehicles. Some existing trees would be removed to accommodate the Proposed Action.

Alternatives Eliminated from Further Consideration - The Navy initially considered nine alternative sites on and off JBPHH, including those on both the Pearl Harbor and Hickam sides of JBPHH. The Navy determined that six sites would not meet one or more reasonable alternative screening factors. Therefore, those six sites were not carried forward for detailed analysis in this EA.

Environmental Consequences: The CEQ regulations, NEPA, and Navy instructions for implementing NEPA specify that an EA should address those resources potentially subject to impacts. In addition, the level of analysis should be commensurate with the anticipated level of potential environmental impact. The following six resources are analyzed in this EA:

- Cultural resources
- Air quality
- Biological resources
- Visual resources
- Hazardous materials and waste
- Transportation

According to the analysis in the EA, the construction and operation of the ACC replacement facility under Alternative 1 (Preferred Alternative) and Alternative 2 would have no potential for significant direct, indirect, or cumulative impacts to cultural resources, air quality, biological

resources, visual resources or hazardous materials and waste. Operation of the ACC replacement facility would result in a shift in traffic patterns from existing clinic areas to the Alternative 1 or 2 sites. However, transportation impacts would not be significant with implementation of recommended traffic mitigation measures. Under Alternative 3, construction and operation of the ACC replacement facility would have no potential for significant direct, indirect or cumulative impacts to air quality, biological resources, or hazardous materials and waste but would result in significant impacts to cultural resources and visual resources, which could be reduced to no significant impacts through mitigation. Traffic would decrease at existing clinic sites and increase around the Alternative 3 site. Without mitigation, the increase in congestion for vehicles under Alternative 3 would likely result in significant impacts to transportation resources. However, with recommended measures, traffic impacts to intersections adjacent to the Bloch Arena Site can be mitigated to no significant impacts. Added ACC traffic demand at the Nimitz and Makalapa Gates could be accommodated if the entry lane additions recommended by the Military Surface Deployment and Distribution Command's Transportation Engineering Agency (SDDCTEA) to handle existing conditions were implemented. With the recommended measures adjacent to the ACC site and implementation of SDDCTEA recommendations for existing conditions, transportation impacts would not be significant.

The following is a summary of the EA findings.

Cultural Resources:

Alternative 1 (Preferred Alternative) - Ground disturbing activities have a low probability of affecting undiscovered subsurface cultural resources. Alternative 1 would not result in modifications or demolition of historic architectural resources. No Traditional Cultural Places (TCPs) are within the Area of Potential Effect (APE). Therefore, no significant impacts would occur under this alternative. The Navy consulted on the Preferred Alternative with the Hawaii State Historic Preservation Officer (SHPO) under Section 106 of the National Historic Preservation Act. Based on the commitment that all historic facilities will be reutilized, occupied, and maintained by new tenants, the SHPO concurred with the Navy's finding of No Adverse

Effect to Historic Properties via letter dated December 6, 2021.

- Alternative 2 Ground disturbing activities have a low probability to affect undiscovered subsurface cultural resources. No National Register of Historic Places (NRHP) eligible buildings would be demolished. No TCPs are identified in or near the Alternative 2 site. Therefore, no significant impacts to cultural resources would occur under Alternative 2.
- Alternative 3 Construction and operation of the new clinic would occur within a highly visible location inside the Pearl Harbor National Historic Landmark (NHL) district, on the site of an eligible historic facility (Ward Field), and in a location of moderate to high archaeological probability. No TCPs are identified in or near the Alternative 3 site. Through mitigation, Alternative 3 would not result in significant impacts to cultural resources.
- No Action Alternative No impacts to cultural resources would occur.

Air Quality:

- Alternative 1 (Preferred Alternative) Constructionrelated emissions would be minor and minimized with implementation of best management practices (BMPs). Operations would shift localized commutes and related mobile source emissions to and from previous clinics to the proposed ACC but would not result in significant air quality impacts. Greenhouse gas (GHG) emissions generated during the operation of the proposed facility would be equal to or less than under the No Action Alternative. Therefore, there would be no significant impacts to air quality and climate change.
- Alternative 2 Construction-related emissions would be minor and minimized with implementation of BMPs.
 Operations would shift localized commutes and related mobile source emissions to and from previous clinics to the proposed ACC, with slightly higher mobile emissions than under Alternative 1, but would not result in significant air quality impacts. GHG emissions generated

during the operation of the proposed facility would be equal to or less than under the No Action Alternative. Therefore, there would be no significant impacts to air quality and climate change.

- Alternative 3 Construction-related emissions would be minor and minimized with implementation of BMPs.
 Operations would shift localized commutes and related mobile source emissions to and from previous clinics to the proposed ACC, comparable to Alternative 1 (Preferred Alternative), but would not result in significant air quality impacts. GHG emissions generated during the operation of the proposed facility would be equal to or less than under the No Action Alternative. Therefore, there would be no significant impacts to air quality and climate change.
- No Action Alternative There would be no impacts to air quality or global climate change related to the proposed action.

Biological Resources:

- Alternative 1 (Preferred Alternative), Alternative 2, and Alternative 3 - There would be removal of existing vegetation to the degree needed for site development. Disturbance of terrestrial wildlife species during the site preparation and construction process could be avoided with the implementation of suggested BMPs. Operation of the ACC at this site would have no impacts to biological resources. BMPs will be implemented during construction such that all impacts to ESA-listed species, state-listed species, and MBTA-listed birds would be avoided. Construction and operation of the ACC would have no effect on federally threatened or endangered species. No significant impacts to biological resources would occur.
- No Action Alternative No impacts to biological resources would occur.

Visual Resources:

- Alternative 1 Construction would have temporary nonsignificant impacts that are of local extent and in medium intensity to the common visual resources.
 Operational impacts to visual resources are not significant because of their local extent and medium intensity. No significant impacts would occur to visual . resources.
- Alternative 2 Construction would result in temporary, non-significant impacts to common visual resources that are of local extent and medium intensity. Operational impacts are not significant due to their local extent and low to medium intensity. No significant impacts would occur to visual resources.
- Alternative 3 Temporary, non-significant impacts would be expected during construction of Alternative 3.
 Operations of the ACC would lead to permanent, medium to high intensity impacts within its regional context due to the historic character of the area. Operational impacts to visual resources could be reduced below significance through mitigation.
- No Action Alternative No impacts to visual resources would occur.

Transportation:

- Alternative 1 (Preferred Alternative) and Alternative 2 Operation of the ACC replacement facility would result in a shift in traffic patterns from existing clinic areas to the alternative site. Traffic would decrease at existing clinic sites and increase around the alternative site.
 With implementation of recommended traffic mitigation measures, transportation impacts would not be significant under Alternative 1 or Alternative 2.
- Alternative 3 Operation of the ACC replacement facility would result in a shift in traffic patterns from existing clinic areas to the alternative site. Traffic would decrease at existing clinic sites and increase around the

Alternative 3 site. Without mitigation, the increase in congestion for vehicles under Alternative 3 would likely result in significant impacts to transportation resources However, with recommended measures, traffic impacts to intersections adjacent to the Bloch Arena Site can be mitigated to no significant impacts. Added ACC traffic demand at the Nimitz and Makalapa Gates could be accommodated if the entry lane additions recommended by SDDCTEA to handle existing conditions were implemented. With the recommended measures adjacent to the ACC site and implementation of SDDCTEA recommendations for existing conditions, transportation impacts would not be significant.

• No Action Alternative - No impacts to transportation would occur.

Hazardous Materials and Waste:

- Alternative 1 (Preferred Alternative), Alternative 2 and Alternative 3 - There would be some generation of hazardous materials and wastes during construction due to excavation of soil and disposal of construction materials. There would be no hazardous materials and waste impacts from ACC operations at this site. No significant impacts from hazardous materials and wastes would occur given implementation of existing land use controls (LUCs), management plans and handling procedures.
- No Action Alternative No impacts to hazardous materials and wastes would occur.

<u>Cumulative Impacts</u>: Other past, present, and foreseeable actions in the region of influence were analyzed to determine potential cumulative impacts from implementation of the Proposed Action. The results of the analysis in the EA indicated that there would be the potential for cumulative impacts; however, no significant cumulative effects to the resource areas analyzed in the EA would be caused by implementation of the Preferred Alternative (Alternative 1).

Mitigation Measures: DHA commits to implementing the on-base traffic/intersection improvements identified in the EA for the

Preferred Alternative. With these recommended improvements, intersection operations at the Kuntz Avenue/McClelland Street and Kuntz Avenue/Kokomalei Street intersections would be improved above the Level of Service D threshold. DHA will also collaborate with base planners regarding solutions to entry control facility congestion which may be experienced during AM peak hour conditions with the additional ACC gate entry demand at the O'Malley Gate.

Public Outreach: The NEPA process is designed to involve the public in the federal decision-making process. Formal notification and opportunity for public participation were provided during the preparation of this EA. Coordination and consultation with government agencies and planners was also conducted. As noted earlier, the Navy consulted with the Hawaii SHPO (concurrence dated December 6, 2021). Additionally, the Navy informed the Hawaii Coastal Zone Management Program on March 24, 2020, of its use of the Navy/U.S. Marine Corps De Minimis Activities List under the Coastal Zone Management Act.

A Notice of Availability (NOA) of the Draft EA was published in the *Honolulu Star Advertiser* (Honolulu, Hawaii) on July 9, 10, and 12, 2020. A Notice of Availability of the Draft EA was also published in *The Environmental Notice* on July 8, 2020 by the Office of Environmental Quality Control (State of Hawaii, Department of Health).

The Draft EA was made available for public review during a 30day comment period (July 9 through August 8, 2020). The Draft EA was made available for download from the Navy's "National Environmental Policy Act (NEPA) Information" webpage and Hawaii Office of Environmental Quality Control's online library of EAs and EISs.

No comments were received.

Finding of No Significant Impact: Based on the analyses presented in the EA, which has been prepared in accordance with the requirements of NEPA and Navy policies and procedures, and in coordination with Hawaii Coastal Zone Management Program, and Hawaii State Historic Preservation Officer, the Navy finds that implementation of the Proposed Action under Alternative 1 (Preferred Alternative) will not have a significant effect on the quality of the human or natural environment and preparation of an Environmental Impact Statement is not warranted.

Interested parties may obtain an electronic copy of the Final EA and FONSI from the Navy's NEPA Information webpage: https://pacific.navfac.navy.mil/About-Us/National-Environmental-Policy-Act-NEPA-Information/

or from the Hawaii Office of Environmental Quality Control's online library of EAs and EISs.

20 Jul 22

Date

S.D. Batt

RDML Stephen D. Barnett Commander, Navy Region Hawaii

Abstract

Designation:	Environmental Assessment
Title of Proposed Action:	Ambulatory Care Center Replacement
Project Location:	Joint Base Pearl Harbor-Hickam
Lead Agency for the EA:	United States Department of the Navy
Cooperating Agency:	None
Affected Region:	Navy Region Hawaii
Action Proponent:	Joint Base Pearl Harbor-Hickam
Point of Contact:	Mr. Jeffery H. Butts, Code EV21 Naval Facilities Engineering Systems Command, Atlantic 6506 Hampton Boulevard Norfolk, VA 23508
Date:	February 2022

Joint Base Pearl Harbor-Hickam (JBPHH), a command of the United States Department of the Navy, (hereinafter, jointly referred to as the Navy) has prepared this Environmental Assessment (EA) in accordance with the National Environmental Policy Act (NEPA), as implemented by the Council on Environmental Quality Regulations and Navy regulations for implementing NEPA. The Proposed Action would construct and operate a new ambulatory care center (ACC) at JBPHH. The new ACC would be a consolidated joint Service facility replacing several existing facilities separately operated by the Navy, Air Force, and Army. The proposed ACC would be sustained and administered by the Defense Health Agency, a tenant at JBPHH. This EA evaluates the potential environmental impacts associated with three action alternatives and the No Action Alternative to the following resources: cultural resources, air quality, biological resources, visual resources, transportation, and hazardous materials and wastes.



This page intentionally left blank.

EXECUTIVE SUMMARY

ES.1 Proposed Action

Joint Base Pearl Harbor-Hickam (JBPHH), a command of the United States Department of the Navy (hereinafter, jointly referred to as the Navy) has prepared this Environmental Assessment (EA) to evaluate a proposal to construct and operate a new ambulatory care center (ACC) to consolidate existing facilities and services separately managed by the Navy, Air Force, and Army to a location at JBPHH. The new facility would be a Tri-Service ACC shared by Navy, Air Force, and Army medical activities to meet the needs of both JBPHH and the Defense Health Agency (DHA) Hawaii Market. The proposed ACC would be sustained and administered by the DHA, a tenant at JBPHH. Logistics would be supported by Tripler Army Medical Center (TAMC) with a "Just in Time" delivery model, an inventory strategy where materials are only ordered and received as they are needed. In addition to supporting the Hawaii Market, the new facility would also support the current clinical functions of the Naval Health Clinic Hawaii, the Air Force 15th Medical Group, and TAMC in providing a full range of military operations and sustaining the readiness and health of all active duty personnel. The construction of the Proposed Action would be implemented over approximately two years beginning with construction as early as fiscal year (FY) 2025, and steady state operations would begin by FY 2030.

ES.2 Purpose of and Need for the Proposed Action

The purpose of the Proposed Action is to provide comprehensive primary care, dental, behavioral health, occupational, and preventive special medicine services to active duty Service members and beneficiaries in facilities that are appropriately sized, configured, and sited to meet mission requirements and comply with current federal criteria for military health facilities (e.g., DHA Space Planning criteria and Unified Facilities Criteria 4-510-01, *Design: Medical Treatment Facilities*). The Proposed Action is needed to rectify current capacity deficiencies at the existing Service clinics and ensure that the services continue to provide high-quality health care to entitled military personnel, dependents, and retirees in the JBPHH region.

ES.3 Alternatives Considered

Based on screening criteria and an alternatives evaluation process, three practicable action alternatives were found to achieve the Proposed Action and satisfy the project's purpose and need. The three action alternatives and the No Action Alternative are carried forward for analysis. Under the No Action Alternative, the Proposed Action would not occur. The new ACC would not be constructed, and the existing service clinics would continue to be used for all existing health care services. Existing clinics do not have the building space capacity needed to meet mission requirements and comply with current federal criteria for military health facilities. Therefore, the No Action Alternative would not meet the purpose and need for the Proposed Action.

Potential alternatives that meet the purpose and need were evaluated against the following screening factors:

- Availability of space for needed medical facilities and access to existing utilities and sufficient space to accommodate 10 to 20 percent future growth
- Continuity of health clinic services for all patrons

- Proximity of the new facility to entitled military personnel and convenient access for dependents and retirees on the island of Oahu
- Compatibility with existing military operations and future proposed actions
- Minimization of construction challenges (i.e., minimization of secondary cost effects, construction challenges, or escalations based on environmental or historic property mitigation)

The Navy initially considered nine alternative sites at JBPHH, including those on both the Pearl Harbor and Hickam Airfield sides of JBPHH. The Navy determined that three sites on the Pearl Harbor side of JBPHH and three sites on the Hickam Airfield side of the JBPHH would not meet one or more reasonable alternative screening factors outlined above. Therefore, those six sites were not carried forward for detailed analysis in this EA. The Navy retained three remaining sites for detailed consideration in the EA. The three action alternative sites carried forward for evaluation in the EA are:

- Tradewinds-Par 3 Site (Alternative 1)
- Kuntz Gate Site (Alternative 2)
- Bloch Arena Site (Alternative 3)

At each site, the Proposed Action would construct the following:

- An approximately 250,000-square foot (ft²) (23,226-square meter [m²]) health/dental clinic facility (over multiple stories)
- An approximately 7,500-ft² (697-m²) central utility plant to service the health/dental clinic
- Approximately 1,500 parking stalls (i.e., 600 in surface parking and 900 in structured parking garage)
- Site preparation work and utility connections including electricity, water, storm sewer, and sanitary sewer

ES.4 Summary of Environmental Resources Evaluated in the EA

Council on Environmental Quality regulations, National Environmental Policy Act (NEPA), and Navy instructions for implementing NEPA specify that an EA should address those resources potentially subject to impacts. In addition, the level of analysis should be commensurate with the anticipated level of potential environmental impact. The following resources are analyzed in this EA:

- Cultural resources
- Air quality
- Biological resources
- Visual resources
- Hazardous materials and waste
- Transportation

ES.5 Summary of Potential Environmental Consequences of the Action Alternatives and Major Mitigating Actions

See Table ES-1 for a tabular summary of the potential impacts to the resources associated with each of the alternative actions analyzed.

ES.6 Public Involvement

The Navy posted the Draft EA for public review at the following Navy website:

https://www.navfac.navy.mil/navfac_worldwide/pacific/about_us/national-environmental-policy-act-nepa--information.html. A 30-day public comment period followed from July 9, 2020, through August 8, 2020, as set forth in a Notice of Availability published in *The Honolulu Star-Advertiser* (July 9th, 10th, and 12th) and as published in the Hawaii Office of Environmental Quality Control's *The Environmental Notice* on July 8, 2020, Comments received from the public and federal, state, and local agencies during the comment period were considered in the Final EA. No public comments were received.

-		Alternative 1 – Tradewinds-Par 3		
Resource Area	No Action Alternative	(Preferred Alternative)	Alternative 2 – Kuntz Gate	Alternative 3 – Bloch Arena
Cultural	The clinic would not be	Construction period ground-disturbing	Construction period	Construction and operation of the new
Resources	constructed and there	activities have a low probability to	ground-disturbing activities have a	clinic would occur within a highly visible
	would be no change in	affect undiscovered subsurface cultural	low probability to affect	location inside the NHL district, on the
	operations.	resources. Alternative 1 would not	undiscovered subsurface cultural	site of an eligible historic facility (Ward
	No impacts to cultural or	result in modifications or demolition of	resources. Several non-NRHP eligible	Field), and in a location of high
	historical resources would	historic architectural resources. No	buildings over 50 years old would be	archaeological probability. Construction
	occur.	TCPs are within the APE. Therefore,	demolished. Therefore, construction	and operations would result in
		construction and operation of the new	and operation of the new clinic	significant, long-term, local and regional
		clinic would result in no significant,	would result in no significant,	impacts to cultural resources, which
		long-term, local impacts to cultural	long-term, local impacts to cultural	could be reduced to no significant
		resources.	resources.	impacts through mitigation.
		There would be no adverse effect to		
		historic properties. Pursuant to NHPA		
		Section 106, the Navy consulted with		
		the Hawaii State Historic Preservation		
		Officer (SHPO) and interested parties.		
		In its letter dated December 6, 2021,		
		the SHPO stated, "Based on the		
		commitment that all historic facilities		
		will be reutilized, occupied, and		
		maintained by new tenants, the		
		SHPO concurs with the determination		
		of <i>no adverse effect</i> for the proposed		
		project."		

		Alternative 1 – Tradewinds-Par 3		
Resource Area	No Action Alternative	(Preferred Alternative)	Alternative 2 – Kuntz Gate	Alternative 3 – Bloch Arena
Air Quality	The clinic would not be constructed and there would be no change in operations. There would be no impacts to air quality or global climate change.	Construction-related emissions would be minor and minimized with implementation of BMPs. Operations would shift localized commutes and related mobile source emissions to and	source emissions to and from previous clinics to the proposed ACC, with slightly higher mobile emissions than under Alternative 1 due to increased congestion, but would not result in significant air quality	would not result in significant air quality impacts. Operational GHG emissions would be equal to or less than the No Action Alternative. Therefore, there
Biological Resources	The clinic would not be constructed, and there would be no change in operations. No impacts to biological resources would occur.	There would be removal of existing vegetation to the degree needed for site development. Disturbance to terrestrial wildlife species during the site preparation and construction process could be avoided with the implementation of the suggested BMPs. Operation of the ACC at this site would have no impacts to biological resources. No significant impacts to biological resources would occur. No effect on ESA-listed species.	There would be removal of existing vegetation to the degree needed for site development. Disturbance to terrestrial wildlife during the site preparation and construction process could be avoided with the implementation of the suggested BMPs. Operation of the ACC at this site would have no impacts to biological resources. No significant impacts to biological resources would occur. No effect on ESA-listed species.	There would be removal of existing vegetation to the degree needed for site development. Disturbance to terrestrial wildlife species during the site preparation and construction process could be avoided with the implementation of the suggested BMPs. Operation of the ACC at this site would have no impacts to biological resources. No significant impacts to biological resources would occur. No effect on ESA-listed species.

Resource Area	No Action Alternative	Alternative 1 – Tradewinds-Par 3 (Preferred Alternative)	Alternative 2 – Kuntz Gate	Alternative 3 – Bloch Arena
Visual Resources	The clinic would not be constructed, and there would be no change to landscape character and visual resources. Therefore, no impacts would occur from the No Action Alternative.	Construction would have temporary non-significant impacts that are of local extent and in medium intensity to the common visual resources. Operational	Construction would have temporary, non-significant impacts to common visual resources that are of local extent and medium intensity. Operational impacts to visual	Visual resources are important due to the historic characteristics of the area. Temporary, less than significant impacts are expected from construction. Operations would lead to permanent, medium to high intensity impacts within
Transportation	The clinic would not be constructed and there would be no change in operations. No impacts to transportation would occur.	Operation of the ACC replacement facility would result in a shift in traffic patterns from existing clinic areas to the alternative site. Traffic would decrease at existing clinic sites and increase around the Alternative 1 site. With implementation of recommended traffic mitigation measures, transportation impacts would not be significant.	Operation of the ACC replacement facility would result in a shift in traffic patterns from existing clinic areas to the alternative site. Traffic would decrease at existing clinic sites and increase around the Alternative 2 site. With implementation of recommended traffic mitigation measures, transportation impacts would not be significant.	Operation of the ACC replacement facility would result in a shift in traffic patterns from existing clinic areas to the alternative site. Traffic would decrease at existing clinic sites and increase around the Alternative 3 site. The increase in congestion for vehicles entering Nimitz Gate would not be readily mitigatable. Therefore,

		Alternative 1 – Tradewinds-Par 3		
Resource Area	No Action Alternative	(Preferred Alternative)	Alternative 2 – Kuntz Gate	Alternative 3 – Bloch Arena
Hazardous	The clinic would not be	There would be some generation of	There would be some generation of	There would be some generation of
Materials and	constructed, and there	hazardous materials and wastes during	hazardous materials and wastes	hazardous materials and wastes during
Wastes	would be no change in	construction due to excavation of soil	during construction due to	construction due to excavation of soil
	operations. Hazardous	and disposal of construction materials.	excavation of soil and disposal of	and disposal of construction materials.
	wastes and materials would	There would be no operational impacts	construction materials. There would	There would be no operational impacts
	continue to be generated at	of the ACC at this site. No significant	be no operational impacts of the	of the ACC at this site. No significant
	current levels and locations	impacts from hazardous materials and	ACC at this site. No significant	impacts from hazardous materials and
	and would be managed	wastes would occur given	impacts from hazardous materials	wastes would occur given
	under existing protocols.	implementation of existing LUCs,	and wastes would occur given	implementation of existing LUCs,
	No impacts to hazardous	management plans and handling	implementation of existing	management plans and handling
	materials and wastes would	procedures.	management plans and handling	procedures.
	occur.		procedures.	

Notes: ACC = Ambulatory Care Center; BMP = best management practice; ESA = Endangered Species Act; GHG = greenhouse gas; JBPHH = Joint Base Pearl Harbor-Hickam; LUC = land use control; NHL = National Historic Landmark

This page intentionally left blank.

Final Environmental Assessment

Ambulatory Care Center

Joint Base Pearl Harbor-Hickam, Oahu, Hawaii

TABLE OF CONTENTS

EXEC	JTIVE SU	JMMARY ES-1
	ES.1	Proposed ActionES-2
	ES.2	Purpose of and Need for the Proposed Action ES-2
	ES.3	Alternatives Considered ES-2
	ES.4	Summary of Environmental Resources Evaluated in the EA ES-2
	ES.5	Summary of Potential Environmental Consequences of the Action Alternatives
		and Major Mitigating Actions ES-2
	ES.6	Public Involvement ES-3
ABBR	EVIATIO	INS AND ACRONYMS
1		PURPOSE OF AND NEED FOR THE PROPOSED ACTION1-1
	1.1	Introduction
	1.2	Background1-2
		1.2.1 Mission1-2
		1.2.2 NHCH Makalapa Clinic (Building 1407)1-2
		1.2.3 NHCH Shipyard/Occupational Health Clinic (Building 1750)1-2
		1.2.4 Air Force 15 th Medical Group (Building 559 and others)1-5
		1.2.5 Tripler Army Medical Center1-3
	1.3	Location1-4
	1.4	Purpose of and Need for the Proposed Action1-4
	1.5	Scope of Environmental Analysis1-7
	1.6	Key Documents1-7
	1.7	Relevant Laws and Regulations1-8
	1.8	Public and Agency Participation and Intergovernmental Coordination1-
	1.9	Summary of Changes Since the Draft Environmental Assessment1-9
2		PROPOSED ACTION AND ALTERNATIVES2-1
	2.1	Proposed Action2-2
	2.2	Screening Factors

	2.3	Alternatives Carried Forward for Analysis	2-2
		2.3.1 No Action Alternative	2-2
		2.3.2 Alternative 1: Tradewinds-Par 3 Site (Preferred Alternative)	2-2
		2.3.3 Alternative 2: Kuntz Gate Site	2-5
		2.3.4 Alternative 3: Bloch Arena Site	2-8
		2.3.5 All Action Alternatives: Existing Clinic Buildings to be Returned to the	
		Installation	
	2.4	Alternatives Considered but not Carried Forward for Detailed Analysis	2-11
		2.4.1 Pearl Harbor Side – Existing NHCH Makalapa Clinic Site	2-11
		2.4.2 Pearl Harbor Side – Little Makalapa Site	2-13
		2.4.3 Pearl Harbor Side – Paul Hamilton Avenue Site	2-13
		2.4.4 Hickam Side – Freedom Avenue Site	2-13
		2.4.5 Hickam Side – Par 3 Golf Course Site	2-13
		2.4.6 Hickam Side – Kuntz Avenue Baseball Field Site	2-14
		2.4.7 Sites Outside of Joint Base Pearl Harbor Hickam	2-14
	2.5	Best Management Practices Included in Proposed Action	2-14
3		AFFECTED ENVIRONMENT AND ENVIRONMENTAL CONSEQUENCES	3-1
	3.1	Cultural Resources	3-4
		3.1.1 Regulatory Setting	
		3.1.2 Affected Environment	3-5
		3.1.3 Environmental Consequences	
	3.2	Air Quality	
		3.2.1 Regulatory Setting	
		3.2.2 Affected Environment	3-14
		3.2.3 Environmental Consequences	
	3.3	Biological Resources	
		3.3.1 Regulatory Setting	
		3.3.2 Affected Environment	
		3.3.3 Environmental Consequences	
	3.4	Visual Resources	
		3.4.1 Regulatory Setting	
		3.4.2 Affected Environment	3-31
		3.4.2 Affected Environment3.4.3 Environmental Consequences	

7		LIST OF PREPARERS
6		REFERENCES
	5.4	Relationship between Short-Term Use of the Environment and Long-Term Productivity.5-3
	5.3	Unavoidable Adverse Impacts
	5.2	Irreversible or Irretrievable Commitments of Resources
	5.1	Consistency with Other Federal, State, and Local Laws, Plans, Policies, and Regulations . 5-1
5		OTHER CONSIDERATIONS REQUIRED BY NEPA
	4.4	Cumulative Impacts under the Proposed Action
	4.3	Past, Present, and Reasonably Foreseeable Actions4-2
	4.2	Scope of Cumulative Impacts Analysis
	4.1	Definition of Cumulative Impacts4-1
4		CUMULATIVE IMPACTS
		3.7.1 Impact Avoidance and Minimization Measures
	3.7	Summary of Potential Impacts to Resource Areas
		3.6.3 Environmental Consequences
		3.6.2 Affected Environment
		3.6.1 Regulatory Setting
	3.6	Hazardous Materials and Wastes
		3.5.3 Environmental Consequences
		3.5.2 Affected Environment
		3.5.1 Regulatory Setting
	3.5	Transportation

List of Figures

1-1	NHCH Makalapa Clinic (Building 1407)	. 1-2
1-2	NHCH Shipyard Clinic (Building 1750)	. 1-2
1-3	15 MDG Main Clinic (Building 559)	. 1-3
1-4	Tripler Army Medical Center	. 1-3
1-5	Location Map - Joint Base Pearl Harbor-Hickam	. 1-5
1-6	Proposed Action Study Area Locations	.1-6
2-1	Alternative 1: Tradewinds-Par 3 Site (Preferred Alternative)	.2-3
2-2	Existing Recreational Pavilion (Building 75097H) on the Tradewinds-Par 3 Site	2-4
2-3	Proposed Facility Layout at the Tradewinds-Par 3 Site	.2-5
2-4	Alternative 2: Kuntz Gate Site	. 2-6

2-5	Proposed Facility Layout at the Kuntz Gate Site	2-7
2-6	Alternative 3: Bloch Arena Site	2-9
2-7	Proposed Facility Layout at the Bloch Arena Site	2-10
2-8	Additional Alternative Sites Considered at JBPHH	2-12
3-1	Historic District Boundaries at JBPHH	3-8
3-2	Proposed Site Locations and Gate Locations	3-35
3-3	Proposed Conceptual Site Plan of Alternative 1: Tradewinds-Par 3 Site	3-37
3-4	Proposed Conceptual Site Plan of Alternative 2: Kuntz Gate Site	3-40
3-5	Proposed Conceptual Site Plan of Alternative 3: Bloch Arena Site	3-44

List of Tables

2-1	Best Management Practices2	2-15
3-1	Methods for Determining Levels of Impact	3-2
3-2	Summary Impact Levels	3-2
3-3	Ambient Air Quality Monitoring Data (2016)3	8-15
3-4	Threatened and Endangered Species Known to Occur or Potentially Occurring	
	in the ROI and Critical Habitat Present in ROI3	8-21
3-5	Summary of Potential Impacts to Resource Areas	-52
3-6	Impact Avoidance and Minimization Measures	-56
4-1	Cumulative Actions for Evaluation	4-3
5-1	Principal Federal and State Laws Applicable to the Proposed Action	5-1

Appendices

A	National Historic Preservation Act Section 106 Documentation	A-1
В	Final Transportation Impact Assessment Report	B-1
С	Public and Agency Participation	C-1
D	Coastal Zone Management Act Correspondence	D-1
E	Entry Control Facility Memorandum	E-1

Abbreviations and Acronyms

Acronym/Abbreviation	Definition	Acronym/Abbreviation	Definition
15 MDG	15 th Medical Group	DoD	Department of
ACC	Ambulatory Care	000	Defense, United States
Acc	Center		Division of Forestry
ACM	asbestos-containing	DOFAW	and Wildlife, State of
	material		Hawaii Department of Health,
ADP	Area Development Plan	DOH	State of Hawaii
AFB	Air Force Base		Environmental
AOC	area of concern	EA	Assessment
	Area of Potential	EFH	Essential Fish Habitat
APE	Effect	EHMP	environmental hazard
A.O.C.B	Air Quality Control		management plan
AQCR	Region	EIS	Environmental Impact
ATR	automatic traffic		Statement
,,,,,,	recorder	50	5 o l
BMP	best management	EO	Executive Order
C A A	practice Clean Air Act	ESA	Endangered Species Act
CAA	Clean Air Act Council on	Fac.	Facility
CEQ	Environmental Quality	FS	feasibility study
	Comprehensive	ft ²	square foot
	Environmental	FY	fiscal year
CERCLA	Response,	GHG	, greenhouse gas
	Compensation, and		Hawaii ambient air
	Liability Act	HAAQS	quality standards
CFR	Code of Federal Regulations	НАР	hazardous air
	Commander, Navy		pollutant
CNRH	Region Hawaii	HAR	Hawaii Administrative
СО	carbon monoxide		Rules
COC	chemical of concern	HART	Honolulu Area Rapid Transit
CY	calendar year		Hazardous Materials
C7N4A	Coastal Zone	HAZMART	Pharmacy
CZMA	Management Act	hour/day	, hour per day
day/year	day per year	•	Human Performance
DERP	Defense	HPARC	and Rehabilitation
	Environmental		Center
	Restoration Program Defense Health	HQ PACAF	Headquarters Pacific
DHA	Agency		Air Forces
	NECICY	HRS	Hawaii Revised Statutes
			Statutes

February 2022

Acronym/Abbreviation	Definition	Acronym/Abbreviation	Definition
HTMW	hazardous and toxic		National Oceanic and
	materials and wastes	NOAA	Atmospheric
	Integrated Cultural		Administration
ICRMP	Resources	NRHP	National Register of
	Management Plan		Historic Places
ID	identification	O ₃	ozone
IDP	Installation	Pb	lead
	Development Plan	РСВ	polychlorinated
INRMP	Integrated Natural Resources	PHNC	biphenyl Dearl Harker Nevel
	Management Plan		Pearl Harbor Naval Complex
	Joint Base Pearl		particulate matter less
JBPHH	Harbor-Hickam	PM ₁₀	than or equal to 10
LBP	lead-based paint	10	microns in diameter
LOS	level of service		particulate matter less
LUC	land use control	PM _{2.5}	than or equal to 2.5
m²	square meter		microns in diameter
	Migratory Bird Treaty	ppm	part per million
MBTA	Act	PUCDP	Primary Urban Center
MHS	Military Health System	10001	Development Plan
MSAT	Mobile Source Air	RCRA	Resource Conservation
WISAT	Toxics		and Recovery Act
NAAQS	National Ambient Air	RI	remedial investigation
	Quality Standards	ROI	Region of Influence
	Naval Facilities	SAIA	Sikes Act Improvement Act
NAVFAC HI	Engineering Systems Command, Hawaii		Surface Deployment
	Department of the		and Distribution
Navy	Navy, United States	SDDCTEA	Command
	Naval Computer and		Transportation
	Telecommunications	SHPO	Engineering Agency
NCTAMS PAC	Area Master Station		State Historic
	Pacific		Preservation Officer
	National	SI	site inspection
NEPA	Environmental Policy	SIHP	State Inventory of
	Act	•	Historic Places
NHCH	Naval Health Clinic	SMART	Sports Medicine &
	Hawaii National Historia	60	Rehabilitation Therapy
NHL	National Historic Landmark	SO ₂	sulfur dioxide
	National Historic	SOP	standard operating procedure
NHPA NO ₂	Preservation Act	ТАМС	Tripler Army Medical
	nitrogen dioxide		Center

Final

Acronym/Abbreviation	Definition	Acronym/Abbreviation	Definition
ТСР	traditional cultural place	USEPA	U.S. Environmental Protection Agency
TIAR	Traffic Impact Analysis Report	USFWS	U.S. Fish and Wildlife Service
ТРН	total petroleum hydrocarbons	UST	underground storage tank
U.S.	United States	VOC	volatile organic
U.S.C.	U.S. Code		compound
UFC	Unified Facilities Criteria		

This page intentionally left blank.

1 Purpose of and Need for the Proposed Action

1.1 Introduction

Joint Base Pearl Harbor-Hickam (JBPHH), a command of the United States (U.S.) Department of the Navy (hereinafter, jointly referred to as the Navy) has prepared this Environmental Assessment (EA) to evaluate a proposal to construct and operate a new Ambulatory Care Center (ACC) to consolidate existing facilities and services separately managed by the Navy, Air Force, and Army to a location at JBPHH, on the island of Oahu, Hawaii. The new replacement ACC would provide comprehensive primary care, dental, behavioral health, occupational, and preventive special medicine services to entitled military personnel, dependents, and retirees in the JBPHH region. The proposed ACC would be sustained and administered by the Defense Health Agency (DHA), a tenant at JBPHH. Construction would take place over approximately two years beginning in fiscal year (FY) 2025. The Navy has prepared this EA in accordance with the National Environmental Policy Act (NEPA), as implemented by the Council on Environmental Quality (CEQ) Regulations and Navy regulations for implementing NEPA to evaluate the potential environmental impacts associated with the proposed construction and operation of the new facility.

1.2 Background

1.2.1 Mission

The current medical mission of the Naval Health Clinic Hawaii (NHCH) and the 15th Medical Group (15 MDG) is to provide comprehensive primary care, dental, behavioral health, occupational, and preventive special medicine services to entitled military personnel, dependents, and retirees in the JBPHH region. Currently, outpatient specialty care and tertiary care for U.S. Department of Defense (DoD) beneficiaries, as well as some primary care and behavioral health services, are provided by Tripler Army Medical Center (TAMC). The DHA Hawaii Market coordinates all Military Health System (MHS) healthcare services throughout Oahu.

NHCH provides the majority of medical and dental services to Navy beneficiaries. 15 MDG provides the majority of medical and dental services to Air Force beneficiaries. Over time, the medical operations have expanded to the surrounding buildings to compensate for lack of space. With increasing volumes of patients, a need exists for a new ACC that would be able to provide the space, flexibility, and technology required to serve the Navy, Army, Air Force, Coast Guard, and Marines. TAMC is currently located in an area that is not easily accessible to the general JBPHH population. Redirecting beneficiaries away from TAMC would improve the ease of access for medical care patients and reduce traffic. Incorporating better public transit and pedestrian access to the site also would help mitigate congestion.



Figure 1-1 NHCH Makalapa Clinic (Building 1407)

1.2.2 NHCH Makalapa Clinic (Building 1407)

The NHCH Makalapa Medical and Dental Clinic (hereinafter, referred to as the NHCH Makalapa Clinic) provides the predominant volume of medical and dental services to Navy beneficiaries on Oahu. The NHCH Makalapa Clinic provides family medicine, pediatrics, dermatology (active duty only), gynecology, immunizations, laboratory, optometry, pharmacy, preventive medicine, radiology and comprehensive dental care (active duty only), physical therapy (active duty only), sports medicine (active duty only), and deployment health. Primary services

are located in Building 1407 (Figure 1-1). The facility was built in 1974 and is over 69,000 square feet (ft²) (6,410 square meters [m²]). Over time, two new buildings were added and renovated (Building 1514 and Building 1535) in an effort to compensate for lack of space. These newer facilities include services for mental health, physical therapy, and administration. Building 1514 is the home of the NHCH Sports Medicine & Rehabilitation Therapy (SMART) Center. Building 1535, NHCH Mental Health Clinic, built in 1975, was recently renovated and is over 12,000 ft² (1,115 m²).

The NHCH currently has several deficiencies that impact the ability to deliver high quality medical care. The existing space of Building 1407 meets 50 percent of the DoD space criteria for the mission and patient population served. Functionally, the building also fails to perform as required, with deficiencies in fire protection systems, utility piping, internal communication systems, seismic performance, and building system controls.

1.2.3 NHCH Shipyard/Occupational Health Clinic (Building 1750)

NHCH also includes Building 1750 (Figure 1-2), commonly referred to as the Command Headquarters and Shipyard Clinic. The facility was built in 1990 and is over 60,000 ft² (5,574 m²). Undersea medicine, occupational health, radiological health, hearing conservation, and industrial hygiene support the mission readiness of Pearl Harbor Naval Shipyard. The Shipyard Clinic is located near the Shipyard and provides easy access of care for the Shipyard workers and the Fleet. This facility is a critical component to the NHCH mission.



Figure 1-2 NHCH Shipyard Clinic (Building 1750)



Figure 1-3 15 MDG Main Clinic (Building 559)

1.2.4 Air Force 15th Medical Group (Building 559 and others)

The 15 MDG provides the predominant volume of medical and dental services to Air Force beneficiaries on Oahu. The primary services of the 15 MDG are located in several buildings. The main clinic (Building 559) (Figure 1-3) is the largest building (three stories, approximately 71,000 ft² (6,596 m²), built in 1942, and suffered damage during the Pearl Harbor attack) and is located within a historical landmark. The other major buildings include the Mental Health Clinic

(Building 554, 6,200 ft² [576 m²], and built in 2005) and Human Performance and Rehabilitation Center (HPARC) (Building 1113, 5,000 ft² [465 m²], and built in 1940). Building 1113 was built for non-medical purposes and has been reused over the past 20 years as a physical therapy clinic. Also included is the 15 MDG Education and Training function which recently moved to the main clinic (Building 559) and Bioenvironmental Engineering (Building 2155) which is currently a non-medical building.

The 15 MDG facilities currently have several deficiencies that affect the ability to deliver high quality medical care. The existing space of Building 559 does not meet the DoD space criteria for the mission and patient population served. Functionally, the building also does not perform as it should with



Figure 1-4 Tripler Army Medical Center

deficiencies to building infrastructure systems.

1.2.5Tripler Army Medical Center

TAMC (Figure 1-4) is the headquarters of the Regional Health Command-Pacific and is the largest military hospital in the Indo-Pacific Region. It supports 264,000 local active duty and retired military personnel, their families, and veteran beneficiaries. In addition, the referral population includes 171,000 military personnel, family members, veteran beneficiaries, residents of nine U.S.-affiliated jurisdictions (American Samoa, Guam, and the former Trust Territories), and forward-deployed forces in more than 40 countries

throughout the Pacific. TAMC also provides outpatient specialty care and tertiary care for all DoD beneficiaries in Hawaii. Some comprehensive primary care, behavioral health, and low-acuity, high-volume medical specialty care is also provided at TAMC for beneficiaries enrolled at TAMC.

TAMC faces operational constraints from facility age, size, configuration, infrastructure condition, and location-related issues including access, terrain, and parking shortages.

The proposed new ACC replacement would provide the same outpatient services as the aforementioned clinics. In other words, the new ACC facility would replace and provide the same services currently offered at:

- Three existing Navy clinic facilities on Naval Station Pearl Harbor:
 - Building 1407 NHCH Makalapa Clinic
 - o Building 1514 NHCH SMART Center
 - Building 1535 NHCH Mental Health Clinic
- Three existing Air Force clinic facilities on Hickam Air Force Base (AFB):
 - o Building 559 Air Force 15 MDG Medical and Dental Clinic
 - o Building 554 Air Force 15 MDG Mental Health Clinic
 - Building 1113 Air Force 15 MDG HPARC
- Most primary care services currently offered at Tripler Army Medical Clinic
- Approximately half of the current functions and occupants of Building 1750 Shipyard Clinic

Existing health services would be provided at the existing clinics until the new facility is fully operational.

1.3 Location

Naval Station Pearl Harbor and Hickam AFB combined to form JBPHH on January 31, 2010. The Navy acts as the Component Lead for JBPHH; therefore, Commander, Navy Region Hawaii (CNRH) oversees all Base Operating Support. This responsibility involves 24,895 acres (10,075 hectares) of land and approximately 68,081 acres (27,552 hectares) of water. Figure 1-5 illustrates the boundaries of JBPHH. JBPHH encompasses significant land holdings at the main base, West Loch Annex, Pearl City Peninsula, Waipio Peninsula, and other outlying areas. JBPHH combines two bases into a single joint installation to support both Air Force and Navy missions in the Pacific. JBPHH serves as the home base for Air Force air wings and Navy surface ship and submarine squadrons, and is a regional maintenance center for ships and submarines. The main base is host to Commander, U.S. Pacific Fleet and the Headquarters Pacific Air Forces (HQ PACAF). In addition, JBPHH hosts over 100 tenant commands that support the Navy, Air Force, and other missions in Hawaii and the Indo-Pacific.


Within JBPHH, the EA will focus on three alternative sites for the proposed new ACC as shown in Figure 1-6.

1.4 Purpose of and Need for the Proposed Action

The purpose of the Proposed Action is to provide comprehensive primary care, dental, behavioral health, occupational, and preventive special medicine services to entitled military personnel, dependents, and retirees in the JBPHH region in facilities that are appropriately sized, configured, and sited to meet mission requirements and comply with current federal criteria for military health facilities (e.g., DHA Space Planning criteria and Unified Facilities Criteria (UFC) 4-510-01, *Design: Medical Treatment Facilities*).

The Proposed Action is needed to rectify current capacity deficiencies at the existing Service clinics and ensure that the Services continue to provide high-quality health care to entitled military personnel, dependents, and retirees in the JBPHH region.

Final








Figure 1-6 Proposed Action Study Area Locations

1.5 Scope of Environmental Analysis

This EA includes an analysis of potential environmental impacts associated with three Action Alternatives and the No Action Alternative. The environmental resources analyzed in this EA include: cultural resources, air quality, visual resources, biological resources (including threatened and endangered species), transportation, and hazardous materials and wastes. The study area for each resource analyzed may differ due to how the Proposed Action interacts with or impacts the resource. For instance, the study area for cultural resources may only include the construction footprint, whereas the transportation study area would expand to include the roads, intersections, and transit corridors that may be impacted by the expected staff and patient loading.

1.6 Key Documents

Key documents are sources of information incorporated into this EA. Documents are considered to be key because of similar actions, analyses, or impacts that may apply to this Proposed Action. CEQ guidance encourages incorporating documents by reference. Documents incorporated by reference in part or in whole include:

- Integrated Natural Resources Management Plan (NAVFAC PAC 2011). The Integrated Natural Resources Management Plan (INRMP) was developed for the Navy, CNRH for JBPHH, Oahu to meet statutory requirements of the Sikes Act Improvement Act (SAIA) of 1997 (16 U.S. Code [U.S.C.] 670(a) *et seq.* Public Law 105-85). The primary purpose of this INRMP is to update the 2001 INRMPs for Pearl Harbor Naval Complex (PHNC), Naval Magazine Pearl Harbor, and Naval Computer and Telecommunications Area Master Station Pacific (NCTAMS PAC) Wahiawa and to update the 1997 Natural Resources Management Plan for Navy-retained land at the former Naval Air Station Barbers Point (now known as Kalaeloa). Hickam AFB came under Navy control as of October 1, 2010, as a result of the joint-basing process. Natural resource management at Hickam is included in an Air Force INRMP covering all previously held Air Force properties in Hawaii (U.S. Air Force 2007). The sections pertaining to those properties that are now under Navy jurisdiction were extracted from the Air Force INRMP and inserted in Chapter 7 of the Navy INRMP. The plan provides a framework where natural resources are managed in accordance with the SAIA mandate to provide "no net loss in the capability of military installation lands to support the military mission of the installation."
- Oahu Integrated Cultural Resources Management Plan (CNRH 2008). The Oahu Integrated Cultural Resources Management Plan (ICRMP) was prepared in October 2008 by the CNRH in accordance with DoD Environmental Conservation Program Instruction 4715.3. The document updates the 2002 ICRMP for the PHNC. The 2008 ICRMP expands upon the 2002 ICRMP to include all CNRH installations on Oahu, including PHNC; NCTAMS PAC Wahiawa and NCTAMS PAC Radio Transmitter Facility Lualualei; Naval Magazine Pearl Harbor Lualualei Branch; Navy-retained lands at Kalaeloa; and Regional Relay Facility Kahuku.
- Integrated Cultural Resources Management Plan for Hickam AFB, Hawaii (2008-2012 Update). The ICRMP for Hickam AFB was prepared in January 2008. This ICRMP for Hickam AFB provides guidance and standard operating procedures (SOPs) to enable the base to meet its legal responsibilities for identification, evaluation, and protection of cultural resources under its jurisdiction while supporting the military mission. The document updated a 1998 ICRMP and was prepared according to Air Force Instruction 32-7065, *Cultural Resources Management Program*.

1.7 Relevant Laws and Regulations

The Navy has prepared this EA based upon federal and state laws, statutes, regulations, and policies pertinent to the implementation of the Proposed Action, including the following:

- NEPA (42 U.S.C. sections 4321–4370h), which requires an environmental analysis for major federal actions that have the potential to significantly impact the quality of the human environment
- CEQ Regulations for Implementing the Procedural Provisions of NEPA (40 Code of Federal Regulations [CFR] Parts 1500–1508) (1978, as amended in 1986 and 2005)
- Navy regulations for implementing NEPA (32 CFR 775), which provides Navy policy for implementing CEQ regulations and NEPA
- Clean Air Act (CAA) (42 U.S.C. section 7401 et seq.)
- Clean Water Act (33 U.S.C. section 1251 et seq.)
- Rivers and Harbors Act (33 U.S.C. section 407)
- Coastal Zone Management Act (CZMA) (16 U.S.C. section 1451 et seq.)
- National Historic Preservation Act (54 U.S.C. section 306108 et seq.)
- Endangered Species Act (ESA) (16 U.S.C. section 1531 et seq.)
- Migratory Bird Treaty Act (MBTA) (16 U.S.C. section 703–712)
- Comprehensive Environmental Response and Liability Act (42 U.S.C. section 9601 et seq.)
- Emergency Planning and Community Right-to-Know Act (42 U.S.C. sections 11001–11050)
- Federal Insecticide, Fungicide, and Rodenticide Act (7 U.S.C. section 136 et seq.)
- Resource Conservation and Recovery Act (RCRA) (42 U.S.C. section 6901 et seq.)
- Toxic Substances Control Act (15 U.S.C. sections 2601–2629)
- Executive Order (EO) 11988, Floodplain Management
- EO 11990, Protection of Wetlands
- EO 12088, Federal Compliance with Pollution Control Standards
- EO 12898, Federal Actions to Address Environmental Justice in Minority Populations and Low-income Populations
- EO 13045, Protection of Children from Environmental Health Risks and Safety Risks
- EO 14057, Catalyzing Clean Energy Industries and Jobs Through Federal Sustainability
- Hawaii Administrative Rules (HAR), Title 11, Chapter 59 (Ambient Air Quality Standards) and Chapter 60 (Air Pollution Control)
- HAR 195 Title 13, Chapter 124
- Hawaii Revised Statutes (HRS) Chapter 195D

A description of the Proposed Action's consistency with these laws, policies and regulations, as well as the names of regulatory agencies responsible for their implementation, is presented in Section 5 (Table 5-1).

1.8 Public and Agency Participation and Intergovernmental Coordination

The NEPA process is designed to involve the public in the federal decision-making process. Formal notification and opportunity for public participation were provided during the preparation of this EA. Coordination and consultation with government agencies and planners was also conducted. As noted earlier, the Navy consulted with the Hawaii SHPO (concurrence dated December 6, 2021). Additionally, the Navy informed the Hawaii Coastal Zone Management Program on March 24, 2020, of its use of the Navy/U.S. Marine Corps De Minimis Activities List under the Coastal Zone Management Act.

A Notice of Availability (NOA) of the Draft EA was published in the *Honolulu Star-Advertiser* (Honolulu, Hawaii) on July 9, 10 and 12, 2020. A Notice of Availability of the Draft EA was also published in Hawaii Office of Environmental Quality Control's *The Environmental Notice* on July 8, 2020, by the Office of Environmental Quality Control (State of Hawaii, Department of Health) (see Appendix C).

The Draft EA was made available for public review during a 30-day comment period (July 9 through August 8, 2020). The Draft EA was made available for download from the Navy's "National Environmental Policy Act (NEPA) Information" webpage

(https://www.navfac.navy.mil/navfac_worldwide/pacific/about_us/national-environmental-policy-act-nepa--information.html) and the Hawaii Office of Environmental Quality Control's online library of EAs and EISs (http://oeqc2.doh.hawaii.gov/Other_TEN_Publications/2020-07-08-OA-NEPA-DEA-Ambulatory-Care-Center-Replacement-at-JBPHH.pdf).

• No comments were received.

1.9 Summary of Changes Since the Draft Environmental Assessment

The following is a summary of changes made in this Final EA since the publication of the Draft EA:

- The proposed action construction timeline was updated to reflect a later proposed construction start date.
- Relevant sections including Appendix A were updated to reflect that the Navy completed NHPA Section 106 consultation with SHPO on December 6, 2021.
- Table 4-1 was revised to reflect updates regarding projects in progress that are included in the cumulative impacts analysis.
- Appendix C was updated to reflect that no public comments were received on the Draft EA during the 30-day public comment period and copies of public notices were included in Appendix C.
- Minor changes throughout the document were made in response to comments from Navy stakeholders.

This page intentionally left blank.

2 Proposed Action and Alternatives

2.1 Proposed Action

The Navy has prepared this EA to evaluate a proposal to construct and operate a new ACC to consolidate existing facilities and services separately managed by the Navy, Air Force, and Army to a location at JBPHH. The new ACC facility would replace and provide the same services currently offered at the following locations:

- Three existing Navy clinic facilities on Naval Station Pearl Harbor:
 - Building 1407 NHCH Makalapa Clinic
 - o Building 1514 NHCH SMART Center
 - Building 1535 NHCH Mental Health Clinic
- Three existing Air Force clinic facilities on Hickam AFB:
 - Building 559 Air Force 15 MDG Medical and Dental Clinic
 - o Building 554 Air Force 15 MDG Mental Health Clinic
 - Building 1113 Air Force 15 MDG HPARC
- Most primary care services currently offered at Tripler Army Medical Clinic
- Approximately half of the current functions and occupants of Building 1750 Shipyard Clinic

A new ACC (approximately 250,000 ft² [23,226 m²]) would provide adequate building space to meet current federal criteria and requirements for military health facilities. An ACC of this size would be supported by a central utility plant (approximately 7,500 ft² [697 m²]) and approximately 1,500 parking stalls. The ACC is expected to be staffed by 700 personnel and serve an average of approximately 2,200 patient encounters per day based on being open 250 days per year. Daily services provided in order of expected patient encounter frequency are: pharmacy scripts (642); patient-centered medical home (family medicine) (420); dental (261); physical therapy (189); radiology (139); internal medicine (124); behavioral health (113); immunizations (88); labs (80); pediatrics (55); optometry (40); preventive medicine (22); child and adolescent behavioral health (19); and women's health (16).

The new facility would be a Tri-Service ACC, shared by Navy, Air Force, and Army medical activities to meet the needs of both JBPHH and the Hawaii Market. The proposed ACC would be sustained and administered by the DHA, a tenant at JBPHH. Logistics would be supported by TAMC with a "Just in Time" delivery mode, an inventory strategy where materials are only ordered and received as they are needed. In addition to supporting the Hawaii Market, the new facility would also support the current clinical functions of the NHCH, the Air Force 15 MDG, and TAMC in providing a full range of military operations and to sustain the readiness and health of all active duty personnel.

Construction of the ACC replacement would take place over approximately two years beginning in FY 2025. The ACC is expected to be fully operational by FY 2030.

2.2 Screening Factors

NEPA's implementing regulations provide guidance on the consideration of alternatives to a federally proposed action and require rigorous exploration and objective evaluation of reasonable alternatives. Only those alternatives determined to be reasonable and to meet the purpose and need require detailed analysis.

Potential alternatives that meet the purpose and need were evaluated against the following screening factors:

- Availability of space for needed medical facilities and access to existing utilities and adequate space to accommodate 10 to 20 percent future growth
- Continuity of health clinic services for all patrons
- Proximity of the new facility to entitled military personnel and convenient access for dependents and retirees on the island of Oahu
- Compatibility with existing military operations and future proposed actions
- Minimization of construction challenges (i.e., minimization of secondary cost effects, construction challenges, or escalations based on environmental or historic property mitigation)

2.3 Alternatives Carried Forward for Analysis

Based on the reasonable alternative screening factors and meeting the purpose and need for the Proposed Action, three action alternatives and one no action alternative are identified and analyzed within this EA.

2.3.1 No Action Alternative

The No Action Alternative is carried forward for analysis in this EA, as required by NEPA regulations and Navy policy. It provides a measure of the baseline conditions against which the impacts of the action alternatives can be compared. Under the No Action Alternative, the Proposed Action would not occur. The new ACC would not be constructed, and the existing Service clinics would continue to be used for all existing health care services. As described in Section 1.2, *Background*, existing clinics do not have the building space capacity needed to meet mission requirements and comply with current federal criteria for military health facilities. Therefore, the No Action Alternative would not meet the purpose and need for the Proposed Action.

2.3.2 Alternative 1: Tradewinds-Par 3 Site (Preferred Alternative)

Alternative 1 includes construction and operation of a new ACC and supporting infrastructure at the Tradewinds-Par 3 Site (Figure 2-1). The Tradewinds-Par 3 Site is located on the Hickam side of JBPHH, adjacent (east) to the Hickam Par 3 Golf Course. The primary ACC site would be bounded by four secondary roads as follows: Kuntz Avenue to the north, McClelland Street to the west, Mountain Home Street to the south, and McChord Street to the east. Parking may be located across McClelland Street on a portion of the Par 3 Golf Course parcel or along Kuntz Avenue on a parcel currently occupied by a veterinary treatment facility (currently planned for relocation). Alternative 1 would involve construction of the following:

- An approximately 250,000-ft² (23,226-m²) health/dental clinic facility (over multiple stories)
- An approximately 7,500-ft² (697-m²) central utility plant to service the health/dental clinic
- Approximately 1,500 parking stalls (i.e., 600 in surface parking and 900 in structured parking garage)
- Site preparation work and utility connections including electricity, water, storm sewer, and sanitary sewer




Figure 2-1 Alternative 1: Tradewinds-Par 3 Site (Preferred Alternative)

The total square footage of the Tradewinds-Par 3 Site is approximately 680,000 ft² (63,174 m²). To accommodate the new construction, existing facilities on the Tradewinds-Par 3 Site (i.e., Building 75097H) would be demolished to make space for the new ACC. Building 75097H is a recreational pavilion of approximately 1,300 ft² (121 m²) and was last renovated in 1993 (Figure 2-2). An existing veterinary treatment facility building (bounded by McChord Street, Andrews Street, Westover Street, and Kuntz Avenue) would also be demolished to accommodate future parking. A separate project, already in progress, plans to relocate the veterinary clinic to a new facility a few blocks away on Kuntz Avenue. Once operational, the proposed facility would generally operate 250 days per year (days/year) and 9 hours per day (hours/day) per DHA operational standards. The new ACC would be staffed by approximately 700 personnel across approximately 20 separate medical disciplines. Once operational, the new ACC would be expected to have over 2,200 patient encounters each day. The site layout would also allow for at least 20 percent future expansion in accordance with UFC requirements. Other features currently on the Tradewinds-Par 3 Site include surface parking, maintained grass/lawn areas, and scattered trees. To the extent possible, existing trees and surface parking would be incorporated into the new facility layout.

As shown in Figure 2-3, the proposed layout of Alternative 1 places the three-story clinic building, with a footprint of approximately 84,000 ft² (7,804 m²), along Kuntz Avenue, with a six-story parking garage including 900 parking spaces and two separate surface parking lots with a total of 600 spaces. The area where the veterinary treatment facility building is would be landscaped or used for additional future surface parking expansion.



Figure 2-2 Existing Recreational Pavilion (Building 75097H) on the Tradewinds-Par 3 Site



Figure 2-3 Proposed Facility Layout at the Tradewinds-Par 3 Site

2.3.3 Alternative 2: Kuntz Gate Site


Alternative 2 would involve construction and operation of a new ACC and supporting infrastructure at the Kuntz Gate Site (Figure 2-4). The Kuntz Gate Site is located on the Hickam side of JBPHH, west of the Kuntz Gate. The primary ACC site would be bounded by two secondary roads as follows: Halehaka Street to the west and Kuntz Avenue to the south. A drainage canal runs along the parcel's north border and a group of shops and warehouses are situated east of the site. A parking structure would be included, and additional surface parking if needed would be located across Halehaka Street on what is currently a surface parking lot (Hickam Vehicle Resale Lot) and across Kuntz Avenue on what is currently two of four ballfields.

Alternative 2 would involve construction of the following:

- An approximately 250,000-ft² (23,226-m²) health/dental clinic facility (over multiple stories)
- An approximately 7,500-ft² (697 m²) central utility plant to service the health/dental clinic
- Approximately 1,500 parking stalls (i.e., 600 in surface parking and 900 in structured parking garage)
- Site preparation work and utility connections including electricity, water, storm sewer, and sanitary sewer

Final





2-6

The total square footage of the Kuntz Gate Site is approximately 813,000 ft² (75,530 m²). To accommodate the new construction, existing facilities on the Kuntz Gate Site (Hickam Car Wash [Building 1713H], Flight Crew Motorcycle Repair [Buildings 75065H and 1720H]), and a warehouse would be demolished to make space for the new ACC. Whether these would be replaced elsewhere on the installation is undetermined at this time. Once operational, the proposed facility would generally operate 250 days/year and 9 hours/day per DHA operational standards. The new ACC would be staffed by approximately 700 personnel across approximately 20 separate medical disciplines. Once operational, the new ACC would be expected to have over 2,200 patient encounters each day. The site layout would also allow for 20 percent future expansion in accordance with UFC requirements. Other features currently on the Kuntz Gate Site include surface parking and paved outdoor storage space. A few trees and patches of maintained grass are located on the Kuntz Gate Site along the edges of the parcel and on the baseball fields, but over half of the parcel is paved impervious surface. To the extent possible, existing trees and surface parking would be incorporated into the new facility layout.

Similar to the proposed layout of Alternative 1, the proposed layout of Alternative 2 also mainly consists of the three-story clinic building, a six-story parking garage, and two separate surface parking lots. To preserve green open space and existing tree lines, the proposed layout would not utilize the site area south of Kuntz Avenue (Figure 2-5).




Figure 2-5 Proposed Facility Layout at the Kuntz Gate Site


2.3.4 Alternative 3: Bloch Arena Site

Alternative 3 would involve construction and operation of a new ACC and supporting infrastructure at the Bloch Arena Site (Figure 2-6). The Bloch Arena Site is located on the Pearl Harbor side of JBPHH, north of Nimitz Gate near Bloch Arena. The primary ACC site would be bounded by two secondary roads as follows: North Road to the northwest, and Battleship Drive to the northeast. Situated to the southeast of the site are the Morale, Welfare, and Recreation youth sports office, Pearl Harbor Gym, and the 4,000 seat Bloch Arena. A parking structure and additional surface parking would be located to the southwest of the ACC on what is now a large surface parking lot. Alternative 3 would involve construction of the following:


- An approximately 250,000-ft² (23,226-m²) health/dental clinic facility (over multiple stories)
- An approximately 7,500-ft² (697 m²) central utility plant to service the health/dental clinic
- Approximately 1,500 parking stalls (i.e., 600 in surface parking and 900 in structured parking garage)
- Site preparation work and utility connections including electricity, water, storm sewer, and sanitary sewer

The total square footage of the Bloch Arena Site is approximately 466,000 ft² (43,293 m²). To accommodate the new construction, no existing facilities on the Bloch Arena Site would be demolished to make space for the new ACC, although a ballfield and parking would be removed; based on JBPHH policy, the parking spaces would be replaced elsewhere, though plans have not been developed specifying where this would occur. Once operational, the proposed facility would generally operate 250 days/year and 9 hours/day per DHA operational standards. The new ACC would be staffed by approximately 700 personnel across approximately 20 separate medical disciplines. Once operational, the new ACC would be expected to have over 2,200 patient encounters each day. The site layout would also allow for 20 percent future expansion in accordance with UFC requirements. Features currently on the Bloch Arena Site include baseball fields and a large surface parking lot. Aside from a few trees located along the perimeter of the Bloch Arena Site, the parcel currently consists of either paved impervious surface or maintained grass sports fields. To the extent possible, existing trees and surface parking would be incorporated into the new facility layout.

In the Alternative 3 proposed layout (Figure 2-7), the 900-stall parking garage would be a three-story building that has the same or lower building height as Building 150 to reduce the level of modern intrusions into the surrounding historic viewsheds. One large surface parking would satisfy parking needs for 600 vehicles. Some existing trees would be removed to accommodate the Proposed Action.









2.3.5 All Action Alternatives: Existing Clinic Buildings to be Returned to the Installation

Alternatives 1, 2, and 3 include the return of existing clinic facilities to the Installation, where such buildings are no longer needed by the MHS under the Proposed Action. The facilities expected to be returned to the Installation include the following:

- NHCH Makalapa Clinic Building 1407 Medical and Dental Clinic
- NHCH Makalapa Building 1514 Annex: SMART Center; preventive medicine clinic; travel medicine
- NHCH Makalapa Building 1535 Mental Health Clinic/Substance Abuse and Rehabilitation Program

Building 1750 is anticipated to remain as the Shipyard Clinic. However, roughly half of its current occupants and functions would be relocated to the ACC. Based on direction from the Hawaii Market, once the clinic is partially vacated, a separate project would be awarded to realign the clinical program to support the needs of the Pearl Harbor Naval Shipyard. The Shipyard Clinic would continue to provide Undersea Medicine, Occupational Health, Hearing Conservation, Radiological Health, and Industrial

Hygiene services to Navy personnel. The Shipyard Clinic would also provide some limited services to Navy Operational Forces.

- 15 MDG Building 559 Hickam AFB Medical Clinic
- 15 MDG Building 554 Hickam AFB Mental Health Clinic
- 15 MDG Building 1113 Hickam AFB HPARC


Currently, no existing MHS buildings are proposed for demolition.


2.4 Alternatives Considered but not Carried Forward for Detailed Analysis

The following six JBPHH alternatives were considered, but not carried forward for detailed analysis in this EA as they did not meet the purpose and need for the project and satisfy the reasonable alternative screening factors presented in Section 2.2, *Screening Factors*.

2.4.1 Pearl Harbor Side – Existing NHCH Makalapa Clinic Site

The Navy considered building the new ACC facility at the same location as the existing NHCH Makalapa Clinic (Figure 2-8). The site is 76,000 ft² (7,061 m²) which could accommodate a notional four-story building of 250,000 ft² (23,226 m²). The site would be proximate to sailors and a future rail station. However, this alternative was eliminated primarily due to construction phasing issues. If the Proposed Action were implemented at this site, it would require construction of the new clinic on an existing parking lot, temporarily converting a nearby baseball field and another open field to parking lots during construction, demolition of the existing clinic building, and construction of a parking garage in the location of the former clinic. The existing clinic, including associated parking, must remain operational while the new facility is built to ensure continuity of health clinic services. Additional costly phasing analysis and planning would be required to mitigate construction impacts. Therefore, because the existing NHCH Makalapa Clinic site would not meet one or more of the reasonable alternative screening factors, it was not carried forward for detailed analysis in this EA.





2.4.2 Pearl Harbor Side – Little Makalapa Site

The Navy considered building the new ACC facility at the Little Makalapa Site (Figure 2-8). The Little Makalapa Site is approximately 265,000 ft² (24,619 m²), which could accommodate a notional four-story building of 250,000 ft² (23,226 m²). This alternative was eliminated as a result of several screening factor challenges including the known presence of environmental and/or cultural resources and potential impacts thereto. The Little Makalapa Site is currently occupied by historic (federally listed) housing units. Additionally, the relatively smaller size of the parcel limits the required potential future growth capability. Moreover, the site is located outside of the existing fenceline and thus would require additional security infrastructure and personnel, and would require more costly utility connections. Finally, as with most sites, traffic mitigation/improvements would also likely be required at this site. Therefore, because the Little Makalapa Site would not meet several of the reasonable alternative screening factors, it was not carried forward for detailed analysis in this EA.

2.4.3 Pearl Harbor Side – Paul Hamilton Avenue Site

The Navy considered building the new ACC facility at the Paul Hamilton Site (Figure 2-8). The Paul Hamilton Site contains two parcels totaling approximately 336,000 ft² (31,215 m²), which could accommodate a notional four-story building of 250,000 ft² (23,226 m²). This alternative was eliminated primarily due to construction challenges. Construction at this site would likely impact existing parking. A parking structure would need to be constructed prior to clinic construction to minimize installation parking impacts. Finally, as with most sites, traffic mitigation/improvements would also likely be required at this site. Therefore, because the Paul Hamilton Avenue Site would not meet several of the reasonable alternative screening factors, it was not carried forward for detailed analysis in this EA.

2.4.4 Hickam Side – Freedom Avenue Site

The Navy considered building the new ACC facility at the Freedom Avenue Site (Figure 2-8). The Freedom Avenue Site contains two parcels totaling approximately 128,000 ft² (11,892 m²), which could accommodate a notional four-story building of 250,000 ft² (23,226 m²). This alternative was eliminated primarily due to construction challenges. Additionally, construction at this site would likely impact existing operations in terms of parking for Exchange and Commissary customers. A parking structure would need to be constructed prior to clinic construction to minimize installation parking impacts. Finally, as with most sites, traffic mitigation/improvements would also likely be required at this site. Therefore, because the Freedom Avenue Site would not meet several of the reasonable alternative screening factors, it was not carried forward for detailed analysis in this EA.

2.4.5 Hickam Side – Par 3 Golf Course Site

The Navy considered building the new ACC facility at the Par 3 Golf Course Site (Figure 2-8). The Par 3 Golf Course Site is a large open parcel currently comprised of a small golf course and totaling approximately 1,000,000 ft² (92,903 m²). The space is easily large enough to accommodate a notional four-story building of 250,000 ft² (23,226 m²). This alternative was eliminated due to a combination of multiple screening factor challenges including construction challenges (mitigation), impacts to airmen quality of life (due to the removal of a recreational facility), and other operational impacts through future airfield tenant growth limitations. Proposed ACC sites should be compatible with existing military operations and future proposed actions. The Par 3 Golf Course Site is situated in a prime location adjacent to the Hickam airfield. Although no firm plans are in place to add new hangars or an additional airfield presence, the Par 3 Golf Course Site would be an ideal site for new airfield dependent uses.

Development of the site for a new ACC would limit potential airfield mission growth. Finally, as with most sites, traffic mitigation/improvements would also likely be required at this site. Therefore, because the Par 3 Golf Course Site would not meet several of the reasonable alternative screening factors, it was not carried forward for detailed analysis in this EA.

2.4.6 Hickam Side – Kuntz Avenue Baseball Field Site

The Navy considered building the new ACC facility at the Kuntz Avenue Baseball Field Site (Figure 2-8). The Kuntz Avenue Baseball Field Site is a large open parcel currently comprised of four baseball fields and totaling approximately 408,000 ft² (37,904 m²). The space is large enough to accommodate a notional four-story building of 250,000 ft² (23,226 m²). This alternative was eliminated due to a combination of multiple screening factor challenges including construction challenges and operational impacts to airmen quality of life via the elimination of recreational facilities, specifically the loss of four recreational fields needed for Morale, Welfare, and Recreation. Finally, as with most sites, traffic mitigation/improvements would also likely be required at this site. Therefore, because the Kuntz Avenue Baseball Field Site would not meet several of the reasonable alternative screening factors, it was not carried forward for detailed analysis in this EA.

2.4.7 Sites Outside of Joint Base Pearl Harbor Hickam

In addition to Little Makalapa described in Section 2.4.2, the Navy also considered other sites outside of JBPHH for the proposed ACC replacement facility. Sites outside of JBPHH were deemed less desirable based on several of the alternative screening factors. First, sites outside of JBPHH would be less convenient to entitled military personnel. A facility outside the fence line was determined to be too isolated from the populations it serves, and would require more stringent Antiterrorism Force Protection requirements with 24-hour active security funded by DHA for the existence of the facility. Additionally, sites outside of JBPHH would likely entail greater costs and construction challenges (e.g., related to land purchase, site preparation work, environmental mitigation, and utility connections). Therefore, because the sites outside of JBPHH would not meet several of the reasonable alternative screening factors, they were not carried forward for detailed analysis in this EA.

2.5 Best Management Practices Included in Proposed Action

This section presents an overview of the best management practices (BMPs) that are incorporated into the Proposed Action in this EA. BMPs are existing policies, practices, and measures that the Navy would adopt to reduce the environmental impacts of designated activities, functions, or processes. Although BMPs mitigate potential impacts by avoiding, minimizing, or reducing/eliminating impacts, BMPs are distinguished from potential mitigation measures because BMPs are: (1) existing requirements for the Proposed Action, (2) regularly occurring practices, or (3) not unique to this Proposed Action. Thus, the BMPs, including general impact avoidance and minimization measures identified in this EA (Table 2-1), are inherently part of the Proposed Action and are not potential mitigation measures proposed as a function of the NEPA environmental review process for the Proposed Action. Project-specific avoidance, minimization, and mitigation measures (if any) are discussed separately in Section 3, *Affected Environment and Environmental Consequences*.

February 2022

BMP	Description	Impacts Reduced/ Avoided
in compliance with	Comply with stormwater management practices to closely maintain or replicate hydrological behavior of the natural system for a defined design storm event.	Impacts of stormwater runoff and non-point source pollution by maintaining site hydrology
Adherence to the JBPHH Spill Prevention, Control, and Countermeasure Plan.	Adhere to spill response procedures, including notifications and communications, roles and responsibilities, and response equipment inventories.	Impacts to water quality and public health from spills of hazardous substances
Construction activities in accordance with the USEPA General Construction Permit.	Submit a Notice of Intent to USEPA to request coverage under the permit. Develop a Stormwater Pollution Prevention Plan that identifies structural controls such as erosion and sediment controls, berms, or dikes around critical areas, retention/detention basins, and oil-water separators. The plan would also identify non-structural controls such as preventive maintenance practices, regular inspections, and regular pavement cleaning.	Construction impacts to surface water quality and habitats due to erosion/ sedimentation and stormwater contaminants
Air quality BMPs and compliance with federal and state regulations.	Use properly maintained fuel-efficient construction vehicles with emission controls to the maximum extent possible. Control dust emissions from ground disturbance and road traffic. Reduce asbestos emissions from asbestos removal and minimize release and disposal of regulated refrigerants. Limit application of cutback asphalt in paving in accordance with federal and state regulations.	Emissions of air pollutants and resulting impacts to air quality
Protection of native vegetation.	During mobilization of equipment, avoid disturbance of native vegetation outside the limits of construction.	Impacts to native vegetation
Maintain large shade trees where possible.	In accordance with the INRMP, the Navy would minimize tree clearing and earthwork to the maximum extent possible and establish vegetative cover on temporary disturbed areas by seeding with appropriate native or existing plants.	Impacts to vegetation
Project personnel and contractor shall be informed about the presence of endangered species.	Should an endangered species be found on-site, the project personnel and contractor shall be informed of its presence and use additional BMPs to avoid impacts.	Impacts to ESA-listed species
Biological monitoring shall be conducted prior to project initiation.	A biological monitor that is familiar with the species' biology shall conduct Hawaiian waterbird nest surveys where appropriate habitat occurs within the vicinity of the proposed project site prior to project initiation. Surveys will be repeated again within three (3) days of project initiation and after subsequent delay of work of three (3) or more days (during which birds may attempt to nest).	Impacts to Hawaiian waterbirds

Table 2-1	Best Management Practices
-----------	---------------------------

ВМР	Description	Impacts Reduced/ Avoided
In areas where waterbirds are known to be present, reduced speed limits would be posted and implemented.	Speed limit reductions shall be implemented in areas where waterbirds are known to be present to avoid or minimize the likelihood of fatalities and disturbance to Hawaiian waterbirds.	Impacts to Hawaiian waterbirds
Water quality BMPs may include: silt containment; no trash/debris contamination; keep fuel vehicles away from the water; contingency plan for fuel spills; and protect exposed soil from erosion.	be incorporated into the project design.	Impacts to Hawaiian waterbirds
If a Hawaiian waterbird nest is discovered, contact the Naval Facilities Engineering Systems Command, Hawaii Natural Resources Office (808-471- 0378) who would in turn contact the Pacific Islands Fish and Wildlife Office within 48 hours for further guidance.	Establish and maintain a 100-foot (30-meter) buffer around all active nests and/or broods until the chicks/ducklings have fledged. No potentially disruptive activities or habitat alteration will occur within this buffer. A biological monitor shall be present on the project site during all construction or earth moving activities until the checks/ducklings fledge to ensure that Hawaiian waterbirds and nests are not adversely impacted.	Impacts to Hawaiian waterbirds
-	If a nest is discovered, the DOFAW shall be notified. Additionally, the Navy has a variety of management actions in place to protect white terns to enhance their habitat. They include: (1) resource agency coordination; (2) cooperative agreements; (3) SOPs; (4) project reviews and consultations; (5) bird surveys; (6) community outreach; and (7) mitigation measures during training.	Impacts to white (fairy) tern
Trees 15 feet (5 meters) in height or taller shall not be cleared during the Hawaiian hoary bat pupping season.	BMP applies to tree trimming or removal during the hoary bat birthing and pup rearing season (June 1 through September 15).	Impacts to Hawaiian hoary bat
Restrict use of barbed wire fencing during construction and in final site design.	Entanglement in barbed wire is a threat to Hawaiian hoary bats. No barbed wire fencing shall be used during construction and shall not be included in the final site design.	Impacts to Hawaiian hoary bat

Table 2-1	Best Management Practices
-----------	----------------------------------

BMP	Description	Impacts Reduced/ Avoided
Avoid all night lighting not needed for Anti-Terrorism/Force Protection (AT/FP) or personnel safety.	To minimize effects on nocturnal Migratory Bird Treaty Act (MBTA) seabirds (e.g., wedge-tailed shearwaters), Navy policy (COMNAVREG Hawaii Instruction 5090.1) is to avoid all night lighting not needed for Anti-Terrorism/Force Protection (AT/FP) or personnel safety, install only full cutoff exterior down-lighting fixtures for all new construction whenever possible. Exterior lights shall be LED lights with full cut-off fixtures to comply with the MBTA. Lights that are International Dark-sky Association (IDA; http://www.darksky.org) certified are preferred but not required.	Impacts to MBTA-listed species
Design of facility to meet minimum structural noise attenuation goals, as stated in OPNAVINST 11010.36C.	Design facilities to meet or exceed minimum outdoor-to-indoor noise level reduction goals.	Noise disturbances for users of the proposed facility
Construction in accordance with UFC for Military Medical Facilities.	UFC 4-510-01 includes architectural and engineering design requirements for military medical facilities, such as isolation of spaces within medical facilities (e.g., examination rooms) from exterior noise sources and other interior spaces. Select construction materials and design to reduce noise levels in noise-sensitive areas.	Noise disturbances for users of the proposed facility
Construction in accordance with DoD Instruction 2000.16 (DoD Antiterrorism Standards).	Incorporate ATFP standards into the design of the new clinic space, where applicable, such as appropriate standoff distances, building separation, unobstructed space, drive-up and drop-off areas, access roads, and parking.	Health and safety impacts
Construction of roadway improvements in accordance with DoD guidelines.	Incorporate DoD design standards for roadway and traffic improvements.	Safety and operational impacts
Incorporate appropriate construction traffic detouring per DoD and MUTCD guidelines.	When implementing roadway and sidewalk closures, adhere to accepted practices outlined in DoD and MUTCD guidelines.	Safety and operational impacts
Adherence to ICRMP Inadvertent Discovery Procedures and related planning guidelines.	In the event of an inadvertent discovery of archaeological sites, the Navy would follow the inadvertent discovery procedures and related planning guidelines in the installation ICRMPs, and consult with the SHPO and affected Native Hawaiian organizations as appropriate.	Impacts to previously unrecorded or unevaluated cultural resources discovered during ground-disturbing activities
Adherence to procedures for activities in areas of high potential for subsurface archaeological sites outlined in ICRMP guidelines.	Disturbance of potential subsurface archaeological sites in high potential areas could be addressed through ICRMP guidelines, such as limiting ground disturbing activities to known depth of fill, monitoring excavation, conducting investigations in areas with known subsurface sites, and collecting data to inform SHPO and update the ICRMP GIS database.	Impacts to areas of high potential for subsurface archaeological sites during ground-disturbing activities

Table 2-1	Best Management Practices
-----------	---------------------------

BMP	Description	Impacts Reduced/ Avoided
Proposed development to align with the IDP's planning guidance.	The proposed facilities would mirror regional building styles in color, materiality, and design where appropriate as recommended in the IDP.	Visual impacts from the built-up facility
Preserving green space and mature canopy trees.	The Eastside ADP promotes a garden city district with buildings connected by accessible greenbelts and tree-lined streets. To retain existing greenery, it is recommended not to remove existing healthy, mature canopy trees. Should the removal of these canopy trees be needed for the Proposed Action, these trees should be replaced by the same amount and type of trees on or off-site within JBPHH. It is also recommended for Proposed Action to maximize accessible green spaces and plant trees along streets when possible.	Visual impacts from the loss of green open space and canopy trees
Traffic impact avoidance measures.	Traffic measures would include preparing a Construction Management Plan that defines the scope and scheduling of construction activities, identifying an on-base construction staging area, using flaggers to control the flow of traffic, scheduling deliveries and pickup of materials during off-peak hours, and maintaining unobstructed access to nearby land uses.	Traffic impacts at JBPHH
Adherence to established LUCs.	LUCs including land use restrictions would be implemented at the Preferred Alternative to guide any excavation, grading, and trenching activities at this site. COCs in the soil would remain in place and exposure to subsurface contaminants would be prevented. The LUCs were developed upon guidance provided in the Policy on Land Use Controls Associated with Environmental Restoration Activities (DoD 2001).	Hazardous Materials and Wastes

Table 2-1	Best Management Practices
-----------	---------------------------

Notes: ADP = Area Development Plan; ATFP = Antiterrorism Force Protection; BMP = best management practice; COC = chemical of concern; DoD = Department of Defense; GIS = geographic information system; ICRMP = integrated cultural resources management plan; IDP = installation development plan; INRMP = integrated natural resources management plan; JBPHH = Joint Base Pearl Harbor-Hickam; LUC = land use control; MUTCD = Manual on Uniform Traffic Control Devices; NRHP = National Register of Historic Places; OPNAVINST = Office of the Chief of Naval Operations Instruction; SHPO = State Historic Preservation Officer; SOP = standard operating procedure; UFC = Unified Facilities Criteria; USEPA = United States Environmental Protection Agency

3 Affected Environment and Environmental Consequences

This section presents a description of the environmental resources and baseline conditions that could be affected from implementing any of the alternatives and an analysis of the potential effects of each alternative.

All potentially relevant environmental resource areas were initially considered for analysis in this EA. In compliance with NEPA, CEQ, and Department of the Navy guidelines, the discussion of the affected environment (i.e., existing conditions) focuses only on those resources potentially subject to impacts. Additionally, the level of detail used in describing a resource is commensurate with the anticipated level of potential environmental impact.

"Significantly," as used in NEPA, requires considerations of both context and intensity. Context means that the significance of an action must be analyzed in several contexts such as society as a whole (e.g., human, national), the affected region, the affected interests, and the locality. Significance varies with the setting of a proposed action. For instance, in the case of a site-specific action, significance would usually depend on the effects in the locale rather than in the world as a whole. Both short- and long-term effects are relevant. Intensity refers to the severity or extent of the potential environmental impact, which can be thought of in terms of the potential amount of the likely change. In general, the more sensitive the context, the less intense a potential impact needs to be in order to be considered significant. Likewise, the less sensitive the context, the more intense a potential impact would need to be in order to be considered significant.

The region of influence (ROI) is defined for each resource potentially affected by the proposed alternatives. The ROI determines the geographical area to be addressed as the Affected Environment. The ROI is contiguous with the boundary of the direct area of the Proposed Action for some resources, and may extend beyond those boundaries for other resources.

Impact criteria were developed to ensure subject matter experts were analyzing the level of direct and indirect impacts of the Proposed Action to the resources consistently (Table 3-1). These impact criteria were used to evaluate the effects of the Proposed Action on each resource in consideration of magnitude and intensity, geographic extent, context, and duration. Summary impact levels were then assigned to each resource (Table 3-2) based on each impact criterion defined in Table 3-1. The No Action Alternative was used as the baseline scenario when analyzing the impacts of the Proposed Action.

Impact Asse	Impact Assessment Criteria	
Magnitude a	nd Intensity	
Low	A change in the resource condition is minimal and does not noticeably alter the resource's function in the environment.	
Medium	A change in the resource condition is measurable or observable, and an alteration in the environment is noticeable and detectable.	
High	A change in a resource condition is measurable or observable, and the alteration in the resource's function is clear and consistently observable.	
Geographic	Extent	
Local	Impact is limited geographically and would not extend to a broad region or broad sector of the resource population.	
Regional	Impact extends beyond the project area, affecting the immediate project area, into the area of concern, and potentially the entire region.	
Context		
Common	The affected resource is considered usual or ordinary in the region, is not depleted, and is unprotected by legislation. The resource does not fill a distinctive or irreplaceable role in the region.	
Important	The affected resource is protected by legislation other than the Endangered Species Act, e.g., Migratory Bird Treaty Act, and/or fills a distinctive role in the local area or region that is important or irreplaceable.	
Unique	The affected resource is listed as threatened or endangered (or proposed for listing) under the Endangered Species Act or is depleted within either the locality or the region. The portion of the resource affected fills a distinctive ecosystem role within the locality or the region.	
Duration		
Temporary	Impact is limited to the construction period.	
Long-term	Impact lasts throughout the operational period.	

Table 3-1 Methods for Determining Levels of Impact

Table 3-2	Summary Impact Levels	
-----------	-----------------------	--

Impact Level	Description of Impact Level
Beneficial	Project implementation would improve condition of a given resource, preserve or increase resource availability to the general public, or increase the presence of an important or unique resource. Change can be of any magnitude but must be interpreted as a positive impact to the resource area of concern. Effect can be of any geographic extent. Context is dependent on the resource. Impact can be of any duration, although it generally is improved long-term.
No Impact	No measurable effect of the proposed project on the resource for any criterion when compared to the No Action Alternative. Actions involve continuation of previously implemented Integrated Natural Resources Management Plan management objectives and strategies, and/or actions involve the implementation of new or increased monitoring measures.
No Significant Impact	Impacts are less than significant. This means they are generally low (cannot be measured or observed) or medium (can be observed) in intensity, and can be of local or regional extent. Common resources may experience more intense impacts but important or unique resources are unlikely to be affected. Impact is either temporary or long-term.
Significant	Impacts are generally medium or high intensity, of long-term duration, of a regional extent, and have negative effects on important or unique resources.

Based on the above considerations for significance and in keeping with the intent of ASN Memorandum for NAVFAC Environmental Planning Streamlining and Process Improvement dated October 16, 2019, this EA focuses on the following resources requiring analysis for significant impacts: cultural resources, air quality, biological resources, visual resources, transportation, and hazardous materials and wastes.

The potential impacts to the following resource areas are considered to be not significant or non-existent, so they were not analyzed in detail in this EA:

Water Resources: None of the alternatives would result in impacts to groundwater, surface water, marine waters, wetlands, floodplains, and shorelines. The Proposed Action under all alternatives would utilize existing stormwater drainage systems or would be required to upgrade as needed to accommodate additional storm drainage quantities and velocities. Low impact storm water management design features would be incorporated into the site design where practicable.

Geological Resources: No sensitive geological resources are located in or adjacent to any of the alternative project sites. All are located on level coastal plain areas that are heavily developed and not within sensitive soils.

Land Use and Coastal Zone Management: The alternative sites are all located on JBPHH (federal) installation lands and are not subject to municipal or state land use polices or zoning regulations. While all proposed alternative sites are on federal land, by definition, they are excluded from the coastal zone; even if the sites were within the coastal zone, the action would constitute a de minimis activity under the CZMA. The Navy consulted with the State of Hawaii Office of Planning. The Proposed Action is the type of activity which would constitute an agreed de minimis activity under the CZMA per Navy/State List of De Minimis Activities. This project falls within Item 1 of the Navy/Marine Corps De Minimis Activities Under CZMA:

Item 1: New construction of facilities and structures wholly within Navy/Marine Corps controlled areas (including land and water) that is similar to present use and when completed, the use or operation of which complies with existing regulatory requirements.

The Navy will observe all applicable mitigation/conditions for Item 1 per General Condition 16 of the De Minimis Activities Under CZMA. Therefore, no additional review under the Hawaii Coastal Zone Management Program is required. See Appendix D for correspondence with the State.

The Proposed Action would be designed and implemented consistently with the installation Area Development Plans (ADPs) and Installation Development Plan (IDP), as applicable.

Airspace: The Proposed Action would not result in any impacts on airspace, nor would airspace or flight line restrictions impact its design or construction on any of the alternative sites. None of the alternative sites are located in an Accident Potential Zone, Accident Clear Zone, or any other restricted zone associated with airspace at the airfield operations (The Urban Collaborative, LLC 2013).

Noise: The Proposed Action would not result in any noise impacts. Alternative 1 is the only proposed alternative site that is near the JBPHH flight line and the Daniel K. Inouye International Airport noise contours. The Alternative 1 site is within the 60 to 65 decibel noise contour range from runway operations which is the equivalent to conversational speech or an air conditioning unit running (SS&A Page 2019). Construction-related noise would be temporary and is not expected to extend off-base.

Infrastructure: The Proposed Action would not result in any impacts to infrastructure. None of the alternatives are in locations that would require substantial alteration or upgrades to existing utilities and infrastructure, including potable water production, storage, and distribution; wastewater collection, treatment, and disposal; storm water management, solid waste management, energy production, transmission and distribution; communications; and facilities (e.g., airfields, buildings, ranges, training and testing areas, wharves, piers, housing). The capacity at the sewage facility is adequate to handle the anticipated additional loads from the Proposed Action. Electrical and potable water infrastructure are also adequate for any additional loads from this project. Solid waste management and disposal procedures and practices would be adjusted as needed to accommodate waste generation from the Proposed Action. The waste handling process would be modified to accommodate an anticipated reduction in waste generation due to the closure of other facilities as part of the ACC consolidation. As noted above, any storm drainage modifications needed to accommodate the Proposed Action would be designed to handle new impermeable surfaces and be consistent with low-impact development in compliance with Section 438 of the Energy Independence and Security Act, UFC 3-210-10.

Public Health and Safety: The Proposed Action on any of the alternative sites would not result in impacts to public health and safety. Traffic and circulation safety would be incorporated into the design of circulation improvements and traffic management through the use of BMPs and engineering safety features. During construction, BMPs and other required measures would ensure compliance with all public safety standards for construction sites. Once operational the ACC would pose no public health risks.

Socioeconomics: The Proposed Action on any of the alternative sites would not result in impacts to socioeconomics. All of the alternative sites are located within JBPHH installation property and would replace existing, similar DoD-operated facilities in the vicinity. Construction of the Proposed Action would not result in noticeable changes to population demographics, employment characteristics, school enrollment, housing occupancy status, economic activity, or tax revenue.

Environmental Justice: The Proposed Action on any of the alternative sites would not result in any impacts relating to environmental justice. All of the alternative sites are located within the JBPHH installation property and would replace existing facilities in the vicinity that serve the military community, including all entitled military personnel, dependents, and retirees. The alternatives would not affect the fair treatment and meaningful involvement of all people regardless of race, color, national origin, or income with respect to the development, implementation, and enforcement of environmental laws, regulations, and policies.

3.1 Cultural Resources

This discussion of cultural resources includes prehistoric and historic archaeological sites; historic buildings, structures, and districts; and physical entities and human-made or natural features important to a culture, a subculture, or a community for traditional, religious, or other reasons. Cultural resources can be divided into three major categories:

- Archaeological resources (prehistoric and historic) are locations where human activity measurably altered the earth or left deposits of physical remains.
- Architectural resources include standing buildings, structures, landscapes, and other built-environment resources of historic or aesthetic significance.
- Traditional cultural places (TCPs) may include archaeological resources, structures, neighborhoods, prominent topographic features, habitat, plants, animals, and minerals that Native Hawaiians or other groups consider essential for the preservation of traditional culture.

For the purposes of this analysis, the term ROI is synonymous with the "area of potential effect" as defined under the National Historic Preservation Act (NHPA). The ROI for cultural resources is contiguous with the boundaries of the alternative sites described in the Proposed Action.

3.1.1 Regulatory Setting

Cultural resources are governed by other federal laws and regulations, including the NHPA, Archaeological and Historic Preservation Act, American Indian Religious Freedom Act, Archaeological Resources Protection Act of 1979, and the Native American Graves Protection and Repatriation Act of 1990. Federal agencies' responsibility for protecting historic properties is defined primarily by sections 106 and 110 of the NHPA. Section 106 requires federal agencies to consider the effects of their undertakings on historic properties. Section 110 of the NHPA requires federal agencies to establish—in conjunction with the Secretary of the Interior—historic preservation programs for the identification, evaluation, and protection of historic properties. Cultural resources also may be covered by state, local, and territorial laws.

- JBPHH ICRMP is composed of two guidance documents that were separately produced in 2008, one for Pearl Harbor and one for Hickam AFB. All installations are required by DoD Instruction 4715.3 to have an ICRMP, which provides an overarching picture and a framework to help ensure that historic and cultural preservation concerns are properly considered and integrated into the Navy's decision-making process. The ICRMPs identify historic properties and provide guidance on compliance processes and management procedures for cultural resource management, based on active agreement documents and applicable laws and regulations. These plans were separately produced in 2008, prior to the joint basing of the two installations; an updated consolidated JBPHH ICRMP is in progress but not yet approved.
- In 1964, the U.S. Naval Base at Pearl Harbor was designated a National Historic Landmark (NHL). An NHL is a property of national historic significance as designated by the U.S. Secretary of the Interior under the authority of the Historic Sites Act of 1935. The NHL district boundary is delineated as "those water and land areas historically, intimately, and directly associated with its function" as an active naval base supporting the Pacific Fleet (PHNC ICRMP 2008).
- A portion of the Hickam side of JBPHH is listed as Hickam NHL, encompassing the flight line, four hangars, and HQ PACAF. These areas and their management documents are detailed in the Hickam AFB ICRMP.
- The ICRMPs list in detail all other applicable federal regulatory guidance and Navy and DoD manuals, policies, and directives.

3.1.2 Affected Environment

Cultural resources listed in the National Register of Historic Places (NRHP) or eligible for listing in the NRHP are "historic properties" as defined by the NHPA. The list was established under the NHPA and is administered by the National Park Service on behalf of the Secretary of the Interior. The NRHP includes properties on public and private land. Properties can be determined eligible for listing in the NRHP by the Secretary of the Interior or by a federal agency official with concurrence from the applicable State Historic Preservation Office. An NRHP-eligible property has the same protections as a property listed in the NRHP. The historic properties may include archaeological and architectural resources as well as TCPs.

The Navy has conducted surveys and prepared inventories at JBPHH to identify cultural resources that are listed or are potentially eligible for listing in the NRHP. These previously conducted studies and

inventories, associated historic context and significance information, and archaeological probability mapping are described in detail in the two installation ICRMPs noted above. The ICRMPs also provide a gap analysis identifying future research needs and SOPs for addressing impacts to cultural resources.

The area of potential effect (APE) for cultural resources is the geographic area or areas within which an undertaking (project, activity, program or practice) may cause changes in the character or use of any historic properties present. The APE is influenced by the scale and nature of the undertaking and may be different for various kinds of effects caused by the undertaking. Cultural resource impacts are primarily the result of direct physical changes to historic properties, such as the disturbance of belowground archaeological sites, or demolition or modification of historic architectural resources. However, some impacts may extend beyond the physical boundaries of the alternative sites to encompass settings and views that contribute to the historic significance of a resource. For this Proposed Action, the Navy determined that the APE may include locations from which the new facility would be visible, because historic properties at JBPHH, such as the NHL District, have been identified as potentially affected by modern intrusions into their viewsheds.

3.1.2.1 Archaeological Resources

Archaeological work at JBPHH spans more than a century of surveys and investigations, beginning at Hickam as early as 1905. The entire terrestrial surface of PHNC and Hickam AFB has been surveyed and inventoried for archaeological sites, and, as of 2006, more than 130 archaeological surveys had been completed throughout JBPHH. The JBPHH ICRMPs do not include a complete inventory of archaeological sites and associated evaluations.

In the coastal plain and along the margins of the harbor, fishponds are the predominant archaeological resources identified in the historical record and in surveys. The Pearl Harbor ICRMP identified 31 known fishpond sites, and Hickam ICRMP identified 5 fishponds. In Hawaii, fishponds (*loko ia*) are unique aquacultural systems constructed in the pre-contact period by native Hawaiians throughout the islands. Fish were trapped and cultivated within the sometimes vast pond areas using systems of walls and gates. The ponds were an integral part of Hawaiian culture, communally constructed, subject to strict management protocols, and provided a major source of sustenance to the population. Into the nineteenth century, many such ponds were in the current Pearl Harbor, although this form of aquaculture had begun to be disused well before the military period. Most fishponds along the Pearl Harbor shoreline have since been disturbed or destroyed, and the remains associated with them, such as wall fragments, are found in a subsurface context, especially in developed areas of the installation. The ICRMP identified disturbed fishponds as not NRHP eligible.

During the nineteenth century, the fishponds on Hickam fell into disuse and by the early twentieth century, the area was leveled and filled in with dredged coral fill from Keehi Lagoon and the Pearl Harbor channel. There are no surface remnants of the fishponds. The ICRMP identified disturbed fishponds as not NRHP eligible.

Near the Tradewinds-Par 3 Site is the location of a disturbed fishpond identified as Lelepaua Fishpond (State Inventory of Historic Places [SIHP] #50-80-13-00082). No other archaeological sites have been identified in the vicinity. The Tradewinds-Par 3 Site was extensively disturbed when a large barracks building that previously stood on the site was demolished, within the past 10 years. Therefore, it is anticipated to have a low potential for archaeological resources.

No known archaeological sites are in the area of the Kuntz Gate Site. It is documented in the Hickam ICRMP as having low probability for archaeological resources due to past extensive ground-disturbing activities.

Overlapping approximately 0.6 acre (0.2 hectare) of the Bloch Arena Site along North Road close to the end of Southeast Loch is the site of a former, disturbed fishpond, Wailolokai Fishpond (SIHP #50-80-13-00099). The area of the fishpond is considered to have high probability for archaeological resources. The rest of the Bloch Arena Site sits on an area of developed/fill land that is identified in the Pearl Harbor ICRMP as having low probability for archaeological resources.

3.1.2.2 Architectural Resources

Numerous historic architectural studies have been undertaken throughout JBPHH, covering buildings that are over 50 years of age, comprising more than 2,000 facilities in total. On the Pearl Harbor side of the installation, several hundred architectural resources are considered contributing to the Pearl Harbor NHL district. On the Hickam side of the installation, NRHP-eligible and listed architectural resources are predominantly concentrated in the designated Garden City designed area of the installation, which is encompassed by the Hickam Historic District.

Historic Category Codes are applied to all historic architectural resources inventoried at JBPHH. Categories I, II, and III refer to properties in descending level of importance that all meet the NRHP criteria or contribute to the significance of other properties, and therefore merit consideration in project planning under NHPA and NEPA. Category IV properties are those that do not meet the NRHP criteria and thus are considered to not merit additional consideration under NHPA. The categories, as well as the following historical architectural resource information, are explained in greater detail in the ICRMPs.

Well outside of the Historic District areas of Hickam, the Kuntz Avenue corridor includes no buildings or structures in Categories I or II. Directly across McChord Street from the Tradewinds-Par 3 Site is the Air Force Security Ops building, constructed in 1958 (Facility [Fac.] 2104H), designated as Category III. Several Category IV buildings are in the general area, all barracks or support services related (Facs. 1805H, 1859H, 1860H, and 1864H).

The Kuntz Gate Site encompasses two Category IV warehouses that are over 50 years of age (Facs. 1713H and 1720H), and three other Category IV warehouses immediately to the east (Facs. 1715H, 1722H, and 1723H).

The Bloch Arena Site is located within the Pearl Harbor NHL district (Figure 3-1). Within and adjacent to it are several contributing historic buildings and structures. These include Fac. 150, the Administration Building, a Category I building which overlooks the site from the intersection of North Road and Pearl Harbor Boulevard. Adjacent to the site and presently accessed through it are Bloch Arena (Fac. 161) and an adjacent World War II splinter-proof personnel shelter (Fac. S897), which are Category II buildings. Ward Field (Fac. S1009) is a Category II facility. This grassy, level ballfield was built during World War II and is recognized as contributing to the landscape character within the historic district and the setting of surrounding historic facilities. Additionally, one small Category IV electrical substation (Fac. S1008) is within the Bloch Arena Site. The Enlisted Personnel Club (Fac. 1314, Category III) stands across the street to the northeast.

3-7




Figure 3-1 Historic District Boundaries at JBPHH

3.1.2.3 Traditional Cultural Places

In traditional Hawaiian cultural geography, place names refer to both the landforms and to events that occurred there. In Hawaii, TCPs may be sacred sites, locations of traditional practices such as resource gathering, or places associated with traditional stories and historical or legendary figures. These places are usually identified by the presence of a traditionally used name, and through associations with historical events, traditional stories, and chants. JBPHH was the subject of a traditional cultural properties study in 2016 (Pacific Consulting Services, Inc. 2016), which identified more than 120 potential Native Hawaiian TCPs throughout the entire JBPHH installation.

The Navy consults with Native Hawaiian organizations on actions with the potential to significantly affect protected traditional cultural resources, sacred sites, traditional resource gathering locations, archaeological sites, or burials.

According to the 2016 TCP study, no TCPs are identified in or close to the Tradewinds-Par 3 Site or the Kuntz Gate Site; the nearest are two sites of former, destroyed fishponds to the south and east. The

surveyed site boundary of Loko Lelepaua is located 525 feet (160 meters) to the south of the Tradewinds-Par 3 Site in the vicinity of the Moffet Street and McChord Street intersection. Loko Kaihikapu lies beneath the runways south of Kamakahi Road, more than 1,650 feet (500 meters) from either Tradewinds-Par 3 or Kuntz Gate sites. The Bloch Arena Site is adjacent to Wailolo, a former natural inlet which is now Southeast Loch, and partly overlaps the area of Wailolokai Fishpond, a former fishpond site (Section 3.1.2.1).

3.1.3 Environmental Consequences

Analysis of potential impacts to cultural resources considers both direct and indirect impacts. Direct impacts may be the result of physically altering, damaging, or destroying all or part of a resource, altering characteristics of the surrounding environment that contribute to the importance of the resource, introducing visual, atmospheric, or audible elements that are out of character for the period the resource represents (thereby altering the setting), or neglecting the resource to the extent that it deteriorates or is destroyed.

Criteria used to assess potential impacts to cultural resources are based on the guidance provided in the NRHP. The evaluation of environmental consequences on cultural resources considers impacts to the NRHP eligibility of the property, based on the standard historic significance and integrity criteria provided by the NRHP, detailed in National Register Bulletin 15 (NPS 1995). Actions that diminish or destroy the integrity of a historic property are considered to have an adverse impact. Actions that restore, repair, and sustain a historic property are considered to have beneficial impacts. Additionally, impacts to TCPs are based on changes to the ability of communities and cultural practitioners to access these locations to perform traditional cultural practices.

The impacts on types of cultural resources defined above (archaeological sites, architectural resources, and TCPs) are analyzed together for each alternative as follows.

3.1.3.1 No Action Alternative

Under the No Action Alternative, the Proposed Action would not occur and would not result in changes to cultural resources. Therefore, no impacts to cultural resources would occur with implementation of the No Action Alternative.

3.1.3.2 Alternative 1: Tradewinds-Par 3 Site (Preferred Alternative) Potential Impacts

Implementing Alternative 1 would not result in changes to cultural resources. The APE for this action alternative is the site boundary and areas from which it is visible, which generally includes the opposite side of the streets surrounding the proposed site. No identified cultural resources are within or adjacent to the APE. According to the 2008 Hickam ICRMP, there is a low probability of archaeological sites in the area; the majority of the land within the footprint of the Proposed Action has been previously disturbed (a large barracks building that previously stood on the site was demolished in the past 10 years, and subsequent soil remediation activities took place). No ground disturbance would occur outside of the site. The Proposed Action would not result in modifications or demolition of the historic architectural resources identified near the Tradewinds-Par 3 Site. No TCPs are within the APE for the Proposed Action.

Construction

Construction-period activities under Alternative 1 have low potential for permanent adverse impacts to cultural resources through ground disturbance that could damage or destroy as-yet undiscovered

subsurface archaeological resources. However, no impacts are expected because no cultural resources are identified within the construction area; the Tradewinds-Par 3 Site lies within an area considered low archaeological probability; and most of the site has been previously disturbed by construction and demolition activities. In the unlikely event that previously unidentified archaeological sites were discovered during construction, ICRMP SOPs provide guidance on how to protect archaeological resources, address the inadvertent discovery of human remains, and other measures to mitigate impacts on cultural resources. These procedures are identified in the BMP table in Section 2. Therefore, no significant long-term, local impacts to cultural resources would occur from construction.

Operations

Operational-period activities under Alternative 1 have no potential for adverse impacts to cultural resources, because operation of the proposed facility would not involve ground disturbance and no other cultural resources are within the area of facility operational activities. Therefore, no impacts to cultural resources would occur during the operational period of the facility.

There would be no adverse effect to historic properties. Pursuant to NHPA Section 106, the Navy consulted with the Hawaii State Historic Preservation Officer (SHPO) and interested parties beginning in September 2020. After responding to the SHPO's request for additional information and documentation, the Navy requested concurrence from SHPO with the extent of the Area of Potential Effects (APE) and the Navy's revised finding of "No Adverse Effect to Historic Properties" via letter dated October 29, 2021 (see correspondence in Appendix A). In its letter dated December 6, 2021, the SHPO stated, "Based on the commitment that all historic facilities will be reutilized, occupied, and maintained by new tenants, the SHPO concurs with the determination of *no adverse effect* for the proposed project." In summary, no significant impacts to cultural resources would occur with implementation of the Proposed Action under Alternative 1.

3.1.3.3 Alternative 2: Kuntz Gate Site Potential Impacts

Implementing Alternative 2 would not result in impacts to cultural resources. The APE for this action alternative is the site boundary and areas from which it would be visible, which generally includes the opposite side of the streets surrounding the proposed site. According to the 2008 Hickam ICRMP, there is a low probability of archaeological sites in the area; the majority of the land within the footprint of the Proposed Action has been previously disturbed through mass grading, paving, warehouse construction, and demolition. No TCPs are identified in or near the Kuntz Gate Site.

Construction

No permanent impacts to cultural resources are anticipated from construction-period activities. This alternative would result in the demolition of two Category IV historic properties, both warehouse facilities. Because Category IV facilities are considered non-eligible for the NRHP, there would be no impacts. As with Alternative 1, any inadvertent discovery of artifacts or human remains during construction-period activities would be addressed through BMPs outlined in Table 2-1. Therefore, no significant long-term, local impacts to cultural resources would occur from construction.

Operations

Impacts to cultural resources from operational activities for Alternative 2 are the same as described above in Alternative 1, since the activities would be the same for both alternatives. Therefore, no impacts to cultural resources would occur from operations.

In summary, no significant long-term local impacts to cultural resources would occur with implementation of Alternative 2.

3.1.3.4 Alternative 3: Bloch Arena Site Potential Impacts

Implementing Alternative 3 would result in impacts to cultural resources. The Bloch Arena Site ROI for cultural resources includes adjacent areas from which a building of the size described in the Proposed Action could be noticeable within the viewshed. This site is located within the Pearl Harbor NHL district and is adjacent to multiple NRHP eligible or listed historic properties, including the Category I Administration Building and Ward Field, considered a Category II historic property. These changes to existing views could intrude on and diminish the historic buildings' integrity of setting and alter the character of this area of the NHL district. Ground disturbance during construction has the potential to affect archaeological resources and TCPs, specifically the Wailolokai Fishpond. The boundary of this site defined in previous surveys is close by, and it is possible that past surveys have not identified related resources within a few hundred yards of the site boundary under the Ward Field area. The Proposed Action in Alternative 3 could potentially disturb such previously unidentified resources.

Construction

Ground-disturbing, construction-period activities would occur over a short duration, but changes to subsurface cultural resources, which could include portions of a known pre-contact fishpond site, would be permanent. In addition, the demolition of the historic Ward Field for construction of the ACC building and parking structure would be permanent. Viewsheds within the larger NHL district also would be changed permanently during construction. These construction period changes to cultural resources are significant, long-term, local and regional in nature. The significant local and regional impacts to the NHL district could potentially be mitigated through compliance with historic district design guidelines, and such minimization measures as keeping the building height as low as possible, and using colors and massing that reduce its visibility. Mitigation measures to offset the demolition of historic Ward Field could include documentation prior to demolition and preparation of interpretive exhibits for installation on-site, in coordination with any stipulations in applicable agreements prepared under NHPA Section 106 consultation.

Disturbance of potential subsurface archaeological sites in high potential areas could be addressed through BMPs outlined in PHNC ICRMP planning guidelines, such as limiting ground disturbing activities to known depth of fill, monitoring excavation, conducting investigations in areas with known subsurface sites, and collecting data to inform SHPO and update the ICRMP GIS database. As with other alternatives, any inadvertent discovery of artifacts or human remains during construction-period activities would be addressed using BMPs in compliance with the installation ICRMPs.

Operations

Impacts to cultural resources from operational activities for Alternative 3 are similar to those described above in Alternatives 1 and 2, since the activities would be the same for all alternatives. Therefore, no impacts to archaeological sites or TCPs would occur during operations. However, due to the sensitivity of viewsheds within the NHL district, impacts to the NHL landscape character from the addition of a large non-historic new facility in Alternative 3 would have a significant, local and regional, permanent impact as part of facility operations. This could be mitigated to not significant through the mitigation measures described under construction above, by designing the new facility's appearance to minimize its visibility and comply with historic district design guidelines.

In summary, due to the potential disturbance of subsurface resources, demolition of historic Ward Field, and permanent change to the viewshed within the NHL district, significant long-term local and regional impacts to cultural resources would occur with implementation of Alternative 3. Mitigation measures to offset the demolition of historic Ward Field could include documentation prior to demolition and preparation of interpretive exhibits for installation on-site, in coordination with any stipulations in applicable agreements prepared under NHPA Section 106 consultation. Additionally, facility appearance impacts could be mitigated to not significant through the mitigation measures such as designing the new facility's appearance to minimize its visibility and comply with historic district design guidelines.

3.2 Air Quality

This discussion of air quality includes criteria pollutants, standards, sources, permitting, and greenhouse gases (GHGs). Air quality is defined by the concentration of various pollutants in the atmosphere in relation to their impact on human health and the environment. A region's air quality is influenced by many factors, including the type and amount of pollutants emitted into the atmosphere, the size and topography of the air basin, and the prevailing meteorological conditions that influence the atmosphere's ability to disperse such emissions. The ROI for this air quality assessment is the jurisdictional boundaries of the Hawaii Air Quality Control Region (AQCR).

Most air pollutants originate from human-made sources, including mobile sources (e.g., cars, trucks, buses) and stationary sources (e.g., factories, refineries, power plants, quarries), as well as indoor sources (e.g., some building materials and cleaning solvents). Air pollutants are also released from natural sources such as volcanic eruptions and forest fires.

3.2.1 Regulatory Setting

3.2.1.1 Criteria Pollutants and Ambient Air Quality Standards

The principal pollutants defining the air quality, called "criteria pollutants," include carbon monoxide (CO), sulfur dioxide (SO₂), nitrogen dioxide (NO₂), ozone (O₃), suspended particulate matter less than or equal to 10 microns in diameter (PM₁₀), fine particulate matter less than or equal to 2.5 microns in diameter (PM_{2.5}), and lead (Pb). CO, SO₂, NO₂, Pb, and some particulates are emitted directly into the atmosphere from emissions sources. O₃, NO₂, and some particulates are formed through atmospheric chemical reactions that are influenced by weather, ultraviolet light, and other atmospheric processes.

Under the CAA, the U.S. Environmental Protection Agency (USEPA) has established National Ambient Air Quality Standards (NAAQS) (40 CFR 50) for these pollutants. NAAQS are classified as primary or secondary. Primary standards protect against adverse health effects; secondary standards protect against welfare effects, such as damage to farm crops and vegetation and damage to buildings. Some pollutants have long-term and short-term standards. Short-term standards are designed to protect against acute, or short-term, health effects, while long-term standards were established to protect against chronic health effects.

Areas that are and have historically been in compliance with the NAAQS are designated as attainment areas. Areas that violate a federal air quality standard are designated as nonattainment areas. Areas that have transitioned from nonattainment to attainment are designated as maintenance areas and are required to adhere to maintenance plans to ensure continued attainment.

The CAA requires states to develop a general plan to attain and maintain the NAAQS in all areas of the country and a specific plan to attain the standards for each area designated nonattainment for a NAAQS. These plans, known as State Implementation Plans, are developed by state and local air quality management agencies and submitted to USEPA for approval. If a state fails to submit a State Implementation Plan, USEPA is required to develop a Federal Implementation Plan.

In addition to the NAAQS for criteria pollutants, national standards exist for hazardous air pollutants (HAPs), which are regulated under Section 112(b) of the 1990 CAA Amendments. The *National Emission Standards for Hazardous Air Pollutants* regulate HAP emissions from stationary sources (40 CFR part 61).

The Clean Air Branch of the State of Hawaii Department of Health (DOH) is responsible for implementing air pollution control in the state. In addition to the NAAQS established under federal regulations, the DOH has adopted Hawaii ambient air quality standards (HAAQS). These standards are established in the HAR, Title 11, Chapter 59, Ambient Air Quality Standards and Chapter 60, Air Pollution Control.

3.2.1.2 Mobile Sources

HAPs emitted from mobile sources are called Mobile Source Air Toxics (MSAT). MSAT are compounds emitted from highway vehicles and non-road equipment that are known or suspected to cause cancer or other serious health and environmental effects. In 2001, USEPA issued its first MSAT Rule, which identified 201 compounds as being HAPs that require regulation. A subset of six of the MSAT compounds was identified as having the greatest influence on health and included benzene, butadiene, formaldehyde, acrolein, acetaldehyde, and diesel particulate matter. More recently, USEPA issued a second MSAT Rule in February 2007, which generally supported the findings in the first rule and provided additional recommendations of compounds having the greatest impact on health. The rule also identified several engine emission certification standards that must be implemented (40 CFR 59, 80, 85, and 86; Federal Register Volume 72, Number 37, pages 8427–8570, 2007). Unlike the criteria pollutants, there are no NAAQS for benzene and other HAPs. The primary control methodologies for these pollutants for mobile sources involves reducing their content in fuel and altering the engine operating characteristics to reduce the volume of pollutant generated during combustion.

3.2.1.3 General Conformity

The USEPA General Conformity Rule applies to federal actions occurring in nonattainment or maintenance areas when the total direct and indirect emissions of nonattainment pollutants (or their precursors) exceed specified thresholds. The emissions thresholds that trigger requirements for a conformity analysis are called *de minimis* levels. *De minimis* levels (in tons per year) vary by pollutant and also depend on the severity of the nonattainment status for the air quality management area in question. The Hawaii AQCR, within which the Proposed Action is located, is considered to be in attainment for all NAAQS. Therefore, the General Conformity Rule does not apply to the Proposed Action and is not carried forward for analysis.

3.2.1.4 Greenhouse Gases

GHGs are gas emissions that trap heat in the atmosphere. These emissions occur from natural processes and human activities. Scientific evidence indicates a trend of increasing global temperature over the past century due to an increase in GHG emissions from human activities. The climate change associated with this global warming is predicted to produce negative economic and social consequences across the globe.

In an effort to reduce energy consumption, reduce GHGs, reduce dependence on petroleum, and increase the use of renewable energy resources the Navy has implemented a number of renewable

Final

energy projects. The Navy has established FY 2020 GHG emissions reduction targets of 34 percent from a FY 2008 baseline for direct GHG emissions and 13.5 percent for indirect emissions. Examples of Navy-wide GHG reduction projects include energy efficient construction, thermal and photovoltaic solar systems, geothermal power plants, and the generation of electricity with wind energy. The Navy continues to promote and install new renewable energy projects.

3.2.2 Affected Environment

Under the authority of the CAA and subsequent regulations, the USEPA has divided the country into geographical regions known as AQCRs to evaluate compliance with the NAAQS. JBPHH is located on the southeastern shore of the island of Oahu. The City and County of Honolulu (the island of Oahu) is in the State of Hawaii AQCR (40 CFR 81.76) which also includes the following four counties: Hawaii, Kalawao, Kauai, and Maui. All five counties within the AQCR are designated as attainment/unclassifiable for HAAQS and NAAQS.

The State of Hawaii maintains and collects data from ambient air quality monitoring stations to measure criteria pollutant ambient air concentrations and ensure that HAAQS and NAAQS are met. Two stations nearest to the proposed sites are the Honolulu station and the Sand Island station; neither station monitors for all six criteria pollutants. The Honolulu station, which collects SO₂, CO, PM₁₀, and PM_{2.5} ambient air concentration data, is located across from the Queen's Medical Center in a busy commercial, business, and government district in downtown Honolulu. The Sand Island station, which collects O₃ and PM_{2.5} ambient air concentration data, is in a light industrial, commercial, and recreational area approximately 2 miles (3 kilometers) downwind (southwest) of downtown Honolulu, near the entrance to the Sand Island State Recreation Area. Because neither of these stations monitor for NO₂, ambient air quality monitoring data for this parameter is presented based on data from the Kapolei station, which is on the leeward coast approximately 6 miles (10 kilometers) west of JBPHH. The most recent year of available monitoring data, 2016, is shown in Table 3-3. Excluding the exceedances that were due to the eruption of the Kilauea Volcano located on the island of Hawaii, the State of Hawaii AQCR did not exceed the HAAQS or NAAQS in 2016 and, as noted above, is designated as attainment/unclassifiable for all HAAQS and NAAQS.

Some land uses are considered more sensitive to air pollution than others because of the types of population groups or activities involved. Sensitive receptors include, but are not limited to, children, the elderly, and those with existing health conditions. Accordingly, land uses that are typically considered sensitive receptors include schools, daycare facilities, retirement homes, medical facilities, parks, and playgrounds. Residential areas are considered sensitive to air pollution because residents (including children and the elderly) tend to be at home for extended periods of time, resulting in sustained exposure to any pollutants present. Recreational land uses are considered moderately sensitive to air pollution.

The closest sensitive receptors to Alternative 1 are a daycare center and residences to the north and west along Kuntz Avenue, approximately 350 feet (107 meters) from the alternative sites and opposite of the direction of prevailing winds in the region. The closest sensitive receptors to Alternative 2 are residences approximately 75 feet (23 meters) north of the northern perimeter of the site on the opposite side of the drainage ditch and fence. The nearest sensitive receptors to the Alternative 3 site are residences across Center Drive approximately 75 feet (23 meters) southeast of the southern perimeter of the alternative site.

Table 3-3	Ambient Air Quality Monitoring Data (2016)
-----------	--

Í.	Measured	State	Federal	Federal
Pollutant	Concentration	AAQS	Primary AAQS	Secondary AAQS
CO ^a				
1-hour Average Maximum (ppm)	1.6	9	35	—
8-hour Average Maximum (ppm)	1.2	4.4	9	—
SO ₂ ^a				
1-hour Average Maximum (ppm)	0.009	—	0.075	—
3-hour Average Maximum (ppm)	0.007	0.5	—	0.5
24-hour Average Maximum (ppm)	0.002	0.14	—	—
Annual Mean (ppm)	0	0.03	—	—
NO ₂ ^c				
1-hour Average Maximum (ppm)	0.036	—	0.100	—
Annual Mean (ppm)	0.004	0.04	0.053	0.053
O ₃ ^b				
8-hour Average Maximum (ppm)	0.052	0.08	0.07	0.07
PM ₁₀ ^a				
24-hour Maximum (μg/m³)	33	150	150	—
Annual Mean (µg/m³)	13.8	50	—	—
PM _{2.5} ^a				
24-hour Maximum (µg/m³)	16.2	_	35	35
Annual Mean (μg/m³)	2.1	_	12	15

Notes:

— = no data

 μ g/m³ = microgram per cubic meter

AAQS = ambient air quality standards

CO = carbon monoxide

NO₂ = nitrogen dioxide

O₃ = ozone

 PM_{10} = particulate matter less than or equal to 10 microns in diameter

PM_{2.5} = particulate matter less than or equal to 2.5 microns in diameter

ppm = part per million

SO₂ = sulfur dioxide

Source: State of Hawaii Annual Summary, 2016 Air Quality Data (DOH 2016).

^a Data from Honolulu Air Monitoring Station.

^b Data from Kapolei Air Monitoring Station.

^c Data from Sand Island Air Monitoring Station.

3.2.3 Environmental Consequences

Effects on air quality are based on a qualitative assessment of direct and indirect emissions associated with the action alternatives. The ROI for assessing air quality impacts is the air basin in which the project is located, the air quality management region in which the project is located, the State of Hawaii AQCR.

Expected emissions from a proposed federal action are assessed for potential changes. Impacts to air quality are dependent on expected emissions, emissions release characteristics, distance between emissions release and exposure location, and meteorology.

3.2.3.1 No Action Alternative

Under the No Action Alternative, the Proposed Action would not occur and there would be no change to baseline air quality. Therefore, no impacts to air quality or air resources would occur with implementation of the No Action Alternative.

3.2.3.2 Alternative 1: Tradewinds-Par 3 Site (Preferred Alternative) Potential Impacts

Construction

Criteria Air Pollutants

The generation of construction-related emissions and their potential impacts on air quality would be short-term or temporary in duration. Construction-related activities would result in temporary emissions of criteria air pollutants and O₃ precursors, including fugitive dust generated by demolition of existing on-site structures and ground disturbing activities (e.g., excavation, grading, and clearing); exhaust emissions from use of off-road equipment, material delivery, and construction worker commutes; and volatile organic compound (VOC) emissions from asphalt paving and application of architectural coatings. Proposed construction would include the use of BMPs and compliance with federal and state regulations to minimize potential emissions of criteria pollutants. BMPs would include the use of properly maintained fuel-efficient construction vehicles with emissions controls to the maximum extent possible to minimize exhaust-related emissions of nitrogen oxides and particulate matter, and implementation of dust control measures to minimize fugitive dust (particulate matter) emissions from ground disturbance and road traffic. The mobile and/or intermittent operation of proposed emission sources would be temporary in nature and would cease after the completion of construction, would be reduced due to use of fuel-efficient, low-emitting equipment and vehicles to the maximum extent possible, and would therefore produce minimal exhaust-related emissions of criteria air pollutants. The fugitive dust emissions associated with demolition and construction would be minimized through implementation of BMPs. In addition, the nearest sensitive receptors are across Kuntz Boulevard, more than 300 feet (91 meters) away and opposite of the direction of prevailing winds in the region. Therefore, construction-related activities would result in short-term, non-significant impacts to air quality.

Greenhouse Gases

Implementation of Alternative 1 would contribute directly to emissions of GHGs from the combustion of fossil fuels during the short-term construction period. Demolition, site preparation, and construction of the proposed facility would require the use of heavy-duty construction equipment and support vehicles, as well as mobile trips for construction workers. The mobile and/or intermittent operation of equipment and vehicles would be temporary in nature and produce minimal GHG emissions. Emissions calculations for construction projects of similar size and duration have resulted in estimates of minimal GHG emissions. In addition, as described above regarding criteria air pollutant emissions, construction contractors would be required to implement BMPs and comply with federal and state regulations that would minimize potential GHG emissions, including the use of fuel-efficient, low-emitting equipment and vehicles to the maximum extent possible. Therefore, construction activities associated with Alternative 1 would generate a minimal level of GHG emissions that would not result in a significant contribution to global climate change.

Operations

Criteria Air Pollutants

Building Operations: Operations under Alternative 1 would consolidate operations of existing facilities and services that are currently managed individually to a single facility served by centralized staff, building utilities, and parking. Standby generators may be installed for the purposes of providing backup electricity and would be used minimally, only in the case of a power outage, and would replace any standby generators in place for the existing clinic facilities. Such infrequent operations would not result in the generation of substantial emissions and would comply with all applicable permitting requirements. No on-site medical waste incineration is proposed as part of the Proposed Action. The replacement facility would be built to current standards, which would improve energy efficiency and therefore reduce energy-related emissions compared to the existing operational buildings on-site; the existing emissions associated with these facilities would no longer occur once demolished, partially offsetting future emissions associated with operations of Alternative 1 buildings. Therefore, building operations would result in the same, if not reduced, emissions compared to baseline emissions due to increased efficiencies and demolition of existing structures.

Mobile Sources: While the Proposed Action would not increase operational services, it would shift existing mobile source activity from staff and patient trips at and around the existing facilities to the proposed centralized facility. Within the vicinity of Alternative 1, the level of service (LOS) would decrease at multiple intersections. As shown in Table 3-8 of the JBPHH Traffic Impact Analysis Report (TIAR) (Appendix B) conducted in support of this EA, vehicle trips associated with the Preferred Alternative, without implementation of proposed traffic mitigation measures, would result in the left turns from McClelland Street and Kokomalei Street onto Kuntz Avenue operating at a LOS F during peak-hour operations. Based on traffic projections from the TIAR, future daily traffic volumes on Kuntz Avenue west of McClelland Street with implementation of the Preferred Alternative are estimated to be 16,821 vehicles per day in the year 2027. While traffic counts were not taken at Kokomalei Street and Kuntz Avenue and daily projections are not available, it is reasonable to assume that traffic would be similar to that of Kuntz Avenue east of Halehaka Street (6,871 vehicles per day).

A decrease in LOS and increase in delay times can result in an increase in mobile source impacts. Of concern on a localized level would be an increase in CO. As noted in Section 3.2.2, the ROI for the Proposed Action is in attainment for all NAAQS and HAAQS, including CO. As shown in Table 3-3, the ambient air concentrations of CO measured in 2016 at the nearest air monitoring station were 1.6 parts per million (ppm) for the maximum 1-hour average and 1.2 ppm for the maximum 8-hour average, which are well below the HAAQS of 9 ppm and 4.4 ppm, respectively, and the NAAQS of 35 ppm and 9 ppm, respectively. Average daily traffic in the vicinity of this monitoring station in 2016 ranged from 19,800 vehicles per day on Punchbowl Street to 34,800 vehicles per day on S. Vineyard Boulevard, approximately 0.2 mile (0.3 kilometer) north of the monitoring station (HDOT 2018). Projected traffic volumes at the affected intersections would be well below these levels. In addition, as described in Section 3.7, mitigation measures to reduce traffic-related impacts would result in all affected intersections operating at an acceptable LOS (level D or better) and reduce potential localized mobile source impacts associated with traffic delays. Therefore, there would be no significant operational impacts of Alternative 1 from mobile source emissions.

Greenhouse Gases

After the completion of construction, operations of the Preferred Alternative would result in a shift in traffic patterns from existing clinic areas to the Preferred Alternative site but would not result in an increase in services provided. Therefore, little change in GHG emissions from mobile sources compared to baseline conditions is anticipated. Operations of the building under the Preferred Alternative would result in the consolidation of multiple existing clinic sites, which would likely achieve more efficient use of utilities to serve the single facility. In addition, the new facility would be more energy efficient as a result of improved building standards compared to the existing buildings that were built between 20 and 90 years ago. Improvements in building energy efficiency would result in a decrease in indirect emissions associated with energy demand and therefore a beneficial contribution to reducing the cumulatively considerable impact of global climate change.

In summary, no significant impacts to air quality, with regard to both criteria pollutant and greenhouse gas emissions, would occur with implementation of the Proposed Action under Alternative 1.

3.2.3.3 Alternative 2: Kuntz Gate Site Potential Impacts

Except as specified below, impacts on air quality under Alternative 2 would be the same as those under the Preferred Alternative. Construction activities associated with Alternative 2 would result in short-term, less-than-significant adverse impacts to air quality from the use of construction equipment and vehicles. However, because there would be greater land clearing under Alternative 2, the resulting air quality impacts would be slightly greater than those anticipated from the Preferred Action Alternative but still not significant. Operation of Alternative 2 would result in long-term beneficial impacts from energy-efficient improvements and the replacement of multiple facilities with one consolidated facility. Therefore, Alternative 2 would reduce the incremental contribution of GHG emissions to global climate change.

The change in localized mobile source activity is similar to but unique from the Preferred Alternative due to the neighborhood-specific changes in traffic patterns. While the Proposed Action would not increase operational services, it would shift existing mobile activity from staff and patient trips at and around the existing facilities to the proposed centralized facility. Within the vicinity of the Alternative 2 site, the LOS would decrease at multiple intersections. As shown in Table 3-9 of the TIAR, vehicle trips associated with Alternative 2, without implementation of proposed traffic mitigation measures, would result in the left turns from Halehaka Street/Kamakahi Street onto Kuntz Avenue operating at a LOS F during peak-hour operations. Traffic associated with Alternative 2 would also reduce the left turn out of Kokomalei Street and the turning movements out of McClelland Street on to Kuntz Avenue to a LOS F during the PM peak hour. Based on traffic projections from the TIAR, future daily traffic volumes on Kuntz Avenue west of McClelland Street with implementation of Alternative 2 are estimated to be 16,705 vehicles per day in the year 2027. While traffic counts were not taken at Kokomalei Street and Kuntz Avenue and daily projections are not available, it is reasonable to assume that traffic would be similar to that of Kuntz Avenue east of Halehaka Street. Based on traffic projections from the TIAR, future daily traffic volumes on Kuntz Avenue east of Halehaka Street with implementation of Alternative 2 are estimated to be 7,072 vehicles per day in the year 2027.

As discussed above with respect to the Preferred Alternative, a decrease in LOS and increase in delay times can result in an increase in mobile source impacts, particularly a localized concentration of CO. The ROI for the Proposed Action is in attainment for all HAAQS and NAAQS including CO and the ambient air concentrations of CO measured in 2016 at the nearest air monitoring station were well

below the HAAQS and NAAQS. Average daily traffic in the vicinity of this monitoring station in 2016 ranged from 19,800 vehicles per day on Punchbowl Street to 34,800 vehicles per day on S. Vineyard Boulevard, approximately 0.2 mile (0.3 kilometer) north of the monitoring station (HDOT 2018). Projected daily traffic volumes with implementation of Alternative 2 would be below these traffic levels in the vicinity of the monitoring station. In addition, similar to the Preferred Alternative and as described in Section 3.7, mitigation measures to reduce traffic-related impacts would result in affected intersections operating at an acceptable LOS (level D or better) and reduce potential localized mobile source impacts associated with traffic delays.

Unlike the Preferred Alternative, traffic mitigation measures would reduce the impacts to the intersections at the Kuntz Gate Site (Halehaka Street/Kamakahi Street) but would not reduce traffic impacts on Kuntz Avenue further west (Kokomalei Street and McClelland Street) to an acceptable LOS. Although these delays would not be mitigated to result in acceptable LOS operations, projected traffic volumes at the affected intersections described above would be well below the traffic levels in the vicinity of the air monitoring sites. Therefore, implementation of this action alternative would result in no significant impacts to air quality.

In summary, no significant impacts to air quality, with regard to both criteria pollutant and greenhouse gas emissions, would occur with implementation of the Proposed Action under Alternative 2.

3.2.3.4 Alternative 3: Bloch Arena Site Potential Impacts

Except as specified below, impacts on air quality under Alternative 3 would be the same as those under the Preferred Alternative. Construction activities associated with Alternative 3 would result in short-term, less-than-significant adverse impacts to air quality from the use of construction equipment and vehicles. However, because there would be less land clearing and no demolition under Alternative 3 than the other two alternatives, the resulting air quality impacts would be slightly less than those anticipated from the Preferred Action Alternative and still less than significant. Operation of the ACC would result in long-term beneficial impacts from energy-efficient improvements and the replacement of multiple facilities with one consolidated facility and, therefore, reduce the incremental contribution of GHG emissions to global climate change.

The change in localized mobile source activity is similar to but unique from the Preferred Alternative due to the neighborhood-specific changes in traffic patterns. While the Proposed Action would not increase operational services, it would shift existing mobile activity from staff and patient trips at and around the existing facilities to the proposed centralized facility. As shown in Table 3-10 of the TIAR, vehicle trips associated with Alternative 3, without implementation of proposed traffic mitigation measures, would result in projected peak hour intersection LOS levels below LOS D for the AM and PM peak hours at the intersections of North Road and Battleship Drive, as well as at North Road and Pearl Harbor Boulevard. In addition, ACC-generated traffic from off-base locations is projected to increase traffic congestion and queuing entering the Nimitz Gate, especially during the AM peak hour. However, as detailed in Section 3.5 and Appendix E, the additional ACC traffic demand could be accommodated at the gates by implementing the lane count and length recommendations made by the Surface Deployment and Distribution Command Transportation Engineering Agency (SDDCTEA) to handle existing traffic conditions.

As described in Section 3.7, mitigation measures to reduce traffic-related impacts would result in the intersections of North Road and Battleship Drive as well as North Road and Pearl Harbor Boulevard operating at an acceptable LOS (level D or better) and reduce potential localized mobile source impacts

associated with traffic delays in the direct vicinity of the proposed ACC site. Based on traffic projections from the TIAR, future daily traffic volumes on North Road with implementation of Alternative 3 would be approximately 21,580 vehicles per day north of Battleship Drive and approximately 18,503 vehicles per day south of Pearl Harbor Boulevard. These projected daily traffic volumes would be below the traffic levels in the vicinity of the monitoring station, at which CO monitoring data shows ambient air concentration levels well below the NAAQS and HAAQS. Therefore, implementation of this action alternative would not result in long-term significant adverse impacts to air quality.

In summary, no significant impacts to air quality, with regard to both criteria pollutant and greenhouse gas emissions, would occur with implementation of the Proposed Action under Alternative 3.

3.3 Biological Resources

Biological resources include living, native, or naturalized plant and animal species and the habitats within which they occur. Plant associations are referred to generally as vegetation, and animal species are referred to generally as wildlife. Habitat can be defined as the resources and conditions present in an area that support a plant or animal.

Within this EA, biological resources are divided into two categories: terrestrial vegetation and terrestrial wildlife. Threatened, endangered, and other special status species are discussed in their respective categories. The ROI for biological resources includes the geographic scope that could experience meaningful impacts from the Proposed Action, also known as the study area. This includes the project footprint and adjacent areas where construction effects would be experienced. No marine habitat occurs in the ROI for this project; therefore, no effects to marine species or the marine environment are anticipated, or discussed further in this EA. Similarly, although a freshwater drainage canal is located adjacent to the Alternative 2 site, with implementation of BMPs, no impact on aquatic wildlife is anticipated or discussed further in this EA, although the immediately adjacent canal is considered within the ROI with respect to Hawaiian waterbirds.

3.3.1 Regulatory Setting

Special-status species, for the purposes of this assessment, are those species listed as threatened or endangered under the ESA and species afforded federal protection under the MBTA.

The purpose of the ESA is to conserve the ecosystems upon which threatened and endangered species depend and to conserve and recover listed species. Section 7 of the ESA requires action proponents to consult with the USFWS or National Oceanic and Atmospheric Administration (NOAA) Fisheries to ensure that their actions are not likely to jeopardize the continued existence of federally listed threatened and endangered species or result in the destruction or adverse modification of designated critical habitat. Critical habitat cannot be designated on any areas owned, controlled, or designated for use by the DoD where an INRMP has been developed that, as determined by the Department of Interior or Department of Commerce Secretary, provides a benefit to the species subject to critical habitat designation.

Birds, both migratory and most native-resident bird species, are protected under the MBTA, and their conservation by federal agencies is mandated by EO 13186 (Migratory Bird Conservation). Under the MBTA it is unlawful by any means or in any manner, to pursue, hunt, take, capture, kill, attempt to take, capture, or kill, [or] possess migratory birds or their nests or eggs at any time, unless permitted by regulation.

3.3.2 Affected Environment

The following describe existing conditions for biological resources at JBPHH as relevant to all of the proposed project alternative sites. Threatened and endangered species are addressed in this section, with a composite list applicable to the Proposed Action provided in Table 3-4.

Table 3-4	Threatened and Endangered Species Known to Occur or Potentially Occu		
	in the ROI and Critical Habitat Present in ROI		

Common Name	Scientific Name	Federal Listing Status	State Listing Status	Critical Habitat Present?
Hawaiian duck	Anas wyvilliana	FE		No
Hawaiian common moorhen	Gallinula chloropus sandvicensis	FE		No
Hawaiian coot	Fulica alai	FE		No
Hawaiian black-necked stilt	Himantopus mexicanus knudseni	FE		No
Hawaiian hoary bat	Lasiurus cinereus semotus	FE	SE	No
White tern	Gygis alba		ST	No
Hawaiian short-eared owl	Asio flammeus sandwichensis		SE	No
Band-rumped storm-petrel	Oceanodroma castro	FE	SE	
Hawaiian petrel	Pterodroma sandwichensis	FE	SE	No
Newell's shearwater	Puffinus auricularis newelli	FT	ST	No

Notes:

Selections for Listing Status Column include:

FE = federal endangered

FT = federal threatened

SE = state endangered

ST = state threatened

Source: INRMP (NAVFAC PAC 2011).

3.3.2.1 Terrestrial Vegetation

Vegetation includes terrestrial plant as well as freshwater aquatic communities and constituent plant species. Approximately 1,953 acres (790 hectares) of 78,315 total acres (31,693 hectares) (approximately 2.5 percent total area) of PHNC has been developed as industrial areas, with an additional 1,299 acres (526 hectares) (approximately 1.7 percent total area) developed for family housing communities (NAVFAC PAC 2011). The remaining 75,063 acres (30,377 hectares) (approximately 95.8 percent) of PHNC have been designated as areas with significant natural resource value, primarily the vast harbor waters and associated intertidal and coastal margins. Vegetation in developed areas consists largely of intensively maintained, exotic non-native grasses and trees. The landscape vegetation today bears little resemblance to the annual grasses, trees, and shrubs that would have been present prior to the development of JBPHH. Native vegetation exists only on small, semi-improved, and unimproved areas, none of which are in the vicinity of alternative sites for this project.

Vegetation at Hickam AFB at JBPHH is largely landscaped areas and includes no undisturbed natural areas. Buffelgrass (*Cenchrus ciliaris*)/kiawe (*Prosopis pallida*) woodlands, kiawe forests, and pickleweed (*Salicornia* ssp. unknown) flats can be found in the southern portion of the base. Pickleweed flats and mangrove communities are considered wetlands. When combined with sandflats, these vegetative

communities are considered the main wildlife habitats of importance at Hickam AFB, since they are suitable habitat for threatened and endangered bird species. Native plants are used occasionally in landscaping projects but there are no native communities that have been created on the base. Landscaping typically includes herbaceous ruderal vegetation and includes streets lined with monkeypod trees and royal palms.

There are no federally- or state-listed plant species that occur naturally in the JBPHH (NAVFAC PAC 2011). Vegetation in the ROI for all of the proposed alternative sites is already disturbed by existing development.

The Tradewinds-Par 3 Site (Alternative 1, the Preferred Alternative) contains non-native vegetation, mostly consists of maintained lawns and includes a section of the Par 3 golf course. Large shade trees exist on-site including monkeypod and palm trees. Ornamental hibiscus shrubs line the fence by building 1804H. No native or endangered plant species are located on or in the vicinity of the site.

The Kuntz Gate Site (Alternative 2) is largely paved with a few areas of maintained lawn and tree vegetation, including mown ballfields. Freshwater aquatic vegetation may exist in the drainage canal behind the Kuntz Gate Site (Alternative 2) boundary. No native or endangered plant species are located on or in the vicinity of the site.

The Bloch Arena Site (Alternative 3) includes mango, monkeypod, and palm trees lining the parking lot, but mostly consists of impervious surfaces and a maintained ballfield. Ornamental shrubs like hibiscus have been planted lining sections of the ballfield and parking lot. No native or endangered plant species are located on or in the vicinity of the site.

3.3.2.2 Terrestrial Wildlife

Wildlife includes all animal species (i.e., insects and other invertebrates, freshwater fish, amphibians, reptiles, birds, and mammals) focusing on the species and habitat features of greatest importance or interest.

The List of Endangered Species (dated February 13, 2015) obtained from the USFWS Environmental Conservation Online System, Species occurrence by state, identified the federally-listed endangered Hawaiian duck or *koloa maoli* (*Anas wyvilliana*), Hawaiian common moorhen or *alae ula* (*Gallinula chloropus sandvicensis*), Hawaiian coot or *alae kea* (*Fulica alai*), Hawaiian black-necked stilt or *aeo* (*Himantopus mexicanus knudseni*), Hawaiian hoary bat or *opeapea* (*Lasiurus cinereus semotus*), state-listed white tern or *manu-o-ku* (*Gygis alba*), and state-listed Hawaiian short-eared owl or *pueo* (*Asio flammeus sandwichensis*) as potential to occur in the ROI for all of the proposed alternative sites. No critical habitat for any of the species listed above has been designated in the ROI. These species protected under state and federal laws with the potential to occur in the vicinity of the alternative sites are discussed below.

Most wildlife in the ROI and found on the alternative sites are non-native, such as feral cats, mongoose, rats, and common introduced bird species that are widespread across urban areas of Oahu. However, federally and state-listed threatened and endangered terrestrial wildlife species could potentially occur within or fly over all three alternative sites (NAVFAC PAC 2011).

Due to the presence of a number of mature, large trees, suitable habitat exists within the Tradewinds-Par 3 Site for the state-threatened white tern and federally-endangered Hawaiian hoary bat. MBTA-protected bird species may frequent the maintained lawns. Other threatened and endangered species, like Hawaiian waterbirds, might forage in the ROI but do not have suitable habitat on the Tradewinds-Par 3 Site (Alternative 1). With use of BMPs listed in Table 2-1, no impacts to these species are anticipated.

At the Kuntz Gate Site (Alternative 2), in addition to threatened, endangered, and MBTA-listed bird species listed that may traverse or forage within the site boundary, there is potential for waterbirds, freshwater fish, and invertebrate species to occur in the small drainage canal located to the north of the site boundary. Federally-listed endangered Hawaiian black-necked stilts have been observed foraging in this canal, but are more commonly found at the Pearl Harbor National Wildlife Refuge located approximately 3 miles (5 kilometers) from the Kuntz Gate Site (Alternative 2) outside of the ROI. There will be no in-water construction for the project and with the use of BMPs listed in Table 2-1, all direct and indirect impacts will be avoided and the action would have no effect on listed species.

A few trees are located along the perimeter of the Bloch Arena Site that are suitable habitat for the state-threatened white tern and federally-endangered Hawaiian hoary bat. Otherwise, the parcel currently consists of either paved impervious surface or maintained grass sports fields. MBTA-protected bird species may frequent the mown baseball fields. There is no suitable habitat for Hawaiian waterbirds at this site and with the use of BMPs listed in Table 2-1, no impacts to wildlife are anticipated.

Insects and Other Invertebrates: No federally or state listed insects or invertebrates were identified to have potential occurrence in the ROI.

Birds: Many bird taxonomic groups have been seen at JBPHH including waterbirds/fowl, songbirds, pigeons, raptors, and various migratory birds. Common introduced bird species observed across developed areas of JBPHH include spotted dove (*Spilopelia chinensis*), zebra dove (*Geopelia striata*), red-vented bulbul (*Pycnonotus cafer*), common myna (*Acridotheres tristis*), and red-crested cardinal (*Paroaria coronata*). There are four federally endangered Hawaiian waterbird species found at JBPHH: Hawaiian common moorhen, Hawaiian coot, Hawaiian black-necked stilt, and possibly the Hawaiian duck. Hawaiian ducks are not common at JBPHH and are often mistaken for koloa-mallard hybrids, which are an invasive species across Oahu. These species will utilize both fresh and brackish waters and can be seen foraging in grassy areas including areas in the ROI, but mostly inhabit the Pearl Harbor National Wildlife Refuge and Waipio peninsula across the main Pearl Harbor channel outside of the ROI. There are two state-listed endangered endemic birds with the potential to use habitat at JBPHH, the white (fairy) tern and the state-listed Hawaiian short-eared owl. Several MBTA-protected bird species have been spotted at JBPHH including the cattle egret (*Bubulcus ibis*), black-crowned night heron (*Nycticorax nycticorax*), Pacific golden plover (*Pluvialis fulva*), ruddy turnstone (*Arenaria interpres*), wandering tattler (*Heteroscelus incanus*), and sanderling (*Calidris alba*).

White Tern: The state-listed threatened white tern is primarily found on the Northwestern Hawaiian Islands, although a large population resides in Oahu. Breeding adults remain close to nest sites and forage in inshore areas, such as shoals and banks, with occasional forays into offshore waters. The species is endangered primarily due to predation by non-native animals and tree clearing/trimming. Suitable habitat (mature monkeypod trees) is present within the ROI; therefore, white terns are likely to occur within the Alternative 1 site.

Hawaiian Short-Eared Owl: The state-listed Hawaiian short-eared owl has the potential to occur in or traverse the project area. This state-listed endangered species is an endemic subspecies occurring on all the main Hawaiian Islands, but are most common on Kauai, Maui, and Hawaii and therefore is not likely to occur in the ROI.

Hawaiian Seabirds: Federally listed Hawaiian seabirds include the endangered band-rumped storm-petrel (*Oceanodroma castro*), the endangered Hawaiian petrel (*Pterodroma sandwichensis*), and the threatened Newell's shearwater (*Puffinus auricularis newelli*). Outdoor lighting can have impacts to seabirds including disorientation, fallout, and injury or mortality. Seabirds are attracted to lights and may circle artificial lights until the point of exhaustion. No colonies of these species have been identified on Oahu; however, Hawaiian seabirds may traverse the ROI during their breeding season from March 1 to December 15. Hawaiian seabirds spend a majority of their lives at sea, and therefore are not likely to occur in the ROI.

MBTA Protected Species: Several MBTA-protected bird species have been spotted at JBPHH including the cattle egret (*Bubulcus ibis*), black-crowned night heron (*Nycticorax nycticorax*), Pacific golden plover (*Pluvialis fulva*), ruddy turnstone (*Arenaria interpres*), wandering tattler (*Heteroscelus incanus*), and sanderling (*Calidris alba*). The MBTA-listed Pacific golden plover and black-crowned night-heron may be present in the ROI. The Pacific golden plover frequents mown lawn areas, wetlands, and mudflats foraging for insects (National Audubon Society 2020). Black-crowned night-herons forage in shallow waters along the shoreline of Pearl Harbor. Their habitat is primarily marshlands and shores, and therefore these species are not likely to occur in the ROI.

Mammals: Mammals that inhabit JBPHH include non-native species such as feral cats (*Felis catus*), Indian mongoose (*Herpestes javanicus*), and black rats (*Rattus rattus*). None of these species are native to Hawaii and are predators or are invasive to (compete with) native and threatened and endangered species on the installation. The federally-endangered Hawaiian hoary bat is Hawaii's only native terrestrial mammal. This species is more widely distributed than previously thought and uses both native and non-native habitats. Seasonal movement patterns have been consistent over multiple years, showing that Hawaiian hoary bats tend to exhibit strong site fidelity. No Hawaiian hoary bats have been spotted in the ROI and use of BMPs listed in Table 2-1 would be sufficient to avoid impacts to this species should a Hawaiian hoary bat or nest be identified in the ROI.

3.3.3 Environmental Consequences

This analysis focuses on wildlife or vegetation types that are important to the function of the ecosystem or are protected under federal or state law or statute.

Resources were evaluated against various criteria to identify potential impacts resulting from the Proposed Action. Impacts to biological resources would be considered significant if implementation of the alternative would:

- Adversely affect the recovery of a federally or state-listed threatened and endangered species
- Greatly diminish habitat for a plant or animal species
- Interfere with wildlife movement or reproductive behavior
- Result in an infusion of invasive plant or wildlife species

The federal and state-listed species carried forward in this analysis include those with possible presence on the three alternative sites, including:

- Federally Endangered:
 - Hawaiian hoary bat (Lasiurus cinereus)
 - o Hawaiian black-necked stilt (Himantopus mexicanus knudseni)

- State of Hawaii Threatened:
 - White tern (*Gygis alba*)

3.3.3.1 No Action Alternative

Under the No Action Alternative, no construction activities or operational changes would occur and there would be no impacts to biological resources. Existing site conditions would remain.

3.3.3.2 Alternative 1: Tradewinds-Par 3 Site (Preferred Alternative) Potential Impacts

The study area for the analysis of effects to biological resources associated with the Tradewinds-Par 3 Site includes the direct project area as shown in Section 2 (Figure 2-1).

Construction

Vegetation clearing would be required to construct the Proposed Action, resulting in the loss of up to 9.7 acres (3.9 hectares) of vegetation. However, the Navy would minimize tree clearing and earthwork to the maximum extent possible and establish vegetative cover on temporary disturbed areas by seeding with appropriate native or existing plants in accordance with the INRMP. All green waste will be disposed of in accordance with the JBPHH Greenwaste Policy. While this clearing would be a permanent impact, it would be negligible in relation to the overall vegetation composition at JBPHH. Therefore, short- and long-term, non-significant impacts to vegetation would occur from vegetation clearing under the Preferred Alternative.

State-listed threatened or endangered native wildlife species like the white tern could be temporarily affected during the construction phase. However, the Navy has a variety of management actions in place to protect white terns to enhance their habitat, and to avoid impacts during construction, as noted among the BMPs listed in Table 2-1. Additionally, trees at this site could serve as roost trees for the endangered Hawaiian hoary bat. BMPs to avoid potential impacts to Hawaiian hoary bats are listed in Table 2-1, Section 2.5.

Some wildlife species may discontinue using the project area during construction of the clinic, resulting in a temporary reduction in the abundance and diversity of wildlife species at the construction site. However, this change would be negligible because the site does not offer unique habitat that does not exist elsewhere on base. Construction would occur on previously disturbed and cleared or developed areas. Permanent loss of landscaped lawns and shade trees would occur under Alternative 1. The loss of these landscaped areas within a developed site would not negatively impact habitat use by any threatened or endangered species. Construction activities would not impact terrestrial wildlife including threatened and endangered species because, though they may traverse or forage in the project area, no critical habitat is present for these species. Increases in noise levels from construction activities to the ambient noise environment would be temporary and not significant, therefore presenting little to no disturbance to biological resources.

BMPs shall be implemented during construction under Alternative 1 such that all impacts to ESA-listed species, state-listed species, and MBTA-listed birds would be avoided. These BMPs (listed in Table 2-1, Section 2.5) are repeated here and include:

Hawaiian Hoary Bat: Impacts to this species can be avoided by including the following BMPs:

• Trees 15 feet (5 meters) in height or taller must not be cleared during the Hawaiian hoary bat pupping season (June 1 through September 15). Fencing may not include barbed wire.

White Tern: Impacts to this species can be avoided by including the following BMP:

• Trees should be surveyed for the presence of white terns prior to trimming, removal, or any other action that could disturb the tree.

MBTA-listed birds: The following BMPs shall be implemented to reduce impacts to MBTA species:

- When clearing vegetation, the contractor must verify that trees or bushes scheduled for removal do not contain the active nests of migratory birds. Such nests shall not be destroyed until the chicks have fledged in compliance with the Migratory Bird Treaty Act (MBTA) and Executive Order 13186. Do not to disturb birds or their nests and immediately report sightings to the Naval Facilities Engineering Systems Command, Hawaii (NAVFAC HI) Natural Resources Manager.
- To minimize effects on nocturnal Migratory Bird Treaty Act (MBTA) seabirds (wedge-tailed shearwaters, etc.), Navy policy (COMNAVREG Hawaii Instruction 5090.1) is to avoid all night lighting not needed for Anti-Terrorism/Force Protection (AT/FP) or personnel safety, install only full cutoff exterior down-lighting fixtures for all new construction whenever possible. Exterior lights shall be LED lights with full cut-off fixtures to comply with the Migratory Bird Treaty Act (MBTA). Lights that are International Dark-sky Association (IDA; http://www.darksky.org) certified are preferred but not required.

Operations

Operation of Alternative 1 would not impact vegetation because activities would remain on the developed site. While general grounds maintenance is expected, the Navy would continue to follow practices outlined in the INRMP to guide vegetation management.

Operation and maintenance of the facility under Alternative 1 is not anticipated to significantly affect wildlife. If maintenance includes construction equipment, trimming of trees or clearing of any vegetation, BMPs noted in Table 2-1 would be implemented as part of the Proposed Action to minimize potential impacts to terrestrial wildlife.

Common birds and mammals in the project area would sustain both short- and long-term, non-significant adverse impacts, primarily associated with loss of habitat within the Tradewinds-Par 3 Site. Additionally, installation personnel would continue to manage habitats according to the INRMP, which is designed to protect and benefit threatened and endangered species.

In summary, no significant impacts to biological resources would occur with implementation of the Proposed Action under Alternative 1. Impacts to MBTA-protected species and their active nests would be avoided during construction. Implementation of the Proposed Action under Alternative 1 (including application of biological resources BMPs during construction) would have no effect on ESA-listed species. BMPs in Table 2-1 specify tree clearing limitations, restrictions on the use of barbed wire fencing, and avoidance of the use of night lighting for construction. Application of these BMPs under the Proposed Action leads to the determination of no effect to ESA-listed species. Therefore, no consultation between the Navy and USFWS or NOAA Fisheries would be required.

3.3.3.3 Alternative 2: Kuntz Gate Site Potential Impacts

The study area for the analysis of effects to biological resources associated with Alternative 2, the Kuntz Gate Site, is the entire site defined in Section 2.3.3 (Figure 2-4).

Impacts to biological resources associated with the Kuntz Gate Site would include those stated above under Alternative 1 including potential impacts to threatened and endangered bird species and the endangered Hawaiian hoary bat. Terrestrial wildlife at the Kuntz Gate Site is similar to terrestrial wildlife at the Tradewinds-Par 3 Site (Alternative 1), with the additional potential for the endangered Hawaiian black-necked stilt to occur; BMPs that would be included in the Proposed Action to address potential impacts to biological resources are listed in Table 2-1.

Construction

Vegetation clearing would be required during construction of Alternative 2, with the potential loss of up to 7.7 acres (3.1 hectares) of non-native vegetation. However, the Navy would minimize tree clearing to the extent possible. Construction of the Proposed Action under Alternative 2 would have no effect on the Hawaiian black-necked stilt. Although the species may occur in the canal behind the project area (according to surveys), all effects would be avoided through implementation of the BMPs listed in Table 2-1.

These BMPs (listed in Table 2-1, Section 2.5) are repeated here and include:

Hawaiian Hoary Bat: Impacts to this species can be avoided by including the following BMPs:

• Trees 15 feet (5 meters) in height or taller shall not be cleared during the Hawaiian hoary bat pupping season (June 1 through September 15). Fencing may not include barbed wire.

White Tern: Impacts to this species can be avoided by including the following BMP:

• Trees should be surveyed for the presence of white terns prior to trimming, removal, or any other action that could disturb the tree.

Hawaiian Black-necked Stilt: Because ESA-listed Hawaiian black-necked stilts have been observed foraging in the canal behind the site, the following BMPs are recommended to avoid impacts to Hawaiian black-necked stilts and other Hawaiian waterbirds:

- Project personnel and contractor shall be informed about the potential presence of endangered species.
- In areas where waterbirds are known to be present, post, and implement reduced speed limits.
- If water resources are located within or adjacent to the project site, incorporate water quality BMPs to reduce sedimentation and erosion in aquatic environments into the project design.
 BMPs may include: silt containment; no trash/debris contamination; keep fuel vehicles away from the water; contingency plan for fuel spills; and protect exposed soil from erosion.
- A biological monitor that is familiar with the species' biology shall conduct Hawaiian waterbird
 nest surveys where appropriate habitat occurs within the vicinity of the proposed project site
 prior to project initiation. Surveys shall be repeated again within three (3) days of project
 initiation and after subsequent delay of work of three (3) or more days (during which birds may
 attempt to nest).

- If a nest or active brood is found:
 - Contact the NAVFAC HI Natural Resources Office (808-471-0378) who shall in turn contact the Pacific Islands Fish and Wildlife Office within 48 hours for further guidance.
 - Establish and maintain a 100-foot (30-meter) buffer around all active nests and/or broods until the chicks/ducklings have fledged. No potentially disruptive activities or habitat alteration will occur within this buffer.
 - A biological monitor that is familiar with the species' biology shall be present on the project site during all construction or earth moving activities until the chicks/ducklings fledge to ensure that Hawaiian waterbirds and nests are not adversely impacted.

MBTA-listed birds: The following BMPs shall be implemented to reduce impacts to MBTA species:

- When clearing vegetation, the contractor must verify that trees or bushes scheduled for removal do not contain the active nests of migratory birds. Such nests shall not be destroyed until the chicks have fledged in compliance with the Migratory Bird Treaty Act (MBTA) and Executive Order 13186. Do not to disturb birds or their nests and immediately report sightings to the NAVFAC HI Natural Resources Manager.
- To minimize effects on nocturnal Migratory Bird Treaty Act (MBTA) seabirds (wedge-tailed shearwaters, etc.), Navy policy (COMNAVREG Hawaii Instruction 5090.1) is to avoid all night lighting not needed for Anti-Terrorism/Force Protection (AT/FP) or personnel safety, install only full cutoff exterior down-lighting fixtures for all new construction whenever possible. Exterior lights shall be LED lights with full cut-off fixtures to comply with the Migratory Bird Treaty Act (MBTA). Lights that are International Dark-sky Association (IDA; http://www.darksky.org) certified are preferred but not required.

Operations

Operation and maintenance of Alternative 2 are the same as those described under Alternative 1. All ongoing operations on base shall comply with the ESA, and if an ESA-listed species were detected on-site during operation of the ACC, an installation natural resources manager would respond and implement protective measures to avoid unauthorized take. Operation of the ACC under Alternative 2 would result in no effect on ESA-listed species.

In summary, less-than-significant impacts to biological resources would occur with implementation of the Proposed Action under Alternative 2. Impacts to MBTA-protected species and their active nests would be avoided during construction. Implementation of the Proposed Action under Alternative 2 (including application of biological resources BMPs during construction) would have no effect on ESA-listed species. Therefore, no consultation between the Navy and USFWS or NOAA Fisheries would be required.

3.3.3.4 Alternative 3: Bloch Arena Site Potential Impacts

The study area for the analysis of impacts to biological resources associated with the Bloch Arena Site is the entire site defined in Section 2 (Figure 2-6).

Impacts to biological resources associated with the Bloch Arena Site are the same as those stated above under Alternative 1 including potential impacts to threatened and endangered bird species and the endangered Hawaiian hoary bat. Terrestrial wildlife at the Bloch Arena Site is similar to terrestrial

wildlife at the Tradewinds-Par 3 Site; BMPs included in the Proposed Action to address potential impacts to biological resources are listed in Section 2.5 (Table 2-1).

Construction

Vegetation clearing would be required during construction of Alternative 3, with the potential loss of up to 7.7 acres (3.1 hectares) of non-native vegetation; all tree clearing would follow BMPs described in Table 2-1. Terrestrial wildlife impacts at the Bloch Arena Site are comparable to terrestrial wildlife at the Tradewinds-Par 3 Site.

BMPs shall be implemented during construction under Alternative 3 such that all impacts to ESA-listed species, state-listed threatened or endangered species, and MBTA-listed birds would be avoided. These BMPs include:

Hawaiian Hoary Bat: Impacts to this species can be avoided by including the following BMPs:

• Trees 15 feet (5 meters) in height or taller shall not be cleared during the Hawaiian hoary bat pupping season (June 1 through September 15). Fencing may not include barbed wire.

White tern: Impacts to this species can be avoided by including the following BMP:

• Trees should be surveyed for the presence of white terns prior to trimming, removal, or any other action that could disturb the tree.

MBTA-listed birds: The following BMPs shall be implemented to reduce impacts to MBTA species:

- When clearing vegetation, the contractor must verify that trees or bushes scheduled for removal do not contain the active nests of migratory birds. Such nests shall not be destroyed until the chicks have fledged in compliance with the Migratory Bird Treaty Act (MBTA) and Executive Order 13186. Do not to disturb birds or their nests and immediately report sightings to the NAVFAC HI Natural Resources Manager.
- To minimize effects on nocturnal Migratory Bird Treaty Act (MBTA) seabirds (wedge-tailed shearwaters, etc.), Navy policy (COMNAVREG Hawaii Instruction 5090.1) is to avoid all night lighting not needed for Anti-Terrorism/Force Protection (AT/FP) or personnel safety, install only full cutoff exterior down-lighting fixtures for all new construction whenever possible. Exterior lights shall be LED lights with full cut-off fixtures to comply with the Migratory Bird Treaty Act (MBTA). Lights that are International Dark-sky Association (IDA; http://www.darksky.org) certified are preferred but not required.

Operations

Operation and maintenance under Alternative 3 are comparable to those described under Alternative 1.

The construction and operation of the Proposed Action at the Bloch Arena Site would have non-significant construction impacts and no significant impacts from operation of the ACC.

In summary, no significant impacts to biological resources would occur with implementation of the Proposed Action under Alternative 3. Impacts to MBTA-protected species and their active nests would be avoided during construction. The Proposed Action is not expected to result in any intentional or unintentional taking of migratory birds, and would have no significant impact on migratory birds. Implementation of the Proposed Action under Alternative 3 (including application of biological resources BMPs during construction) would have no effect on ESA-listed species. BMPs in Table 2-1 specify

limitations on tree clearing, restrictions on the use of barbed wire fencing, and avoidance of the use of night lighting for construction. Application of this BMP under the Proposed Action leads to the determination of no effect to ESA-listed species. Therefore, no consultation between the Navy and USFWS or NOAA Fisheries would be required.

3.4 Visual Resources

This discussion of visual resources includes the natural and built features of the landscape visible from viewpoints, including both general public and areas where access is restricted to military personnel on base, that contribute to an area's visual quality. Visual perception is an important component of environmental quality that can be adversely affected through changes created by various projects. Visual impacts occur as a result of the relationship between people and the physical environment. The ROI for visual resources refers to the area within each project alternative site boundary as well as areas from which the new facility would be visible. People who would potentially be affected by changes of views within the ROI are considered sensitive receptors.

3.4.1 Regulatory Setting

Under NEPA, federal agencies should consider visual impacts of proposed projects on scenic resources, historic properties and scenic experiences of public who view the landscape.

Aesthetics and views of proposed projects within the JBPHH installation are mainly guided by the JBPHH ADPs and IDP. ADPs identify capacity for future development at various areas of JBPHH.

The IDP serves as a combined plan that consolidates all ADPs. Features of these documents that influence visual resources are as follows:

- Both the JBPHH ADPs and IDP promote planning projects that would maintain historic and cultural patterns of development, viewsheds, and landscapes.
- The IDP recommends planning projects to construct connected green open space network and mirror regional building styles in color, materiality and design where appropriate.
- The JBPHH Eastside ADP aims to create a garden city district with buildings connected by accessible greenbelts and tree-lined streets. The ADP shows the recommended building heights to be 2-5 levels for the Tradewinds-Par 3 Site as well as the Kuntz Gate Site.
- The JBPHH Southside ADP proposes to create an accessible waterfront district with compatible development, convenient parking, complete streets, and flexible open spaces that reflects the historic character of the area. The recommended building heights at the Bloch Arena Site outside of Ward Field are two to six stories; regardless, the ADP requires planning projects to refer to the JBPHH Cultural Landscape Report for historic character-defining patterns.

Regulations regarding viewsheds within NHL District at JBPHH are described in Section 3.1, *Cultural Resources*.

The City and County of Honolulu's Primary Urban Center Development Plan (PUCDP) identifies significant mountain and ocean views and vistas that should be protected for projects within the Primary Urban Center (in which JBPHH is located). Although the PUCDP does not apply to projects on federal property, protection of mountain and ocean views that benefit the ROI's visual quality should be considered.

3.4.2 Affected Environment

All three alternative sites are located in developed areas. The proposed project would be surrounded by existing military buildings, structures and future military developments. No significant mountain views are available from the three alternative sites. The Tradewinds-Par 3 and the Kuntz Gate Site have no waterfront views.

The Tradewinds-Par 3 Site mainly consists of green open space. This open space and approximately thirty medium to large canopy trees create a park-like setting. This green space is visible from the adjacent Hickam Par 3 Golf Course, Kuntz Avenue, and other surrounding roads and buildings.

The Kuntz Gate Site north of Kuntz Avenue has the appearance of a light industrial area with car lots, shops and warehouses. Building heights within and in the vicinity of the site are generally one to two stories and less than 25 feet (8 meters). The site and tree lines along the south side of Kuntz Avenue are visible from the adjacent residential area, baseball fields, Kuntz Avenue, and surrounding roads and buildings.

The Bloch Arena Site has approximately 6 acres (2 hectares) of green open space, which is visible from the Nimitz Gate area, adjacent roads and surrounding buildings, with distant views as far away as the deck of the USS Missouri museum, which is accessible to the general public. Building 150, a Historic Category I building (Section 3.1, *Cultural Resources*), overlooks the site from the intersection of North Road and Pearl Harbor Boulevard. The proximity to the Southeast Loch also provides waterfront views from the Bloch Arena Site.

3.4.3 Environmental Consequences

The evaluation of visual resources in the context of environmental analysis typically addresses the contrast between visible landscape elements. Collectively, these elements comprise the aesthetic environment, or landscape character. The landscape character is compared to the Proposed Action's visual qualities to determine the compatibility or contrast resulting from the buildout and demolition activities associated with the Proposed Action. The Proposed Action's visual qualities are discussed from the perspective of sensitive receptors.

Impacts to visual resources would be deemed significant if disturbances under any alternative to the landscape character would be long-term or permanent, in medium or high intensity, of a regional extent, and negatively affect important or unique resources.

3.4.3.1 No Action Alternative

Under the No Action Alternative, the Proposed Action would not occur and there would be no change to landscape character and visual resources. Therefore, no impacts would occur from the No Action Alternative.

3.4.3.2 Alternative 1: Tradewinds-Par 3 Site (Preferred Alternative) Potential Impacts

The sensitive receptors include the users of the Hickam Par 3 Golf Course, people traveling along Kuntz Avenue and users of surrounding facilities within ROI (Alternative 1 site and nearby areas where the Proposed Action would be visually noticeable).

Construction

Construction activities would be contained within the fenced construction site when possible. The fencing would obstruct and minimize views of heavy equipment, stockpile areas, and other building

construction activities. While the view of the golf course from the surrounding areas and the views toward the Alternative 1 site would be impacted in medium intensity by the presence of the large fenced construction site, this impact would be temporary. The sensitive receptors would be limited to the ROI and the affected visual resources would be considered common. Therefore, the construction impacts to visual resources from Alternative 1 would not be significant.

Operations

Sensitive receptors would experience the change of landscape character from a park-like open space to a facility with three- to six-story buildings. It would also include the loss of approximately eighteen canopy trees. The impacts to these common visual resources would be long-term, in medium intensity and of local extent (limited to the ROI). Two BMPs, mirroring regional building design, replacing removed canopy trees and maximizing green space in site design (Table 2-1), would further reduce the level of alteration of the landscape characters.

In summary, impacts to visual resources would not be significant with implementation of the Proposed Action under Alternative 1.

3.4.3.3 Alternative 2: Kuntz Gate Site Potential Impacts

The sensitive receptors of Alternative 2 include the residents in the neighborhood located to the north of the drainage canal adjacent to the Alternative 2 site, people traveling along Kuntz Avenue, users of the baseball fields, and other facilities and roads within the ROI (Alternative 2 site and nearby areas where the Proposed Action would be visually noticeable).

Construction

Similar to Alternative 1, construction activities would impact visual experiences of sensitive receptors within the ROI in medium intensity. The impacts would be temporary, and the affected visual resources are common. Therefore, the construction impacts to visual resources of Alternative 2 would not be significant.

Operations

The three to six-story buildings would alter the site landscape characteristics and likely block the view of the tree lines along the south side of Kuntz Avenue for the residents along the drainage canal. The impacts to these common visual resources would be long-term, in low to medium intensity and of local extent. To reduce the already non-significant impact to visual resources, BMPs could be implemented by planting street-side trees within the Alternative 2 site when possible and designing the proposed facility to mirror the surrounding building styles.

In summary, no significant impacts to visual resources would occur with implementation of the Proposed Action under Alternative 2.

3.4.3.4 Alternative 3: Bloch Arena Site Potential Impacts

Because historic properties at JBPHH, such as the NHL District, have been identified as potentially affected by modern intrusions into their viewsheds, the sensitive receptors of Alternative 3 include visitors at the USS Missouri museum on Ford Island, staff working at Southeast Loch, people accessing Nimitz Gate and traveling along the roads adjacent to the site (North Road, Battleship Drive and Center Drive), residents south of Center Drive, as well as users of surrounding facilities.

Construction

Similar to Alternative 1 and 2, construction activities at the Alternative 3 site would impact visual experiences of sensitive receptors within the ROI. The affected visual resources are important due to the historic characteristics of the area. The impacts are expected to be medium to high intensity as the result of construction activities intruding the historic viewshed. Therefore, the construction impacts to visual resources under Alternative 3 are considered temporary and not significant.

Operations

Alternative 3 would not impact the waterfront views around the Southeast Loch. However, Alternative 3 would alter the important historic and landscape characteristic changing it from open space with historic importance to a modern three-story building and multi-story parking structure. Considering the historic importance of the affected resource, its permanence, and the medium to high intensity within its regional extent, the operational impacts of Alternative 3 to visual resources are considered significant. To offset the visual impacts of the loss of green open space, the site design would incorporate landscaped areas and replant the removed trees where possible. However, due to space constraints, landscaped areas are expected to be limited.

In summary, significant impacts to visual resources would likely occur with implementation of the Proposed Action under Alternative 3 without mitigation. However, these visual resources impacts could be mitigated to no significant impacts through façade design considerations, and post-construction landscaping.

3.5 Transportation

Transportation addresses ground transportation access to and from the alternative sites for the Proposed Action. For the purposes of this analysis, the ground transportation system consists of roadways, transit service, bicycle and pedestrian facilities.

This analysis is based on the appended TIAR conducted in support of the EA for the proposed ACC (Appendix B). The purpose of the TIAR is to assess the potential traffic impacts in the vicinity of the ACC for each alternative site. The TIAR shows that without mitigation (traffic improvements) there may be significant impacts associated with traffic and the intensity of the impacts vary among the alternatives. Traffic impacts are expected to be confined to JBPHH, and not extend off-base. The EA therefore analyzes several proposed traffic improvement measures that would reduce the on-base traffic impacts substantially, in all cases to a level below applicable significance thresholds. The TIAR includes recommendations for physical and operational improvements to mitigate potential transportation impacts. The following analyses describe ground transportation facilities and operations for calendar year (CY) 2019 and projected future (CY 2026) time frames. The TIAR analysis of morning, midday, and afternoon peak hour traffic operations at key intersections supports recommendations for physical and operational transportation impacts. These are summarized below as applicable as well as being summarized in Table 3-6.

Detailed descriptions of the transportation facilities in the ROI are included in the TIAR. In summary, ROI for transportation includes the physical boundary of each alternative site and associated feeder roads, key on-base congestion points, main access roads to each alternative site, on-base public transportation, and primary off-base roadways that lead to base access points.

As part of the TIAR, field data was collected and analyzed to assess potential impacts to traffic and circulation. Traffic counts conducted for 24-hour and morning, midday, and afternoon peak period time frames provide a baseline to establish existing transportation and traffic conditions immediately adjacent to the proposed alternative sites. The traffic volume counts were conducted using automatic traffic recorders (ATRs), which helped to verify the peak traffic periods. The 24-hour volumes counts, which also included pedestrian and bicycle traffic, were conducted in conjunction with peak period traffic turning movement counts at key intersections adjacent to the three alternative sites. The presence and condition of sidewalks, crosswalk and bike facilities were also documented to help evaluate project impacts.


3.5.1 Regulatory Setting

EO 14057 encourages government entities to ensure that new construction and major renovations conform to applicable building energy efficiency requirements and sustainable design principles; consider building efficiency when renewing or entering into leases; and implement space utilization and optimization practices. Other goals are to meet statutory requirements relating to the consumption of renewable energy and electricity, reduce potable and non-potable water consumption, and comply with stormwater management requirements.

3.5.2 Affected Environment

3.5.2.1 Access Points to Base

There are eight (8) points of access to JBPHH. The access points closest to the three alternative sites are the O'Malley Gate (Alternative 1: Tradewinds-Par 3 Site), the Kuntz Gate (Alternative 2: Kuntz Gate Site) and the Nimitz Gate, (Alternative 3: Bloch Arena Site) (Figure 3-2).





The Nimitz Gate serves as the primary access point to the base providing direct access to the H-1 freeway in both directions. This gate also serves as the main and most direct entry for the substantial commuter workforce at the Pearl Harbor Naval Shipyard. The Nimitz Gate is located directly adjacent to the Bloch Arena Site. The O'Malley and Kuntz Gates primarily serve residential and work areas in and around the Hickam side of JBPHH. The O'Malley Gate is served by direct access ramps from H-1 as well while the Kuntz Gate provides a more circuitous route to JBPHH via Elliott Street, a two-lane road traversing near Daniel K. Inouye International Airport property and associated commercial and industrial facilities. All three gates are open for access 24 hours a day.

The Military SDDCTEA prepared a memorandum (Appendix E) on current gate conditions and their ability to handle changes in expected traffic volume. The memorandum has additional details on the existing gate volumes, lane count, and queue length. Section 3.5.3 contains memorandum conclusions regarding any recommended gate improvements per desired design standards.

3.5.2.2 Road Network

All three alternative sites are bounded by an existing arterial and collector road network system. The Bloch Arena area is adjacent to three major intersections where North Road meets South Avenue, Pearl Harbor Boulevard and Battleship Drive, respectively.

The Tradewinds-Par 3 and Kuntz Gate sites both front Kuntz Avenue, which serves as the primary road on the east side of the Hickam portion of JBPHH, between Kuntz Gate and the O'Malley Boulevard Interchange. Collector roads extend off Kuntz Avenue providing access to airfield and work facilities, recreational facilities, and the residential areas.

Descriptions of the roadway lane configurations, intersection traffic control, and existing (2019) traffic volumes adjacent to the project areas are documented in the TIAR report attached as Appendix B to this EA.

3.5.2.3 Pedestrian and Bicycle Facilities and Public Transportation

Pedestrian facilities such as sidewalks and marked crosswalks (including a signalized crossing at the intersection of North Road and Pearl Harbor Boulevard) are located along most of the roadways in the vicinity of the alternative sites. Some existing mid-block crosswalks have rectangular rapid flashing beacons (RRFB) installed to increase driver awareness. Most bicycle facilities consist of shared vehicular traffic lanes. Public transit options at JBPHH include municipal bus service (TheBus) and Navy Exchange shuttles.

3.5.3 Environmental Consequences

Impacts to ground traffic and transportation are analyzed by considering the possible changes to existing traffic conditions and the capacity of area roadways from proposed increases in commuter and construction traffic. Ground transportation Impacts are analyzed for the projected future horizon year (2027) for full occupancy of the ACC.

The TIAR documents the existing (2019) peak period traffic volumes and intersection operations, and forecasts future (2027) peak period traffic volumes and intersection operations at intersections immediately adjacent to the proposed alternative sites. Based on these analyses, recommendations are developed to mitigate transportation impacts related to the proposed ACC at the alternative sites.

Operational traffic impacts are identified primarily by LOS. LOS is a qualitative index based on quantitative measurements such as intersection vehicular delay and helps to portray the relative quality

of traffic operations at the intersections adjacent to the proposed ACC sites. LOS ranges from LOS A to LOS F, with LOS A through D indicating no significant impact and LOS E through F indicating significant impact. Operational results below LOS D triggered efforts to identify measures to mitigate issues with the goal of improving forecasted intersection operations to at least LOS D.

3.5.3.1 No Action Alternative

Under the No Action Alternative, the Proposed Action would not occur and there would be no change to transportation. Therefore, no change from the existing operations are projected and no impacts would occur from the No Action Alternative.

3.5.3.2 Alternative 1: Tradewinds-Par 3 Site (Preferred Alternative) Potential Impacts

The proposed Alternative 1 conceptual site plan is illustrated in Figure 3-3. For this site plan, the patient access point would be located on Kuntz Avenue directly opposite the Kokomalei Street intersection. The proposed patient parking garage would be located adjacent to the proposed ACC building.




Figure 3-3 Proposed Conceptual Site Plan of Alternative 1: Tradewinds-Par 3 Site

Most patient vehicles would access the site via the Kuntz Avenue/Kokomalei Street intersection and would either stop at a designated drop-off/pick-up area or enter the parking garage directly. The parking garage would connect to the ACC building via a pedestrian bridge, reducing surface level pedestrian crossings. Outbound patient vehicles would travel from the parking garage to the Kuntz Avenue/Kokomalei Street intersection and could optionally stop at the drop-off/pick-up area first.

Staff would park in the surface parking lots located along McClelland Street and Mountain Home Street. The staff would either turn right from Kuntz Avenue onto McClelland Street or turn from Kuntz Avenue onto McChord Street and then onto Mountain Home Street to access the surface parking areas. This arrangement would separate patient and staff parking access completely. This would lower traffic demand at the intersections involved with access to and from the proposed ACC. It would also reduce potential pedestrian-vehicle conflicts.

Construction

Roadway lane closures to facilitate construction of the proposed ACC building and associated facilities are projected to have temporary impacts by disrupting traffic flow on roadways adjacent to the alternative project site such as Kuntz Avenue, McClelland Street, McChord Street, and Mountain Home Street. Best practices would be implemented to minimize disruption to traffic flow.

Construction workers arriving to and departing from the work site during the AM and PM peak hour time periods and construction supply vehicles throughout the work day are projected to create temporary impacts by increasing vehicle delay and queuing at the O'Malley JBPHH access gate. This traffic is also projected to impact traffic operations at intersections along Kuntz Avenue during the AM, Midday, and PM peak hour time periods.

To minimize the temporary construction impacts, roadway lane closures would be minimized on Kuntz Avenue and oriented when feasible to McClelland and McChord Streets that carry relatively low traffic volumes as opposed to Kuntz Avenue. When roadway closures are needed, appropriate roadway detours would be implemented consistent with best practices.

Construction traffic would be encouraged to use alternative access points to JBPHH such as Kuntz Gate instead of O'Malley Gate and divert to alternative paths such as Kamakahi Street to gain access to the construction site. The contractor would be directed to work with JBPHH to avoid arrival and departure of construction traffic during peak traffic periods at JBPHH.

With these actions, the temporary impacts associated with construction of the proposed ACC would be minimized.

Operations

Without additional traffic improvements, vehicular traffic generated by Alternative 1 is projected to have operational impacts at key intersections adjacent to the alternative project site. Analyses documented in the TIAR projected peak hour intersection LOS levels below LOS D for the AM, Midday, and PM peak hours at the following intersections:

- Kuntz Avenue/McClelland Street
- Kuntz Avenue/Kokomalei Street

Left-turn traffic movements from McClellan Street are projected to operate at LOS E during the AM peak hour and LOS F during the PM peak hour. Left-turn traffic movements from Kokomalei Street onto Kuntz Avenue are projected to operate at LOS F during the AM, Midday, and PM peak hours. Left-turn traffic movements from the proposed ACC driveway are projected to operate at LOS F during the midday and PM peak hours. These operational levels would result in significant delays to vehicles executing these maneuvers.

ACC-generated traffic from off-base locations are projected to increase traffic congestions and queuing at the O'Malley Gate to JBPHH. This increase in traffic congestion and queuing could potentially reach the level of significant impact.

To mitigate these projected operational impacts, the following intersection improvements would be implemented as part of the proposed ACC project:

- Kuntz Avenue/McClelland Street intersection
 - o Prohibit westbound Kuntz to southbound McClelland left turns
 - o Prohibit northbound McClelland to eastbound right turns
 - o Implement new traffic signal at intersection
 - o Implement appropriate crosswalks in conjunction with signalization of intersection
- Kuntz Avenue/Kokomalei Street intersection
 - o Lengthen existing median eastbound left-turn lane
 - o Restripe existing painted median to provide median westbound left-turn lane
 - o Implement new traffic signal at intersection
 - o Implement appropriate crosswalks in conjunction with signalization of intersection

With these recommended improvements, intersection operations at the Kuntz Avenue/McClelland Street and the Kuntz Avenue/Kokomalei Street intersections would be improved above the LOS D threshold, which would mitigate the operational impacts to no significant impacts.

Additionally, travel demand strategies would be implemented to orient ACC-generated traffic to the Kuntz Gate to address the potential significant impact of increased traffic congestion and queueing at O'Malley Gate.

The Navy sought the expertise of the Military SDDCTEA to conduct a quantitative entry control facility (gate) impact analysis using available data sources. These data sources provide a summary of the projected impacts of ACC-generated traffic on entry control facilities. The SDDCTEA memo (Appendix E) applied the ACC's projected additional gate entry traffic demand to estimate future gate conditions for each alternative site for AM peak hour conditions. Alternative 1 is projected to affect O'Malley and Kuntz Gates entry operations. The SDDCTEA analyses recommended an increase in the number of entry lanes at the O'Malley Gate from four to five entry lanes in future Alternative 1 conditions. The SDDCTEA analysis also recommended a minimum entry lane length of 1,045 feet (319 meters). Currently, O'Malley Gate entry lanes have a length of over 1,500 feet (457 meters), well over the minimum length identified by SDDCTEA. If an additional entry lane is not added, there is adequate entry lane length to accommodate additional queueing that may occur without affecting roadways beyond the entry control facility. Kuntz Gate was determined to have sufficient capacity to accommodate the additional ACC gate entry demand.

Aside from adding entry lanes, other measures could be taken at the gates to increase throughput, including switching from manual to handheld processing and doubling the number of guards per lane during the AM peak. Additionally, outbound lanes can be used for in-processing. Based on the evaluation results in Table 3 of the SDDCTEA memo, tandem processing of entering traffic could eliminate the need for an additional entry lane at the O'Malley Gate. The DHA would coordinate with JBPHH facility planners to develop solutions to increase gate throughput during the AM peak period. Based on these efforts, Alternative 1 would not have a significant impact at or beyond the entry control facilities.

In summary, with mitigation, no significant impacts to transportation resources would occur with implementation of the Proposed Action under Alternative 1.

3.5.3.3 Alternative 2: Kuntz Gate Site Potential Impacts

The proposed Alternative 2 conceptual site plan is illustrated in Figure 3-4. Patient access to the ACC would occur at the Halehaka Street/20th Street intersection.




Figure 3-4 Proposed Conceptual Site Plan of Alternative 2: Kuntz Gate Site

Inbound patient vehicles would access the site via Halehaka Street/20th Street intersection and either drop off patients in the drop-off/pick-up area in front of the ACC building or access the garage directly.

Inbound vehicles using the drop-off/pick-up area would need to return to 20th Street and re-enter the site to access the parking garage. Outbound vehicles would either turn into the drop-off/pick-up area or directly exit the site onto 20th Street and then Halehaka Street.

Staff would park in the surface parking lots, one located west of Halehaka Street between Kuntz Avenue and 20th Street and one located east of the ACC building. The west lot would be accessed at the Halehaka Street/20th Street intersection, while the east lot would be accessed directly from Kuntz Avenue at a new driveway located approximately 400 feet (122 meters) east of the Kuntz Avenue/Halehaka Street/Kamakahi Street intersection.

Staff parking in the east lot would access the ACC building directly. Staff parking in the west lot would cross Halehaka Street and pass through the parking garage before crossing the on-site driveway to the ACC building.

Construction

Roadway lane closures to facilitate construction of the proposed ACC building and associated facilities are projected to have temporary impacts by disrupting traffic flow on roadways adjacent to the alternative project site such as Kuntz Avenue and Halehaka Street. When roadway closures are needed, appropriate roadway detours would be implemented consistent with best practices.

Construction workers arriving to and departing from the work site during the AM and PM peak hour time periods and construction supply vehicles throughout the work day are projected to create temporary impacts by increasing vehicle delay and queuing at the O'Malley JBPHH access gate. This traffic is also projected to impact traffic operations at intersections along Kuntz Avenue during the AM, Midday, and PM peak hour time periods.

To minimize the temporary construction impacts, roadway lane closures would be minimized on Kuntz Avenue and oriented when feasible to Halehaka Street and 20th Street. The proposed staff parking lot areas would also be used as staging areas to minimize road closures.

Construction traffic would be encouraged to use alternative access points to JBPHH such as Kuntz Gate instead of O'Malley Gate to gain access to the construction site. The contractor would be directed to work with JBPHH to avoid arrival and departure of construction traffic during peak traffic periods at JBPHH.

With these actions, the temporary impacts associated with construction of the proposed ACC would be minimized.

Operations

Without additional traffic improvements, vehicular traffic generated by Alternative 2 would have operational impacts at key intersections adjacent to the alternative project site.

Analyses documented in the TIAR projected peak hour intersection LOS levels below LOS D for the AM, Midday, and PM peak hours at the following intersection:

• Kuntz Avenue/Halehaka Street/Kamakahi Street

The left-turn traffic movements from Halehaka Street and Kamakahi Street onto Kuntz Avenue are projected to operate at LOS F, resulting in significant delay to vehicles executing this maneuver.

The analyses documented in the TIAR projected LOS C operation at the Halehaka Street/20th Street intersection. Although this would result in no significant impacts, leaving this intersection configuration in its existing state while using it as the key access into the proposed ACC would not be consistent with

safe and efficient intersection design. Therefore, recommendations were made to improve the configuration of this intersection.

ACC-generated traffic from off-base locations are projected to increase traffic congestions and queuing at the O'Malley Gate to JBPHH. This increase in traffic congestion and queuing with the absence of mitigation could potentially reach the level of significant impact.

To mitigate these projected operational impacts, the following improvements would be implemented as part of the proposed ACC project:

- Kuntz Avenue/Halehaka Street/Kamakahi Street intersection
 - Widen Kuntz Avenue by 10 feet (3 meters) approximately 1,050 feet (320 meters) between Halehaka/Kamakahi Street and Kuntz Gate to create median area for westbound Kuntz Avenue to southbound Kamakahi Street left-turn and for eastbound Kuntz Avenue to northbound ACC staff parking driveway
 - o Implement new traffic signal at intersection
 - o Implement appropriate crosswalks in conjunction with signalization of intersection
- Halehaka Street/20th Street intersection
 - Widen Halehaka Street by 10 feet (3 meters) approximately 260 feet (79 meters) between Kuntz Avenue and 20th Street to provide northbound left-turn lane at 20th Street and separate southbound left/through lane at Kuntz Avenue
 - Implement appropriate crosswalks at intersection

With these recommended improvements, intersection operations at the Kuntz Avenue/Halehaka Street/Kamakahi Street, the Halehaka Street/20th Street, and the Kuntz Avenue/ACC Staff Parking Lot Driveway intersections would operate above the LOS D threshold which would mitigate the operational impacts to no significant impacts.

Additionally, travel demand strategies would be implemented to orient ACC-generated traffic to the Kuntz Gate to address the potential significant impact of increased traffic congestion and queueing at O'Malley Gate.

As described for Alternative 1, the SDDCTEA memo (Appendix E) applied the ACC's projected additional gate entry traffic demand to estimate future gate conditions for each alternative site for AM peak hour conditions. Alternative 2 was projected to affect O'Malley and Kuntz Gates entry operations. The SDDCTEA analyses recommended an increase in the number of entry lanes at the O'Malley Gate from four to five entry lanes under future Alternative 2 conditions. The SDDCTEA analysis also recommended a minimum entry lane length of 1,045 feet (319 meters). Currently, O'Malley Gate entry lanes have a length of over 1,500 feet (457 meters), well over the minimum length identified by SDDCTEA. If an additional entry lane is not added, there is adequate entry length to accommodate additional queueing that may occur without affecting roadways beyond the entry control facility. Kuntz Gate was determined to have sufficient capacity to accommodate the additional ACC gate entry demand.

Aside from adding entry lanes, other measures could be taken at the gates to increase throughput, including switching from manual to handheld processing and doubling the number of guards per lane during the AM peak. Additionally, outbound lanes can be used for in-processing. Based on the evaluation results in Table 3 of the SDDCTEA memo, tandem processing of entering traffic could eliminate the need for an additional entry lane at the O'Malley Gate. The DHA would coordinate with

JBPHH facility planners to develop solutions to increase gate throughput during the AM peak period. Based on these efforts, Alternative 2 would not have a significant impact at or beyond the entry control facilities.

In summary, with mitigation, no significant impacts to transportation resources adjacent to the ACC would occur with implementation of the Proposed Action under Alternative 2. Downstream impacts may occur on Kuntz Avenue west of Halehaka Street in terms of increased delay to vehicles turning out of cross streets.

3.5.3.4 Alternative 3: Bloch Arena Site Potential Impacts

The proposed Alternative 3 conceptual site plan is illustrated in Figure 3-5. The primary site access would be located at the North Road and Pearl Harbor Boulevard intersection, adding a fourth leg to the current "T"-intersection. This new access would be used by patients and staff of the proposed ACC. Staff would also have another access to the surface parking lot via Battleship Drive.

Inbound patient vehicles would enter the site and either use the drop-off/pick-up area or proceed directly to the parking garage. The patients would directly access the proposed ACC from the parking garage. The outbound patient vehicles would depart via the driveway at the North Road and Pearl Harbor Boulevard intersection.

When accessing Alternative 3 from the North Road/Pearl Harbor Boulevard intersection, staff would travel toward the surface parking area, which wraps around the north and east sides of the proposed ACC building. When accessing the site from Battleship Drive, staff would drive directly into the surface parking area. Staff would cross the internal site driveway to access the proposed ACC building. Staff would have the option of leaving via either the North Road/Pearl Harbor Boulevard intersection or Battleship Drive.

Construction

Roadway lane closures to facilitate construction of the Proposed Action are projected to have temporary impacts by disrupting traffic flow on roadways adjacent to the alternative project site such as North Road and Battleship Drive. When roadway closures are needed, appropriate roadway detours would be implemented consistent with best practices to minimize disruption.

Construction workers arriving to and departing from the work site during the AM and PM peak hour time periods and construction supply vehicles throughout the workday are projected to create temporary impacts by increasing vehicle delay and queuing at the Nimitz JBPHH access gate. This traffic is also projected to impact traffic operations at intersections along North Road during the AM, Midday, and PM peak hour time periods. Measures would be pursued to minimize this delay and queuing.

To minimize the temporary construction impacts, roadway lane closures would be minimized on North Avenue and Battleship Drive and construction staging would be kept on-site as much as feasible.

Construction traffic would be encouraged to use alternative access points to JBPHH. Both Nimitz Gate and Makalapa Gate are currently observed to be very congested with significant delays to entering vehicles, especially during the morning peak period. These gates would be the nearest access to the Alternative 3 site. Because of this congested morning peak period situation, alternative access during construction would be explored. Potential alternative access could include Center Drive, accessed from either Nimitz Highway or from Kamehameha Highway. The contractor would also be directed to work with JBPHH to avoid arrival and departure of construction traffic during peak traffic periods.




Figure 3-5 Proposed Conceptual Site Plan of Alternative 3: Bloch Arena Site

With these actions, the temporary impacts associated with construction of the proposed ACC would be minimized.

Operations

Without additional traffic improvements, vehicular traffic generated by the Bloch Arena alternative is projected to have operational impacts at key intersections adjacent to the alternative project site.

Analyses documented in the TIAR projected peak hour intersection LOS levels below LOS D for the AM and PM peak hours at the following intersections:

- North Road/Battleship Drive
- North Road/Pearl Harbor Boulevard

Left-turn traffic movements from Battleship Drive onto North Road are projected to operate at LOS E during the AM peak hour and LOS F during the PM peak hour, resulting in delays to vehicles executing this maneuver.

Although the projected overall intersection LOS for the North Road/Pearl Harbor Boulevard intersection is LOS D, which would be considered no significant impacts, intersection modifications to accommodate the median eastbound left-turn lane into the proposed ACC driveway would reduce the lanes on the westbound approach to this intersection in a way that is projected to create a vehicular queue on this approach during the PM peak hour that would extend back to Nimitz Gate, potentially obstructing the main access into JBPHH. Without mitigation, this projected vehicular queuing would be considered a significant impact.

ACC-generated traffic from off-base locations is projected to increase traffic congestion and queuing entering the Nimitz Gate, especially during the AM peak hour. Given the existing level of congestion for traffic entering Nimitz Gate during the AM peak hour, the ACC-generated traffic from off-base locations would likely have a significant impact due to increasing this congestion. Mitigating potential vehicular queuing at the Nimitz Gate would be difficult. Alternative access such as Makalapa Gate were also observed to be congested during the AM peak hour. Other mitigation such as delaying opening of the ACC until after the AM peak hour would detrimentally reduce its operating hours.

To mitigate these projected significant impacts, the following intersection improvements would be implemented as part of the proposed ACC project:

- North Road/Battleship Drive Intersection
 - o Install new median eastbound North Road to northbound Battleship Drive left-turn lane
 - o Implement new traffic signal at intersection
 - o Implement appropriate crosswalks in conjunction with signalization of intersection
- North Road/Pearl Harbor Boulevard Intersection
 - o Install new median eastbound North Road to northbound ACC driveway left-turn lane
 - Convert existing westbound shared left/though lane on North Road to an exclusive westbound North Road to southbound Pearl Harbor Boulevard left-turn lane
 - Modify the outside existing northbound Pearl Harbor Boulevard left-turn lane to a shared through/right turn lane
 - Widen North Road by one lane width approximately 1,500 feet (457 meters) from Nimitz Gate to the Driveway into the Fitness Center (located north of Battleship Drive on North Road)
 - Implement traffic signal modifications to acknowledge new ACC Driveway and exclusive left-turn lane operation on North Road

These recommended improvements are projected to mitigate traffic impacts from the proposed ACC at the intersections adjacent to the Bloch Arena site to a no significant impact level.

Additional ACC-generated traffic would add to existing congestion at Nimitz and Makalapa Gates, but would not increase the need for gate upgrades. The SDDCTEA memo (Appendix E) applied the ACC's projected additional gate entry traffic demand to estimate future gate conditions for each alternative site for AM peak hour conditions.

Alternative 3 was projected to affect the Nimitz and Makalapa Gates entry operations. However, both Nimitz and Makalapa Gates were determined by the SDDCTEA analysis to need an additional entry lane to adequately process existing entry demand. This would increase the Nimitz Gate entry lanes from four to five and the Makalapa Gate entry lanes from three to four. With these additional entry lanes, the Nimitz and Makalapa Gates would be able to accommodate the additional ACC entry demand at these gates. SDDCTEA recommended minimum lane entry lengths of 1,525 feet (465 meters) at Nimitz Gate and 1,000 feet (305 meters) at Makalapa Gate. The Nimitz Gate entry lanes are currently over 1,600 feet (488 meters) long and, if conditions demand it, can handle vehicle queues over 2,500 feet (762 meters). Makalapa Gate is more challenging with approximately 420 feet (128 meters) of lane entry length available before spilling onto Kamehameha Highway.

Aside from adding entry lanes, other measures could be taken at the gates to increase throughput, including switching from manual to handheld processing and doubling guards per lane during the AM peak.

In summary, with recommended measures, traffic impacts to intersections adjacent to the Bloch Arena Site can be mitigated to no significant impacts. Added ACC traffic demand at the Nimitz and Makalapa Gates could be accommodated if the entry lane additions recommended by SDDCTEA to handle existing conditions were implemented.

3.6 Hazardous Materials and Wastes

This section discusses hazardous materials, hazardous waste, toxic substances, and contaminated sites.

The ROI for this analysis includes the alternative site footprints and adjacent/nearby areas of JBPHH. This area would be directly influenced by activities associated with constructing the Proposed Action. Operation of the Proposed Action under any of the alternatives would have no influence on hazardous and toxic materials and wastes (HTMW) outside of this ROI. Potential impacts are assessed based on review of Government furnished information provided by the Navy, including findings from site inspections (SIs) and remedial investigations (RIs).

The Proposed Action would be considered a significant impact on HTMW if:

- Alternative resulted in noncompliance with applicable federal and state regulations or the amounts generated or procured hazardous materials beyond current permitted capacities or management capabilities.
- Impacts to health, safety, and pollution prevention would be considered major if the Alternative results in worker, resident, or visitor exposure to hazardous substances at levels that could be expected to impact human health.
- Impacts to the ROI would be considered major if the Alternative disturbed or created a contaminated site resulting in adverse effects to human health or the environment or caused regulatory noncompliance.
- It would cause an increase in the amount of hazardous substances used, stored, or requiring disposal by a site user that could not be managed under existing permits and procedures.

- It would increase the risk of soil or groundwater contamination by hazardous substances; interrupt or impede any ongoing cleanup efforts; or create new or substantial human or environmental health risks.
- The alternative would be considered a beneficial impact if it would cause a substantial decrease in the amount of substances used, stored, or requiring disposal by the site that are hazardous at levels that could be expected to impact human health; or if it would require or facilitate cleaning up a contaminated site.

3.6.1 Regulatory Setting

Hazardous materials are defined by 49 CFR 171.8 as "hazardous substances, hazardous wastes, marine pollutants, elevated temperature materials, materials designated as hazardous in the Hazardous Materials Table, and materials that meet the defining criteria for hazard classes and divisions in 49 CFR 173." Transportation of hazardous materials is regulated by the U.S. Department of Transportation regulations.

Hazardous wastes are defined by the RCRA, as amended by the Hazardous and Solid Waste Amendments, as: "a solid waste, or combination of solid wastes, which because of its quantity, concentration, or physical, chemical, or infectious characteristics may (A) cause, or significantly contribute to, an increase in mortality or an increase in serious irreversible, or incapacitating reversible, illness; or (B) pose a substantial present or potential hazard to human health or the environment when improperly treated, stored, transported, or disposed of, or otherwise managed." Certain types of hazardous wastes are subject to special management provisions intended to ease the management burden and facilitate the recycling of such materials. These are called universal wastes and their associated regulatory requirements are specified in 40 CFR 273. Four types of waste are currently covered under the universal waste regulations: hazardous waste batteries, hazardous waste that are either recalled or collected in waste pesticide collection programs, hazardous waste thermostats, and hazardous waste lamps, such as fluorescent light bulbs.

Special hazards are those substances that might pose a risk to human health and are addressed separately from other hazardous substances. Special hazards include asbestos-containing material (ACM), polychlorinated biphenyls (PCBs), and lead-based paint (LBP). USEPA is given authority to regulate special hazard substances by the Toxic Substances Control Act. Asbestos is also regulated by USEPA under the CAA, and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA).

The DoD established the Defense Environmental Restoration Program (DERP) to facilitate thorough investigation and cleanup of contaminated sites on military installations (active installations, installations subject to Base Realignment and Closure, and formerly used defense sites). The Installation Restoration Program and the Military Munitions Response Program are components of the DERP. The Installation Restoration Program requires each DoD installation to identify, investigate, and clean up hazardous waste disposal or release sites. The Military Munitions Response Program addresses nonoperational rangelands that are suspected or known to contain unexploded ordnance, discarded military munitions, or munitions constituent contamination. The Environmental Restoration Program is the Navy's initiative to address DERP.

3.6.2 Affected Environment

3.6.2.1 Hazardous Materials

Products containing hazardous materials are used to support a variety of services at JBPHH, including products like petroleum, oils, and lubricants; solvents and thinners; caustic cleaning compounds and surfactants; cooling fluids (antifreeze); adhesives; acids and corrosives; paints; and herbicides, pesticides, and fungicides. The Hazardous Materials Pharmacy (HAZMART) is located in Building 1070 on the Hickam side of JBPHH. The HAZMART is responsible for managing and tracking all hazardous substances at JBPHH.

Hazardous materials have been found in soil, subsurface soil, groundwater, and soil gas throughout JBPHH associated with previous land uses like vehicle fueling stations as well as underground storage tanks (USTs) and piping, fill soil, and buried debris layers (NAVFAC HI 2012). Several environmental investigations were conducted in the 1990s to evaluate potential petroleum releases at seven USTs. JBPHH maintains an Integrated Hazardous Materials Contingency Plan that provides guidance on minimizing the quantity and effects of hazardous materials releases, as well as the Spill Prevention, Control, and Countermeasures Plan (SPCCP), which describes proper handling of hazardous materials to minimize accidental releases. As a result of feasibility studies (FSs), SIs, and RIs, it was determined that there are chemicals of concern (COCs) present in the soil and subsurface soil at the Tradewinds-Par 3 and Kuntz Gate sites. No environmental investigations reports have been provided for review for this EA for the Bloch Arena Site.

The Navy has implemented a strict Hazardous Material Control and Management Program and a Hazardous Waste Minimization Program for all activities. These programs are governed Navy-wide by applicable Office of the Chief of Naval Operations instructions and at the installation by specific instructions issued by the Base Commander. The Navy continuously monitors its operations to find ways to minimize the use of hazardous materials and to reduce the generation of hazardous wastes.

SIs and a RI have been conducted at the Tradewinds-Par 3 Site, which is the location of a former Mess Hall, known as site CF023, to determine if there are unacceptable risks from contamination in soil, groundwater, and soil gas. Previous investigations of this site (CF023) indicated COCs were present in subsurface soils, including elevated levels of VOCs, polynuclear aromatic hydrocarbons, total petroleum hydrocarbons (TPH), diesel range organics, pesticides, dioxins/furans, and metals. It is believed that a buried debris layer is the primary source of metals and dioxins/furans contamination, while spills or leaks from the former USTs and piping may have contributed to the TPH contamination (NAVFAC HI 2012). The RI determined that elevated levels of dissolved metals are present in groundwater at this site. The human health risk evaluation in the RI indicates that the levels of contaminants are too low to pose unacceptable risks to occupational workers, excavation/construction workers, or hypothetical future residents (in this case, patients and clinic staff). The results of the ecological screening assessment indicate that there are no unacceptable risks posed by potential migration of contaminants from site groundwater to aquatic life in off-site surface water bodies.

However, concentrations of dioxins/furan toxicity equivalents, TPH, antimony, and lead in subsurface soil at the Preferred Alternative site exceed USEPA's regulatory threshold and may pose unacceptable risks to hypothetical future residents; therefore, a FS was recommended for this site (NAVFAC HI 2012). The FS analyzed the results of the RI and proposed Land Use Controls (LUCs) as remedial alternatives for this site.

Given the controls placed on the site, the DOH would require that a construction Environmental Hazard Management Plan (EHMP) be developed for their review. The purpose of the plan would be to document and inform DOH of the plans for dealing with the contaminated soil during construction, including protection of employees and anyone that can potentially come into contact with the exposed materials, and would describe plans to control potential exposures after the project is completed. Developing the EHMP is the responsibility of the contractor and should be done prior to breaking ground. DOH would be given approximately 30-60 days to review the draft EHMP.

A limited SI was completed at area of concern (AOC) EA58/Site MY158, a former vehicle fuel dispensing facility, located in the Kuntz Gate Site boundary. AOC EA58 is located approximately 20 feet (6 meters) west of Building 1713. AOC EA58 was identified in 1996 as a motor pool; a subsequent historical data review does not fully support that observation and suggests it was actually a vehicle fueling station. Recommendations from this study were to sample runoff from the AOC to determine if the contaminants were discharging from the Manuwai canal and the Installation Restoration Program site. Based on data collected, it is possible the COCs may have been the result of soil vapors originating from neighboring areas of petroleum contamination. The screening-level risk evaluation from the SI of AOC EA58 located in the Kuntz Gate Site indicated that no unacceptable risks were identified at AOC EA58; no further response action documentation was recommended.

3.6.2.2 Hazardous Waste

The Base Hazardous Waste Management Plan details JBPHH's hazardous waste stream inventory and identifies all types of hazardous waste generated at specific authorized locations. The plan includes operational procedures applicable to the collection and temporary storage of hazardous wastes at initial accumulation sites and outlines the respective roles and responsibilities of the Hazardous Material Minimization Center, Satellite Accumulation Points, and Waste Accumulation Points.

Navy Region Hawaii owns a permitted Treatment Storage Disposal Facility, referred to as the Conforming Storage Facility, at Building No. 1526 under the USEPA ID No. HI 117 002 4334. The Conforming Storage Facility is used as a central facility for the receipt and temporary storage of HW. Under the same USEPA ID No., the Region owns the Industrial Waste Treatment Facility (IWTC) at Building 1424 at JBPHH. Hickam is also registered in the PCB Activity Data System under ID 3068 and in the National Compliance Database under ID numbers I09#19880616049471 and C09#09-88216-02-WR.

3.6.2.3 Special Hazards (Asbestos-Containing Material, Lead-Based Paint, Polychlorinated Biphenyls)

JBPHH has two programs for managing special hazards: LBP Management Plan and the Asbestos Management and Operating Plan. Although LBP is no longer used at JBPHH, several older facilities were painted with these paint products. The LBP Plan focuses on the safe management of these materials and the elimination of potential hazards to the residents and environment. The Asbestos Management Plan provides guidance on and outlines procedures for asbestos related management and abatement programs. The Plan also calls for a current survey of all facilities with ACM in order to facilitate the location and removal of asbestos as well as protect the military and civilian community. Prior to renovations and demolition, structures are to be evaluated and hazardous materials removed in accordance with these programs and other applicable laws and regulations.

3.6.2.4 Defense Environmental Restoration Program

The DERP was created at JBPHH to identify areas on base that are cause of environmental concerns under federal laws (RCRA, CERCLA). The goal of the DERP is to identify, investigate, conduct research

and development into, and clean up contamination from CERCLA hazardous substances or pollutants or contaminants. Other goals include to correct environmental damage with the potential to cause endangerment to the public and human health or the environment, and to demolish or remove unsafe buildings/structures. The DERP (DoD 2012) aims to "reduce risks to human health and the environment through implementation of effective, legally compliant, and cost-effective response actions."

3.6.3 Environmental Consequences

The hazardous materials and wastes analysis contained in the respective sections addresses issues related to the use and management of hazardous materials and wastes as well as the presence and management of specific cleanup sites at JBPHH. The Proposed Action has the potential to disturb surface soil, subsurface soil, groundwater, and soil gas.

3.6.3.1 No Action Alternative

Under the No Action Alternative, the Proposed Action would not occur and there would be no change associated with hazardous materials and wastes. Therefore, no impacts would occur from the No Action Alternative.

3.6.3.2 Alternative 1: Tradewinds-Par 3 Site (Preferred Alternative) Potential Impacts

The study area for the analysis of effects to hazardous materials associated with Alternative 1 includes an area within housing and community service areas adjacent (east) to the Hickam Par 3 Golf Course. The study area for the Alternative 1 is described in detail in Section 2 (Figure 2-1).

Construction

Hazardous materials are expected to be used during the construction phase, including diesel fuel, gasoline, and propane to fuel equipment; hydraulic fluids, oils, and lubricants; and batteries. The contractor performing the work would be responsible for properly managing, handling, and disposing of hazardous materials during and after completion of all work performed. Use of hazardous materials and generation of hazardous wastes during construction would be managed under existing laws and Navy regulations and management practices.

As a result of the FS described in the Affected Environment, it was determined that LUCs including land use restrictions would be implemented to guide any excavation, grading, and trenching activities at this site. The LUCs were developed upon guidance provided in the *Policy on Land Use Controls Associated with Environmental Restoration Activities* (DoD 2001). BMPs are described in Table 2-1.

The demolition and construction associated with implementing the Proposed Action under Alternative 1 would be consistent with LUCs resulting from the FS. Hazardous wastes generated by construction of the ACC would be handled and disposed of in accordance with the installation's Hazardous Waste Management Plan and the Navy's Regional Hazardous Material Control and Management Plan to prevent accidental spills and ensure proper handling of contaminated materials.

Operations

During operation of the ACC and on-going project activities including maintenance and repair or renovation, hazardous materials and wastes would be managed under existing laws and regulations. Medical supplies that contain hazardous materials would be used during operation of the ACC and

specific medical waste procedures must be followed. All medical waste would be disposed of through off-site removal, as it currently is at existing JBPHH medical clinic locations. Although waste generation would be more consolidated than under the No Action Alternative, total waste generation is not expected to increase under the Preferred Alternative.

In summary, no impacts to hazardous materials or wastes would occur with implementation of the Proposed Action under Alternative 1.

3.6.3.3 Alternative 2: Kuntz Gate Site Potential Impacts

Construction

Impacts to hazardous materials and wastes for Alternative 2 include those stated above under Alternative 1 including impacts from the demolition of facilities and construction of the ACC. A notable difference between the Alternatives 1 and 2 is that LUCs are in place at the Tradewinds-Par 3 Site that do not apply to the Kuntz Gate Site. Additionally, the SI of AOC EA58 resulted in no further response action documentation or mitigation required at this site.

Operations

Impacts to hazardous materials and wastes from repair, renovation, and/or demolition as well as operation and maintenance under Alternative 2 are the same as impacts under Alternative 1 and are described in the Alternative 1 Potential Impacts section. A Hazardous Waste Management Plan shall be followed and BMPs are described under Alternative 1. Although waste generation would be more consolidated than under the No Action Alternative, total waste generation is not expected to increase under Alternative 2.

In summary, no impacts to hazardous materials or wastes would occur with implementation of the Proposed Action under Alternative 2.

3.6.3.4 Alternative 3: Bloch Arena Site Potential Impacts

Construction

Studies on hazardous materials and waste for the Bloch Arena Site were not available through data research or GFI. Impacts to hazardous materials management associated with construction at the Bloch Arena Site include impacts described in the Alternative 1 Potential Impacts section.

Operations

Impacts on hazardous materials and wastes resulting from the repair, renovation, and/or demolition as well as operation and maintenance of the facility at the Bloch Arena Site are the same as impacts at the Alternative 1 and are described in the Alternative 1 Potential Impacts section. A Hazardous Waste Management Plan would be followed and BMPs are described under Alternative 1. Although waste generation would be more consolidated than under the No Action Alternative, total waste generation is not expected to increase under Alternative 3.

In summary, no impacts to hazardous materials or wastes would occur with implementation of the Proposed Action under Alternative 3.

3.7 Summary of Potential Impacts to Resource Areas

The following table provides a brief summary of impacts for each alternative by topic.

Resource Area	No Action Alternative	Alternative 1 – Tradewinds-Par 3 (Preferred Alternative)	Alternative 2 – Kuntz Gate	Alternative 3 – Bloch Arena
Cultural Resources	The clinic would not be constructed and there would be no change in operations. No impacts to cultural or historical resources would occur.	Construction period ground-disturbing activities have a low probability to affect undiscovered subsurface cultural resources. Alternative 1 would not result in modifications or demolition of historic architectural resources. No TCPs are within the APE. Therefore, construction and operation of the new clinic would result in no significant, long-term, local impacts to cultural resources. There would be no adverse effect to historic properties. Pursuant to NHPA Section 106, the Navy consulted with the Hawaii State Historic Preservation Officer (SHPO) and interested parties. In its letter dated December 6, 2021, the SHPO stated, "Based on the commitment that all historic facilities will be reutilized, occupied, and maintained by new tenants, the SHPO concurs with the determination of <i>no adverse effect</i> for the proposed project."	and operation of the new clinic would result in no significant, long-term, local impacts to cultural resources.	Construction and operation of the new clinic would occur within a highly visible location inside the NHL district, on the site of an eligible historic facility (Ward Field), and in a location of high archaeological probability. Construction and operations would result in significant, long-term, local and regional impacts to cultural resources, which could be reduced to no significant impacts through mitigation.

Table 3-5 Summary of Potential Impacts to Resource Areas

		Alternative 1 – Tradewinds-Par 3		
Resource Area	No Action Alternative	(Preferred Alternative)	Alternative 2 – Kuntz Gate	Alternative 3 – Bloch Arena
Air Quality	The clinic would not be	Construction-related emissions	Construction-related emissions	Construction-related emissions would be
	constructed and there would	would be minor and minimized with	would be minor and minimized with	minor and minimized with
	be no change in operations.	implementation of BMPs. Operations	implementation of BMPs. Operations	implementation of BMPs. Operations
	There would be no impacts to	would shift localized commutes and	would shift localized commutes and	would shift localized commutes and
	air quality or global climate	related mobile source emissions to	related mobile source emissions to	related mobile source emissions to and
	change.	and from previous clinics to the	and from previous clinics to the	from previous clinics to the proposed
		proposed ACC, but would not result	proposed ACC, with slightly higher	ACC, comparable to Alternative 1, but
		in significant air quality impacts.	mobile emissions than under	would not result in significant air quality
		Operational GHG emissions would be		impacts. Operational GHG emissions
		less than the No Action Alternative.	congestion, but would not result in	would be equal to or less than the No
		Therefore, there would be no	significant air quality impacts.	Action Alternative. Therefore, there
		significant impacts to air quality and	Operational GHG emissions would be	would be no significant impacts to air
		climate change.	equal to or less than the No Action	quality and climate change.
			Alternative. Therefore, there would	
			be no significant impacts to air	
			quality and climate change.	
Biological	The clinic would not be	There would be removal of existing	There would be removal of existing	There would be removal of existing
Resources	constructed, and there would	vegetation to the degree needed for	vegetation to the degree needed for	vegetation to the degree needed for site
	be no change in operations.	site development. Disturbance to	site development. Disturbance to	development. Disturbance to terrestrial
	No impacts to biological	terrestrial wildlife species during the	terrestrial wildlife during the site	wildlife species during the site
	resources would occur.	site preparation and construction	preparation and construction process	preparation and construction process
		process could be avoided with the	could be avoided with the	could be avoided with the
		implementation of the suggested	implementation of the suggested	implementation of the suggested BMPs.
		BMPs. Operation of the ACC at this	BMPs. Operation of the ACC at this	Operation of the ACC at this site would
		site would have no impacts to	site would have no impacts to	have no impacts to biological resources.
		biological resources. No significant	biological resources. No significant	No significant impacts to biological
			impacts to biological resources would	resources would occur. With
		occur. With implementation of	occur. With implementation of	implementation of BMPs, there would be
		BMPs, there would be no effect on	BMPs, there would be no effect on	no effect on federally-listed ESA species.
		federally-listed ESA species.	federally-listed ESA species.	

Table 3-5 Summary of Potential Impacts to Resource Areas

		Alternative 1 – Tradewinds-Par 3		
Resource Area	No Action Alternative	(Preferred Alternative)	Alternative 2 – Kuntz Gate	Alternative 3 – Bloch Arena
Visual Resources	The clinic would not be constructed, and there would be no change to landscape character and visual resources. Therefore, no impacts would occur from the No Action Alternative.	Construction would have temporary non-significant impacts that are of local extent and in medium intensity to the common visual resources. Operational impacts to visual resources are not significant because of their local extent and medium intensity.	Construction would have temporary, non-significant impacts to common visual resources that are of local extent and medium intensity. Operational impacts to visual resources are not significant due to their local extent and low to medium intensity.	Visual resources are important due to the historic characteristics of the area. Temporary, less-than-significant impacts are expected from construction. Operations would lead to permanent, medium to high intensity impacts within its regional contexts. Operational impacts to visual resources could be reduced to no significant impacts through mitigation.
Transportation	The clinic would not be constructed and there would be no change in operations. No impacts to transportation would occur.	Operation of the ACC replacement facility would result in a shift in traffic patterns from existing clinic areas to the alternative site. Traffic would decrease at existing clinic sites and increase around the Alternative 1 site. With implementation of recommended traffic mitigation measures, transportation impacts would not be significant.	Operation of the ACC replacement facility would result in a shift in traffic patterns from existing clinic areas to the alternative site. Traffic would decrease at existing clinic sites and increase around the Alternative 2 site. With implementation of recommended traffic mitigation measures, transportation impacts would not be significant.	Operation of the ACC replacement facility would result in a shift in traffic patterns from existing clinic areas to the alternative site. Traffic would decrease at existing clinic sites and increase around the Alternative 3 site. Recommended measures would mitigate traffic impacts at intersections adjacent to the ACC site. Increased traffic demand at the Nimitz and Makalapa Gates could be accommodated if entry lane additions recommended by SDDCTEA to handle existing conditions (prior to ACC) are implemented. With the recommended measures adjacent to the ACC site and implementation of SDDCTEA recommendations for existing conditions, transportation impacts would not be significant.

Table 3-5 Summary of Potential Impacts to Resource Areas

		Alternative 1 – Tradewinds-Par 3		
Resource Area	No Action Alternative	(Preferred Alternative)	Alternative 2 – Kuntz Gate	Alternative 3 – Bloch Arena
Hazardous	The clinic would not be	There would be some generation of	There would be some generation of	There would be some generation of
Materials and	constructed, and there would	hazardous materials and wastes	hazardous materials and wastes	hazardous materials and wastes during
Wastes	be no change in operations.	during construction due to	during construction due to	construction due to excavation of soil and
	Hazardous wastes and	excavation of soil and disposal of	excavation of soil and disposal of	disposal of construction materials. There
	materials would continue to	construction materials. There would	construction materials. There would	would be no operational impacts of the
	be generated at current levels	be no operational impacts of the ACC	be no operational impacts of the	ACC at this site. No significant impacts
	and locations and would be	at this site. No significant impacts	ACC at this site. No significant	from hazardous materials and wastes
	managed under existing	from hazardous materials and wastes	impacts from hazardous materials	would occur given implementation of
	protocols. No impacts to	would occur given implementation of	and wastes would occur given	existing LUCs, management plans and
	hazardous materials and	existing LUCs, management plans	implementation of existing	handling procedures.
	wastes would occur.	and handling procedures.	management plans and handling	
			procedures.	

Table 3-5 Summary of Potential Impacts to Resource Areas

Notes: ACC = Ambulatory Care Center; BMP = best management practice; ESA = Endangered Species Act; GHG = greenhouse gas; HQ = headquarters; LUC = land use control; NHL = National Historic Landmark; NRHP = National Register of Historic Places.

3.7.1 Impact Avoidance and Minimization Measures

For many of the above topics, impacts would not be significant, and are addressed through the implementation of standard BMPs as part of the Proposed Action, listed in Section 2 (Table 2-1). For those activities for which BMPs are not sufficient to mitigate impacts, additional avoidance and mitigation measures are identified in Table 3-6 below.

Measure	Anticipated Benefit/Evaluating Effectiveness	Implementing and Monitoring	Responsibility	Estimated Completion Date
Alternative 1: Tradewinds-Par 3 Site			•	
Signalize and install related intersection improvements as described in Section 3.5.3.2 at the Kuntz Ave/McClelland St and Kuntz Ave/McChord St intersections.	Mitigate projected LOS F operations at these intersections under unsignalized operations.	Measures would be included as part of the civil engineering design of the ACC.	ROICC would be responsible for overseeing proper implementation of improvements.	Completion of measures would occur when building construction is completed.
Encourage ACC staff to utilize Kuntz Gate instead of O'Malley Gate for access to JBPHH.	Mitigate potential vehicle congestion and delay at O'Malley Gate.	Measures would be implemented after ACC begins operations if needed based on observed congestion at the O'Malley Gate.	ACC management and JBPHH base command.	Measures would be implemented after ACC begins operations if needed.
Encourage ACC construction staff and construction deliveries to utilize Kuntz Gate instead of O'Malley Gate for access to JBPHH.	Mitigate temporary O'Malley Gate and Kuntz Avenue intersection impacts during construction.	Measure would be stipulated in construction contract and implemented as needed when determined by JBPHH base command.	ROICC would oversee construction and coordinate with JBPHH base command.	Measure applied during construction period as needed.
Minimize roadway closures of Kuntz Ave. Focus construction staging on McClelland and McChord Streets.	Mitigate temporary impacts to Kuntz Avenue traffic flow during construction.	Measure would be stipulated in construction contract and implemented as determined by ROICC.	ROICC would oversee construction and coordinate with JBPHH base command.	Measures applied during construction period.
Apply appropriate construction detouring per standards.	Avoid temporary traffic safety and operational issues through appropriate and efficient application of transportation detour measures.	Measure would be stipulated in construction contract and implemented as determined by ROICC.	ROICC would oversee construction and coordinate with JBPHH base command.	Measures applied during construction period.

Table 3-6 Impact Avoidance and Minimization Measures

Table 3-6	Impact Avoidance and Minimization Measures
-----------	--

Measure	Anticipated Benefit/Evaluating Effectiveness	Implementing and Monitoring	Responsibility	Estimated Completion Date			
Alternative 2: Kuntz Gate Site	Alternative 2: Kuntz Gate Site						
Signalize and install related intersection improvements at the Kuntz Ave/Halehaka St/Kamakahi St intersection as described in Section 3.5.3.3.	Mitigate projected LOS F operations at this intersection under unsignalized operations.	Measures would be included as part of the civil engineering design of the ACC.	ROICC would be responsible for overseeing proper implementation of improvements.	Completion of measures would occur when building construction is completed.			
Widen Kuntz Avenue one lane width by approximately 1,050 feet (320 meters) between Halehaka/Kamakahi intersection and Kuntz Gate to create painted median in Kuntz Avenue to accommodate left-turn lanes at driveway to proposed Staff Parking Lot and at Halehaka/Kamakahi intersection.	Part of mitigation of significant operational issues at the Halehaka/Kamakahi intersection. Provide safe traffic operations at the Staff Parking Lot driveway.	Measures would be included as part of the civil engineering design of the ACC.	ROICC would be responsible for overseeing proper implementation of improvements.	Completion of measures would occur when building construction is completed.			
Widen Halehaka Street approximately one lane width approximately 260 feet (79 meters) from Kuntz Avenue to 20 th Street to provide northbound left-turn lane at 20 th Street and southbound left/through lane at Kuntz Avenue.	Part of mitigation of operational issues at the Halehaka/Kamakahi intersection. Provide safe traffic operations at the Halehaka Street/20 th Street intersection that also functions as main access to ACC.	Measures would be included as part of the civil engineering design of the ACC.	ROICC would be responsible for overseeing proper implementation of improvements.	Completion of measures would occur when building construction is completed.			
Encourage ACC staff to utilize Kuntz Gate instead of O'Malley Gate for access to JBPHH.	Mitigate potential vehicle congestion and delay at O'Malley Gate.	Measures would be implemented after ACC begins operations if needed based on observed congestion at the O'Malley Gate.	ACC management and JBPHH base command.	Measures would be implemented after ACC begins operations if needed.			
Encourage ACC construction staff and construction deliveries to utilize Kuntz Gate instead of O'Malley Gate for access to JBPHH.	Mitigate temporary O'Malley Gate and Kuntz Avenue intersection impacts during construction.	Measure would be stipulated in construction contract and implemented as needed when determined by JBPHH base command.	ROICC would oversee construction and coordinate with JBPHH base command.	Measure applied during construction period as needed.			

	Anticipated Benefit/Evaluating Effectiveness	Implementing and Monitoring	Responsibility	Estimated Completion Date
Focus construction staging on 20 th Street	Mitigate temporary impacts to Kuntz Avenue traffic flow during construction.	Measure would be stipulated in construction contract and implemented as determined by ROICC.	ROICC would oversee construction and coordinate with JBPHH base command.	Measures applied during construction period.
	Avoid temporary traffic safety and operational issues through appropriate and efficient application of transportation detour measures.	Measure would be stipulated in construction contract and implemented as determined by ROICC.	ROICC would oversee construction and coordinate with JBPHH base command.	Measures applied during construction period.
Alternative 3: Bloch Arena Site				
visual and cultural resources within the NHL historic district by taking into account the historic architectural styles of JBPHH and recommended approaches for new construction in historic districts provided in <i>The Secretary of Interior Standards for the</i> <i>Treatment of Historic Properties with</i> <i>Guidelines for Preserving, Rehabilitating,</i>	Minimizing the appearance of the new facility could reduce impacts from significant to not significant through keeping the building and parking profiles low, matching colors, massing, fenestration, and other aspects to nearby existing historic buildings, and keeping the building height lower than that of adjacent Building 150.	Measures would be implemented as part of the architectural design of the ACC. Design review and monitoring would be undertaken by a NAVFAC HI historical architect. The requirements and review and reporting processes would be developed as stipulations in an agreement document prepared to address effects on historic properties through the NHPA Section 106 process, in consultation with SHPO and other consulting parties.	Project architects: NAVFAC HI EV5 Cultural and Historic Resources staff.	Completion of measures would occur when building construction is completed.

Table 3-6 Impact Avoidance and Minimization Measures

Measure	Anticipated Benefit/Evaluating Effectiveness	Implementing and Monitoring	Responsibility	Estimated Completion Date
Mitigation to offset the loss of Ward Field could include documentation prior to demolition and preparation of interpretive exhibits for installation on-site, in coordination with any stipulations in applicable agreements that would be prepared under NHPA Section 106 consultation.	Documentation and interpretive exhibits are measures that could be considered to offset the impacts of losing the Ward Field ballfield area, which is within the NHL and is considered a historic facility.	Documentation and interpretive materials requirements would be developed as stipulations in an agreement document prepared to address effects on historic properties through the NHPA Section 106 process, in consultation with SHPO and other consulting parties.	NAVFAC HI EV5 Cultural and Historic Resources staff and Secretary of Interior qualified architectural historians.	Documentation would be implemented by Secretary of Interior qualified architectural historians prior to construction activities; interpretive materials would be developed by the same and installed after construction was completed.
Mitigate visual impacts from the loss of open green space and existing canopy trees by replanting the same amount and type of canopy trees on/off-site where possible. In addition, it is recommended to maximize landscaped areas within the footprint of the Bloch Arena Site.	Due to space constraints, landscaped areas are expected to be limited.	Measures would be implemented as part of the landscape architectural design of the ACC. Design review and monitoring would be undertaken by a NAVFAC HI landscape architect.	Project landscape architect.	Completion of measures would occur when building and parking construction are completed.
Signalize and install related intersection improvements at the North Road/Battleship Drive intersection as described in Section 3.5.3.4.	Mitigate projected LOS F operations at this intersection under unsignalized operations.	Measures would be included as part of the civil engineering design of the ACC.	ROICC would be responsible for overseeing proper implementation of improvements.	Completion of measures would occur when building construction is completed.

Table 3-6 Impact Avoidance and Minimization Measures

Table 3-6	Impact Avoidance and Minimization Measures
-----------	--

Measure	Anticipated Benefit/Evaluating Effectiveness	Implementing and Monitoring	Responsibility	Estimated Completion Date
Install traffic signal modifications and related improvements at the North Road/Pearl Harbor Drive intersection as described in Section 3.5.3.4.	Accommodate proposed ACC access driveway as new leg at intersection.	Measures would be included as part of the civil engineering design of the ACC.	ROICC would be responsible for overseeing proper implementation of improvements.	Completion of measures would occur when building construction is completed.
Widen North Road by one lane width approximately 1,500 feet (457 meters) between Nimitz Gate and the Fitness Center driveway (north of Battleship Drive) to restore one westbound North Road through lane eliminated due to creation of exclusive median left-turn lanes at the North Road/Pearl Harbor Drive intersection.	Mitigate projected excessive westbound vehicle queue during PM peak hour. Queue has potential to interfere with access to JBPHH at Nimitz Gate.	Measures would be included as part of the civil engineering design of the ACC.	ROICC would be responsible for overseeing proper implementation of improvements.	Completion of measures would occur when building construction is completed.
Investigate use of Center Drive and temporary gate at Bloch Arena parking lot to provide construction access to ACC site.	Mitigate temporary worsening of existing vehicle congestion and delay at Nimitz Gate during the AM peak hour.	Measure would be stipulated in construction contract and implemented as needed when determined by JBPHH base command.	ROICC would oversee construction and coordinate with JBPHH base command.	Measure applied during construction period as needed.
Minimize roadway closures of North Road. Focus construction staging within Bloch Arena site.	Mitigate temporary impacts to North Road traffic flow during construction.	•	ROICC would oversee construction and coordinate with JBPHH base command.	Measures applied during construction period.
Apply appropriate construction detouring per standards.	Avoid temporary traffic safety and operational issues through appropriate and efficient application of transportation detour measures.	Measure would be stipulated in construction contract and implemented as determined by ROICC.	ROICC would oversee construction and coordinate with JBPHH base command.	Measures applied during construction period.

Notes: ACC = Ambulatory Care Center; Ave = avenue; JBPHH = Joint Base Pearl Harbor-Hickam; LOS = level of service; NAVFAC HI = Naval Facilities Engineering Systems Command, Hawaii; NHL = National Historic Landmark; NHPA = National Historic Preservation Act; ROICC = resident officer in charge of construction SHPO = State Historic Preservation Officer; St = street

4 Cumulative Impacts

This section (1) defines cumulative impacts, (2) describes past, present, and reasonably foreseeable future actions relevant to cumulative impacts, (3) analyzes the incremental interaction the proposed action may have with other actions, and (4) evaluates cumulative impacts potentially resulting from these interactions.

4.1 Definition of Cumulative Impacts

The approach taken in the analysis of cumulative impacts follows the objectives of the NEPA, CEQ regulations, and CEQ guidance. Cumulative impacts are defined in 40 CFR 1508.7 as "the impact on the environment that results from the incremental impact of the action when added to the other past, present, and reasonably foreseeable future actions regardless of what agency (federal or non-federal) or person undertakes such other actions. Cumulative impacts can result from individually minor but collectively significant actions taking place over a period of time."

To determine the scope of environmental impact analyses, agencies shall consider cumulative actions, which when viewed with other proposed actions have cumulatively significant impacts and should therefore be discussed in the same impact analysis document.

In addition, CEQ and USEPA have published guidance addressing implementation of cumulative impact analyses—*Guidance on the Consideration of Past Actions in Cumulative Effects Analysis* (CEQ 2005) and *Consideration of Cumulative Impacts in EPA Review of NEPA Documents* (USEPA 1999). CEQ guidance titled *Considering Cumulative Impacts Under NEPA* (1997) states that cumulative impact analyses should "...determine the magnitude and significance of the environmental consequences of the proposed action in the context of the cumulative impacts of other past, present, and future actions...identify significant cumulative impacts...[and]...focus on truly meaningful impacts."

Cumulative impacts are most likely to arise when a relationship or synergism exists between a proposed action and other actions expected to occur in a similar location or during a similar time period. Actions overlapping with or in close proximity to the proposed action would be expected to have more potential for a relationship than those more geographically separated. Similarly, relatively concurrent actions would tend to offer a higher potential for cumulative impacts. To identify cumulative impacts, the analysis needs to address the following three fundamental questions.

- Does a relationship exist such that affected resource areas of the proposed action might interact with the affected resource areas of past, present, or reasonably foreseeable actions?
- If one or more of the affected resource areas of the proposed action and another action could be expected to interact, would the proposed action affect or be affected by impacts of the other action?
- If such a relationship exists, then does an assessment reveal any potentially significant impacts not identified when the proposed action is considered alone?

4.2 Scope of Cumulative Impacts Analysis

The scope of the cumulative impacts analysis involves both the geographic extent of the effects and the time frame in which the effects could be expected to occur. For this EA, the study area delimits the geographic extent of the cumulative impacts analysis. In general, the study area will include those areas previously identified in Section 3 for the respective resource areas. The time frame for cumulative impacts centers on the timing of the proposed action.

Another factor influencing the scope of cumulative impacts analysis involves identifying other actions to consider. Beyond determining that the geographic scope and time frame for the actions interrelate to the proposed action, the analysis employs the measure of "reasonably foreseeable" to include or exclude other actions. For the purposes of this analysis, public documents prepared by federal, state, and local government agencies form the primary sources of information regarding reasonably foreseeable actions. Documents used to identify other actions include notices of intent for EISs and EAs, management plans, land use plans, and other planning related studies.

4.3 Past, Present, and Reasonably Foreseeable Actions

This section will focus on past, present, and reasonably foreseeable future projects at and near the Proposed Action locale. In determining which projects to include in the cumulative impacts analysis, a preliminary determination was made regarding the past, present, or reasonably foreseeable action. Specifically, using the first fundamental question included in Section 4.1, it was determined if a relationship exists such that the affected resource areas of the Proposed Action included in this EA might interact with the affected resource area of a past, present, or reasonably foreseeable action. If no such potential relationship exists, the project was not carried forward into the cumulative impacts analysis. In accordance with CEQ guidance (CEQ 2005), these actions considered but excluded from further cumulative effects analysis are not catalogued here as the intent is to focus the analysis on the meaningful actions relevant to informed decision-making. Projects included in this cumulative impacts analysis are listed in Table 4-1 and briefly described in the following subsections.

While the term "past, present, and reasonably foreseeable future" projects is used in this analysis to describe all considered actions, the cumulative effects analysis focuses on on-going and reasonably foreseeable future projects. Past projects have been assessed in the establishment of the environmental baseline and are already considered in the Alternatives' impact analysis presented in Section 3 of this EA (Affected Environment and Environmental Impacts). Past projects are only considered in this cumulative analysis if their long-term and operational impacts would occur to similar resource areas at the same time as the Proposed Action, contributing to cumulative impacts.

Table 4-1 Cumulative Actions for Evaluation

Action	Level of NEPA Analysis Completed
Present and Reasonably Foreseeable Future Actions	
Honolulu Area Rapid Transit rail system. The City and County of Honolulu is currently constructing a 20-mile (32-kilometer) elevated urban rail transit system along the south shore of Oahu between East Kapolei and Ala Moana Center. The first phase of the system, from East Kapolei to Aloha Stadium, is undergoing testing that is expected to be completed in 2022. At that time when segment one is fully operational, HART will deliver this segment to the City and County of Honolulu Department of Transportation Services, which will determine the timing for a public opening and all other operational questions (HART, August 17, 2020). The Pearl Harbor Naval Base Rail Station is approximately 0.5-mile (0.8-kilometer) northeast of the Bloch Arena Site. The shortest distance between the proposed alternative sites and the rail construction (along Kamehameha and Nimitz Highway) is 0.35-0.45 mile (0.56-0.72 kilometer).	Final EIS (June 2010) and FSEIS (September 2013); ROD issued on January 18, 2011
Naval Special Operations Training. The U.S. Naval Special Warfare Command proposes to conduct small unit intermediate and advanced land, maritime and air-based training activities for naval special operations personnel. Training would occur in nearshore waters and land-based areas on Oahu, Island of Hawaii and Kauai. Training was planned to start in 2019. The Bloch Arena Site (Alternative 3) is adjacent to the Special Operations training study area at JBPHH.	Draft EA (November 2018).
Bus Transit Center at Makalapa ECP (across from current Navy Clinic). A personnel gate and bus transit center have been planned to be placed across the Makalapa Gate. The intersection of Kamehameha Highway and Redford Drive would be improved for bus ingress and egress from the future Pearl Harbor Naval Base Rail Station (Shaun Kagawa, NAVFAC Hawaii, personal communication, January 8, 2020).	None. Currently in planning phase. Construction timeline TBD.
DISA – Installation of a Communications Duct Bank along Kuntz Avenue. (Shaun Kagawa, NAVFAC Hawaii, personal communication, January 8, 2020).	None identified.
Aloha Stadium Site Redevelopment. The State of Hawaii Department of Accounting and General Services is proposing the construction of a new stadium facility in addition to related ancillary development that would serve to create a New Aloha Stadium Entertainment District on the grounds of the existing Aloha Stadium site in Halawa. The construction of a new stadium is expected to be started in 2023, with phased mixed-use precinct built out over time. The Aloha Stadium Rail Station at the site is already under construction. The 98-acre (40-hectare) Aloha Stadium site is bounded by Kamehameha Highway on the west and Salt Lake Boulevard on the south. H-1 Freeway on the east and Moanalua Freeway on the north. The Bloch Arena Site is approximately 1.6 mile (2.6 kilometers) southwest of the Aloha Stadium site.	EISPN (August 2019).
Submarine Dry Dock and Dry Dock Production Facility at Pearl Harbor Naval Shipyard. As part of the Navy's Shipyard Infrastructure Optimization Program, a new dry dock and associated production facility is being proposed for PHNSY and IMF. The new dry dock and is needed to accommodate new classes of vessels The production facility is required to increase efficiency by reducing the time and motion of the shipyard workforce by locating industrial spaces closer to a dry dock.	Public DEIS (February 2022).

	Level of NEPA
Action	Analysis Completed
Replacement of Working Dog Treatment Facility. Commander, Joint Base Pearl	CATEX
Harbor-Hickam is proposing to construct a replacement for the Working Dog Treatment	(September 2018).
Facility. This facility would be for the prevention of zoonotic disease and to provide full	
preventive services to the privately-owned animals of Service members on the installation.	
The replacement facility would be approximately 12,300 square feet (1,143 square meters)	
and would be located along Kuntz Avenue, next to the Hickam Memorial Theater	
(Building 1766H). The existing clinic (Building 1864H) was built in 1945, is deteriorated	
from termite damage, and would not be economically practical to repair. The project	
includes constructing a replacement Veterinary Treatment Facility supporting military	
working dogs. Supporting facilities include utilities, site improvements, parking, signage,	
antiterrorism force protection measures, and environmental protection measures.	
Notes:	
CATEX = Categorical Exclusion	
DISA = Defense Information Systems Agency	
ECP = entry control point	
EA = environmental assessment	
EIS = Environmental Impact Statement	
EISPN = EIS Preparation Notice	
FSEIS = Final Supplemental EIS	
IMF = Intermediate Maintenance Facility	
JBPHH = Joint Base Pearl Harbor-Hickam	
NEPA = National Environmental Policy Act	
PHNSY = Pearl Harbor Naval Shipyard	
ROD = record of decision	
TBD = to be determined	
U.S. = United States	

Table 4-1 Cumulative Actions for Evalu	ation
--	-------

Source: USDOT 2010, 2013; DoN 2018; DAGS 2019; Commander, Joint Base Pearl Harbor-Hickam 2018.

4.4 Cumulative Impacts under the Proposed Action

Cumulative impacts from past, present, and reasonably foreseeable future projects are not expected to be significant to cultural resources, air quality, and transportation. No cumulative impacts are expected to visual resources, biological resources, or hazardous materials and wastes.

No significant cumulative impacts are expected from past, present, and reasonably foreseeable future projects to cultural resources. Projects with potential impacts to cultural resources include the Submarine Dry Dock and Dry Dock Production Facility at Pearl Harbor Naval Shipyard, Honolulu Area Rapid Transit (HART), Naval Special Operations Training, the Bus Transit Center at Makalapa entry control point, the Defense Information Systems Agency communications duct bank, and Aloha Stadium Site Redevelopment. Any of these projects may include ground disturbance that could affect known or unknown subsurface archaeological resources; the Dry Dock, HART, Navy Training, and Aloha Stadium are known to or are likely to result in changes to historic architectural resources and possibly to TCPs, and all are expected to include extensive mitigation measures. Cumulative impacts of the Proposed Action, together with these past, present, and reasonably foreseeable future actions would result in no significant impact to cultural resources. All DoD projects and other actions on installation land are required to be implemented using

the SOPs detailed in the 2008 ICRMPs, and the other projects would be required to undergo consultation and mitigation per the requirements of NHPA Section 106 and HRS Chapter 6E.

Development of past, present, and reasonably foreseeable future projects would result in no significant impacts on air quality due to emission increases from construction and operational activities. A minor increase in emissions during construction and/or operation of these projects is not expected to contribute significant adverse effects to overall air quality in the regional airshed, since the region is in attainment for ambient air quality standards. Actions that require air permits would comply with State air quality standards. Project proponents would be responsible for complying with local and regional air quality standards. There would be no significant short- and long-term, adverse cumulative effects on air quality in the ROI from the incremental effects of the Proposed Action when considered with impacts from past, present, and reasonably foreseeable future projects. Construction activities would generate temporary emissions, while long-term activities, such as vehicular use and changes in traffic patterns, would also contribute to an increase in emissions in the ROI. Individual past, present, and reasonably foreseeable future projects at a level that would change the attainment status of the region and would comply with applicable laws regulating air quality standards, as noted above.

Impacts from GHG emissions are cumulative in nature, as individual emission sources are not large enough to have appreciable impact on global climate change. The other past, present, and reasonably foreseeable future projects would have an incremental contribution of GHG emissions to global climate change from the use of heavy equipment, gas- or diesel-powered vehicles, or ships or aircraft. Long-term reductions in GHG emissions would result from increased energy efficiencies in project operations and reductions in vehicle-miles travelled, such as would be achieved through the HART rail system. A minimal level of GHG emissions would result from the construction of the proposed project and the anticipated decrease in indirect GHG emissions associated with energy efficiencies that would be achieved by the proposed project. These GHG emissions, adding to the GHG emissions that would result from the other past, present, and reasonably foreseeable future projects, are not large enough to have an appreciable effect on GHG emissions and global climate change. Therefore, no cumulative impacts to global climate change would occur.

No cumulative impacts are expected from past, present, and reasonably foreseeable future projects to visual resources. The installation of communications duct bank may have low intensity, temporary, local impacts to common visual resource along Kuntz Avenue during the construction or installation phase, leading to no significant impact to the Tradewinds-Par 3 and Kuntz Gate sites. No cumulative impacts would occur because the project would run underground. The Naval Special Operations training would not have impact to visual resource within the ROI due to its small scale and short-term nature. The construction at the dry dock and production facility would be visible to visitors at the USS Missouri museum and other accessible locations on Ford Island. The short-term construction activities would not change the industrial appearance of the area. Long-term operations (i.e., the finished facilities) would add buildings of greater mass to the viewshed but would be in keeping with the overall industrial nature of the area; therefore, no cumulative impacts to visual resources are expected. The Working Dog Treatment Facility replacement would not have cumulative impacts to visual resources because it would not alter the landscape characteristics of the site along Kuntz Avenue. The other past, present and reasonably foreseeable future projects are too far away from the visual resource ROI to be visually noticeable.

No significant cumulative impacts are expected from past, present, and reasonably foreseeable future projects to biological resources. Collective construction disturbance (e.g., noise) would affect wildlife species. As wildlife species at JBPHH are already accustomed to disturbance from construction and traffic noise, cumulative impacts would not be significant. Further, the Proposed Action in cumulation with past, present, and future projects would not result in loss of prime or unique habitat for threatened or endangered species. No cumulative impacts to native plant species would occur.

No significant cumulative impacts are expected from past, present, and reasonably foreseeable future projects to transportation resources. While incremental cumulative impacts to transportation resources can be reasonably anticipated, additional transportation mitigation measures and BMPs would be implemented as all project proponents and JBPHH can be expected to strive to keep traffic within acceptable LOSs. Recommended mitigations for the Proposed Action would likely maintain existing traffic operations in the vicinity of the alternative sites and minimize cumulative impacts on transportation resources to the extent practicable

No cumulative impacts are expected from past, present, and reasonably foreseeable future projects to hazardous materials and wastes. LUCs are in place following SI and RIs to determine the COCs to reduce the potential of an accidental release of COCs at a given site.

5 Other Considerations Required by NEPA

5.1 Consistency with Other Federal, State, and Local Laws, Plans, Policies, and Regulations

In accordance with 40 CFR 1502.16(c), analysis of environmental consequences shall include discussion of possible conflicts between the Proposed Action and the objectives of federal, regional, state and local land use plans, policies, and controls. Table 5-1 identifies the principal federal and state laws and regulations that are applicable to the Proposed Action and describes briefly how compliance with these laws and regulations would be accomplished.

Federal, State, Local, and Regional Land Use Plans, Policies, and Controls	Status of Compliance
National Environmental Policy Act; CEQ NEPA implementing regulations; Navy procedures for	С
Implementing NEPA. This EA has been prepared in compliance with the provisions of the NEPA, CEQ	
Implementing regulations and Navy procedures for implementing NEPA including ASN Memorandum	
for NAVFAC Environmental Planning Streamlining and Process Improvement dated October 16, 2019.	
Clean Air Act. The Proposed Action complies with the Clean Air Act and would not impact air quality	С
or compromise Hawaii's status of compliance with the USEPA NAAQS criteria.	
State of Hawaii Administrative Rules, Title 11, Chapter 59 (Ambient Air Quality Standards) and	С
Chapter 60 (Air Pollution Control). The Proposed Action would not result in an exceedance of the	
standards adopted under the Hawaii Administrative Rules.	
Clean Water Act. The Proposed Action complies with the Clean Water Act. Storm drain systems	C-BMP
would be designed to incorporate low impact development features and a National Pollutant	
Discharge Elimination System permit would be obtained by the State of Hawaii Clean Water Branch if	
the project area disturbed exceeds one acre.	
Rivers and Harbors Act. This act is not applicable to the Proposed Action because there are no natural	n/a
water bodies or defined Waters of the United States within any of the proposed alternative sites.	
Coastal Zone Management Act. The Navy informed the State of Hawaii Office of Planning – Coastal	С
Zone Management Program that the Proposed Action constitutes an agreed de minimis activity	
under the Coastal Zone Management Act.	
National Historic Preservation Act. This act is applicable to the Preferred Alternative and would be	С
applied through the process of consultation with the State Historic Preservation Officer and other	
parties as outlined in National Historic Preservation Act Section 106.	
Endangered Species Act. The Proposed Action complies with the ESA. Best management practices	C-BMP
and monitoring conditions have been proposed in this EA to ensure compliance with provisions of	
the ESA. The Navy determined that the Proposed Action would have no effect on ESA-listed species.	
Magnuson-Stevens Fishery Conservation and Management Reauthorization Act. This act is not	n/a
applicable to the Proposed Action since there are no natural water bodies or defined Waters of the	
United States within any of the proposed alternative sites.	
Marine Mammal Protection Act. This act is not applicable to the Proposed Action since there are no	n/a
natural water bodies or defined Waters of the United States within any of the proposed alternative sites.	
Migratory Bird Treaty Act. Impacts to migratory birds and their active nests would be avoided during	С
construction. The Proposed Action is not expected to result in any intentional or unintentional taking	
of migratory birds, and would have no significant impact on migratory birds.	
Bald and Golden Eagle Protection Act. This act is not applicable to the Proposed Action.	n/a
Comprehensive Environmental Response, Compensation, and Liability Act. Construction/renovation	С
would be conducted in accordance with the Comprehensive Environmental Response, Compensation,	
and Liability Act.	

Table 5-1Principal Federal and State Laws Applicable to the Proposed Action

Table 5-1Principal Federal and State Laws Applicable to the Proposed Action

Federal, State, Local, and Regional Land Use Plans, Policies, and Controls	Status of Compliance
Emergency Planning and Community Right-to-Know Act. This Proposed Action would be located on	n/a
a military installation on federal lands and would adhere to security, mission, operational, and	
notification requirements as applicable. This Act does not apply to the Proposed Action.	
Federal Insecticide, Fungicide, and Rodenticide Act. This Proposed Action would not involve the	n/a
application of insecticides, fungicides, or rodenticides and is therefore not applicable.	
Resource Conservation and Recovery Act. The proposed project areas have not been identified as	С
Resource Conservation and Recovery Act sites.	
Toxic Substances Control Act. Implementation of the Proposed Action would not involve the use of	С
substances in violation of this act.	
Farmland Protection Policy Act. This act is not applicable because the proposed project areas are	n/a
not used or designated for agriculture.	
Executive Order 11988, Floodplain Management. The Proposed Action would be designed and	C-BMP
implemented in compliance with any applicable provision of flood and storm water management.	
Executive Order 12088, Federal Compliance with Pollution Control Standards. The Proposed Action	С
would be designed, implemented, and operated in full compliance with all applicable provisions for	
pollution control standards including hazardous waste and hazardous materials.	
Executive Order 12114, Environmental Effects Abroad of Major Federal Actions (Department of the	n/a
Navy implementing regulation 32 Code of Federal Regulations 287). The Proposed Action does not	
involve federal actions abroad and is therefore not applicable.	
Executive Order 12898, Federal Actions to Address Environmental Justice in Minority Populations	С
and Low-income Populations. The Proposed Action would not involve high or adverse human health	
or environmental effects that would disproportionately affect minority and low-income populations.	
Executive Order 13045, Protection of Children from Environmental Health Risks and Safety Risks.	С
No environmental health and safety risks associated with the proposed action would	
disproportionately affect children.	
Executive Order 13089, Coral Reef Protection. The Proposed Action does not involve coral reefs or	n/a
impacts to coral reefs.	
Executive Order 13175, Consultation and Coordination with Indian Tribal Governments. The	n/a
Proposed Action does not involve lands or areas identified as culturally significant to Native Hawaiian	
groups or Hawaiian cultural practitioners.	
Executive Order 14057. The Proposed Action would comply to the degree practicable to prioritize	С
actions that reduce waste, cut costs, enhance the resilience of federal infrastructure and operations,	
and enable more effective accomplishment of its mission, as outlined throughout this EA.	
$r_{\rm ext} = 1000$	1

Notes: ASN = Assistant Secretary of the Navy; C = Compliance; C-BMP = Compliance with BMP Measures; CEQ = Council on Environmental Quality; EA = Environmental Assessment; ESA = Endangered Species Act; n/a = not applicable; NAAQS = National Ambient Air Quality Standards; NAVFAC = Naval Facilities Engineering Systems Command; NC = Noncompliance; NEPA = National Environmental Policy Act; USEPA = U.S. Environmental Protection Agency

5.2 Irreversible or Irretrievable Commitments of Resources

Resources that are irreversibly or irretrievably committed to a project are those that are used on a long-term or permanent basis. This includes the use of non-renewable resources such as metal and fuel, and natural or cultural resources. These resources are irretrievable in that they would be used for this project when they could have been used for other purposes. Human labor is also considered an irretrievable resource. Another impact that falls under this category is the unavoidable destruction of natural resources that could limit the range of potential uses of that particular environment.

Implementation of the Proposed Action would involve human labor; the consumption of fuel, oil, and lubricants for construction vehicles; and loss of natural resources in the form of vegetation, ground cover and a reduction in open space. The Proposed Action would result in a commitment of irreversible and irretrievable fiscal resources to the construction and operation of the facility.

5.3 Unavoidable Adverse Impacts

The Proposed Action would not result in any unavoidable adverse impacts. As discussed in this EA, any potentially significant impacts under Alternative 3 to cultural and visual resources can be reduced to no significant impacts through the application of mitigation measures. Additionally, with implementation of recommended measures/mitigation traffic impacts would not be significant.

5.4 Relationship between Short-Term Use of the Environment and Long-Term Productivity

NEPA requires an analysis of the relationship between a project's short-term impacts on the environment and the effects that these impacts may have on the maintenance and enhancement of the long-term productivity of the affected environment. Impacts that narrow the range of beneficial uses of the environment are of particular concern. This refers to the possibility that choosing one development site reduces future flexibility in pursuing other options, or that using a parcel of land or other resources often eliminates the possibility of other uses at that site.

In the short term, effects to the human environment with implementation of the Proposed Action would primarily relate to the construction activity itself. However, the long-term productivity would vary by alternative.

Alternative 1: Tradewinds-Par 3 Site

The largely open and unused nature of this site offers future development flexibility. Implementation of Alternative 1 would permanently remove the open space and associated vegetation (including large canopy trees), essentially eliminating it from being used in the future for other purposes. However, the long-term productivity of the site would benefit users of the ACC.

Alternative 2: Kuntz Gate Site

Composed of somewhat underutilized light industrial facilities and open paved areas, this site offers future development flexibility. Implementation of Alternative 2 would permanently remove the existing facilities and most of the open paved areas essentially eliminating it from being used in the future for other purposes. However, the long-term productivity of the site would benefit users of the ACC.

Alternative 3: Bloch Arena Site

Composed of a large open paved parking lot and adjacent historic ballfield, this site offers future development flexibility. However, its development potential is constrained by its location within the NHL, historic ballfield, and potential archaeological resources, as well as its adjacency to the heavily used Nimitz Gate. Implementation of Alternative 3 would permanently remove the existing ballfield and open paved areas essentially eliminating it from being used in the future for other purposes. However, the long-term productivity of the site would benefit users of the ACC.

This page intentionally left blank.

6 References

- Council on Environmental Quality (CEQ). 1997. *Considering Cumulative Effects Under the National Environmental Policy Act*. Executive Office of the President. January.
- Commander Navy Region Hawaii (CNRH). 2008. O'ahu Integrated Cultural Resources Management Plan. October.
- Commander, Joint Base Pearl Harbor-Hickam. 2018. Replacement of Working Dog Treatment Facility, Hickam Airfield, Joint Base Pearl Harbor-Hickam. September.
- Department of Accounting and General Services, State of Hawaii (DAGS). 2019. New Aloha Stadium Entertainment District, Halawa, Oahu, Hawaii, Environmental Impact Statement Preparation Notice. September.
- Department of Defense (DoD). 2001. Policy on Land Use Controls Associated with Environmental Restoration Activities. Washington, DC: Office of the Under Secretary of Defense. January 17.
- ----. 2015. *Low Impact Development*. UFC 3-210-10. June.
- State of Hawai'i, Department of Health (DOH). 2016. *State of Hawaii Annual Summary, 2016 Air Quality Data*. Honolulu, HI: December.
- Department of the Navy, United States (DoN). 2018. Draft Environmental Assessment for Naval Special Operations Training State of Hawaii. Naval Special Warfare Command. November.
- ———. 2020. Draft Environmental Assessment for Ambulatory Care Center Replacement at Joint Base Pearl Harbor-Hickam, Oahu, Hawaii. Honolulu, HI: April.
- Environmental Protection Agency, United States (EPA). 1999. *Consideration of Cumulative Impacts in EPA Review of NEPA Documents*. EPA 315-R-99-002. May.
- Hawaii Department of Transportation (HDOT). 2018. "HDOT Highways Program Status: Traffic Count." https://histategis.maps.arcgis.com/apps/MapSeries/index.html?appid=39e4d804242740a89d3f d0bc76d8d7de.
- National Audubon Society. 2020. "Pacific Golden-Plover." Audubon. March 3. https://www.audubon.org/field-guide/bird/pacific-golden-plover.
- Naval Facilities Engineering Command, Hawaii (NAVFAC HI). 2012. Final Feasibility Study Report for Site CF023 (Former Mess Hall Area), Joint Base Pearl Harbor-Hickam, Hawaii. Prepared by CH2M HILL, Inc. JBPHH HI: Naval Facilities Engineering Command, Hawaii. July.
- Naval Facilities Engineering Command, Pacific (NAVFAC PAC). 2011. Final Integrated Natural Resource Management Plan, Joint Base Pearl Harbor-Hickam, Pearl Harbor Naval Complex, Naval Magazine Pearl Harbor Lualualei and West Loch Branches, Naval Computer and Telecommunications Area Master Station Pacific Wahiawa, Naval Radio Transmitter Facility Lualualei, Navy-Retained Lands at Kalaeloa, Hickam Air Force Base, O'ahu, State of Hawai'i. Commander, Navy Region Hawaii. September.

- National Park Service (NPS). 1995. *National Register Bulletin 15: How to Apply the National Register Criteria for Evaluation*. U.S. Department of the Interior, Cultural Resources.
- — . 2017. The Secretary of the Interior's Standards for the Treatment of Historic Properties With Guidelines for Preserving, Rehabilitating, Restoring & Reconstructing Historic Buildings.
 Washington D.C.: U.S. Department of the Interior.
- Pacific Consulting Services, Inc. 2016. Final Report, A Native Hawaiian Traditional Cultural Places Study for Joint Base Pearl Harbor-Hickam, Oʻahu, Hawaiʻi. June.
- Sherlock, Smith & Adams/Page (SS&A Page). 2019. *AE-O Planning Study/Joint Base Pearl Harbor-Hickam Ambulatory Care Center Replacement Corrected Final Submittal*. Southerland Page JV. JBPHH HI: Defense Health Agency. October 18.
- The Urban Collaborative, LLC. 2013. Joint Base Pearl Harbor-Hickam Installation Development Plan Report Volume II. August 5.
- United States Department of Transportation (USDOT). 2010. *Honolulu High-Capacity Transit Corridor Project Final Environmental Impact Statement/Section 4(f) Evaluation*. Federal Transit Administration and City and County of Honolulu Department of Transportation Services. June.
- — . 2013. Honolulu Rail Transit Project Final Supplemental Environmental Impact Statement/Section 4(f) Evaluation and Amended Record of Decision. Federal Transit Administration and City and County of Honolulu Department of Transportation Services. September.

7 List of Preparers

This EA was prepared collaboratively between the Navy and contractor preparers.

U.S. Department of the Navy

Anthony Cicci, Sr. Health Facility Planner Defense Health Agency

LCDR Craig M. Rowland, Health Facilities Planning & Project Officer Defense Health Agency, Indo-Pacific

Jeffery H. Butts, Community Planner NAVFAC Atlantic

John C. Bigay, NEPA Planner NAVFAC Pacific

Contractors

Adriane Truluck, RLA, LEED AP (AECOM) MLA Landscape Architecture/Historic Preservation, BA Geography-Anthropology Years of Experience: 19 Project Manager, Cultural and Historic Resources

Kevin Butterbaugh (AECOM) MLA Landscape Architecture, BS Agricultural and Resource Economics Years of Experience: 32 Senior QA/QC, Visual Resources

Suzanne McFerran (AECOM) MS Environmental Science and Management, BA Integrative Biology Years of Experience: 12 Air Quality

Wayne Yoshioka, PE (AECOM) BS Civil Engineering Years of Experience: 41 Transportation

Courtney Cacace (AECOM) BS Biology Years of Experience: 13 Biological Resources

Selena Qiu, LEED AP (AECOM) MS Planning (in progress), MS Marine Science, BS Biology Years of Experience: 8 GIS, Graphics, Visual Resources

Jefferson Young (AECOM) MS and BS Civil Engineering Years of Experience: 2 Transportation Tessa Stefanisko (AECOM) BS Environmental Planning Years of Experience: 2 Biological Resources and Hazardous Material and Wastes

Jeffrey Merz, AICP, LEED AP (AECOM) BS Urban Planning Years of Experience: 24 General NEPA Topics Writer

Dennis Silva, Jr., AICP (AECOM) MS Urban Planning Years of Experience: 23 General Review of the EA

Charlene Wu (AECOM) MS Environmental Management, BS Environmental Science and Policy Years of Experience: 6 NEPA Technical Support

Carrie K. Kyzar (AECOM) MS Environmental Management, BS Environmental Science Years of Experience: 18 NEPA Technical Support

Christine Granger (AECOM) MS Technical Communication Management, BS Translation/English Years of Experience: 21 Formatting, Navy NEPA Template Compliance

Lily Nazareno (AECOM) BA English Years of Experience: 6 Editing, Document Management

Appendix A

National Historic Preservation Act Section 106 Documentation

This page intentionally left blank.



DEPARTMENT OF THE NAVY COMMANDER NAVY REGION HAWAII 850 TICONDEROGA ST STE 110 JBPHH, HAWAII 96860-5101

5750 N4 71 SEP 2020

CERTIFIED NO: 7015 0640 0002 4678 0394

Dr. Alan Downer Administrator State Historic Preservation Division 601 Kamokila Boulevard, Suite 555 Kapolei, HI 96707

Dear Dr. Downer:

SUBJECT: SECTION 106 FOR PROPOSED AMBULATORY CARE CENTER REPLACEMENT, JOINT BASE PEARL HARBOR-HICKAM, MOANALUA AHUPUA'A, KONA DISTRICT, O'AHU: TMK 1-1-002:2

Pursuant to Section 106 of the National Historic Preservation Act (NHPA) of 1966, as amended, and in accordance with 36 CFR Part 800, the U.S. Department of the Navy (Navy) is initiating consultation regarding a proposal to construct an Ambulatory Care Center (ACC) Replacement on Joint Base Pearl Harbor-Hickam (JBPHH), Moanalua Ahupua'a, Kona District, Oahu, Hawaii (TMK 1-1-002:2). We have determined that the proposed project is an undertaking as defined in Part 800.16(y).

Project Description

The Navy proposes to construct and operate a new ACC on JBPHH and to consolidate existing facilities and services separately managed by the Navy, Air Force, and Army. The ACC Replacement structures will be constructed on the Hickam AFB side of JBPHH along Kuntz Avenue (Enclosure 1), with the Area of Potential Effect (APE) measuring approximately 15 acres. The ACC Replacement site is mostly vacant. The new ACC facility would replace and provide the same services currently offered at the following locations:

- Three existing Navy clinic facilities on Naval Station Pearl Harbor:
 - o Building 1407 Naval Health Clinic Hawaii (NHCH) Makalapa Clinic
 - o Building 1514 NHCH SMART Center
 - o Building 1535 NHCH Mental Health Clinic
- Three existing Air Force clinic facilities on Hickam AFB:
 - o Building 559 Air Force 15 Medical Group (MDG) Medical and Dental Clinic
 - o Building 554 Air Force 15 MDG Mental Health Clinic
 - Building 1113 Air Force 15 MDG Human Performance and Rehabilitation Clinic (HPARC)

5750 N4 9 1 SEP 2020

- Most primary care services currently offered at Tripler Army Medical Clinic (TAMC)
- Approximately half of the services currently offered at the NHCH Shipyard Branch

Note: The Proposed Action *does not* include any plans for re-use, alteration, or demolition of the above mentioned medical facilities being vacated in whole or part. Several of the above mentioned buildings are historic (e.g., MDG buildings 1113 and 559 are Category II properties of importance) and any future action taken with regard to the historic properties would be in alignment with the 2008 Hickam Air Force Base (AFB) Integrated Cultural Resources Management Plan (ICRMP), 2012 Commander Navy Region Hawaii Programmatic Agreement, and in coordination with the State Historic Preservation Division. At this time, no adverse effects to the properties are anticipated (direct or indirect).

A new ACC (approximately 250,000 ft²) would provide adequate building space to meet current federal criteria and requirements for military health facilities. An ACC of this size would be supported by a central utility plant (approximately 7,500 ft²) and approximately 1,500 parking stalls. The ACC is expected to be staffed by 700 personnel and serve an average of approximately 2,200 patient encounters per day based on being open 250 days per year.

The new facility would be a Tri-Service ACC, shared by Navy, Air Force, and Army medical activities to meet the needs of both JBPHH and the Hawaii enhanced Multi-Service Market (eMSM). The proposed ACC would be sustained and administered by the Defense Health Agency, a tenant at JBPHH. Logistics would be supported by TAMC with a "Just in Time" delivery mode, an inventory strategy where materials are only ordered and received as they are needed. In addition to supporting the Hawaii eMSM, the new facility would also support the current clinical functions of the NHCH, the Air Force 15 MDG, and TAMC in providing a full range of military operations and to sustain the readiness and health of all active duty personnel.

Construction of the ACC replacement would take place over approximately two years beginning in Fiscal Year (FY) 2023. The ACC is expected to be fully operational by FY 2028.

The purpose of the Proposed Action is to provide comprehensive primary care, dental, behavioral health, occupational, and preventive special medicine services to entitled military personnel, dependents, and retirees in the JBPHH region in facilities that are appropriately sized, configured, and sited to meet mission requirements and comply with current federal criteria for military health facilities

The Proposed Action is needed to rectify current capacity deficiencies at the existing service clinics and ensure that the Services continue to provide high-quality health care to entitled military personnel, dependents, and retirees in the JBPHH region.

5750 N4 9 1 SEP 2020

Area of Potential Effect

The project location for the ACC Replacement is on JBPHH. The joint base encompasses approximately 28,000 acres of land and water, and includes significant land holdings at the main base, West Loch Annex, Pearl City Peninsula, Waipio Peninsula, and other outlying areas. At the preferred site, the ACC Replacement structures would be on the Hickam AFB side of JBPHH along Kuntz Avenue with the Area of Potential Effect (APE) measuring approximately 15 acres. The preferred ACC Replacement site is mostly vacant and partially under recreational or services use and proximate to an installation golf course, roads, and utilities. Most of the land was formerly occupied by barracks, demolished approximately 10 years ago. The project area is contained within the APE boundary as depicted in Enclosure 1 (TMK map) and Enclosure 2 (USGS map).

Determination of Effect

Construction-period activities at the preferred ACC site would not directly or indirectly affect any historic properties on Hickam AFB (Enclosure 3) within JBPHH. Structures on the site include ineligible properties such as picnic gazebos and a veterinary clinic. The veterinary clinic (Building 1864H [see Photo 1]), was built in 1945, is deteriorated from termite damage, and would not be economically practical to repair. The Navy determined that demolition of the veterinary clinic (Building 1864H) would not affect historic properties. According to the Hickam ICRMP, the veterinary clinic is located outside of the ICRMP historic management zone and is a Category IV property (property of little or no importance).



Photo 1: Building 1864H Veterinary Clinic

Construction-period activities at the preferred alternative ACC site have low potential for permanent adverse impacts to cultural resources through ground disturbance that could damage or destroy as-yet undiscovered subsurface archaeological resources. No impacts are expected

5750 N4 0 1 SEP 2020

because no cultural resources are identified within the construction area; the preferred ACC site lies within an area considered as having low archaeological probability (Enclosure 4); and most of the site has been previously disturbed by construction and demolition activities. In the unlikely event that previously unidentified archaeological sites are discovered during construction, ICRMP Standard Operating Procedures (SOPs) provide guidance on how to protect archaeological resources, address the inadvertent discovery of human remains, and other measures to mitigate impacts on cultural resources.

After construction, when the ACC is operational, site activities have no potential for adverse impacts to cultural resources, since operations would not involve ground disturbance and no other cultural resources are within the area of facility operational activities. Therefore, no impacts to cultural resources would occur from the use of the facilities.

No traces of traditional Hawaiian activities are known to remain in the preferred ACC site project area based on extensive land modifications and no evidence of findings throughout the APE. Few structures are present within the APE (picnic shelters and a veterinary clinic), but none are considered eligible for inclusion in the National Register of Historic Places (NRHP). There are no known December 7, 1941 attack sites or World War II features identified within the APE. The area is outside the boundary identified as the Pearl Harbor National Historic Landmark. Given the information presented here, the Navy has determined that there would be "No Historic Properties Affected" by the undertaking.

Per 36 CFR Part 800.11 (d), the provided information supports the Navy's determination that no historic properties will be affected by this undertaking. This document has condensed multiple consultation steps as referenced in Part 800.3(g)

The Navy is providing the State Historic Preservation Division (SHPD) notification of our finding of effect per 36 CFR Part 800. 4 (d) (1), and request that any objection be made within 30 days of receipt of this letter per Part 800.4(d) (1) (i).

Should you have any questions, please contact LT Zachary Altenburger, Naval Facilities Engineering Command Hawaii, at (808) 471-8550, or via email at zachary.altenburger@navy.mil.

Sincerely,


Captain, CEC, U.S. Navy Regional Engineer By direction of the Commander

5750 N4 0 1 SEP 2020


Enclosures: 1. ACC Project Area and APE (TMK Map)

- 2. ACC Project Area and APE (USGS Map)
- 3. Historic Structures on Hickam AFB (within JBPHH)
- 4. Areas of Probability for Archeological Resources


Copy To: Katharine Kerr, Advisory Council on Historic Preservation Dr. Alan Downer, Ph.D., Hawaii State Historic Preservation Officer Kiersten Faulkner, Historic Hawaii Foundation Betsy Merritt, National Trust for Historic Preservation Kathy Keala, Office of Hawaiian Affairs This page intentionally left blank.




Enclosure 1: ACC Project Area and APE (TMK map)



Enclosure 2: ACC Project Area and APE (USGS map)



ENCLOSURE 3: Historic Structures in Relation to Project Area (Green Star)



ENCLOSURE 4: Areas of Probability for Archeological Resources in Relation to Project Area (Green Star)

DAVID Y. IGE GOVERNOR OF HAWAII





STATE OF HAWAII

DEPARTMENT OF LAND AND NATURAL RESOURCES

STATE HISTORIC PRESERVATION DIVISION KAKUHIHEWA BUILDING 601 KAMOKILA BLVD., STE 555 KAPOLEI, HI 96707 SUZANNE D. CASE CHARPERSON BOARD OF LAND AND NATURAL RESOURCES COMMISSION ON WATER RESOURCE MANAGEMENT

ROBERT K. MASUDA

M. KALEO MANUEL DEPUTY DIRECTOR - WATER

AQUATIC RESOURCES BOATING AND OCEAN RECREATION BUREAU OF CONVEYANCES COMMISSION ON WATER RESOURCE MANAGEMENT ICONSERVATION AND COASTAL LANDS CONSERVATION AND RESOURCES ENFORCEMENT ENGINEERING FORESTRY AND WILDLIFE HISTORIC PRESERVATION KAHOOLAWE ISLAND RESERVE COMMISSION LAND STATE PARSS

IN REPLY REFER TO: Log No.: 2020.02063 Doc. No.: 2010SH02 Archaeology

October 6, 2020

Captain J. G. Meyer Regional Engineer Department of the Navy Navy Region Hawai'i 850 Ticonderoga Street Suite 110 JBPHH, Hawai'i 96850-5101 c/o Zachary.Altenburger@navy.mil

Dear Captain Meyer:

SUBJECT:

National Historic Preservation Act (NHPA) Section 106 Review – Initiation of Consultation and Request for Concurrence with Effect Determination Proposed Ambulatory Care Center Replacement, Joint Base Pearl Harbor-Hickam Ref. No. 5750 N4 Moanalua Ahupua'a, Kona District, Island of O'ahu TMK: (1) 1-1-002:002

The State Historic Preservation Division (SHPD) received a letter dated September 1, 2020 from the Department of the Navy, Navy Region Hawai'i (Navy) to initiate Section 106 consultation and to request the State Historic Preservation Officer's (SHPO's) concurrence with the effect determination for the Proposed Ambulatory Care Replacement project at Joint Base Pearl Harbor-Hickam on the island of O'ahu. The SHPD received this submittal on September 8, 2020.

According to the Navy's letter, the Navy proposes to construct and operate a new Ambulatory Care Center (ACC) on Joint Base Pearl Harbor-Hickam (JBPHH) and to consolidate existing facilities and services separately managed by the Navy, Air Force, and Army. The ACC Replacement structures will be constructed on the Hickam AFB side of JBPHH along Kuntz Avenue, with the Area of Potential Effect (APE) measuring approximately 15 acres. The ACC Replacement site is mostly vacant. The new ACC facility would replace and provide the same services currently offered at the following locations:

- Three existing Navy clinic facilities on Naval Station Pearl Harbor:
 - o Building 1407 Naval Health Clinic Hawaii (NHCH) Makalapa Clinic
 - Building 1514 NHCH SMART Center
 - Building 1535 NHCH Mental Health Clinic
- Three existing Air Force clinic facilities on Hickam AFB:
 - o Building 559 Air Force 15 Medical Group (MDG) Medical and Dental Clinic
 - Building 554 Air Force 15 MDG Mental Health Clinic
 - Building 1113 Air Force 15 MDG Human Performance and Rehabilitation Clinic (HP ARC)
- Most primary care services currently offered at Tripler Army Medical Clinic (TAMC)
- · Approximately half of the services currently offered at the NHCH Shipyard Branch

The Navy notes that the proposed project *does not* include any plans for re-use, alteration, or demolition of the above-mentioned medical facilities being vacated in whole or part. Several of the buildings are historic and the Navy asserts that any future action taken with regard to the historic properties would be in alignment with the 2008 Hickam Air Force Base (AFB) Integrated Cultural Resources Management Plan (ICRMP), 2012 Commander Navy

Captain J. G. Meyer October 6, 2020 Page 2

Region Hawaii Programmatic Agreement, and in coordination with the State Historic Preservation Division. The Navy believes that at this time, *no adverse effect* to the properties are anticipated.

The Navy's letter states that the new approximately 250,000-sf. ACC will provide adequate building space to meet current federal criteria and requirements for military health facilities. An ACC of this size would be supported by a central utility plant (approximately 7,500 ft²) and approximately 1,500 parking stalls. Construction of the ACC replacement will take place over approximately two years beginning in Fiscal Year (FY) 2023. The ACC is expected to be fully operational by FY 2028. The Navy has determined the proposed project is a federal undertaking as defined in 36 CFR 800.16(y).

The project location for the ACC Replacement is on JBPHH. At the preferred site, the ACC Replacement structures would be on the Hickam AFB side of JBPHH along Kuntz Avenue and the Area of Potential Effects (APE) will measure approximately 15 acres. The preferred ACC Replacement site is mostly vacant and partially under recreational or services use and proximate to an installation golf course, roads, and utilities. Most of the land was formerly occupied by barracks, demolished approximately 10 years ago. The APE boundary is depicted in Enclosure 1 and Enclosure 2 accompanying the Navy's letter.

The Navy has determined "construction-period" activities at the preferred ACC site would not directly or indirectly affect any historic properties on Hickam AFB within JBPHH. Structures on the site include ineligible properties such as picnic gazebos and a veterinary clinic. The veterinary clinic (Building 1864H) was built in 1945 and according to the Navy, has deteriorated from termite damage, and would not be economically practical to repair. The Navy determined that demolition of the veterinary clinic would not affect historic properties. According to the Hickam ICRMP, the veterinary clinic is located outside of the ICRMP historic management zone and is a property of little or no importance.

The Navy also states that construction-period activities at the preferred alternative ACC site have low potential for permanent adverse impacts to cultural resources through ground disturbance that could damage or destroy as-yet undiscovered subsurface archaeological resources. No impacts are expected because no cultural resources are identified within the construction area; the preferred ACC site lies within an area considered as having low archaeological probability and most of the site has been previously disturbed by construction and demolition activities.

After construction, when the ACC is operational, the Navy asserts that site activities have no potential for adverse impacts to cultural resources, since operations would not involve ground disturbance and no other cultural resources are within the area of facility operational activities.

Lastly, the Navy states that no traces of traditional Hawaiian activities are known to remain in the preferred ACC site project area based on extensive land modifications and no evidence of findings throughout the APE. Few structures are present within the APE (picnic shelters and a veterinary clinic), but none are considered eligible for inclusion in the National Register of Historic Places (NRHP). There are no known December 7, 1941 attack sites or World War II features identified within the APE. The area is outside the boundary identified as the Pearl Harbor National Historic Landmark.

The Navy has determined that there would be *no historic properties affected* by the undertaking. **The SHPO does not concur** due to the following reasons:

• The Navy states that construction activities at the preferred alternative ACC site "have low potential for permanent adverse impacts to cultural resources through ground disturbance that could damage or destroy as-yet undiscovered subsurface archaeological resources". In response, the SHPD notes that impact to a subsurface archaeological site, if present, will likely cause an adverse effect since much of the integrity of an archaeological site rests on the information that comes not from the artifacts alone, but from the context in which they are found. The association of archaeological data, the depth below the surface, and the type and color of the soil surrounding it provide much of our understanding of the past. Once an archaeological site is disturbed much of the data that was present has been permanently altered. Disturbance to an archaeological site effectively dismantles our ability to understand the context of deposits that are present at

sites. Without that information, vital clues about the significance of the past are lost. Therefore, construction activities do in fact have the potential to adversely impact archaeological sites should they be present.

- The Navy states the preferred ACC site lies within an area considered having low archaeological probability however, the SHPD has been made aware from resulting past mistakes in which the Integrated Cultural Resources Management Plan sensitivity maps were referenced during consultation for previous projects that the ICRMP, which categorizes areas by archaeological sensitivity, included areas that have never been tested or surveyed for archaeological resources. Therefore, the Navy needs to provide archaeological data to demonstrate that the APE is within an area with low archaeological probability. If no data exists, SHPD recommends Phase 1 archaeological testing spaced a maximum of five meters apart across the APE to first determined the absence/presence of archaeological resources.
- The Navy states that the veterinary clinic (Building 1864H), built in 1945, and within the APE, has deteriorated from termite damage and therefore would not be economically practical to repair. Per 36 CFR 800.5(a)(2)(vi) adverse effects on historic properties include neglect of a property which causes its deterioration. The Navy has not provided an evaluation of this property for its eligibility to be listed on the National Register of Historic Places (NRHP), however if this building is determined to be a historic property eligible the register then the proposed project will need to include ways to avoid, minimize, or mitigate adverse effects to this building.
- Additionally, the Navy references 36 CFR 800.3(g) and notes the submittal has condensed multiple consultation steps. The SHPD would like to remind the Navy that this section is applicable where the agency official (the Navy) and the SHPO agree it is appropriate.
- On October 1, 2020 the National Trust on Historic Preservation (National Trust) provided the Navy an email stating they disagree with the effect determination on the basis that "several" of the buildings being vacated as a result of this undertaking are historic and that two of them (MDG Buildings 1113 and 559) are identified as having a higher level of significance. The National Trust raises concerns that a vacant building will receive no budget for maintenance, and it is reasonably foreseeable to expect that the building will eventually suffer neglect and deterioration. The National Trust goes on to point out that *adverse effects* include "change of the character of the property's use..." per 36 CFR 800.5(a)(2)(iv) as well as "neglect of a property which causes its deterioration..." 36 CFR 800.5(a)(2)(vi) (Email Correspondence Elizabeth Merritt [National Trust] to Zachary Altenburger [Navy]); SHPD Log No. 2020.02324). The SHPD echoes these concerns and notes the Navy's responsibility to either consult with the National Trust to resolve the disagreement, or request the Council to review the finding pursuant to paragraphs (c)(3)(i)and (c)(3)(ii) of 36 CFR 800.5.
- Based on the last bullet point, the SHPD requests the Navy provide documentation of the evaluation of eligibility for the historic properties that have been identified within the APE and which will be affected by the undertaking. With that, the Navy should consider redefining the APE to include the facilities that the ACC will be replacing.
- Tripler Army Medical Clinic is an especially significant historic property due to its connection with the 1941 attack on Pearl Harbor. The SHPO requests the Navy provide additional information detailing the proposed changes in use at TAMC accompanied by an assessment of eligibility for TAMC to be listed on the NRHP.

The SHPD looks forward to continuing Section 106 consultation for the proposed undertaking. The Navy is the office of record for this undertaking. Please maintain a copy of this letter with your environmental review record for this undertaking.

Please contact Stephanie Hacker, Historic Preservation Archaeologist IV, at <u>Stephanie.Hacker@hawaii.gov</u> or at (808) 692-8046 for matters regarding archaeological resources or this letter.

Aloha, Alan Downer

Alan S. Downer, PhD Administrator, State Historic Preservation Division Deputy State Historic Preservation Officer Captain J. G. Meyer October 6, 2020 Page 4

Butts, Jeffery H CIV USN NAVFAC LANT NOR VA (USA)

From:	Betsy Merritt <emerritt@savingplaces.org></emerritt@savingplaces.org>
Sent:	Friday, October 02, 2020 3:34
То:	Altenburger, Zachary L LT USN NAVFAC HAWAII PEARL (USA)
Cc:	DLNR.Intake.SHPD@hawaii.gov; Alan Downer; Kiersten Faulkner; 'Kai Markell (OHA)';
	Jackson-Retondo, Elaine; Dasher, Bobby D (Don) JR CDR USN (USA); Eng, Sherri R CIV
	USN NAVFAC HAWAII PEARL (USA); Frame, Darrel E CDR USN NAVFAC HAWAII PEARL
	(USA); kkerr@achp.gov; Tom McCulloch; Reid Nelson; 'Susan Lebo'; Hacker, Stephanie
Subject:	[Non-DoD Source] FW: Section 106 Letter for JBPHH Ambulatory Care Center (ACC)
Attachments:	Section 106_Hickam Ambulatory Care Center_09012020.pdf; Enclosure 1_ACC Project
	Area and APE_TMK Map.pdf; Enclosure 2_ACC Project Area and APE_USGS Map.pdf;
	Enclosure 3_Historic Structures on Hickam AFB.pdf; Enclosure 4_Areas of Probability for
	Archeological Resources.pdf

Dear Lt. Altenburger,

Thank you for providing us with a copy of the Navy's letter initiating Section 106 consultation for the proposed construction of a new Ambulatory Care Center, which will consolidate and replace medical services currently being provided at eight different locations. (The letter is dated Sept. 1, 2020, and it was emailed to us one week later, on Sept. 8, 2020.)

The National Trust would like to participate as a Section 106 consulting party with respect to this undertaking, pursuant to 36 C.F.R. §§ 800.2(c)(5) and 800.3(f)(3).

We disagree with the Navy's proposed determination that this undertaking will have no adverse effect on historic properties (Navy letter at p.2), and that there will be no historic properties affected by the undertaking (*Id.* at p.4). The Navy's letter acknowledges that "several" of the buildings being vacated as a result of this undertaking are historic, and two of them (MDG Buildings 1113 and 559) are identified as having a higher level of significance (Category II). We appreciate that the Navy is not planning to demolish the vacated buildings at this point, but as a practical matter, a vacant building will receive no budget for maintenance, and it is reasonably foreseeable to expect that the building will eventually suffer neglect and deterioration. According to the Section 106 regulations, adverse effects include "[c]hange of the character of the [historic] property's <u>use</u>," and "[n]eglect of a property which causes its deterioration," 36 C.F.R. §§ 800.5(a)(2)(iv) and (vi) (emphasis added). In addition, "Adverse effects may include <u>reasonably foreseeable</u> effects caused by the undertaking that may occur <u>later in time</u>, be farther removed in distance or be cumulative." 36 C.F.R. § 800.5(a)(1) (emphasis added). In my experience, vacating an occupied historic building owned by the federal government is routinely acknowledged as having potential adverse effects that need to be addressed and resolved through consultation under Section 106. While that potential adverse effect can certainly be avoided and minimized through commitments involving maintenance and reuse of the historic property, the potential adverse effect is reasonably foreseeable and needs to be addressed.

Please consider this a formal disagreement with the Navy's determination of effect, pursuant to 36 C.F.R. §§ 800.4(d)(1) and 800.5(c)(2)(i).

We appreciate the opportunity to consult with the Navy in an effort to resolve this disagreement, and reach consensus on ways to avoid, minimize, or mitigate the potential adverse effect.

Sincerely, Betsy Merritt

Elizabeth S. Merritt, Deputy General Counsel

National Trust for Historic Preservation 2600 Virginia Ave. NW, Suite 1100 Washington, DC 20037 202-297-4133

From: Altenburger, Zachary L LT USN NAVFAC HAWAII PEARL (USA) <zachary.altenburger@navy.mil>
 Sent: Tuesday, September 8, 2020 2:59 PM
 To: DLNR.Intake.SHPD@hawaii.gov; Downer, Alan S <alan.s.downer@hawaii.gov>; kiersten@historichawaii.org; Betsy Merritt <emerritt@savingplaces.org>; kaim@oha.org; elaine_jackson-retondo@nps.gov
 Co: Dasher, Bohby D (Don) JB (CDB USN (USA) < bobby dasher@navy mil>: Eng. Sherri B (UV USN NAVEAC HAWAII PEARI

Cc: Dasher, Bobby D (Don) JR CDR USN (USA)

bobby.dasher@navy.mil>; Eng, Sherri R CIV USN NAVFAC HAWAII PEARL (USA) <sherri.r.eng@navy.mil>; Frame, Darrel E CDR USN NAVFAC HAWAII PEARL (USA) <darrel.e.frame@navy.mil>
 Subject: Section 106 Letter for JBPHH Ambulatory Care Center (ACC)

Good Morning Everyone,

Please see attached Section 106 Consultation Letter for the proposed Ambulatory Care Center for JBPHH. Included in this email are the following files:

- 1- Letter Section 106 for JBPHH ACC, dtd 1SEP
- 2- Enclosure 1 ACC Project Area and APE (TMK Map)
- 3- Enclosure 2 ACC Project Area and APE (USGS Map)
- 4- Enclosure 3 Historic Structures on Hickam AFB (within JBPHH)
- 5- Enclosure 4 Areas of Probability for Archaeological Resources

```
V/r,
```

Zac Altenburger LT, CEC, USN NAVFAC HI, EV5 Historic Preservation O: 808-471-8550 C: 912-257-2681



DEPARTMENT OF THE NAVY COMMANDER NAVY REGION HAWAII 850 TICONDEROGA ST STE 110 JBPHH, HAWAII 96860-5101

> 5750 Ser N4/064 29 Oct 21

Dr. Alan Downer, Ph.D. Administrator State Historic Preservation Division 601 Kamokila Blvd, Suite 555 Kapolei, HI 96707

Dear Dr. Downer:

SUBJECT: SECTION 106 RESPONSE FOR AMBULATORY CARE CENTER REPLACEMENT, JOINT BASE PEARL HARBOR-HICKAM, O'AHU, (TMK 1-1-002:2)

Thank you for your response letter to Captain J. G. Meyer, Regional Engineer, Navy Region Hawaii, dated: October 6, 2020 (Log. No. 2020.02063). Pursuant to Section 106 of the National Historic Preservation Act (NHPA) of 1966, as amended, and in accordance with 36 CFR Part 800, the U.S. Department of the Navy (Navy) initiated consultation regarding a proposal to construct an Ambulatory Care Center (ACC) Replacement on Joint Base Pearl Harbor-Hickam (JBPHH), Moanalua Ahupua'a, Kona District, Oahu, Hawaii.

a. Project Description

(1) The proposed ACC will be a Tri-Service medical facility, to be shared by Navy, Air Force, and Army medical activities. The consolidated medical facility serves to meet the needs of JBPHH and the greater Hawaii enhanced Multi-Service Market. The proposed ACC (approximately 250,000 sq. ft.) will provide the required building space needed to meet current federal criteria and requirements for military health facilities. The ACC will be supported by a central utility plant (approximately 7,500 ft²) and approximately 1,500 parking stalls. The ACC is expected to be staffed by 700 personnel and serve an average of approximately 2,200 patient encounters per day based on being open 250 days per year. The proposed action consolidates various medical functions and services improving access and capacity to better support the military community. All historic and non-historic facilities with the exception of two nonhistoric facilities will be reutilized, occupied, and maintained by new tenants. Full reutilization of the facilities will eliminate the potential for facilities to sit without preventative maintenance being performed. Two existing non-historic facilities will be demolished.

b. Historical Background

(1) The proposed Area of Potential Effect (APE) is approximately 15 acres, located on the Hickam Air Force Base side of JBPHH. The APE is located outside of the Hickam Historic Housing District, the Hickam Field National Historic Landmark (NHL), and the Pearl Harbor Naval Base NHL. The proposed site is mostly vacant, partially used for recreational or

services use and proximate to an installation golf course, roads, and utilities. Additionally, the APE is comprised of discontiguous sites of other medical facilities. Most of the land was formerly occupied by World War II wooden barracks encampment, demolished approximately 10 years ago. The proposed project area for the new ACC is contained within the APE boundary (enclosures 1-4). The area within the APE has been identified on period maps as a hard coral plain featuring a stream entering the site from the mountain side of the project site in what originally formed a seasonal shallow swampland and fishpond named: Loko Lelepaua: (Site: 50-80-13-00082). This drainage formed two large shallow fishponds and a sea salt collection area. The stream and springs created a shallow lake no more the two feet deep as indicated on the topographic maps from the 1930's.

(2) Currently, Kuntz Avenue runs through the APE in an east to west direction and was the former southern boundary for the Honolulu Sugar Plantation Co and sugarcane cultivation. This boundary defines the extent of irrigated sugarcane plantation parcels that had gradually pushed south encroaching onto the coral plain. On the 1933 USGS Map provided, the APE as shown is located east of the Pu'uloa plantation camp. As recently as the 1930's, small groups of plantation houses were located outside of the APE to the east side of the boundary.

(3) Around 1935, military construction started on site with the development of the U.S. Army Air Corps at Hickam Field by filling of the lowland swamp and lake area south of Kuntz Avenue. From 1939 to 1943 military housing and a civilian cantonment was constructed north of Kuntz Avenue developing the existing plantation lands. In 1945, the APE south of Kuntz Avenue was fully developed with the construction of a U.S. Army mobilization camp containing temporary wooden barracks, support buildings, and a wing command building. As of the 1960's, the World War II temporary mobilization camp was removed and replaced with a group of permanent dormitories called Hickam Village. Building 1684H is one of the remaining WWII temporary camp buildings formerly numbered (Bldg. T-120). This structure has been extensively modified over the years with multiple changes in use. Period maps of the area, Section 110 surveys and other supporting documentation (enclosure 5) of historic structures associated with this undertaking have been reviewed to provide the additional requested info.

c. Responses to SHPD and National Trust Inquiries

(1) In an effort to provide additional information about the site in regards to archaeology and historic architecture, the requested archaeology information and of subsurface testing of the areas was provided (enclosures 6-8) by Jeffrey Pantaleo, Archaeologist and the requested historic architecture information was provided by Jeffrey Dodge, Historical Architect. Several representative historical period maps overlaying with the proposed APE boundary have been included.

- a. Period Maps Referenced: 1933 to 1946:
 - 1933 USGS partial quad for the area, a composite map showing known cultural sites and historic features from the Plantation Period.
 - 1935 Territory of Hawaii map showing the initial filling of the shallow swamp and lake area.
 - iii. 1946 JBPPH map showing the U.S. Army World War II temporary encampment built of the site.

(2) The Veterinary Clinic (Building 1864H) has been surveyed for Section 110 purposes four separate times with all four surveys evaluating the facility as not having sufficient integrity to be considered historic. The building was originally associated with a late World War II temporary housing encampment and wing command. The building retains its original form and location, however its setting and all related buildings have been removed. The exterior walls have been substituted from the original character of wooden exterior and replaced with plaster. The original wooden windows, doors, and trim have been substantially replaced with aluminum. The building lacks integrity due to extensive material replacement and the complete change of setting. The current structural integrity of the facility is not to the level that would represent an adverse effect.

(3) All historic buildings that are part of this undertaking are in good quality and not deteriorated to a level that they would be threatened with disuse or abandonment as a result of the proposed ACC action. These buildings have been well maintained and considered desirable for reuse of similarly compatible administrative functions without impacting the character of the property. These facilities will not be extensively changed in their exterior character or appearance other than to be adapted for a compatible function and use. All anticipated reuse or rehabilitation actions will result in no adverse effect and will be covered under the CNRH PA. If any future actions may result in unforeseen adverse effects, the Navy will consult under 36 CFR 800.

(4) Historic and non-historic facilities to be impacted by the proposed ACC project below:

- Photos of Joint Base Pearl Harbor-Hickam historic medical facilities to be reused.
 - Building 1514 (Cat. II) Naval Health Clinic Hawaii, SMART Center

- Building 559 (Cat II) Air Force 15 Medical Group (MDG) Medical and Dental Clinic
- Building 1113 (Cat. II) Air Force 15 MDG Human Performance Clinic
- iv. Tripler Army Medical Clinic (Cat. I) (TAMC) provides primary care services, its use will not change in function
- Photos of Joint Base Pearl Harbor-Hickam non-historic medical facilities to be reused or demolished (enclosures 10-11).

(5) The Navy has updated the APE map to include all historical buildings on one APE map (enclosure 12).

(6) Tripler Army Medical Clinic (TAMC) is a primary care service center and is especially significant from World War II build-up period. There are no proposed changes anticipated to occur at this historic facility under the proposed action other than to relieve overcrowding by relocating various medical services. The current required level of services provided at Tripler has resulted in a facility that is overcrowded and not designed to accommodate the volume of patients it currently serves. The intent of the proposed action at Tripler is to eliminate or reduce the over-crowding situation, eliminate deficiencies, and improve functions to better service the military community. The Navy has determined that the proposed action at Tripler will have no adverse effect on this historic facility.

d. Determination of Effect

(1) The Navy has reviewed the undertaking after performing additional research and has determined that the result of the project is a "no adverse effect" on historic resources. There is low potential for subsurface archaeology resources being impacted in the area defined by the proposed APE boundary. In the unlikely event that previously unidentified archaeological sites are discovered during construction, ICRMP Standard Operating Procedures (SOPs) provide guidance on how to protect archaeological resources, address the inadvertent discovery of human remains, and other measures to mitigate impacts on cultural resources.

(2) Per 36 CFR Part 800.11(e), the provided information supports the Navy's determination of No Adverse Effect by this undertaking. This document has condensed multiple consultation steps as referenced in Part 800.3(g).

(3) The Navy is providing the State Historic Preservation Division (SHPD) notification of our finding of effect per 36 CFR Part 800.5(b), and request your expedited review of our response within 21 days of receipt of this letter per Part 800.5(c).

Should you have any questions, please contact Mr. Jeffrey Dodge, RA, Naval Facilities Engineering Systems Command Hawaii, at (808) 471-9894 or via email at jeffrey.n.dodge.civ@us.navy.mil.

Sincerely,

L G. MEYER

Captain, CEC, U.S. Navy Regional Engineer By direction of the Commander


Enclosures: 1. ACC Project Area and APE TMK Map

- 2. ACC Project Area and APE 1933 USGS Map
- 3. ACC Project Area and APE 1946 Hickam Field Base Map
- 4. ACC Project Area and APE Current USGS Map
- 5. Section 110 Surveys and Supporting Documentation
- 6. Archaeological References
- 7. Archaeological References Map
- 8. Location of Probable Archaeological Sites 1840-1930
- 9. Photos of Historic Facilities to be Reused
- 10. Photos of Non-Historic Facilities to be Reused
- 11. Photos of Non-Historic Facilities to be Demolished
- 12. ACC APE Map with all Facilities included in Undertaking
- Copy to: Katharine Kerr, Advisory Council on Historic Preservation Elizabeth Merritt, National Trust for Historic Preservation Kiersten Faulkner, Historic Hawaii Foundation Kathy Keala, Office of Hawaiian Affairs

This page intentionally left blank.


Ambulatory Care Center (ACC)





Ambulatory Care Center (ACC)












Ambulatory Care Center (ACC)





HISTORIC FACILITY SUMMARY REPORT FOR COMMUNITY SUPPORT, NAVY MEDICAL/RELIEF/CHAPEL - 1514

Section 1							
IDENTIFICATI	ON						
Facility No:	1514	Tax Map Key:		De	emolished? <u>No</u>	Survey Date:	
Facility ID:	NFA100001256106	Area Location:	Fuel Facilities	Gi	id	Survey Lead MF	
Facility ID Prior	to Joint Base:	Historic Z	one (or District): Nav	al Station - Comn	unity Support	2014 ICRMP CATEGORY	Ш
Facility Name:	NAVY MEDICAL/REL	IEF/CHAPEL	Current U	Jse:	Navy Medical/I	Relief/Chapel	
HOUSING							
Number of Hous	sing Units:						
Street Address:							
FACILITY ASS	ET DATA						
PR Number: 20	<u>01459</u> Ye	ear Built: <u>1975</u>	Ste	ories:	1	ABMP:	
Regular Footprin	nt? <u>N</u> Leng	th:	Width:	Height:		Area:	
Photograph 1	1:			Photograph	2:		
Photo 1 Desc	ription:			Photo 2 Des	scription:		
Photograph 3:	:			Vicinity Map	:		
				-			
Photo 3 Descr	ription:			Vicinity Map	Description:		_

Other Past Use(s): Researched Year Built:	m): emple (if different from Nav	Source: Source:	
Original Use: 1 Other Past Use(s): Researched Year Built:	emple		
Other Past Use(s): Researched Year Built:			
Researched Year Built:	(if different from Nay	Source:	
	(if different from Nay	000000	
Architect, Engineer or		vy Data Base) Source:	
	Construction Battalion, if known:		
Other Documentary Sou			
Period of Significance Year(s) of Major Renov	Post WWII/Cold War (1946-1989)		
Explain: NA	ation of Relocation:		
Year(s) of Major Addit	on:		
Explain: NA			
Other Documentary So	irces:		
Historic References:		As Builts:	
Historic Drawings/Map	s:	Historic Photographs:	
Period Map 1:		Period Map 2:	
		renou map 2.	

Period Map 1 Description:

Period Map 3:

Period Map 2 Description:

Period Map 4:

Period Map 3 Description:

Period Map 4 Description:

COMMUNITY SUPPORT, NAVY MEDICAL/RELIEF/CHAPEL - 1514

Section 3

Section 3			
SIGNIFICANCE			
National Register Significant	nce Criteria <u>C (*)</u>		
(* distinctive type, perio	d, or method of construction, wor	k of a master, high artistic values	s, or distinguishable entity)
Explanation of Significance	E: Facility 1514 is significant practitioner of the style.	under Criterion C as an excellen	t example of a work of Hawaiian Modern Architecture by a renowned
2	considered the father of modern at	rchitecture in Hawaii. It was the	is an excellent example of work by Vladimir Ossipoff, an architect first free-standing specifically Jewish house of worship on a military and also serve as a landmark for passersby on along the highways
Criterion Consideration(s) [A thru G] Explanation:		
Area(s) of Significance (exp	and on continuation sheet):		
Explanation of Area of	Significanc		
Integrity (check all that app	ly): Location, Design, Setting,	Materials, Workmanship, Feeling	<u>a Association</u>
Explanation of Integrity	: Retains a high degree of in	ntegrity	
Alterations affecting integri	ty:		
CATEGORIZATION DATA	A		
1978 PH HPP Category: 2000 PH ICRMP Category: 2002 PH ICRMP Category: 2008 CN ICRMP Category: 2008 CN ICRMP Category: Prior Outlying Installation C Other Categorization Sytem Within bounds of a historic Date of NHL/NR Listing or Comments: HABS/HAER DATA HABS/HAER Number: Related HABS/HAER Report	N/A Sategorization: s: district? <u>Yes</u> District Na Determination:	1996 HAFB Category: 1998 HAFB CRMP Categor 2008 HAFB ICRMP Categor 2012 HAFB Post-WWII Sur Date of Outlying Installation Date of Other Categorizatio me: <u>PH NHL</u> Area (District) Name	ory: rvey: n Categorization: n Systems:
AGREEMENTS AND COM	SULTATIONS		
106 Consultation(s):		Date:	106 Mitigations
MOA/PA(s):		Date:	undertaken:
MOU Stipulations:			Completion Date:
MOA Stipulations Undertak	en:		Completion Date:
Existing Preservation Plan? Preservation/Rehabilitation:	Year:		Date:
Major Stipulations Summar	y:		

HISTORIC FACILITY SUMMARY REPORT FOR COMMUNITY SUPPORT, NAVY MEDICAL/RELIEF/CHAPEL - 1514

Exterior Survey

HISTORIC FACILITY TREATMENT - EXTERIOR

Character D	efining Histo	ic Exterior	eatures								
•Distinct ma	parrel-vaulted on the second s	delineating	interior func								
Recommend	led Treatment										
Project Histor Project	ry:			Date		CDFs Affected/U	ndertaking				
						C DI S Millouds O	inden sking				
Detracting Fe	atures:										
•N/A											
Setting											
		lot and Build	ing 1407 to	the northwest.	Other site	the east and Makalan features include an irr building.					
Plan Shape a	and Orientation	n									
	The structure northwest elev		<u>ar non-symn</u>	netrical rectan	gle plan with	h the long axis oriente	ed on a northe	ast-southwest a	xis and the	main entrar	ce on the
Building Sty	la.										
ounding ory	le										
bunding bty	le	Descr	ibe*: <u>Suppo</u>	<u>rt Building</u>							
		Descr	be*: <u>Suppo</u>	<u>et Building</u>							
		Descr	be*: <u>Suppo</u>	<u>tt Building</u>							
Public Space				27.1	as at both th	ne chapel and adminis	tration buildin	ig entrances an	d an enclos	ed courtyard	1
Public Space	25			27.1	as at both th	ne chapel and adminis	tration buildin	ig entrances an	d an enclos	ed courtyard	1
Public Space Type <u>Entry, Cour</u> Period	rs	<u>d</u> Des	cribe*: <u>Rece</u>	essed entry are					d an enclos	e <u>d courtv</u> are	1
Public Space Type <u>Entry, Cour</u>	es ttvard, Recesse <u>•Ohapel Fo</u>	<u>d</u> Des er: Exterior	cribe*: <u>Recc</u>	essed entry are	concrete pa	avers and concrete ba	rrel-vaulted ro	of			
Public Space Type <u>Entry, Cour</u> Period	es <u>•Ohapel For</u> <u>•Office Foy</u> <u>canopy</u>	<u>d</u> Des er. Exterior rr. Elevated p	cribe*: <u>Rece</u>	<u>essed entry are</u> <u>r to chapel has</u> nce between R	concrete pa selief Societ	avers and concrete ba v Building and Welco	rrel-vaulted ro ming Center	of			
Public Space Type <u>Entry, Cour</u> Period Comments:	•Chapel For •Office Foy canopy •Enclosed c	d Des er: Exterior- er: Elevated p purtyard. CM	cribe*: <u>Rece</u>	<u>essed entry are</u> <u>r to chapel has</u> nce between R	concrete pa elief Societ building en	avers and concrete ba v Building and Welco closes courtyard with	rrel-vaulted ro ming Center	of			
Public Space Type Entry, Cour Period Comments: Condition As	•Ohapel For •Ohapel For •Office Foy <u>canopy</u> •Enclosed cossessment:	<u>d</u> Des er. Exterior rr. Elevated p	cribe*: <u>Rece</u>	<u>essed entry are</u> <u>r to chapel has</u> nce between R	econcrete pa lelief Societ building en C	avers and concrete ba y Building and Welco closes courtyard with DF Discussion:	rrel-vaulted ro oming Center mature trees	of			
Public Space Type Entry, Cour Period Comments: Condition As As Built Deta	• <u>Ohapel For</u> • <u>Office For</u> • <u>Office For</u> • <u>Enclosed cossessment:</u>	d Des er. Exterior rr. Elevated r purtyard. CM Good	cribe*: <u>Rece</u>	<u>essed entry are</u> <u>r to chapel has</u> nce between R	econcrete pa lelief Societ building en C	avers and concrete ba y Building and Welco closes courtvard with DF Discussion: W5 Recommended D	rrel-vaulted ro oming Center mature trees	of			
Public Space Type Entry, Cour Period Comments: Condition As As Built Deta Project Histo	•Chapel For •Chapel For •Office Foy canopy •Enclosed c ssessment: g ails: ry Undertakin	d Des er. Exterior rr. Elevated r purtyard. CM Good	cribe*: <u>Rece</u>	<u>essed entry are</u> <u>r to chapel has</u> nce between R	econcrete pa lelief Societ building en C	avers and concrete ba y Building and Welco closes courtyard with DF Discussion:	rrel-vaulted ro oming Center mature trees	of			
Public Space Type Entry, Cour Period Comments: Condition As As Built Deta Project Histo CDF Affected	•Chapel For •Chapel For •Office Foy canopy •Enclosed c ssessment: () ails: ry Undertakin d:	d Des er: Exterior er: Elevated p purtyard. CM Good	cribe*: <u>Rece</u>	<u>essed entry are</u> <u>r to chapel has</u> nce between R	econcrete pa lelief Societ building en C	avers and concrete ba y Building and Welco closes courtvard with DF Discussion: W5 Recommended D	rrel-vaulted ro oming Center mature trees	of			
Public Space Type Entry, Cour Period Comments: Condition As As Built Deta Project Histo CDF Affected Foundation -	•Chapel For •Office Foy •Office Foy •Enclosed c ssessment: g ails: ry Undertakin d: • (indicate if c	d Des er. Exterior er. Elevated p ourtyard. CM Good g: riginal)	cribe*: <u>Rece</u>	<u>essed entry are</u> <u>r to chapel has</u> nce between R	econcrete pa lelief Societ building en C	avers and concrete ba y Building and Welco closes courtvard with DF Discussion: W5 Recommended D	rrel-vaulted ro oming Center mature trees	of			
Public Space Type Entry, Cour Period Comments: Condition As As Built Deta Project Histo CDF Affected Foundation - Foundation S	•Chapel For •Office Foy •Office Foy canopy •Enclosed c ssessment: g ails: ry Undertakin d: • (indicate if o creen Type:	d Des er: Exterior er: Elevated p purtyard. CM Good	cribe*: <u>Rece</u>	<u>essed entry are</u> <u>r to chapel has</u> nce between R	econcrete pa lelief Societ building en C	avers and concrete ba y Building and Welco closes courtvard with DF Discussion: W5 Recommended D	rrel-vaulted ro oming Center mature trees	of			
Public Space Type Entry, Cour Period Comments: Condition As As Built Deta Project Histo CDF Affected Foundation S Concrete Fou	•Chapel For •Office Foy •Office Foy canopy •Enclosed c ssessment: g ails: ry Undertakin d: • (indicate if o creen Type:	d Des er. Exterior er. Elevated p ourtyard. CM Good g: riginal)	cribe*: <u>Rece</u> covered fove atio at entra U wall at no	<u>essed entry are</u> <u>r to chapel has</u> nce between R	econcrete pa lelief Societ building en C	avers and concrete ba y Building and Welco closes courtvard with DF Discussion: W5 Recommended D	rrel-vaulted ro oming Center mature trees	of			
Public Space Type Entry, Cour Period Comments: Condition As As Built Deta Project Histo CDF Affected Foundation - Foundation S	•Chapel For •Office Foy •Office Foy •Office Foy •Enclosed c seessment: g ails: ry Undertakin d: • (indicate if o creen Type: oting	d Des er. Exterior er. Elevated p ourtyard. CM Good g: riginal)	cribe*: <u>Rece</u> covered fove atio at entra U wall at no	<u>essed entry are</u> <u>r to chapel has</u> nce between R	<u>concrete pa</u> <u>elief Societ</u> <u>building en</u> C E	avers and concrete ba y Building and Welco closes courtvard with DF Discussion: W5 Recommended D	rrel-vaulted ro oming Center mature trees	of			
Public Space Type Entry, Cour Period Comments: Condition As As Built Deta Project Histo CDF Affected Foundation S Concrete Foo Comments:	•Chapel For •Office Foy •Office Foy •Office Foy •Enclosed c sessment: () ails: ry Undertakin d: • (indicate if o creen Type: oting	d Des er. Exterior er. Elevated p ourtyard. CM Good g: riginal) N/A	cribe*: <u>Rece</u> covered fove atio at entra U wall at no	<u>essed entry are</u> <u>r to chapel has</u> nce between R	<u>concrete pa</u> <u>elief Societ</u> <u>building en</u> C E	avers and concrete ba y Building and Welco closes courtvard with DF Discussion: X/5 Recommended D Date:	rrel-vaulted ro ming Center mature trees etail:	of			
Public Space Type Entry, Cour Period Comments: Condition As As Built Deta Project Histo CDF Affecter Foundation S <u>Concrete For</u> Comments: Condition As	•Chapel For •Office Foy •Office Foy •Office Foy •Enclosed c sessment: () ails: ry Undertakin d: • (indicate if o creen Type: oting	d Des er: Exterior er: Elevated p ourtyard. CM Dood g: riginal) N/A	cribe*: <u>Rece</u> covered fove atio at entra U wall at no	<u>essed entry are</u> <u>r to chapel has</u> nce between R	<u>concrete pa</u> <u>elief Societ</u> <u>building en</u> C E	avers and concrete ba y Building and Welco closes courtvard with DF Discussion: XV5 Recommended D Date: DF Discussion:	rrel-vaulted ro ming Center mature trees etail:	of			
Public Space Type Entry, Cour Period Comments: Condition As As Built Deta Foundation S COF Affecter Foundation S Concrete For Comments: Condition As	es es ex	d Des er: Exterior er: Elevated p ourtyard. CM Dood g: riginal) N/A	cribe*: <u>Rece</u> covered fove atio at entra U wall at no	<u>essed entry are</u> <u>r to chapel has</u> nce between R	<u>concrete pa</u> <u>elief Societ</u> <u>building en</u> C E	avers and concrete ba y Building and Welco closes courtvard with DF Discussion: X/5 Recommended D Date: DF Discussion: V5 Recommended De	rrel-vaulted ro ming Center mature trees etail:	of			
Public Space Type Entry, Cour Period Comments: Condition As As Built Deta Project Histo CDF Affecter Foundation S <u>Concrete For</u> Comments: Condition A: As Built Det Project Histo CDF Affecter	es es ex	d Des er: Exterior er: Elevated r purtyard. CM Good g: riginal) N/A M/A g:	eribe*: Reco covered fove atio at entra U wall at no *Describe:	<u>c to chapel has</u> nce between R rtheast end of	<u>concrete pa</u> <u>elief Societ</u> <u>building en</u> C E	avers and concrete ba y Building and Welco closes courtvard with DF Discussion: X/5 Recommended D Date: DF Discussion: V5 Recommended De	rrel-vaulted ro ming Center mature trees etail:	of			
Public Space Type Entry, Cour Period Comments: Condition As As Built Deta Project Histo CDF Affecter Foundation S <u>Concrete For</u> Comments: Condition A: As Built Det Project Histo CDF Affecter	es es ex	d Des er: Exterior er: Elevated r purtyard. CM Good g: riginal) N/A M/A g:	eribe*: Reco covered fove atio at entra U wall at no *Describe:	<u>c to chapel has</u> nce between R rtheast end of	<u>concrete pa</u> <u>elief Societ</u> <u>building en</u> C E	avers and concrete ba y Building and Welco closes courtvard with DF Discussion: X/5 Recommended D Date: DF Discussion: V5 Recommended De	rrel-vaulted ro ming Center mature trees etail:	of			

Integrated Cultural Resources Management Plan: Joint Base Pearl Harbor-Hickam

HISTORIC FACILITY SUMMARY REPORT FOR COMMUNITY SUPPORT, NAVY MEDICAL/RELIEF/CHAPEL - 1514

Exterior Sur	vey				
Primary Exterior	Material		F	inish Type	
Concrete, CMU		*Describe:	<u>P</u>	ainted	*Describe: Painted tan
Additional Exterio	or Materials / I	Features: (e.g., vents, banding, p	oilasters		
Original, if known	n and different	Original material remains			
Further descriptio	n (if needed):				
Comments:					
Condition Assess	ment: <u>Good</u>		CDF	Discussion:	
Replacement Op	tions:				
As Built Details:			EV5	Recommended Detail:	
Project History U	ndertaking:			Date:	
CDF Affected:					
Roof - (indicate if	f original)				
Туре			Ν	laterial	
Flat without Eave				iqui <u>d Applied Memb</u> rane	
	<u>l has barrel va</u> o eaves.	<u>ulted roofs. Remaining building</u>	<u>a has flat roof</u> *	Describe: Liquid-applied men	nbrane to barrel vaulted roof structure
Trim			S	pecial Roof Features	
Drip Edge Flashir	<u>1</u> g		G	<u>futter/Downspout*</u>	
*Describe: <u>*Copp</u>	<u>er drip edge fl</u>	ashing	*	*Describe: <u>•Concrete framed</u>	openings in the roof structure over public spaces
*Gutter Details:		ownspout shape: Ogee			
	Gutter and do	ownspout configuration: <u>Gutte</u>	r with <u>downspout</u>		
	Gutter and do	ownspout material: Copper			
Original, if known	and different	:			
Comments:		Existing roof material is no and documentation made a		ructure. Original roof material	could not be determined from physical evidence.
Condition Assess	ment: <u>Good</u>		CDF	Discussion:	
As Built Details:			EV5	Recommended Detail:	
Project History U	ndertaking:			Date:	
CDF Affected:					
Doors - (indicate	e if original)				
Vehicular /Equip	pment Door Ty	vpe Vehicular / Equipment	Door Materials	Personnel Door Type	Personnel Door Materials
				Panels, Double Leaf	Metal. Wood
Special Door/Entr	ance Features	(if any):			
Other (describe):					
Original, if kno	own and differ	ent: Original material remains			
		Historic doors include double I detailing. Historic doors also			v varnished and special door features include ad doors with tinted glazing.
Condition Assess	ment: <u>Good</u>		CDF	Discussion:	
As Built Details			EV5	Recommended Detail:	
Project History Un	ndertaking:			Date:	
CDF Affected:					
Windows - (indi	cate if origin	ial)			
Type(s) Sin	gle. Strip		Original?:	Yes	
Fixed Glass, Meta	<u>ll Sash</u>		Other (describe):		
		Descri	be panes per sash:	Single	

Integrated Cultural Resources Management Plan: Joint Base Pearl Harbor-Hickam

COMMUNITY SUPPORT, NAVY MEDICAL/RELIEF/CHAPEL - 1514

	Percentage of original windows: 100	
Additional information: (note if	riginal or replacement)	
Glazing Type	Other	
Color/Tinted	*Describe:	
Other (describe):		
Original, if known and differen		
Comments: Historic windows	nclude single and quadruple sashed aluminum single fixed windows with tinted glazing.	
Condition Assessment: Good	CDF Discussion:	
As Built Details:	EV5 Recommended Detail:	
Project History Undertaking:	Date:	
CDF Affected:		
Stairs		
Туре		
Straight	*Describe: Typical exterior stairs include concrete straight stairs.	
Railing(s)		
Square Baluster	*Describe: Typical exterior rails include aluminum rails with pickets.	
Comments: Stairs provide acc	ss to raised first floor level	
Condition Assessment: Good	CDF Discussion:	
As Built Details:	EV5 Recommended Detail:	
Project History Undertaking:	Date:	
CDF Affected:		

HISTORIC FACILITY SUMMARY REPORT FOR COMMUNITY SUPPORT, NAVY MEDICAL/RELIEF/CHAPEL - 1514

HISTORIC FACILITY - NARRATIVE HISTORY

Description:

History:

Source of Information:

HISTORIC FACILITY SUMMARY REPORT FOR HICKAM, AIR FORCE CLINIC - 559H

Section 1 IDENTIFICATION Facility No: 559H Tax Map Key: Demolished? No Survey Date: Survey Lead VM NFA200000794909 Grid Facility ID: Area Location: Hickam 2014 ICRMP CATEGORY Facility ID Prior to Joint Base Historic Zone (or District) Hickam Π Facility Name: AIR FORCE CLINIC Current Use: AIR FORCE CLINIC HOUSING Number of Housing Units: Street Address:

FACILITY ASSET DATA

PR Number. 0		Year Built: 1942		Stories:	<u>3</u>	ABMP:	
Regular Footprint?	N	Length:	Width:	Height:		Area:	

Photograph 1:



Photo 1 Description:

Photograph 3:


Photo 3 Description:

Photograph 2:



Photo 2 Description:

Vicinity Map:



Vicinity Map Description:

HISTORIC FACILITY SUMMARY REPORT FOR HICKAM, AIR FORCE CLINIC - 559H

Section 2			
HISTORY		10.00	
Historic Name (if known):			
Original Use: hospital		Source:	
Other Past Use(s):		Source:	
Researched Year Built: <u>1941</u> (if different from 1	Navy Data Base)	Source:	HABS HI-164-L
Architect, Engineer or Construction Battalion, if known:			
Other Documentary Sources:			
Period of Significance WWII (1941-1945)			
Year(s) of Major Renovation or Relocation:			
Explain: <u>•Windows and doors replaced</u> <u>•Some window openings infilled</u> <u>•Screened porches at all three floors enclosed</u>	with FIFS and metal-fr	amed windows	
Year(s) of Major Addition:	man en o ung meta. m		
Explain: <u>•Carge addition to the north (circa 2007)</u>			
Other Documentary Sources:			
Historic References	As Builts		
Historic Drawings/Maps:	Historic Ph	notographs:	
Period Map 1:		Period Map 2:	
Period Map 1 Description:		Period Map 2	Description:
Period Map 3:		Period Map 4:	
Period Map 3 Description:		Period Map 4	Description:

Section 3

Section 3	
SIGNIFICANCE	
National Register Significance ((* distinctive type, period, or Explanation of Significance:	Criteria <u>A (events). C (*)</u> method of construction, work of a master, high artistic values, or distinguishable entity) <u>Building 559H is significant under criterion A for its association with the December 7. 1941 Japanese attack and under criterion</u> <u>C for its architecture that represents a Hawaiian tropical interpretation of Mediterranean architectural forms</u> .
this h tropi	building was completed in 1941, just before the December 7 bombing, and many of Hickam's injured from that day were treated in nospital. Unlike its Art Deco/Art Moderne neighbors. Building 559H is a different architectural style that represents a Hawaiian cal interpretation of Mediterranean architectural forms. It has a strong horizontal emphasis due to the wide soffited eaves, string ses at each window level, and horizontal concrete window shade projections.
Criterion Consideration(s) [A th	ru G] Explanation:
Area(s) of Significance (expand	on continuation sheet): Architecture
Explanation of Area of Sign	ificanc
Integrity (check all that apply):	Location. Setting. Workmanship. Feeling. Association
Explanation of Integrity:	Integrity has been diminished by replacement of windows and some doors and enclosure of screened porches at south and west elevations.
Alterations affecting integrity:	•Windows and doors replaced •Screened porches at all three floors enclosed with EIFS and metal-framed windows
CATEGORIZATION DATA	
 1978 PH HPP Category: 2000 PH ICRMP Category: 2002 PH ICRMP Category: 2008 CN ICRMP Category: Prior Outlying Installation Categorization Sytems: Within bounds of a historic distribute of NHL/NR Listing or Detication 	Date of Other Categorization Systems: rict? Yes District Name: <u>Hickam Historic District</u>
Comments:	
HABS/HAER DATA	. 전화 전 전 전 전 전 전 전 전 전 전 전 전 전 전 전 전 전 전
HABS/HAER Number: Related HABS/HAER Reports:	HABS No HI-164-L Doc Accepted by NPS: Yes Date Accepted by NPS:
HABS/HAER Comments:	
AGREEMENTS AND CONSU	ITATIONS
106 Consultation(s):	Date: 106 Mitigations
MOA/PA(s):	Date: undertaken:
MOU Stipulations:	Completion Date:
MOA Stipulations Undertaken:	Completion Date:
Existing Preservation Plan? Preservation/Rehabilitation Major Stipulations Summary	Yes Year: 2007 Date:

Exterior Survey

HISTORIC FACILITY TREATMENT - EXTERIOR

Character De	fining Histo	oric Exterior Features			
•Wide overha	e and drive crete grilles unging closed over first and ic at front of	on either side of porte coch l eave with square vents l second floor windows 'building	ere and central windows a	bove	
Project History	y:				
Project			Date	CDFs Affected/Underta	aking
•Enclosed po •Non-histori	al window ar orches	1 <u>d door openings</u>			
Setting					
Describe: 1	The structure and other site	is situated on a mown-turf features include a sloped r	site on Scott Circle betwe aised driveway to the port	en 7th Street and 8th Stree e.cochere.	et. Adjacent historic structures include Building 1110
Plan Shape a	nd Orientat	ion			
		has an irregular barbell-sha s and the main entrance on		o structure connected by a	covered breezeway. The long axis is oriented on an
Building Style	e			Section States	
		Describe*: Admin	istration Building		
Public Spaces	5			25 기억 분석 등 관	
Type <u>Stairs, Entry</u> Period		Describe*: Porte	cochere with raised curve	ed drive	
Comments:		ramed porte cochere with c	opper flat rood and overha	inging eaves. The porte co	chere is associated with a raised asphalt-paved curved
Condition Ass		Good	C	DF Discussion:	
As Built Deta		<u></u>		V5 Recommended Detail.	
Project Histor	y Undertakii	ng:		Date:	
CDF Affected	-				
Foundation -	(indicate if	original)		1	
Foundation Sc		Conc. screen wall w/vent	S		
	,	*Describe:		sed concrete slab	
Comments:					
Condition As	sessment	Good	CI	OF Discussion:	
As Built Deta	ails:		EV	/5 Recommended Detail:	
Project Histor	ry Undertaki	ng.		Date	
CDF Affected	d:				
Walls and Str	ructural Co	mponents - (indicate if ori	ginal)		
Structural Sys	stem			Finishes	
Concrete Fran	me	*Describe:		EIFS. Smooth Concrete	*Describe:

Integrated Cultural Resources Management Plan: Joint Base Pearl Harbor-Hickam

HISTORIC FACILITY SUMMARY REPORT FOR

HICKAM, AIR FORCE CLINIC - 559H

Concrete Peteribe: Pained Pained Poecribe: Additional Exterior Markerials / Features: (e.g., vents, banding, plasters Consilie/verted concrete brise soleil with integral drin edae over first and second floor. voriginal, if known and different:	Exterior Survey					
Additional Exterior Materials / Petures: (e.g., vents, bunding, plasters <u>Calcillevered concrete</u> bries coleil with integral drin cole over first and second floor. drindows d	Primary Exterior Material		Finish Type			
	Concrete	*Describe:	Painted		*Describe:	
<form>Andre descriptionService of circle and trace interaints. EFFS eladding is non-oxisimativeCondition Assessment:Coord Discussion:Replacement:Coord Discussion:A Built Detail:EVS Recommended Detail:A Built Detail:Date:Coord Affrect:Date:Store Affrect:Seconded Detail:Tope I:Date:Store Affrect:Seconded Detail:Tope I:Seconded Detail:Seconded Downpoort Affrect:Seconded Detail:Outer and Sowspoort Affrect:Seconded Detail:Couter and Sowspoort Affrect:Seconded Detail:Seconded District Conded Detail:Seconded Detail:Seconded Downpoort Affrect:<</form>	Additional Exterior Materials /	Features: (e.g., vents, banding, pilasters	windows •Original wood-frame	ed screened openings a		
	Original, if known and different	t:				
	Further description (if needed):					
	Comments: Some original mate	rial remains. EIFS cladding is non-origi	inal			
A Built Detail: E VS Recommended Detail: Pojeet Histoy Undertaking: Date: CDF Affected: Secondate: Secondate: Secondate: Route Condition: Secondate: Conde (date: Secondate: Conde (date: Secondate: Conde (date: Secondate: Conde (date: Secondate: Condate:	Condition Assessment: Good	!	CDF Discussion			
<form>npice Hisky UnderkakingDate:Colspan="2">Describe:Colspan="2">Colspan="2">Colspan="2">Colspan="2"Colspan="2">Colspan="2"<!--</td--><td>Replacement Options:</td><td></td><td></td><td></td><td></td><td></td></form>	Replacement Options:					
COP Affection Type Material Hig Clay Tile "Describe: Trum Special Roof Features Eaves, Eascia, Soffit Guidenter if original Constant and exposed tonsus and Poscribe: "Describe: "Tum Special Roof Features Eaves, Eascia, Soffit Guidenter if original Constant and exposed tonsus and "Subter Roomsnowt" Other** "Describe: ""Outer and downspout shape: Eax Guter and downspout configuration: Gutter with downspout Guter and downspout configuration: Gutter with downspout Guter and downspout naterial: Copper Original, if known and different: Condition Assessment: Cond As Buil Details: Cond Special Door/Fatance Features (Fany): Tansam Original, if known and different: Corres (indicate If original) Special Door/Fatance Features (Fany): Tansam Original, if known and different: Corres (indicate If original) Special Door/Fatance Features (Fany): Tansam Original, if known and different: Corres (indicate If original) Special Door/Fatance Features (Fany): Tansam Original, if known and different: Corres (indicate If original) Corres (indicate If original) Constant indicated Is and constant and the special existence is and constant indicated Is and constant ind	As Built Details:		EV5 Recommen	ded Detail:		
Roof - (indicate if original) Type Material Hip Clay_Tble *Describe: *Describe: *Describe: *Describe: Trim Special Roof Features Eaves. Eascia_SofFit Gutter Roomsnout*_Other** *Describe: *Uter/Roomsnout*_Other** *Describe: *Uter/Roomsnout*_Other** *Describe: *Uter and downspout shape: Eaves. Gutter and downspout shape: Eave	Project History Undertaking:		Γ	Date:		
Type Material Hig Clay Tile *Describe: *Describe: *Describe: *Describe: Trim Special Roof Features Eaves. Eascia. Soffit Guter/Downsout*. Other* *Describe: ''''''''''''''''''''''''''''''''''''	CDF Affected:					
Hin Clay Tale *Describe: • Describe: Trim Special Roof Features Eaves, Eascia, Soffit Gutter/Downstout_Other* *Describe: * "Describe:: *Describe: Suture and downspout shape:: Guter and downspout configuration: Guter with downspout: Guter and downspout material: Coper: Contrand downspout material: EVS Recommended Detail: Project History Undertaking: Date: Copies - (indicate: Fanosis: Project History Conternation: Tansom Cotter - Gutar: Fanosis: Contrand: Fanosis: Contrand: Fanosis: Project History Conternation: Fanosis: Project History Conternation: Fanosis: Contrand: Fanosis:	Roof - (indicate if original)					
*Desrib:: *Desrib:: Trim Special Roof Features Exers. Eascia. Soffit Gutter/Downsout*. Other** *Desribe:: *Wide orwsout*. Other** *Desribe:: *Wide orwsout*. Other** *Desribe:: *Wide orwsout*. Other** *Desribe:: *Wide orwsout*. Other** *Stuar Screen vents in soffit	Туре		Material			
Trim Special Roof Features Exves. Fascia. Soffit Gutter/Downscout*_Other** *Describe: *Ubic overhanging roof with closed eaves and exoceed tongue and groover soffit - Stuture servern vents in soffit -	•		Clay Tile			
Evers. Fascial. Soffit Sutter/Downsout*. Other** *Describe: *Wide overhanging roof with closed eaves and exposed tongue and groove soffit *Outer Details: Gutter and downspout shape: @uter and downspout configuration: Gutter with downspout @uter and downspout configuration: Gutter with downspout @uter and downspout material: Copper Original, if known and different: Gutter and downspout material is not original to the structure. Original food material could not be determined from physical evidence. Condition Assessment: God Original, if known and different: Date: Correst: EV5 Recommended Detail: Project History Undertaking: Date: Project History Undertaking: Date: Correst: EV5 Recommended Detail: Project History Undertaking: Personnel Door Type Vehicular /Equipment Door Type Vehicular/Equipment Door Materials Project History Undertaking: Personnel Door Type Vehicular /Equipment Door Type Vehicular/Equipment Door Materials Project History Undertaking: Personnel Door Type Vehicular /Equipment Door Type Vehicular /Equipment Door Materials Project History Undertaking: Personnel Door Type Original, if known and different: Personnel Door Type Original, if known and different: CDF Discussion: Conter double-leaf Huminum glazed double-panel Humed door with transom. Conter double-leaf Huminum glazed double-panel Humed door with transom. Conter dou	*Describe:		*Describe:			
*Describe: **Describe: **Descr	Trim		Special Roof	Features		
source softit -Stuare softet -Stuare softet -Stuare softet -Stuare softet -Stuare softet -Derre	Eaves, Fascia, Soffit		Gutter/Down	SDout*. Other**		
Gutter and downspout configuration: Gutter with downspout Gutter and downspout material: Copper Original, if known and different: Comments: Existing roof material is not original to the structure. Original roof material could not be determined from physical evidence. and documentation made available. Condition Assessment: Good CDF Discussion: As Built Details: EV5 Recommended Detail: Project History Undertaking: Date: CDF Affected: Date: Vehicular /Equipment Door Type Vehicular /Equipment Door Materials Personnel Door Type Vehicular /Equipment Door Type Vehicular /Equipment Door Materials Personnel Door Type Other (describe): Transom Metal Original, if known and different: CDF Discussion: Seconseconseconseconseconseconseconsecons	*Describe:		**Describe:	groove soffit •Square screen vents •Otter		·
Gutter and downspout material: Copper Original, if known and different: Existing roof material is not original to the structure. Original roof material could not be determined from physical evidence. and documentation made available. Condition Assessment: Good CDF Discussion: As Built Details: EV5 Recommended Detail: Project History Undertaking: Date: CDF Affected: Dotrs - (indicate if original) Vehicular / Equipment Door Type Vehicular / Equipment Door Materials Personnel Door Type Vehicular / Equipment Door Type Vehicular / Equipment Door Materials Personnel Door Type Special Door/Entrance Features (if any): Transom Other (describe): Other (describe): Metal Original, if known and different: CDF Discussion: CDF Discussion: Comments: Personnel Doors: Original doors include single-leaf metal single-panel hinged doors that are trypically painted. The front door has been replaced. and consists of a double-leaf sluminum glazed double-panel hinged door with transom. Condition Assessment: Eair CDF Discussion: As Built Details EV5 Recommended Detail: EV5 Recommended Detail: Project History Undertaking: Date: Detail	*Gutter Details: Gutter and d	ownspout shape: <u>Box</u>				
Original, if known and different: Existing roof material is not original to the structure. Original roof material could not be determined from physical evidence: and documentation made available. Condition Assessment: Good CDF Discussion: As Built Details: EV5 Recommended Detail: Project History Undertaking: Date: CDF Affected: Date: Doors - (indicate if original) Vehicular /Equipment Door Materials Personnel Door Type Personnel Door Materials Special Door/Entrance Features (if any): Transom Metal Original, if known and different: Special Coors: Versonnel Doors: Versonel Doors: Original doors include single-panel hinged doors with transom. Ordition Assessment: Farsonnel Doors: Original, if known and different: Comments: Personnel Doors: Original doors include single-panel hinged door with transom. Condition Assessment: Farsonnel Doors: Original doors include single-panel hinged door with transom. Condition Assessment: Farson Condition Assessment: Farsonnel Doors: Original doors include single-pa	Gutter and d	ownspout configuration: <u>Gutter with c</u>	<u>iownspout</u>			
Comments: Existing roof material is not original to the structure. Uriginal roof material - out be determined from physical evidence. Condition Assessment: Good CDF Discussion: As Built Details: EV5 Recommended Detail: Project History Undertaking: Date: CDF Affected: Date: Pores- (Indicate If original) Vehicular / Equipment Door Type Vehicular / Equipment Door Materials Personnel Door Type Personnel Door Materials Yehicular / Equipment Door Type Vehicular / Equipment Door Materials Personnel Door Type Ventralis Special Door/Entrance Features (if any): Transom Matal Special Door/Entrance Features (if any): Transom Matal Corriginal, if known and different: Special doors with transom. Special doors that are typical doors that are typical to fort door has been replaced door with transom. Condition Assessment: Earl CDF Discussion: Special Doors for doodbe-leaf aluminum glazed doouby-bane-linead door with transom. Condition Assessment: Earl CDF Discussion: Special Details Special Details As Built Details EV5 Recommended Detail: Special Details Special Details Special Details Condition Assessment:	Gutter and d	ownspout material: Copper				
and documentation made available. CDF Discussion: Condition Assessment: Good As Built Details: EV5 Recommended Detail: Project History Undertaking: Date: CDF Affected: Date: Poors - (Indicate If original) Personnel Door Type Vehicular /Equipment Door Type Vehicular /Equipment Door Materials Personnel Door Type Vehicular /Equipment Door Type Vehicular /Equipment Door Materials Personnel Door Type Special Door/Entrance Features (if any): Transom Metal Other (describe): Original, if known and different: Metal Condition Assessment: Eair CDF Discussion: As Built Details GDF Discussion: State Sta	Original, if known and differen	t:				
As Buil Details: EV5 Recommended Detail: Date: Date: CDF Affected: Detail: CDF Affected: Detail: CDF Affected: Detail:	Comments:			ginal roof material co	uld not be determined from physical evidence.	
Project History Undertaking: Date: CDF Affected: Doors - (indicate if original) Vehicular / Equipment Door Type Vehicular / Equipment Door Materials Vehicular / Equipment Door Type Vehicular / Equipment Door Materials Penels. Single Lear Metal Special Door/Entrance Features (if any): Transom Other (describe): Original, if known and different: Comments: Personnel Doors: Original doors include single-leaf metal single-panel hinged doors that are twoically painted. The front door has been replaced. and consists of a double-leaf aluminum glazed double-panel hinged door with transom. Condition Assessment: Fair Cord Kittor Assessment: Fair Ka Built Details EVS Recommended Detail: Pote:	Condition Assessment: Good	1	CDF Discussion	:		
CDF Affected: CDF Discussion: As Built Details CDF Discussion: CDF Discuss	As Built Details:		EV5 Recommen	ded Detail:		
Doors - (indicate if original) Vehicular /Equipment Door Type Vehicular /Equipment Door Materials Panels. Single Leaf Metal Special Door/Entrance Features (if any): Transom Other (describe): Original, if known and different: Comments: Personnel Doors: Original doors include single-leaf metal single-panel hinged doors that are typically painted. The front door has been replaced. and consists of a double-leaf aluminum glazed double-panel hinged door with transom. Condition Assessment: Fair CDF Discussion: As Built Details EV5 Recommended Detail: Project History Undertaking: Date:	Project History Undertaking:		I	Date:		
Vehicular /Equipment Door Type Vehicular /Equipment Door Materials Personnel Door Type Personnel Door Materials Panels. Single Leaf Metal Special Door/Entrance Features (if any): Transom Other (describe). Original, if known and different: Comments: Personnel Doors: Original doors include single-leaf metal single-panel hinged doors that are typically painted. The front door has been replaced. and consists of a double-leaf aluminum glazed double-panel hinged door with transom. Condition Assessment: Fair As Built Details EV5 Recommended Detail: Project History Undertaking: Date:	CDF Affected:					
Panels. Single Leaf Metal Special Door/Entrance Features (if any): Transom Other (describe).	Doors - (indicate if original)		15 1. SA 19			1
Special Door/Entrance Features (if any): Transom Other (describe). Original, if known and different: Comments: Personnel Doors: Original doors include single-leaf metal single-panel hinged doors that are typically painted. The front door has been replaced. Condition Assessment: Fair Condition Assessment: Fair As Built Details EV5 Recommended Detail: Project History Undertaking: Date:	Vehicular /Equipment Door T	ype Vehicular /Equipment Door 1	Materials Perso	onnel Door Type	Personnel Door Materials	
Other (describe). Original, if known and different: Comments: Personnel Doors: Original doors include single-leaf metal single-panel hinged doors that are typically painted. The front door has been replaced and consists of a double-leaf aluminum glazed double-panel hinged door with transom. Condition Assessment: Fair As Built Details EV5 Recommended Detail: Project History Undertaking: Date:			Panels, Si	<u>ngle Leaf</u>	Metal	
Original, if known and different: Comments: Personnel Doors: Original doors include single-leaf metal single-panel hinged doors that are typically painted. The front door has been replaced and consists of a double-leaf aluminum glazed double-panel hinged door with transom. Condition Assessment: Fair CDF Discussion: EV5 Recommended Detail: Project History Undertaking: Date:	Special Door/Entrance Features	s (if any): <u>Transom</u>				
Comments: Personnel Doors: Original doors include single-leaf metal single-panel hinged doors that are typically painted. The front door has been replaced and consists of a double-leaf aluminum glazed double-panel hinged door with transom. Condition Assessment: Fair CDF Discussion: As Built Details EV5 Recommended Detail: Project History Undertaking: Date:	Other (describe).					
and consists of a double-leaf aluminum glazed double-panel hinged door with transom. Condition Assessment: Fair As Built Details CDF Discussion: Project History Undertaking: Date:	Original, if known and diffe	rent:				
As Built Details EV5 Recommended Detail: Project History Undertaking: Date:					v painted. The front door has been replaced	
Project History Undertaking Date:	Condition Assessment: Fair		CDF Discussion	i:		
	As Built Details	EV5 Recommended Detail:				
CDF Affected;	Project History Undertaking		1	Date:		
	CDF Affected;					

Integrated Cultural Resources Management Plan: Joint Base Pearl Harbor-Hickam

HISTORIC FACILITY SUMMARY REPORT FOR

HICKAM, AIR FORCE CLINIC - 559H

Windows - (indicate if original)		
Type(s) Single. Paired	Original?:	No
Fixed Glass, Awning, Metal Sash	Other (describe):	
	Describe panes per sash:	<u>N/A</u>
	Percentage of original windows:	<u>0</u>
Additional information: (note if ori	ginal or replacement)	
Glazing Type		Other
Clear Float/Plate	*Describe: <u>Clear</u>	
Other (describe):		
Original, if known and different:		
Comments: <u>•Non-original windo</u>	ws include single and paired aluminum-framed	<u>t window units consisting of an upper fixed unit and a lower awning sash.</u>
Condition Assessment: <u>Good</u>	CDF	Discussion:
As Built Details:	EV5	Recommended Detail:
Project History Undertaking:		Date
CDF Affected:		
Stairs		
Туре		
Straight	*Describe: Original exterior stairs include co	oncrete monumental stairs
Railing(s)		
Round Baluster	*Describe: Non-original exterior railing con	sists of round metal pipe.
Comments: Low-profile flanking	concrete wing walls	
Condition Assessment:	CDF	Discussion:
As Built Details:	EV5	Recommended Detail:
Project History Undertaking:		Date:
CDF Affected:		

HISTORIC FACILITY - NARRATIVE HISTORY

Description:

Completed in 1941, the three-story hospital building has a concrete foundation and walls, and wood roof framing. The original part of the building is in two rectangular sections with a connecting hallway. The hipped roofs have asphalt roofing, but originally had clay shingle tile, except at the porte cochere, located on the southeast side. The building is generally devoid of ornamentation, and has strong horizontal emphasis due to the wide soffited eaves, string courses at each window sill level, and horizontal concrete window shade projections. The horizontal lines are balanced by the vertical shapes of the originally screened opening, but most screens have been replaced with windows or infilled, sometime after 1993. At the main entry there are decorative precast concrete grilles running vertically on either side of the central window groups above the porte cochere. The enclosed third-level of the connecting hallway was added, and a three-story addition for mechanical equipment was built on the southwest side of this hallway. A large addition to the clinic has been recently constructed to the north of the original building, with its axis at an angle to the rectangular shapes of the original clinic.

History:

Door, exterior: Original, four-panel with decorative grille - No Longer Extant, None condition - Recommend Restoration, Non-original doors should be replaced with doors that closely resemble the original style; see door schedule on plans. Walls, exterior: Concrete - Original, Good condition - Recommend Maintenance, Monitor and repair cracks and spalls. Grille, decorative: Geometric pattern precast concrete grilles at main entry running vertically on either side of central window groups above port cochere - Original, Good condition - Recommend Preservation, Retain as significant original architectural detail. Interiors: Interior finishes and layout - Not Original, Good condition - Recommend Maintenance, Standard maintenance as required. Roof, material: Clay shingle - Original, Good condition Recommend Preservation, Monitor original clay shingle roof for damage, repair immediately. Windows: Metal - Not Original, Good condition - Recommend Rehabilitation, Replace with windows similar to original style during cyclical replacement; see door schedule on plans. Light fixture, exterior: Pendant at main entry, porte cochere - No Longer Extant, None condition - Recommend Restoration, Replace existing fixture with original style; see plans. Railing, exterior: Metal pipe railing - Original, Good condition - Recommend Preservation, Keep corrosion free and retain in place as significant original architectural detail. Railing, exterior: Metal railings - Not Original, Good condition - Recommend Rehabilitation, Replace with pipe railings similar to original - similar diameter (1-1/2"), flanges, radius etc. Detailing, exterior: Soffit vents - Original, Good condition - Recommend Preservation, Retain as important character-defining detail. Detailing, exterior: Second and third floor weep holes - Original, Good condition - Recommend Preservation, Retain as important character-defining detail. Detailing, exterior: Porte cochere - Original, Good condition - Recommend Maintenance, Retain as significant original architectural detail. Detailing, exterior: Decorative cast concrete bracket on interior, was on exterior and part of original concrete railing of the second floor passage between the two wings - Original, Good condition - Recommend Preservation, Retain as important character-defining detail and information about alteration history. Roof, material: Asphalt - Not Original, Good condition - Recommend Maintenance, Standard maintenance as required. Detailing, exterior: Concrete visors/canopies with square edge - Original, Good condition - Recommend Preservation, Repair with standard concrete maintenance procedures and retain as significant original architectural detail. Windows, infilled: Concrete block - Not Original, Good condition - Recommend Rehabilitation, Replace with windows similar to original style to keep with building's fenestration pattern; see door schedule on plans. Windows: Screened openings at 4th floor - Original, Good condition - Recommend Preservation, Retain as significant original architectural detail. Addition: New mechanical building, including elevations between two original buildings - Not Original, Good condition - Recommend Maintenance, Acceptable solution, retain as required. Door, exterior; Replacement - Not Original, Good condition - Recommend Rehabilitation, Replace with doors that closely resemble original style; see door schedule on plans. Windows: Original style windows - No Longer Extant, None condition - Recommend Restoration, Non-original windows should be replaced with windows that closely resemble the original style during cyclical replacement; see door schedule on plans. Signage: "15th Medical Group" on port cochere entry - Not Original, Good condition - Recommend Rehabilitation, Consider making the signage a font that harmonizes with the Hawaiian tropical architecture. Source of Information:

HISTORIC FACILITY SUMMARY REPORT FOR **HICKAM, ADMINISTRATIVE OFFICE - 1113H**

Section 1

IDENTIFICAT	ION		and the state of the			
Facility No: Facility ID:	<u>1113H</u> NFA200000797201	Tax Map Key: Area Location:	Hickam	Demolished? <u>No</u> Grid	Survey Date: Survey Lead <u>VM</u>	
Facility ID Prior	to Joint Base:	Historic Z	one (or District) Hickam		2014 ICRMP CATEGORY	Ш
Facility Name:	ADMINISTRATIVE O	FFICE	Current Use:	ADMINISTRAT	TVE OFFICE	
HOUSING				a da da sera da		
Number of Hou	sing Units:					
Street Address:						

FACILITY ASSET DATA

PR Number: 0		Year Built: 1940		Stories:	2	ABMP:	
Regular Footprint?	N	Length:	Width:	Height		Area	
Photograph 1:				Photograph 2:			

Photograph 1:



Photo 1 Description:

Photograph 3:




Photo 3 Description:



Photo 2 Description:

Vicinity Map:



Vicinity Map Description:

Section 2

HISTORY					
Historic Name (if	f known):				
Original Use:	post Exchange			Source:	1998 HAFB CR
Other Past Use(s)):			Source:	
Researched Year	·Built:	(if different from Nav	y Data Base)	Source:	
Architect, Engine	eer or Construction Ba	ttalion, if known:			
Other Documenta	ary Sources:				
Period of Signific	cance WWI to WWII	(1918-1941), WWII (1941-	1945)		
Year(s) of Major	Renovation or Reloca	tion:			
Explain: <u>•Oovered lanai/walk at west wing infilled with CM</u> •West portion of covered lanai/walk at center entra •Second floor screened porch enclosed with double •Shingle roof replaced with asphalt shingles (1980) •Multiple doors and windows replaced or infilled			nce bay north elevati e-hung windows (195		<u>1U</u>
Year(s) of Major		1.1.1. (10			
		center and right wings (19	<u>52)</u>		
Other Documenta					
Historic Reference	ces:		As Builts.		
Historic Drawing	gs/Maps:		Historic Phot	tographs:	
Period Map 1:				Period Map 2:	
Period Map 1 D	escription:			Period Map 2 D	escription:
Period Map 3:				Period Map 4:	

Section 3

SIGNIFICANCE			
National Register Significar (* distinctive type, period Explanation of Significance	l, or method of constru Building 111 3 H	is significant under criterion C for	ic values, or distinguishable entity) the public place it occupies in the Nurse master plan and for its Art Deco style, characterized the early development at Hickam Field.
t I	he civic buildings inter I.B. Nurse. The buildi	nded to be included on strategically ng was designed in the Art Deco st	Utiple functions, including a Post Exchange. This three-part building is one of v included in the central section of the formal master plan designed by Capt. tyle with Hawaiian-Tropical style influences commonly used in important esulting in the desired uniformity of architectural style.
Criterion Consideration(s) [A thru G] Explanation		
Area(s) of Significance (exp	and on continuation sh	eet): <u>Architecture</u>	
Explanation of Area of S	Significanc		
Integrity (check all that app	y): Location Settin	g Feeling Association	
Explanation of Integrity		en slightly diminished due to the in It comers between buildings.	fill of covered walks, partial window and door replacements, and
Alterations affecting integri	•West portion of •Multiple doors	valk at west wing infilled with CM covered lanai/walk at center entra and windows replaced or infilled linking center and right wings (19)	nce bay north elevation infilled with CMU
CATEGORIZATION DATA			
1978 PH HPP Category: 2000 PH ICRMP Category: 2002 PH ICRMP Category: 2008 CN ICRMP Category: Prior Outlying Installation C Other Categorization Sytem Within bounds of a historic Date of NHL/NR Listing or	Categorization: s: district? <u>Yes</u>	Date of Other Cate District Name: <u>Hickam Histor</u>	P Category: II IP Category: II WWII Survey: NA Installation Categorization: gorization Systems: ric District
Comments:	Determination,	Area (Distri	(ct) manie.
HABS/HAER DATA			
HABS/HAER Number:	HABS HI-164-J	Doc Accepted by NPS:	Yes Date Accepted by NPS:
Related HABS/HAER Repo	rts:		
HABS/HAER Comments:			
AGREEMENTS AND COM	SULTATIONS		
106 Consultation(s):		Date:	106 Mitigations
MOA/PA(s):		Date:	undertaken:
MOU Stipulations:			Completion Date:
MOA Stipulations Undertak	en:		Completion Date:
Existing Preservation Plan? Preservation/Rehabilitation Major Stipulations Summar			Date:

Exterior Survey

HISTORIC FACILITY TREATMENT - EXTERIOR

Character Defining Historic E	xterior Features		
 Decorative wall vents at covered 	overed lanai/walk and at center bay. ed walk/lanai. overed walk/lanai with scored concrete top		
Recommended Treatment			
Project History			
Project	Date	CDFs Affected/Undertaking	
Detracting Features.			
•Non-original and infilled door	rs and windows		
 Infilled covered walk/lanai Surface mounted conduits and Window A/C units Inappropriate utility additions 	d equipment		
Setting			
	nated on an asphalt-paved and mown-turf si Building 69M (1120)	te on Scott Circle between Mills Boulevard	and Vickers Avenue . Adiacent historic
Plan Shape and Orientation	Standard Street	and the second second	
	n irregular asymmetrical V-shaped plan with the main entrance on the north		theast axis. It is composed of an east and
Building Style			
	Describe*: Support Building		
Public Spaces			
Туре	Describe*: <u>lovered walkways/lanai</u>		
Period			
Comments: Original covered	walks have concrete columns with scored to	tops decorative vents in the eaves and aci	d-stained concrete floors
Condition Assessment: Fair		CDF Discussion:	
As Built Details:		EV5 Recommended Detail:	
Project History Undertaking:		Date:	
CDF Affected:			
Foundation - (indicate if origin	1al)		
Foundation Screen Type: <u>N/A</u> <u>Concrete Footing .Not Visible</u> Comments	*Describe:		
Condition Assessment: Good		CDF Discussion:	
As Built Details:		EV5 Recommended Detail:	
Project History Undertaking:		Date:	
CDF Affected:			
Walls and Structural Compon	ents - (indicate if original)		
Structural System		Finishes	
Concrete Frame	*Describe:		*Describe: <u>•Exposed concrete framing and</u> CMU infill

Enclosure 5: Section 110 Surveys and Supporting Documentation

HISTORIC FACILITY SUMMARY REPORT FOR HICKAM, ADMINISTRATIVE OFFICE - 1113H

Exterior Survey			
Primary Exterior Material		Finish Type	
Concrete, CMU	*Describe: <u>•Concrete with CMU infill</u>	Painted	*Describe.
Additional Exterior Materials / F		<u>Scored details at column tops</u> <u>Decorative wall vents</u> Filleted concrete corners at end wall	and door and window openings
Original, if known and different:	Original material remains		
Further description (if needed):			
Comments:			
Condition Assessment: Good		CDF Discussion:	
Replacement Options:			
As Built Details:		EV5 Recommended Detail:	
Project History Undertaking:		Date:	
CDF Affected:			
Roof - (indicate if original)			
Туре		Material	
Hip		Asphalt Shingle	
*Describe:		*Describe	
Trim		Special Roof Features	
Eaves. Soffit. Drip Edge Flashin		Vents_Gutter/Downspout*.	Other**
*Describe:		**Describe: <u>•Other: Overha</u>	anging eaves with closed soffit wand decorative vents
*Gutter Details: Gutter and do	wnspout shape: Box and round		
Gutter and do	wnspout configuration: <u>Gutter with do</u>	wn <u>spout</u>	
Gutter and do	wnspout material: Sheet metal		
Original, if known and different:			
Comments:	Existing roof material is not original and documentation made available.	to the structure. Original roof mater	rial could not be determined from physical evidence
Condition Assessment: Good		CDF Discussion:	
As Built Details:		EV5 Recommended Detail:	
Project History Undertaking:		Date:	
CDF Affected:			
Doors - (indicate if original)			
Vehicular /Equipment Door Ty	pe Vehicular /Equipment Door Ma	terials Personnel Door Type	Personnel Door Materials
		Panels, Double Leaf	Metal. Wood
Special Door/Entrance Features	(if any):		
Other (describe):			
Original, if known and differe	ent: Some original material remains.		
	iginal personnel doors are double-leaf ward ward and a store front doors with tinted glazing		painted white and no longer in use Non-original
Condition Assessment: Fair		CDF Discussion:	
As Built Details		EV5 Recommended Detail:	
Project History Undertaking:		Date:	
CDF Affected			
Windows - (indicate if origin	al)		
Type(s) Single. Paired. Tr	iple Or	iginal?: <u>Yes</u>	
Fixed Glass. Double Hung. Woo	d <u>Sash</u> Other (d	escribe):	
Describe panes per sash: <u>1/1 an</u>	<u>d 2/2</u>		

Integrated Cultural Resources Management Plan: Joint Base Pearl Harbor-Hickam

HICKAM, ADMINISTRATIVE OFFICE - 1113H

	Percentage of original windo	ws: <u>N/A</u>
Additional information	on: (note if original or replacement)	
Glazing Type		Other
Clear Float/Plate	*Describe:	Painted
Other (describe):		
Original, if known ar	nd different:	
been m clear g Non-or	nodified by painting or infill of the glazing. Other original lazing at the southwest elevation of the center bay and p	uble-hung windows with concrete sill. Windows either have clear glazing or have, all windows include single one-over-one wood-framed double-hung windows with aired or triple wood-framed two-over-two double-hung windows with clear glazing e-hung windows at the second floor of the northeast elevation and various metal- on.
Condition Assessmen	t: <u>Good</u>	CDF Discussion
As Built Details:	I	EV5 Recommended Detail:
Project History Undertaking:		Date:
CDF Affected:		
Stairs		
Туре		
	*Describe:	
Railing(s)		
	*Describe:	
Comments:		
Condition Assessment	. (CDF Discussion:
As Built Details:	1	EV5 Recommended Detail:
Project History Under	taking:	Date:
CDF Affected:		

HISTORIC FACILITY - NARRATIVE HISTORY

Description:

Originally constructed for multiple functions, including a Post Exchange, this three-part building was completed in 1940. The three sections, laid out in a flaring U-shaped plan, are connected by a covered arcade on the inside of the U. Originally the central two-story section housed a barber shop, tailor shop, and office spaces. The single-story section for the Post Exchange was on the west side, and the single-story restaurant wing on the other side held separate dining areas for officers and enlisted personnel. The center section originally had an open lanai on the front side. All three sections of the building were designed in the Hawaiian/tropical style, and have precast concrete decorative grilles, decorative horizontal scoring on the top of the lanai columns, and wood double-hung windows. The enclosed eave at the second story has decorative grilles on the soffit roof vents.

History:

Roof, material: Asphalt shingle - Not Original, Good condition - Recommend Maintenance, Return to original clay shingle tile roofing material during the next reroofing cycle, color to be approved by SHPD. Windows: Wood, double-hung - Historic, Good condition - Recommend Preservation, Retain as significant character-defining architectural feature. Addition: Enclosure between south and central wings - temporary style buildings - Not Original, Good condition -Recommend Rehabilitation, Remove these additional facilities, they detract significantly from original building. Addition: Covered lanai and equipment enclosed on Vickers Ave side - Not Original, Good condition - Recommend Rehabilitation, Remove these detracting features, in highly visible location. Addition: Vertical wood mechanical enclosure - Not Original, Good condition - Recommend Maintenance, Retain; this addition is not in a visible location. Windows: Various replacement styles - Not Original, Good condition - Recommend Rehabilitation, Replace with windows similar to original style, wood, double-hung, Equipment, AC: Window mounted air conditioners - Not Original, Poor condition - Recommend Rehabilitation, Remove, these damage historic windows and wall fabric and detract from the historic integrity of the building, repair windows. Interiors: Interior finishes and layout - Not Original, Good condition - Recommend Maintenance, Standard maintenance as required. Railing, interior: Flat metal handrail at interior stairs - Original, Good condition - Recommend Preservation, Retain as significant original architectural detail. Floor, concrete: Acid-stained concrete floor - Original, Fair condition - Recommend Preservation, Restore acidstained concrete floor to its original condition. Tile, interior: Ceramic floor tile - Original, Fair condition - Recommend Preservation, Repair and retain as significant original architectural detail. Grille, decorative: Wall and soffit grilles in a geometric pattern - Original, Good condition - Recommend Preservation, Retain as significant original architectural detail. Detailing, exterior: Concrete columns with horizontal scoring near the top - Original, Good condition -Recommend Preservation, Retain as significant original architectural details. Detailing: Covered Arcade - Modified, Good condition - Recommend Preservation, Retain existing portions of the arcade as significant architectural detail; restore original style open arcade on west wing. Equipment: Excessive wall and ceiling mounted equipment and conduit - Not Original, Good condition - Recommend Rehabilitation, Remove what is not currently in use and reroute conduit into inconspicuous location. Addition: Infilled arcade area, west wing - Not Original, Good condition - Recommend Rehabilitation, Remove, these building additions severely detract from the original building. Door, exterior: Double glazed door - Original, Fair condition - Recommend Preservation, Repair and retain as significant original architectural detail. Door, exterior: Various replacement styles - Not Original, Good condition - Recommend Rehabilitation, Replace with doors similar to original style; see door schedule on plans. Door, interior: 3-panel glazed or wood 3-panel - seen on second floor - Original, Good condition -Recommend Preservation, Retain as significant original architectural detail. Windows, infilled: Windows infilled with CMU - Not Original, Fair condition -Recommend Rehabilitation, Infill should be removed and replaced with a window that matches the original style wood, double-hung windows. Doors, exterior: Original style glazed doors, with transom above - No Longer Extant, None condition - Recommend Restoration, Non-original doors should be replaced with doors that closely resemble the original style; see door schedule on plans. Addition: Enclosure between north and central wings - permanent building - Not Original, Good condition - Recommend Rehabilitation, Remove portion of addition that has encroached into the arcaded area. Windows: Wood, double-hung - Original, Good condition - Recommend Preservation, Retain as significant original architectural detail. Windows: Original style windows - No Longer Extant, None condition - Recommend Restoration, Non-original windows should be replaced with windows that closely resemble the original style wood, double-hung, Source of Information:

HISTORIC FACILITY SUMMARY REPORT FOR HICKAM, SV ADMIN - 1864H

Section 1						
IDENTIFICAT	TION					
Facility No:	<u>1864H</u>	Tax Map Key:		Demolished? No	Survey Date:	
Facility ID.	NFA200000796266	Area Location:	Hickam	Grid	Survey Lead <u>VM</u>	
Facility ID Price	or to Joint Base:	Historic Z	one (or District): <u>Hickam</u>		2014 ICRMP CATEGORY	IV
Facility Name:	SV ADMIN		Current Use:	<u>SV ADMIN</u>		
HOUSING						
Number of Hou	using Units:					
Street Address:						
FACILITY AS	SET DATA	17 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				

PR Number: 0 Year Built: 1945 ABMP: Stories. 1 Regular Footprint? <u>Y</u> Length: Width: Height : Area: Photograph 2:

Photograph 1:



Photo 1 Description:


Photograph 3:

Photo 3 Description:



Photo 2 Description:

Vicinity Map:



Vicinity Map Description:

HISTORIC FACILITY SUMMARY REPORT FOR HICKAM, SV ADMIN - 1864H

Section 2

HISTORY	
Historic Name (if known):	
Original Use:	Source:
Other Past Use(s):	Source:
Researched Year Built: (if different from Nav	yy Data Base) Source:
Architect, Engineer or Construction Battalion, if known:	
Other Documentary Sources:	
Period of Significance	
Year(s) of Major Renovation or Relocation:	
Explain: <u>•Doors replaced</u> •Roof cladding replaced with asphalt-shingle •Some glazing removed and replaced with window •Construction of wood-framed fence around adjace •Building clad with EIFS which extends over wood •Window sash replaced and set in original wood fit	cent mechanical equipment ad window trim
Year(s) of Major Addition:	
Explain:	
Other Documentary Sources:	
Historic References:	As Builts:
Historic Drawings/Maps:	Historic Photographs:
Period Map 1:	Period Map 2:
Pariod Map 1 Description:	Basiad Map 2 Departatio
Period Map 1 Description:	Period Map 2 Description
Period Map 3:	Period Map 4:

Period Map 3 Description:

Period Map 4 Description:

Integrated Cultural Resources Management Plan: Joint Base Pearl Harbor-Hickam

Section 3							
SIGNIFICANCE	SIGNIFICANCE						
National Register Significance C (* distinctive type, period, or r Explanation of Significance:	riteria method of construction, work of a maste <u>Does not meet NRHP criteria</u> ,	r, high artistic values, or dis	stinguishable entity)				
Significance Statement:	Significance Statement:						
Criterion Consideration(s) [A thr	u G] Explanation:						
Area(s) of Significance (expand	on continuation sheet):						
Explanation of Area of Signi	ficanc						
Integrity (check all that apply):	Location. Setting, Feeling, Association	1					
Explanation of Integrity:	Integrity has been diminished due to a		oors and recladding of structure				
Alterations affecting integrity:	•Doors replaced •Building clad with EIFS which exten- •Window sash replaced and set in orig	ds over wood window trim					
CATEGORIZATION DATA							
1978 PH HPP Category: 2000 PH ICRMP Category: 2002 PH ICRMP Category: 2008 CN ICRMP Category: Prior Outlying Installation Catego Other Categorization Sytems: Within bounds of a historic distr Date of NHL/NR Listing or Detector Comments: HABS/HAER DATA HABS/HAER Number: Related HABS/HAER Reports:	1998 H 2008 H 2012 H orization: Date o Date o ict? <u>No</u> District Name:	IAFB Category: IAFB CRMP Category: IAFB ICRMP Category: IAFB Post-WWII Survey: f Outlying Installation Cate f Other Categorization Syst Area (District) Name: ed by NPS:					
HABS/HAER Comments:							
AGREEMENTS AND CONSUL							
106 Consultation(s):	Date:		Mitigations ertaken:				
MOA/PA(s):	Date:	unde					
MOU Stipulations:		Com	pletion Date:				
MOA Stipulations Undertaken:		Com	pletion Date:				
Existing Preservation Plan?	Year:						
Preservation/Rehabilitation:		E	Date:				
Major Stipulations Summary:							

Exterior Survey

HISTORIC FACILITY TREATMENT - EXTERIOR

Character Defining Historic I	Exterior Features		
General mass and form Configuration of window and Overhanging roof eave with e	<u>doors openings</u> x <u>posed wood rafters</u>		
Recommended Treatment			
Project History:			
Project	Da	ate CDFs Affected/Undertaking	
3			
Detracting Features:			
•Window air conditioning •Non-original doors •EIFS Wall finish, obscuring o	original window frames		
Setting			
Describe: <u>The building is sit</u>	uated on a concrete site near	r Kuntz Avenue and McChord Street. The building	is adjacent to historic Building 1860H.
Plan Shape and Orientation			
Describe: The building has a	rectangular plan with the lo	ong axis oriented on a northwest-southeast axis and	the main entrance on the northeast elevation.
Building Style			
	Describe*: <u>Administrati</u>	on Building	
Public Spaces			
Туре			
	Describe*: <u>N/A</u>		
Period			
Comments:			
Condition Assessment: <u>N/A</u>		CDF Discussion.	
As Built Details:		EV5 Recommended Detail	
Project History Undertaking		Date:	
CDF Affected:			
Foundation - (indicate if origi	nal)		
Foundation Screen Type: <u>N/</u> <u>Slab on Grade</u>	<u>A</u> *Describe:		
Comments:			
Condition Assessment: Fair		CDF Discussion:	
As Built Details:		EV5 Recommended Detail.	
Project History Undertaking		Date	
CDF Affected:			
Walls and Structural Compon	ents - (indicate if original)		
Structural System		Finishes	
Wood Framing	*Describe:	EIFS	*Describe:
Primary Exterior Material		Finish Type	
Wood, Other*	*Describe: Wood and EIF	-S Painted	*Describe:
Additional Exterior Materials /	Features: (e.g., vents, bandi	ng pilasters	

Integrated Cultural Resources Management Plan: Joint Base Pearl Harbor-Hickam

HISTORIC FACILITY SUMMARY REPORT FOR HICKAM, SV ADMIN - 1864H

Exterior Su	rvey	and the second second		
Original, if know	vn and different			
Further description	on (if needed):			
Comments: Exi	isting cladding is no	ot original to structure		
Condition Assess	sment: <u>Fair</u>	CDF	Discussion:	
Replacement Op	ptions:			
As Built Details:	•	EV5	Recommended Detail:	
Project History U	Undertaking		Date:	
CDF Affected:				
Roof - (indicate i	if original)		17 P. 2	
Туре		1	Material	
Hip		4	Asphalt Shingle	
*Describe:			*Describe:	
Trim		2	Special Roof Features	
Eaves Fascia D	<u> Prip Edge Flashin</u>	2	Other**	
*Describe:			**Describe: <u>•Open eaves with ex</u> • <u>Spreen vents betwe</u>	
*Gutter Details:	Gutter and down	nspout shape: <u>N/A</u>		
	Gutter and down	spout configuration: <u>N/A</u>		
	Gutter and down	spout material: <u>N/A</u>		
Original, if know	vn and different:			
Comments:		Existing roof material is not original to the s and documentation made available.	<u>tructure. Original roof material co</u>	ould not be determined from physical evidence.
Condition Asses	sment: <u>Fair</u>	CDF	Discussion:	
As Built Details:		EV5	Recommended Detail:	
Project History U	Undertaking:		Date:	
CDF Affected:				
Doors - (indica	te if original)			
Vehicular/Equ	ipment Door Type	Vehicular /Equipment Door Materials	Personnel Door Type	Personnel Door Materials
			Flush. Panels. Single Leaf.	Metal. Wood. Glazed
Special Door/En	ntrance Features (if	any):		
Other (describe)):			
Original, if kr	nown and different	:		
		n-original doors are single- and double-leaf m pors which are painted.	etal-framed panel hinged doors w	rithtinted glazing; single- and double-leaf
Condition Asses	_		Discussion:	
As Built Details		EV5	Recommended Detail:	
Project History (Undertaking		Date:	
CDF Affected:				
Windows - (ind	dicate if original)			
Type(s) S	ingle. Paired	Original?:	No	
Double Hung. M	letal Sash	Other (describe)	:	
		Describe panes per sash	: <u>1/1</u>	
		Percentage of original windows	:: <u>0</u>	
Additional infor	rmation: (note if or	iginal or replacement)		

Integrated Cultural Resources Management Plan: Joint Base Pearl Harbor-Hickam

HISTORIC FACILITY SUMMARY REPORT FOR

HICKAM, SV ADMIN - 1864H

Glazing Type	Other
<u>Color/Tinted</u>	*Describe:
Other (describe):	
Original, if known and different:	
Comments: <u>Original windows in</u> original projecting w	clude single and paired aluminum-framed one-over-one double-hung windows with tinted glazing in wood frames with vood sills.
Condition Assessment: Fair	CDF Discussion:
As Built Details:	EV5 Recommended Detail:
Project History Undertaking:	Date:
CDF Affected: Stairs	
Туре	
	*Describe: <u>N/A</u>
Railing(s)	
	*Describe: <u>N/A</u>
Comments:	
Condition Assessment: <u>N/A</u>	CDF Discussion:
As Built Details:	EV5 Recommended Detail:
Project History Undertaking	Date:
CDF Affected:	

HISTORIC FACILITY SUMMARY REPORT FOR HICKAM, SV ADMIN - 1864H

HISTORIC FACILITY - NARRATIVE HISTORY

Description:

History:

Source of Information:



DEPARTMENT OF THE ARMY US ARMY INSTALLATION MANAGEMENT COMMAND, PACIFIC REGION HEADQUARTERS, UNITED STATES ARMY GARRISON, HAWAII 851 WRIGHT AVENUE, WHEELER ARMY AIRFIELD SCHOFIELD BARRACKS, HAWAII 96857-5000

REPLY TO ATTENTION OF:

Office of the Commander

Ms. Laura H. Thielen State Historic Preservation Officer Kakuhihewa Building, Room 555 601 Kamokila Boulevard Kapolei, Hawaii 96707

Dear Ms. Thielen:

The Directorate of Public Works, United States Army Garrison, Hawaii (USAG-HI) is writing to open consultation with your office pursuant to The National Historic Preservation Act of 1966, as amended (16 U.S.C. 470f), on the Determination of Eligibility of Tripler Army Medical Center (TAMC) and Richardson Theatre at Ft. Shafter for inclusion on the National Register of Historic Places. The two properties are linked through their developmental history and their association with General Robert C. Richardson.

The US Army Garrison-Hawaii in fulfillment of its Federal agency obligations under Section 110 of the National Historic Preservation Act of 1966 and in compliance with 36 CFR 800.4, is presenting the agency findings based upon its identification efforts at the installation of Tripler Army Medical Center and Richardson Theatre on the Island of Oahu, Hawaii. This letter intends to officially determine TAMC and Richardson Theatre eligible for inclusion on the National Register. The formal nomination proposing a discontiguous district, to include TAMC and Richardson Theatre will be prepared at a later date.

Tripler Army Medical Center

Tripler Army Medical Center rests within the district of Honolulu in the ahupua'a of Moanalua. According to the Real Estate Office records at Wheeler Army Airfield, Tripler Army Medical Center occupies 367.21 acres of land. The TMK values for TAMC are 1-1-12-5. The historic district proposed for TAMC would include all areas within the borders of TAMC except the upper housing area, as these housing units of lower quality and design were added in during the 1950s. The enclosed map illustrates the proposed district (Enclosure 1). The proposed boundary includes the greater portion of the medical center as the whole complex has a functional cohesive identity. The boundary is also defined as such due to the fact that the original landscape design of the medical center was intended to define the medical center's boundaries, to give the whole complex a distinct character and to achieve a hierarchy of emphasis of the facilities within the total medical complex.

Tripler Army Medical Center derives its name from Brigadier General Charles Stuart Tripler (1806-1866). General Tripler graduated from the College of Physicians and Surgeons in New York in 1827. He entered the Army at West Point, New York, and received a commission as an assistant surgeon in 1830. Serving as a career Army surgeon in military campaigns during the nineteenth century, General Tripler was able to identify crucial issues facing Army soldiers in post combat triages. As a result of his experiences, General Tripler authored two publications, *The Manual of the Medical Officer of the Army of the United States* and the *Handbook for the Military Surgeon*, that set the standard for medical officers in the US Army for several decades. His innovative writings are considered to be responsible for vast improvements in the medical care of US Army soldiers after the American Civil War.

Research on the setting of Tripler Army Medical Center has not yielded any data that would support an era of significance before the construction of the medical complex. According to The Cultural Resources Inventory Survey of the Tripler Army Medical Center-US Army Sub-Installation-Oahu Island, Hawaii (September, 1999), the land on which TAMC rests was the ahupua'a of Moanalua within the Moku (or district) of Kona under the pre-European contact land management system. The 1999 survey revealed that the Moanalua ahupua'a (covering a total of 9,869.7 acres) was a prime ahupua'a, valued for all its ideal natural features; this ahupua'a contained three fresh water streams, six fishponds in the makai (towards the sea) portions, a village site, a burial cave, five Heiaus (religious structures), a fresh water lake, a salt-water lake (now both infilled), a boulder inscribed with petroglyphs, two 'Sacred Places', and taro plats. The September 1999 survey drew from data collected at that time and from studies conducted in 1903 by Thomas Thrum and in 1930 by J. Gilbert McAllister. Most of the archaeological sites/features have been identified outside the boundaries of TAMC, but archaeological studies at this site are not complete. Information on the land use within the boundaries of TAMC before European contact remains obscure. Current data suggests that the area within the borders of TAMC was used for cattle grazing as well as the cultivation of sugar cane and pineapple during the 19th and early 20th centuries.

According to the results of the research compiled for the nomination Tripler Army Medical Center is eligible for the National Register under three (A, B and C) of the criteria highlighted below:

The quality of significance in American history, architecture, archeology, engineering, and culture is present in districts, sites, buildings, structures, and objects that possess integrity of location, design, setting, materials, workmanship, feeling, and association, and: A. That are associated with events that have made a significant contribution to the broad patterns of our history; or

B. That are associated with the lives of persons significant in our past; or

C. That embody the distinctive characteristics of a type, period, or method of construction, or that represent the work of a master, or that possess high artistic values, or that represent a significant and distinguishable entity whose components may lack individual distinction; or

D. That have yielded or may be likely to yield, information important in prehistory or history.

The era of significance for Tripler Army Medical center has been identified from 1943-1975.

Justification of eligibility under Criteria A:

Tripler Army Medical Center was constructed from 1943-48. This medical center is the second medical complex in a second location to bear the name of Tripler. The original Tripler Hospital was located at Fort Shafter, adjacent to the National Historic Landmark of Palm Circle. These wood-frame structures were built during the initial construction campaign and incrementally at Fort Shafter between 1905-1920. Once the existing Tripler Army Medical Center was constructed, the original medical complex was demolished. The original site of the hospital is now largely occupied by the Moanalua Freeway adjacent to Fort Shafter. The date of construction of the TAMC complex during World War II places added significance as the medical center was initially constructed by Italian Prisoners of War that were housed on Sand Island. The construction of the complex also was an activity during World War II on the American homefront. The medical center's construction was prompted by the great number of wounded soldiers presented to the original hospital that it could not accommodate during the war. The medical center was also the result of General Robert C. Richardson's efforts as Military Governor of Hawaii, a position he held as a result of the war and the attack on Oahu by the Japanese on 7 December, 1941.

Research on the land title transfer history has revealed an important associated historic context for TAMC. The US Army acquired the land that TAMC occupies by condemnation that resulted in two US Supreme Court Cases (Civil Case #534 and Civil Case # 684), *The United States of America vs. The Estate of Samuel M. Damon* that have significant implications associated with the property ownership rights of US citizens. The title transfer history also revealed that the land TAMC rests upon was previously owned by the royalty of Hawaii, which included persons such as King Kamehameha V, Bernice P. Bishop, Princess Ruth Ke'elikolani, King Kamehameha III.

The research conducted for the *Architectural Survey of Tripler Army Medical Center* revealed that TAMC was commissioned to be built by Lt. General Robert C. Richardson Jr. General Richardson was the Commander of the Pacific Ocean Areas and Military Governor of Hawaii from 1943 until 1945. General Richardson was appointed to this position by President Franklin D. Roosevelt. General Richardson was involved in every aspect of the design and construction of this medical facility. It was Richardson's vision that enabled TAMC to be built in spite of opposition from the War Department. General Richardson, because of his role as Military Governor of Hawaii, had the authority to initiate the construction of TAMC.

According to archival records at the National Archives in College Park, Maryland and the General Robert C. Richardson collection at the Hoover War Institute, General Richardson procured the services of the prominent New York City based, architectural firm of York & Sawyer to design TAMC. A majority of the TAMC buildings were custom designed buildings. The architectural firm of York & Sawyer was founded by Edward York and Philip Sawyer who had trained in the offices of McKim, Mead and White. The company was established in 1898 and specialized in hospitals and other large scale public buildings. Some of the more noted buildings designed by the firm are the Federal Building in Honolulu (1917-22), the Brooklyn Trust Building (1913-16), the Federal Reserve Bank of New York (1919-24) and the Avery Architectural and Fine Arts Library at Columbia University.

According to the archival records, General Richardson also procured the services of the landscape architect, Robert O. Thompson, to create a medical center that allowed for the architecture and landscape to work in concert to create a 'place of soltice and rehabilitation' for US Army soldiers to receive medical treatment. The data contained in the Richardson collection at the Hoover War Institute indicate that he set out to create a more pleasant environment for the US Army soldiers to receive medical care as all the medical facilities he had seen in his career, which spanned the Moro Philippine Conflict, World War I and World War II, offered a very stark environment. General Richardson also set out to offer the soldiers a campus where they could heal in a more positive environment than offered by other military hospitals.

Robert O. Thompson was the landscape architect of other prominent projects in Hawaii such as Doris Duke's Shangri La, the governor's residence, Washington Place, the Royal Hawaiian Hotel, and the Punchbowl National Memorial Cemetery of the Pacific. Mr. Thompson attended landscape architecture school at Harvard University and also spent two years studying landscape architecture in Sweden. He and his wife, Catherine had an independent landscape architectural firm in Hawaii under the name of Thompson & Thompson.¹

The landscape plan of Mr. Thompson created large scale berms to screen the ancillary buildings and to focus most of the attention towards the primary facility. The berms also allowed for unobscured views from each of the buildings as well as providing privacy buffers from one part of the medical center to the next. Many of the patient rooms were designed with balconies to allow the patrons to enjoy the benefits of the setting. The medical center was sited as to take advantage of the spectacular views of Oahu and the ocean. The landscape plan also included contrasts between the open manicured green spaces as well as the scrubby areas between them. The scrubby areas of the landscape also acted to provide buffers between where soldiers lived and where they worked at the hospital. The landscape and the architecture were inseparable components in the creation of the whole complex.

The open front lawn of the medical center as well as the elevated front façade of the main hospital resulted in a visual dominance of TAMC over most of the central portion of Oahu. The prominence of the strong Modernist architecture of the main hospital with its unobstructed view that the landscape plan offered resulted in the medical center becoming a familiar iconic feature of the cultural landscape of the Island of O'ahu from 1948 to the present.

The initial stages of construction at TAMC were performed by Italian Prisoner of War labor. Their labor was used primarily for site preparation. The primary contractor for the construction of the complex was the Peter Kiewit Construction Company. Morris-Knudson and The Hawaiian Construction Company were sub-contractors on the project. Peter Kiewit Construction is now Kiewit Pacific in Honolulu, Hawaii. Morris-Knudson and the Hawaiian Construction Company are no longer extant.

Justification under Criteria B

The association of Tripler Army Medical Center with General Robert C. Richardson Jr. offers a strong case for eligibility. General Richardson was appointed as Military Governor of Hawaii and the Commander of the Pacific Ocean Area by President Franklin D. Roosevelt. General Richardson was the first to hold such as position in the United States since the American Civil War. His prolonged position as Military Governor created a conflict between the Judicial and Executive branches of the US Government as the constitutionality of his role was in question. General Richardson was involved in every aspect of the design and construction of this medical facility.

¹ Historic American Buildings Survey

Justification under Criteria C

Tripler Army Medical Center's buildings are of the Modernist style. The buildings were constructed primarily of re-inforced concrete, accentuated with superior materials such as terra-cotta panels, fired clay roof tiles, window hoods of fired clay tiles, stone window sills, brushed aluminum rails, concrete screens and acid washed concrete surfaces. Some of the medical complex buildings are the strongest examples of post World War II, Modernist architecture in Hawaii. General Richardson required that the architects integrate elements from the Royal Hawaiian Hotel (1925-27) into the design of TAMC. These elements include the smooth concrete finish, the window hoods, balconies and the more noted signature coral pink color.

The primary medical center building was constructed in the design trends of other noted Modernist buildings such as Rockefeller Center (NHL 1987) and the Empire State Building (NHL 1986). The style became mostly associated with American commerce after World War II. The style was a result of the influences of Le Corbusier, Walter Gropius, Ludwig Mies Van der Rohe and the Art Deco movement of the early twentieth century. Tripler's main tower offers a example of the style and strongly displays the influences of Modernism with late Art Deco influences. The ancillary buildings at TAMC all offer varying degrees of expressions of Modernism. TAMC's Modernist architecture represents a distinctive type and period of architecture. The main hospital structures/tower, Buildings #40 and #215 are the strongest examples from this movement at TAMC. Building #40 was included in the initial plans of Tripler Army Medical Center to offer the soldiers a post traumatic stress disorder/mental health facility, which according to General Richardson, were services not offered to US Army soldiers up until this time. The original nursing billeting complex buildings (i.e. #220, #222, #226 and #228) would be the next best examples at TAMC from this movement.

Tripler Army Medical Center retains a high degree of historic integrity. According to original and contemporary site maps, the medical complex has lost only a small number of its original buildings (some of which are the Officer's Club, the Theatre and the Gas Station). There have been a few insertions of new buildings into the inventory. The landscape plan appears to be relatively intact.

Building Number	Function	Contributing	Non-Contributing
40	Administration	X	iten oonthouting
215	Personnel Division	X	
60	Sentry Station		X
Wing A	Main Hospital	X	
Wing B	Main Hospital	X	
Wing C	Main Hospital	x	
Wing D	Main Hospital	x	
Wing E	Main Hospital	x	
Wing F	Main Hospital		Х
Wing G	Main Hospital		X
Wing H	Main Hospital		X
30	Ambulatory Care Clinic		X
32	Parking Structure		X
137	Central Heating Plant		X
134	General Storage		
122	Greenhouse		Х
103	Garage		X
102	Army Education Center	X	
104	HQ Medical Companies A and B	X	
101	Tennis Courts	X	
300	Gymnasium	Х	
301	Pool	X	
220	Army Lodging/ BEQ	X	
	Army Lodging- Guest House/		
222	BOQ	X	
226	Army Lodging- Guest House	X	
228	Army Lodging- Guest House	X	
250	Playground		X
238	Housing Row Homes	X	
239	Housing Row Homes	X	
320	Fire Station	X	
315	Fisher House		X
250	Playground		X
240	Water Pumping Station	X	
242	Water Storage Tank	X	
238A	Carports		X
238B	Carports		X
239A	Carports		X
239B	Carports		X

The Section 110 survey resulted in the following determinations of contributing and non-contributing members of the historic district:

Building Number	Function	Contributing	Non-Contributing
341	CO/WO Family Housing		X
343	CO/WO Family Housing		X
345	CO/WO Family Housing		X
347	CO/WO Family Housing		X
349	CO/WO Family Housing		X
322	CO/WO Family Housing		Х
324	CO/WO Family Housing		Х
326	CO/WO Family Housing		X
328	CO/WO Family Housing		X
330	CO/WO Family Housing		X
332	CO/WO Family Housing		X
333	CO/WO Family Housing		X
331	CO/WO Family Housing		X
329	CO/WO Family Housing		X
327	CO/WO Family Housing		Х
325	CO/WO Family Housing		Х
323	CO/WO Family Housing		Х
334	CO/WO Family Housing		X
336	CO/WO Family Housing		X
338	CO/WO Family Housing		X
340	CO/WO Family Housing		X
342	CO/WO Family Housing		X
344	CO/WO Family Housing		X
346	CO/WO Family Housing		X
348	CO/WO Family Housing		X
350	CO/WO Family Housing		X
399	Multiple Court Area		X
398	Bus Shelter		X
373	NCO & Officers Family Housing		X
373A	NCO & Officers Family Housing		X
375	NCO & Officers Family Housing		X
375A	NCO & Officers Family Housing		X
377	NCO & Officers Family Housing		X
377A	NCO & Officers Family Housing		X
379	NCO & Officers Family Housing		X
379A	NCO & Officers Family Housing		Х
381	NCO & Officers Family Housing		X
381A	NCO & Officers Family Housing		X
383	NCO & Officers Family Housing		X
383A	NCO & Officers Family Housing		X
385	NCO & Officers Family Housing		X
337	Family Housing		X

Building Number	Function	Contributing	Non-Contributing
385A	NCO & Officers Family Housing		X
366	NCO & Officers Family Housing		X
366A	NCO & Officers Family Housing		X
397	Bus Shelter		X
368	NCO & Officers Family Housing		X
368A	NCO & Officers Family Housing		X
370	NCO & Officers Family Housing		X
370A	NCO & Officers Family Housing		Х
370B	NCO & Officers Family Housing		X
351	NCO & Officers Family Housing		X
351A	NCO & Officers Family Housing		Х
353	NCO & Officers Family Housing		X
353A	NCO & Officers Family Housing		X
353B	NCO & Officers Family Housing		Х
355	NCO & Officers Family Housing		Х
355A	NCO & Officers Family Housing		Х
357	NCO & Officers Family Housing		X
357A	NCO & Officers Family Housing		X
357B	NCO & Officers Family Housing		X
359	NCO & Officers Family Housing		X
359A	NCO & Officers Family Housing		Х
361	NCO & Officers Family Housing		X
361A	NCO & Officers Family Housing		X
363	NCO & Officers Family Housing		Х
363A	NCO & Officers Family Housing		Х
363B	NCO & Officers Family Housing		Х
371	NCO & Officers Family Housing		Х
371A	NCO & Officers Family Housing		Х
354	NCO & Officers Family Housing		Х
354A	NCO & Officers Family Housing		Х
356	NCO & Officers Family Housing		X
356A	NCO & Officers Family Housing		Х
369	NCO & Officers Family Housing		Х
369A	NCO & Officers Family Housing		Х
367	NCO & Officers Family Housing		Х
367A	NCO & Officers Family Housing		Х
365	NCO & Officers Family Housing		Х
365A	NCO & Officers Family Housing		Х
358	NCO & Officers Family Housing		X
358A	NCO & Officers Family Housing		Х
75018	Playground		Х

Building Number	Function	Contributing	Non-Contributing
110	VA Center for Aging		X
132	Recreation Equipment Checkout		Х
128	Recreation Shelter (dugout)		X
129	Recreation Shelter (dugout)		X
131	Baseball/Football Field	X	
161	Central Logistics		X
160	General Purpose Warehouse	X	
154	Deodorizer Building		X
153	Waste Storage	X	
	Engineering/Housing		
152	Maintenance		X
148	Veterinarian Facility		X
155	Printing Plant/Storage		X
	Laboratory, Engineering/Housing		
147	Maintenance	X	
	Engineering/Housing		
143	Maintenance	X	
	Engineering/Housing		
141	Maintenance	X	
	Engineering/Housing		
145	Maintenance	X	
	Engineering/Housing		
145	Maintenance	X	
127	Warehouse	X	

The landscape features and the exterior of the buildings are the primary character defining features of the medical complex. Kyser Auditorium in the A wing is an interior space that possesses strong features of the original medical complex.

Tripler Army Medical Center is the headquarters of the Pacific Regional Medical Command. The medical center played a central role during both the Korean and the Vietnam conflicts. Therefore, the era of significance for the medical center is defined as 1943-1975.

Richardson Theatre

Richardson Theatre at Ft. Shafter was constructed from 1944-48 under the same contract as Tripler Army Medical Center. The architect was Cole McFarland who also designed Building 100 at Palm Circle (NHL, 1986). Mr. McFarland was a graduate of Columbia University and Georgetown University and was employed by the Honolulu District Office of the Corps of Engineers during World War II.

Richardson Theatre is an excellent example of American Roadside architecture. This form of architecture was the creation of the architect Wayne McAllister who is credited as the inventor of the American diner. The diners were known as 'Googies' and originated from southern California. Some of Richardson Theatre's character defining features that are in alignment with this movement are its stainless steel doors and trim, its wrap-around Ianai, its glass block windows, the theatre's original neon lights, the Greek key scoring, and its decorative cornice. The building was also originally pink as the contract called for this color to be applied to the Tripler hospital buildings as well as the theatre. Richardson Theatre represents one of the stronger examples of this type of architecture in Hawaii. According to the original plans of the building, the theatre retains many of its original features and therefore possesses a high degree of historic integrity. The theatre was constructed as the Fort Shafter Theatre, but was re-named 'Richardson Theatre' in 1954 in honor of General Robert C. Richardson Jr. who died that year.

The Army is asking for concurrence with the determinations of eligibility of TAMC and Richardson Theatre at Ft. Shafter. If you have any further questions, please contact Kenneth Hays at 808-656-3094 or Dr. Laurie Lucking at 808-656-6790.

Sincerely,

Matthew T. Margotta Colonel, US Army Commanding

Enclosures

PETER T. YOUNG Chairferson Make of Landi and Mattrat, repoir (p) Minession on Water redoire ce Manageme

ROBERT K. MASUDA

DEAN NAKANO ACTING REPUTY DIRECTOR . WATER

STATE OF HAWAII DEPARTMENT OF LAND AND NATURAL RESOURCES

POST OFFICE BOX 621 HONOLULU, HAWAH 96809 AQUATES MENULACES DEATERS AND OCEAN ARTERATION BIREAU DY CONVEYANCES COMMESION ON WATES RESOLUCE MANAGEMIRT CONSERVATION AND COASTAL, LANDA CONSERVATION AND RESOURCES INFORCEDENT ENGRAVE AND RESOLVE TARAGOLOGICA ENGRESTRY AND WILDLER ISTORIC HESSINVATION KABOOLAWE ISLAND RESERVE COMMERSION LAND STATE PARKS

MAY 2 5 2005

Floyd A. Quintana, Colonel, US Army Director of Public Works, Department of the Army Headquarters, United States Army Garrison, Hawaii Schofield Barracks, Hawaii 96857-5000

LOG NO: 2005.0757 DOC NO: 0504ST03

Dear Colonel Quintana:

SUBJECT: Section 106 (NHPA) Review Whole Barracks Renewal Project at Tripler Army Mcdical Center (TAMC) Honolulu, Oahu, Hawaii TMK: (1) 1-1-012:005

Thank you for your letter received April 1, 2005. The proposed project is for the provision of 250 billeting units, a COF Building, and a Troop Command Headquarters at Tripler Army Medical Center (TAMC) located on the Island of Oahu. One option involves the demolition of Buildings #222, #226, and #228 which are the original nursing billets and are currently being used for Army lodging. In their place would be the construction of a complex of two, three-story Army Standard Design billeting structures, an Army Standard Design COF building, and a parking lot surrounded by a retaining wall. Buildings #215 and #220 would be renovated for use as the Troop Command Headquarters.

A second option retains Buildings #222, #226, and #228 for use with Building #104 as billeting space. Buildings #220 and #215 would house the Headquarters facility, the old Officer's Club site would be the location for the new COF building, and there would be a new parking structure located adjacent to Building #102. Existing green space around these structures would be retained.

Both options include the proposal for a new Army Lodging Facility to be built in the area fronting the Hospital and near the open lawn area.

Although TAMC is not listed on the National Register of Historic Places the Army is hoping to make a determination of eligibility for listing as a National Register District based on an inventory and survey currently being done in compliance with Section 110 of the National Historic Preservation Act of 1966 The Army believes that TAMC qualifies under Criteria B for its association with General Robert C. Richardson II and under Criteria C for its type of architecture. The Army considers TAMC's Modernist architecture to be the best example of its type in the State of Hawaii where Buildings #220, #222, #226, and #228 are considered second only to the main hospital structures/tower, Buildings #40, and #215

The final determination for listing must be made by the State's Historic Resources Review Board and by the National Register's Review Board. However, based on the submitted history and background, we strongly agree that TAMC appears to qualify for listing as a National Register District under Criterias B and C. We agree that the original nursing billets should be retained as contributing elements, as should the existing green open lawn areas, towards TAMC's qualification as a designated Historic District.



and and a

LINDALINGI.E GOVERNOR OF HAWAII

Floyd A. Quintana, Colonel, US Army Page 2

We applaud the Army's nomination efforts to attain such a prestigious and nationally recognized distinction for TAMC and appreciate the opportunity to comment during the proposed project's early development stages. We look forward to continued consultation with the Army as exemplary stewards of such a rich historic heritage resource.

Thank you for the opportunity to comment. Should you have questions regarding architectural concerns, please call Susan Tasaki at 692-8032. Should you have questions regarding archaeological concerns, please call Mary Carney at 692-8027.

Sincerely,

Peter T. Young U State Historic Preservation Officer

ARCHAEOLOGY REFERENCES: Loko Lelepaua (Site: 50-80-13-00082)

The proposed Ambulatory Care Center replacement project is located outside the northern boundary of Loko Lelepaua, and ancient Hawaiian fishpond dating to the late prehistoric period (Figure 1). Loko Lelepaua (Site 50-80-13-00082) was a large inland fishpond measuring approximately 332 acres. The walls were constructed of earthen and coral embankments that measured 10 feet or more in width.

Four studies were conducted within and near Loko Lelepaua including Athens and Ward (1999a, 2002; Athens, Ward, and Blinn (2001a), and Robbins, Clark, and Allen (1999). Athens and Ward (1999a) conducted paleoenvironmental coring within and outside of Loko Lelepaua. Fishpond sediments were not identified during coring. The cores contained inverted stratigraphies, with possibly intact historic-period deposits overlain by prehistoric sediments. These overlying sediments were interpreted as fill from military and airport construction.

Robbins et al. (1999) conducted archaeological monitoring of excavations associated with the construction of three new lighting fixtures at the Hickam Air Force Base AMC Ramp. Construction of the light fixtures included three borings within the previous boundaries of Lelepaua Fishpond. Although no cultural material was found during monitoring, two of the excavations (Cores I and 2), extending 4.1 m (13.4 ft.) below surface, contained possible intact stratigraphic layers associated with Lelepaua Fishpond. Imported coral fill overlaid these possible fishpond sediments. Radiocarbon dates indicated that aquacultural activities associated with Lelepaua Fishpond occurred between the late 13th and mid-15th centuries.

Athens et al. (2001a) conducted paleoenvironmental coring at Tank 2, located along the northern end of Loko Lelepaua. Two adjacent sediment cores and a trench were excavated to document possible fishpond deposits and provide information concerning the chronology of fishpond construction and the past environment. Fishpond sediments could not be conclusively identified based on morphological characteristics. Tank 2 sediment columns consisted almost entirely of fill, a finding consistent with the coring results. It appears that much of the northern portion of Lelepaua Fishpond has been destroyed as a result of airfield construction.

Athens et al. (2002) conducted paleoenvironmental coring at the AMC Ramp (Cores 1 and 2), located in the central portion of Loko Lelepaua. Possible fishpond sediments were identified in both cores including Layer III in Core 1 and Layer III and IV in Core 2. However, these layers could not be conclusively attributed to the fishpond based on morphological characteristics of the sediments.

Although no archaeological surveys have been previously conducted in the proposed Ambulatory Care Center project area, four paleoenvironmental investigations were conducted in the immediate vicinity (Athens and Ward 1999a, 2002; Robins et al. 1999; Athens 2001a). Fishpond deposits were not identified during the two studies by Athens and Ward (1999a, 2002) and Athens (2001a). Robins et al. (1999), however, documented possible fishpond deposits at two locations. Results of radiocarbon dating indicated a sequence of pond floors comprising almost 2.5 m of vertical sediment deposition. This is inconsistent with findings at other studies in the area. Core 2 was taken in very close proximity to Core 1 (Athens and Ward 1999a). It appears that the lower depths of both cores are intact, but the upper deposits consisted of historic fill. Athens and Ward (1999a) provided no support for the presence of fishpond deposits in their cores. The proposed Ambulatory Care Center replacement project was designated in an area of low potential of encountering subsurface cultural remains due to extensive previous modifications from sugarcane cultivation and military and airport construction. No fishpond sediments were identified by Athens and Ward (1999a, 2001a), and possible fishpond sediments noted by Robins et al. (1999) were inconclusive. Results of coring within Loko Lelepaua and immediate vicinity exhibited over 13 feet of coral fill overlying disturbed prehistoric sediments.

Traditional land use of the area included fishponds and associated salt works. McAllister (1933:93) indicated that Loko Lelepaua was built by the O'ahu chief, Ka'ihikapu-a-Manuia. According to Cordy (1996:596), Ka'ihikapu-a-Manuia ruled between AD 1620 and 1640, suggesting that Loko Lelepaua was constructed relatively late in the prehistoric period.

Land use on the coastal plain remained unchanged throughout most of the 19th century. In 1889, the Oahu Rail and Land Company connected Honolulu to 'Aiea. The tracks between Moanalua and Halawa crossed the upper edge of the coastal plain. Within the next decade, sugar cane cultivation extended to the upper boundaries and in the fishponds, including Loko Lelepaua and the subject project area.

Urbanization of the landscape began in 1926-1927, when John Rodgers Field was built. In 1935, the U.S. Government purchased over 2,225 acres from the Bishop, Damon, and Queen Emma Estates to develop Hickam Air Force Base. By 1939, military aircraft joined with civilian planes at John Rodgers Field and replaced sugarcane on the upper coastal plain.

Bibliography

Athens, J. Stephen, and Jerome V. Ward

- 1999a Paleoenvironmental Coring at Loko Lelepaua: Hickam AFB, Honolulu, Hawai'i. International Archaeological Research Institute, Inc., Honolulu.
- 2002 Paleoenvironmental Coring at Loko Lelepaua, AMC Ramp Repair Project, Hickam AFB, Honolulu, Hawai'i. International Archaeological Research Institute, Inc., Honolulu.

Athens, J., G. Ward, and D. Blinn

2001a Paleoenvironmental Coring at Tank 2, Hickam Air Force Base, Honolulu, Hawaii. International Archaeological Research Institute, Inc., Honolulu

Cordy, Ross

1996 The Rise and Fall of the O'ahu Kingdom: A Brief Overview of O'ahu's History. In Oceanic Culture History: Essays in Honour of Roger Green, ed. by Janet Davidson, Geoffrey Irwin, Foss Leach, Andrew Pawley, and Dorothy Brown, pp. 591-613. New Zealand Journal of Archaeology, Special Publication. Dunedin North, New Zealand.


McAllister, J. Gilbert

1933 Archaeology of Oahu. B.P. Bishop Museum, Bulletin 104, Honolulu (republished by Kraus Reprint Company, Millwood, New York, 1976).


Robins, Jennifer J., Stephan Dane Clark, and Jane Allen

1999 Archaeological Monitoring and Sampling During Construction Excavations for the AMC Ramp Lighting Project at Hickam Air Force Base, O'ahu Island, Hawai'i. Ogden Environmental and Energy Services Company, Inc., Honolulu This page intentionally left blank.













B1113H



B559H



TAMC



B1514





B554H



B1407



B1535

Enclosure 10: Photos of Non-Historic Facilities to be Reused






Picnic Pavilion













SUZANNE D. CASE CHAIRPERSON BOARD OF LAND AND NATURAL RESOURCES COMMISSION ON WATER RESOURCE MANAGEMENT

> ROBERT K. MASUDA FIRST DEPUTY

M. KALEO MANUEL

AQUATIC RESOURCES BOATING AND OCEAN RECREATION BUREAU OF CONVEYANCES COMMISSION ON WATER RESOURCE MANAGEMENT CONSERVATION AND RESOURCES ENFORCEMENT EXOINEERNO FORESTRY AND WILDLIFE HISTORIC PRESERVATION KAHOOLAWE ISLAND RESERVE COMMISSION LAND STATE PARKS

IN REPLY REFER TO: Project No.: 2020PR34170

Doc No.: 2111SH07

Archaeology

Architecture

STATE OF HAWAII DEPARTMENT OF LAND AND NATURAL RESOURCES

STATE HISTORIC PRESERVATION DIVISION KAKUHIHEWA BUILDING 601 KAMOKILA BLVD., STE 555 KAPOLEI, HI 96707

December 6, 2021

Captain J.G. Meyer Regional Engineer, Navy Region Hawai'i Department of the Navy 850 Ticonderoga Street Suite 110 JBPHH, Hawai'i 96860-5101 Email Reply to: Jeffrey.N.Dodge.civ@us.navy.mil Electronic Transmittal Only, No Hard Copy to Follow

Dear Captain Meyer:

SUBJECT: National Historic Preservation Act (NHPA) Section 106 Review – Continued Consultation and Request for Concurrence with the Effect Determination Ambulatory Care Center Replacement Ref. No. 5750 Ser N4/064 Moanalua Ahupua'a, Kona District, Island of O'ahu TMK: (1) 1-1-002:002

The State Historic Preservation Division (SHPD) received a letter dated October 21, 2021 from Department of the Navy, Navy Region Hawai'i (Navy) to continue Section 106 consultation and to request the State Historic Preservation Officer's (SHPO's) concurrence with the effect determination for the Ambulatory Care Center Replacement project on the island of O'ahu. The SHPD received this submittal on November 1, 2021 (HICRIS Project No. 2021PR01395).

According to the Navy's letter, the proposed Ambulatory Care Center (ACC) will be a Tri-Service medical facility, to be shared by Navy, Air Force, and Army medical activities. The consolidated medical facility serves to meet the needs of Joint Base Pearl Harbor-Hickam (JBPHH) and the greater Hawai'i enhanced Multi-Service Market. The proposed ACC (approximately 250,000 sq. ft.) will provide the required building space needed to meet current federal criteria and requirements for military health facilities. The ACC will be supported by a central utility plant (approximately 7,500 ft2) and approximately 1,500 parking stalls. The proposed action consolidates various medical functions and services improving access and capacity to better support the military community. All historic and non-historic facilities will be reutilized, occupied, and maintained by new tenants. Full reutilization of the facilities will eliminate the potential for facilities to sit without preventative maintenance being performed. Two existing non-historic facilities will be demolished. The Navy has determined the proposed project is a federal undertaking as defined in 36 CFR 800.16(y) and is subject to compliance with Section 106 of the NHPA.

The Navy has defined the Area of Potential Effects (APE) as approximately 15 acres, located on the Hickam Air Force Base side of JBPHH. The Navy states the APE is located outside of the Hickam Historic Housing District, the Hickam Field National Historic Landmark (NHL), and the Pearl Harbor Naval Base NHL. The proposed site is mostly vacant, partially used for recreational or services use and proximate to an installation golf course, roads, and utilities. The APE is comprised of discontiguous sites of other medical facilities. The proposed project area for the new ACC is contained within the APE boundary. The area within the APE has been identified on period maps as a hard coral plain featuring a stream entering the site from the mountain side of the project site in what originally Captain J.G. Meyer December 6, 2021 Page 2

formed a seasonal shallow swampland and fishpond named Loko Lelepaua (Site 50-80-13-00082). This drainage formed two large shallow fishponds and a sea salt collection area.

The Navy states the Veterinary Clinic (Building 1864H) has been surveyed for Section 110 purposes four separate times with all four surveys evaluating the facility as not having sufficient integrity to be considered historic and that the current structural integrity of the facility is not to the level that would represent an *adverse effect*. The Navy asserts that all historic buildings that are part of this undertaking are in good condition and are not deteriorated to a level that they would be threatened with disuse or abandonment as a result of the proposed ACC action. These buildings have been well maintained and considered desirable for reuse of similarly compatible administrative functions without impacting the character of the property and will not be extensively changed in their exterior character or appearance other than to be adapted for a compatible function and use. Further, the Navy states all anticipated reuse or rehabilitation actions will result in *no adverse effect* and will be covered under the Commander Navy Region Hawai'i Programmatic Agreement. If any future actions may result in unforeseen adverse effects, the Navy has committed to consulting under 36 CFR 800.

The following structures will be impacted by the proposed project: Building 1514 - (Cat. II) Naval Health Clinic Hawaii, SMART Center, Building 559 - (Cat II) Air Force 15 Medical Group (MDG) - Medical and Dental Clinic, Building 1113 - (Cat. II) Air Force 15 MDG Human Performance Clinic, and Tripler Army Medical Clinic (Cat. I) (TAMC) provides primary care services (its use will not change in function).

The Navy has reviewed the undertaking after performing additional research and has determined that the result of the project is a *no adverse effect* to historic properties. Based on the commitment that all historic facilities will be reutilized, occupied, and maintained by new tenants, **the SHPO concurs** with the determination of *no adverse effect* for the proposed project.

Please submit any forthcoming information and correspondence related to the subject project to the SHPD HICRIS system under Project 2020PR34170 using the Project Supplement option.

The Navy is the office of record for this undertaking. Please maintain a copy of this letter with your environmental review record for this undertaking.

Please contact Julia Flauaus, Architectural Historian, at <u>Julia.Flauaus@hawaii.gov</u> for matters regarding architectural resources. Please contact Stephanie Hacker, Historic Preservation Archaeologist IV, at <u>Stephanie.Hacker@hawaii.gov</u> or at (808) 692-8046 for matters regarding archaeological resources or this letter.

Aloha, Alan Downer

Alan S. Downer, PhD Administrator, State Historic Preservation Division Deputy State Historic Preservation Officer

cc: Jeffrey Dodge, Navy (Jeffrey.N.Dodge@us.navy.mil)

Appendix B

Final Transportation Impact Assessment Report

This page intentionally left blank.

FINAL

TRANSPORTATION IMPACT ASSESSMENT REPORT

for

AMBULATORY CARE CENTER REPLACEMENT

at

JOINT BASE PEARL HARBOR-HICKAM, OAHU, HAWAII

April 2020



This page intentionally left blank.

Transportation Impact Assessment Report

Ambulatory Care Center

Joint Base Pearl Harbor-Hickam, Oahu, Hawaii

TABLE OF CONTENTS

ABBR	EVIATIC	DNS AND ACRONYMS	VII	
1		INTRODUCTION		
2		EXISTING CONDITIONS	2-1	
	2.1	Site Description	2-1	
	2.2	Roadway Conditions	2-4	
		2.2.1 Roadway Descriptions	2-6	
		2.2.2 Intersection Conditions	2-13	
	2.3	Pedestrian and Bicycle Conditions	2-18	
		2.3.1 Pedestrian Facilities	2-18	
		2.3.2 Bicycle Facilities	2-19	
	2.4	Public Transit Conditions	2-20	
		2.4.1 TheBus	2-20	
		2.4.2 Navy Exchange Shuttles	2-24	
	2.5	Transportation Conditions	2-26	
		2.5.1 Existing 24-Hour Traffic Volumes	2-26	
		2.5.2 Existing Turning Movement Volumes	2-31	
		2.5.3 Existing Pedestrian and Bicycle Volumes	2-33	
		2.5.4 Existing Intersection Operations	2-36	
3		FUTURE CONDITIONS	3-1	
	3.1	Proposed Development	3-1	
		3.1.1 Tradewinds-Par 3 Site	3-2	
		3.1.2 Kuntz Gate Site	3-4	
		3.1.1 Bloch Arena Site	3-6	
	3.2	Vehicular Trips Generated by the Ambulatory Care Center	3-8	
	3.3	Background Traffic Volumes	3-9	
	3.4	Projected Future Peak Hour Traffic Volumes for the Ambulatory Care Center	3-9	
		3.4.1 Trip Distribution and Assignment	3-9	
		3.4.2 Future Peak Hour Traffic Volumes	3-12	

i

FOR OFFICIAL USE ONLY: MAY NOT BE RELEASABLE UNDER FOIA			
TIAR for Ambulatory Care Center Replacement			
JBPHH, Oahu, Hawaii	Final		

	3.5	Projected Intersection Peak Hour Operations3	-14
		3.5.1 Tradewinds-Par 3 Site3	-14
		3.5.2 Kuntz Gate Site	-16
		3.5.3 Bloch Arena Site	-18
	3.6	Traffic Signal Warrant Analysis3	-19
	3.7	Tradewinds-Par 3 Site	-20
	3.8	Kuntz Gate Site	-20
	3.9	Bloch Arena Site	-20
ļ		PROPOSED ALTERNATIVES AND IMPACTS	4-1
	4.1	Tradewinds-Par 3 Site Alternative	4-1
		4.1.1 Internal Circulation and Parking	4-1
		4.1.2 Site Access Impacts	4-1
		4.1.3 Intersection Operational Impacts	4-1
		4.1.4 Roadway Impacts	4-1
		4.1.5 Pedestrian and Bicycle Impacts	4-2
		4.1.6 Public Transit Impacts	4-2
	4.2	Kuntz Gate Site Alternative	4-2
		4.2.1 Internal Circulation and Parking Impacts	4-2
		4.2.2 Site Access Impacts	4-2
		4.2.3 Intersection Operational Impacts	4-3
		4.2.4 Roadway Impacts	4-3
		4.2.5 Pedestrian and Bicycle Impacts	4-3
		4.2.6 Public Transit Impacts	4-3
	4.3	Bloch Arena Site Alternative	4-3
		4.3.1 Internal Circulation and Parking Impacts	4-4
		4.3.2 Site Access Impacts	4-4
		4.3.3 Intersection Operational Impacts	4-4
		4.3.4 Roadway Impacts	4-4
		4.3.5 Pedestrian and Bicycle Impacts	4-4
		4.3.6 Public Transit Impacts	
5		RECOMMENDED ACTIONS TO MITIGATE TRANSPORTATION IMPACTS	
	5.1	Overview of Recommended Actions	5-1
		5.1.1 Site Access	5-1
		5.1.2 Internal Circulation and Parking	
		5.1.3 Roadway Impacts	

4

6

	5.1.4 Pedestrian and Bicycle	5-2
	5.1.5 Public Transit	5-3
	5.1.6 Conceptual Order of Magnitude Costs of Recommended Mitigation Measures	5-3
5.2	Description of Recommended Improvements	5-4
	5.2.1 Tradewinds-Par 3 Site	5-4
	5.2.2 Kuntz Gate Site	5-6
	5.2.3 Bloch Arena Site	5-8
	REFERENCES	6-1

List of Figures

Figure 2-1	JBPHH ACC Alternative Site Locations2-1
Figure 2-2	Proposed Bloch Arena Site2-2
Figure 2-3	Proposed Tradewinds-Par 3 Site2-3
Figure 2-4	Proposed Kuntz Gate Site2-4
Figure 2-5	Proposed Site Locations and Gate Locations2-5
Figure 2-6	View of North Road, looking south toward Building 150 at Ward Field2-7
Figure 2-7	View of Battleship Drive looking north towards Southeast Loch
Figure 2-8	View of Kuntz Avenue looking east from its intersection with McClelland Street2-9
Figure 2-9	View of McClelland Street looking north along the Par 3 golf course (at left)2-10
Figure 2-10	View of Kokomalei Street looking north across Kuntz Avenue from the site2-11
Figure 2-11	View of McChord Street looking south from the Kuntz Avenue intersection2-12
Figure 2-12	View of Halehaka Street looking south towards Kuntz Avenue
Figure 2-13	View of the Kuntz Avenue and McClelland Street intersection, looking northeast2-14
Figure 2-14	View of the Kuntz Avenue and McChord Street intersection, looking southwest2-15
Figure 2-15	View of the Kuntz Avenue and Halehaka Street/Kamakahi Street Intersection in
	the Northeast Direction2-16
Figure 2-16	View of the North Road and Pearl Harbor Boulevard Intersection in the
	Northwest Direction2-17
Figure 2-17	TheBus Route 192-20
Figure 2-18	TheBus Route 92-21
Figure 2-19	TheBus express routes serving JBPHH2-23
Figure 2-20	NEX Shuttle Route and Schedule2-25
Figure 2-21	24-hour traffic volumes2-27
Figure 2-22	Hourly volume variation on Kuntz Avenue, west of McClelland Street2-28

FOR OFFICIAL USE ONLY: MAY NOT BE RELEASABLE UNDER FOIA				
TIAR for Ambulatory Care Center Replacement				
JBPHH, Oahu, Hawaii	Final	April 2020		

Figure 2-23	Hourly volume variation on Kuntz Avenue, east of Halehaka Street/Kamakahi				
	Street	2-28			
Figure 2-24	Hourly volume variation on Halehaka Street	2-29			
Figure 2-25	Hourly volume variation on McClelland Street	2-29			
Figure 2-26	Hourly volume variation on North Road, north of Battleship Drive	2-30			
Figure 2-27	Hourly volume variation on North Road, south of Pearl Harbor Boulevard	2-30			
Figure 2-28	Year 2019 AM, Midday, and PM Peak Hour Vehicular Volumes at Kuntz Avenue Sites	2-32			
Figure 2-29	Year 2019 AM, Midday, and PM Peak Hour Vehicular Volumes at Bloch Arena Site	2-33			
Figure 2-30	Year 2019 AM, Midday, PM Peak Hour Pedestrian and Bicycle Volumes at Kuntz Avenue Site	2-34			
Figure 2-31	Year 2019 AM, Midday, PM Peak Hour Pedestrian and Bicycle Volumes at Bloch Arena Site	2-35			
Figure 3-1	Proposed Conceptual Site Plan of the Tradewinds-Par 3 Site	3-3			
Figure 3-2	Proposed Conceptual Site Plan of the Kuntz Gate Site	3-5			
Figure 3-3	Proposed Conceptual Site Plan of the Bloch Arena Site	3-7			
Figure 3-4	Projected AM, midday, and PM peak hour traffic volumes along Kuntz Avenue for the Tradewinds-Par 3 site	3-12			
Figure 3-5	Projected AM, midday, and PM peak hour traffic volumes along Kuntz Avenue for the Kuntz Gate site	3-13			
Figure 3-6	Projected AM, midday, and PM peak hour traffic volumes for the Bloch Arena site	3-13			

List of Tables

Table 3-1	Arrival and Departure of Patients During Peak Periods	3-8
Table 3-2	Arrivals and Departures of Staff during Peak Periods	3-9
Table 3-3	Trip distribution during the AM peak hour (6:00-7:00 AM)	3-10
Table 3-4	Trip distribution during the AM peak hour (7:00-8:00 AM)	3-10
Table 3-5	Trip distribution during the midday peak hour (11:00 AM-12:00 PM)	3-11
Table 3-6	Trip distribution during the midday peak hour (12:00-1:00 PM)	3-11
Table 3-7	Trip distribution during the PM peak hour (3:00-4:00 PM)	3-11
Table 3-8	Future Intersection Operations for the Tradewinds-Par 3 Alternative with No Mitigation	3-15
Table 3-9	Future Intersection Operations for the Kuntz Gate Alternative with No Mitigation	3-17

Table 3-10Future Intersection Operations for Bloch Arena Site Alternative with No		
	Mitigation	3-19
Table 5-1	Recommended Mitigation Actions for Each Site Alternative	5-3
Table 5-2	Future Intersection Operations for the Tradewinds-Par 3 Alternative with Mitigation Measures	5-6
Table 5-3	Future Intersection Operations for the Kuntz Gate Alternative with Mitigation Measures	5-7
Table 5-4	Future Intersection Operations for the Bloch Arena Site Alternative with Mitigation Measures	5-9

Appendices

- Appendix A Turning Movement Count Worksheets
- Appendix B 24-Hour Traffic Volume Worksheets
- Appendix C Synchro Analysis Worksheets
- Appendix D Intersection Level of Service Definitions
- Appendix E Extracts from Planning Study and Traffic Study Data Request
- Appendix F Trip Distribution
- Appendix G Traffic Signal Warrant Analysis
- Appendix H Itemization of Conceptual ROM Costs of Recommended Mitigation Improvements

This page intentionally left blank.

	FOR OFFICIAL USE ONLY: MA	Y NOT BE RELEASABLE UNDER FOIA
TIAR for Ambulatory Care C	Center Replacement	
JBPHH, Oahu, Hawaii		Final

Abbreviations and Acronyms

Acronym	Definition	Acronym	Definition
% ACC	percent Ambulatory Care Center	Navy	Department of the Navy, United States
ADFM	Active Duty Family Member	NB	northbound
ADSM	Active Duty Service Member	NEX	Navy Exchange
ATR	automatic traffic recorder	no.	number
Ave	avenue	Rd	road
Blvd	boulevard	RET	Retired Service Member
Dr	drive	RET/OTHER	Retiree Family Member/Other
EB	eastbound	ROM	rough order of magnitude
IDP	Installation Development Plan	RRFB	rectangular rapid flashing beacon
JBPHH LED	Joint Base Pearl Harbor-Hickam light-emitting diode	RT	right turn
LOS	level of service	SB	southbound
LT	left turn	sec/veh	second per vehicle
mph	mile per hour	St	street
MUTCD	Manual on Uniform Traffic Control Devices	TIAR	transportation impact assessment report
		WB	Westbound

This page intentionally left blank.

1 Introduction

The United States Department of the Navy (Navy) proposes to construct and operate a new Ambulatory Care Center (ACC) at Joint Base Pearl Harbor-Hickam (JBPHH) on the island of Oahu, Hawaii. The new ACC would provide tri-service, comprehensive primary care, and dental, behavioral health, occupational, and preventive special medicine services to active duty service members and beneficiaries. It serves to replace several of the existing facilities on JBPHH and selected services at Tripler Army Medical Clinic.

The Navy has prepared an Environmental Assessment in accordance with the National Environmental Policy Act, as implemented by the Council on Environmental Quality Regulations and Navy regulations for implementing National Environmental Policy Act to evaluate the potential environmental impacts associated with the proposed construction and operation of the new facility.

This transportation impact assessment report (TIAR) was conducted in support of the Environmental Assessment for the proposed ACC. It serves to assess the potential traffic impacts around the ACC for each alternative site.

The TIAR documents the existing peak period transportation conditions, forecasted peak period vehicular traffic generated by the proposed ACC, and forecasted peak period traffic operations at intersections immediately adjacent to the proposed alternative sites. The TIAR also documents recommendations for physical and operational measures to address transportation impacts related to the proposed alternative sites.

This page intentionally left blank.

2 Existing Conditions

2.1 Site Description

Three alternative site locations are proposed for the JBPHH ACC. The three alternative site locations are the Bloch Arena site, the Tradewinds-Par 3 site, and the Kuntz Gate site (Figure 2-1).




Figure 2-1 JBPHH ACC Alternative Site Locations

2-1 DO NOT FORWARD TO PERSONS WITHOUT A DEMONSTRATED OFFICIAL NEED FOR THE INFORMATION CONTAINED HEREIN Existing Conditions The Bloch Arena site (Figure 2-2) is located near the Southeast Loch of Pearl Harbor. The site encompasses the current Ward Field and adjacent surface parking lot. West of the site is the Navy Region Hawaii Administration Building (Building 150). To the northeast and east are facilities including dormitories, a laundromat and the JBPHH Fitness Center. The Bloch Arena, to the southeast, hosts events and activities. The installation boundary lies along the southern side of the site, and to the southwest, Nimitz Gate serves as the main secure entry point to the Pearl Harbor side of JBPHH.



Figure 2-2 Proposed Bloch Arena Site

The Tradewinds-Par 3 site (Figure 2-3) is located on the Hickam Air Force Base side of the installation, fronting Kuntz Avenue, and includes a parking lot, open park-like area and grass field, and the edge of the adjacent Hickam Par 3 Golf Course, which continues outside the site to the west. To the north, across Kuntz Avenue, are the Hickam Chapel and a small retail complex. To the east is the Hale Aina dining facility, sports courts, and the Hickam Makai Recreation Center. To the south are the Tradewinds clubhouse, surface parking lot, and a dormitory.




Figure 2-3 Proposed Tradewinds-Par 3 Site

The Kuntz Gate site (Figure 2-4) is also located along Kuntz Avenue on Hickam Air Force Base. The site includes a warehouse, several concrete pads used for parking, the Hickam Car Wash and Flight Crew Motorcycle Repair, and two of the four ballfields south of Kuntz Avenue. Outside the site to the west is a parking area planned as the future location of the Veterinary Treatment Facility, and the Hickam Bowling Center to the southwest. To the east are several warehouse buildings, and to the southeast is the Senator Daniel K. Inouye Defense POW/MIA Accounting Agency Center of Excellence building. North of the site across a drainage ditch is a residential area. To the south are the other two ballfields.




April 2020

Figure 2-4 Proposed Kuntz Gate Site

2.2 Roadway Conditions

There are eight (8) points of access to JBPHH. The access points closest to the three sites are the Nimitz Gate, the Makalapa Gate, the O'Malley Gate, and the Kuntz Gate. The Nimitz Gate is the main gate into Pearl Harbor and is accessed from Nimitz Highway. The Makalapa Gate is accessed via Radford Drive. The O'Malley Gate is the main gate into Hickam Air Force Base and is accessed via O'Malley Boulevard. The Kuntz Gate is accessed via Elliot Street. Figure 2-5 below highlights the locations of each of these four gates.





2-5

DO NOT FORWARD TO PERSONS WITHOUT A DEMONSTRATED OFFICIAL NEED FOR THE INFORMATION CONTAINED HEREIN Existing Conditions Roadways in the immediate vicinity of the Bloch Arena site include North Road, a driveway that serves the surface parking lot, Battleship Drive, Center Drive, and Nimitz Highway. North Road borders the west and north sides of the site, and Battleship Drive accesses the dormitories, service facilities, and parking on its east side. To the south of the site, outside Nimitz Gate and the installation boundary, are Center Drive and Nimitz Highway.

At the Tradewinds-Par 3 site, roadways in the immediate vicinity are Kuntz Avenue, McClelland Street, McChord Street, Mountain Home Street, and Kokomalei Street. Kuntz Avenue runs along the north side of the site and is the major roadway in the area. Both McClelland Street on the west and McChord Street on the east are partially within, and partially along the boundary of the site. Kokomalei Street intersects Kuntz Avenue directly across Kuntz from the site, about halfway between McClelland Street and McChord Street intersections with Kuntz Avenue. Mountain Home Street connects McClelland and McChord through the southern portion of the site.

The roadways in the immediate vicinity of the Kuntz Gate site include Kuntz Avenue, 20th Street, and Halehaka Street/Kamakahi Street. Halehaka Street bisects the western third of the site and transitions into Kamakahi Street south of Kuntz Avenue. West of Halehaka Street, the site is bounded by 20th Street on its north side and Kuntz Avenue on the south side. East of Halehaka Street, Kuntz Avenue bisects the site, with the ballfields and their access drive to the south. This portion of the site is bounded by Kamakahi Street on its west side.

All roadways described in this section are under the jurisdiction of JBPHH, unless otherwise noted.

2.2.1 Roadway Descriptions

2.2.1.1 Bloch Arena Site

North Road is a minor arterial roadway oriented north-south, connecting Nimitz Gate to Makalapa Gate to the north. South of the Nimitz Gate, North Road splits and transitions into Hale Alii Avenue and South Avenue. Near the proposed site, the roadway is a four-lane, undivided highway (two lanes in each direction) with curbs and paved shoulders on both sides of the road. Detached sidewalks are located on both sides of the road between the Nimitz Gate and Pearl Harbor Boulevard. North of Pearl Harbor Boulevard, the west side of the road has an attached sidewalk. On the east side of the road, the detached sidewalk continues to Battleship Drive, where it then transitions into an attached sidewalk. Figure 2-6 shows North Road between Nimitz Gate and its intersection with Pearl Harbor Boulevard. The posted speed limit in the vicinity is 25 miles per hour (mph).



Figure 2-6 View of North Road, looking south toward Building 150 at Ward Field

Battleship Drive runs southward from North Avenue along the east side of the site, turning east towards the dormitory areas. It is a two-lane, undivided roadway with one lane in each direction. Both sides of the road have curbs and attached sidewalks. On the south side of the road, the curb and attached sidewalk begin after the intersection with the Bloch Arena driveway and Battleship Drive. Figure 2-7 shows the view along Battleship Drive to the north. The posted speed limit is 15 mph.



Figure 2-7 View of Battleship Drive looking north towards Southeast Loch

Between the proposed site and North Road is an unnamed access drive into the existing Bloch Arena surface parking lot north of the Nimitz Gate. The access to this roadway is from Battleship Drive, south of the North Road/Battleship Drive intersection. It is a two-lane, undivided roadway with one lane in each direction and a curb on both sides of the road. The east of the road has an attached sidewalk. Parking stalls are located west of the roadway closer to the Nimitz Gate. The posted speed limit is 15 mph.

North Nimitz Highway (State Route 92) is a principal arterial that runs east-west, terminating at Nimitz Gate. Approaching Nimitz Gate, the six-lane, divided roadway has a concrete central barrier separating the directions and paved shoulders; at the gate, it expands to an eight-lane, undivided roadway with four lanes in each direction. No sidewalks are along the roadway in the vicinity of the proposed site. When approaching inbound to JBPHH at the Nimitz Gate, the posted speed limit reduces incrementally from 35 mph to 5 mph. North Nimitz Highway is under the jurisdiction of the State of Hawaii Department of Transportation.

Center Drive is an east-west road connecting North Nimitz Highway just before the gate with Radford Drive to the east. It is a two-lane, undivided roadway with one lane in each direction. Near the Bloch Arena site, both sides of the road have curb and gutters, as well as attached sidewalks along most of its length. On the east side of the road, the sidewalk begins after the access into the JBPHH Pass and

ID office parking lot. The posted speed limit is 20 mph. Although this roadway is under JBPHH jurisdiction and is adjacent to the Bloch Arena site, it is outside of the JBPHH boundary fence and does not provide any direct access into JBPHH.

2.2.1.2 Tradewinds-Par 3 and Kuntz Gate Sites

Kuntz Avenue is a key collector roadway on the Hickam side of JBPHH. Oriented east-west, this road transitions from Vandenberg Boulevard to Kuntz Avenue at O'Malley Boulevard. Outside of the base at the Kuntz Gate, Kuntz Avenue then transitions to Elliot Street intersecting Nimitz Highway. Kuntz Avenue is a two-lane roadway with one lane in each direction that provides access to commercial and residential areas. Along Kuntz Avenue, most of the intersections are "T"-intersections that include a left-turn lane. It is a mostly undivided roadway, but some intersections include a segment of painted median to indicate that vehicles cannot drive through while in the left-turn lanes. The road edges of Kuntz Avenue have curb and gutters along both sides of the road. East of Halehaka Street is a wide driveway area on the north side. Figure 2-8 shows the view of Kuntz Avenue looking east from its intersection with McClelland Street.



Figure 2-8 View of Kuntz Avenue looking east from its intersection with McClelland Street

There are both detached and attached sidewalks along Kuntz Avenue. The posted speed limit along Kuntz Avenue is 25 mph.

McClelland Street is a north-south road connecting Kuntz Avenue and Moffet Street. McClelland Street currently forms the eastern boundary of the Hickam Par 3 Golf Course. Along the side of the north end of the road is a set of ten 90-degree parking stalls. The proposed Tradewinds-Par 3 ACC alternative site lies mostly to the east of the road, but also includes a portion of the golf course to the west. South of McClelland Street's intersection with Mountain Home Street, the Tradewinds Club stands on the east side of the road and the golf course clubhouse on the west side of the road. McClelland Street is a two-lane, undivided roadway with one lane in each direction. Both sides of the road have curbs. The west side of the road has no sidewalk, while the east side of the road has a detached sidewalk that begins at Kuntz Avenue and transitions to an attached sidewalk south of the Tradewinds Club. Figure 2-9 shows the view looking north along McClelland Street.



Figure 2-9 View of McClelland Street looking north along the Par 3 golf course (at left)

Kokomalei Street is a north-south-oriented street. It provides access between Kuntz Avenue and the residential areas to the north, as well as the Hickam Chapel and nearby retail complex. It is mostly a two-lane, undivided roadway with one lane in each direction. Near the intersection with Kuntz Avenue, the southbound Kokomalei Street approach is channelized into two lanes for right-turn and left-turn movements. Eight on-street parallel parking stalls are located on the west side of the road between Kuntz Avenue and 20th Street. In this segment of Kokomalei Street, there is an attached sidewalk on the west side of the road and a detached sidewalk on the east side. Both sides of the road have curbs. Figure 2-10 shows a view of Kokomalei Street looking north from the site, across Kuntz Avenue. The posted speed limit is 15 mph.



Figure 2-10 View of Kokomalei Street looking north across Kuntz Avenue from the site

McChord Street is a north-south road similar to McClelland Street, connecting Kuntz Avenue with Moffet Street to the south. It is a two-lane, undivided roadway with one lane in each direction. A detached sidewalk is located on the west side of the street. Most of its east side is occupied by 90-degree parking stalls. The only sidewalk on the east side of McChord is a short segment of attached sidewalk adjacent to the Hale Aina dining facility. Both sides of the road have curbs where appropriate. Figure 2-11 shows a view of McChord Street looking in the south direction.



Figure 2-11 View of McChord Street looking south from the Kuntz Avenue intersection

Mountain Home Street runs parallel to and south of Kuntz Avenue in the east-west direction through the site. It provides a connection between McClelland Street and McChord Street. It is a two-lane, undivided roadway with one lane in each direction. An attached sidewalk on the south side of the road begins approximately at the Tradewinds clubhouse. Both sides of the road have curbs.

Halehaka Street/Kamakahi Street is a north-south roadway. Halehaka Street transitions to Kamakahi Street south of Kuntz Avenue. It is a two-lane, undivided roadway with one lane in each direction. The west side of the road has an attached sidewalk and both sides of the road have curbs. Figure 2-12 shows a view of Halehaka Street looking south. The posted speed limit is 15 mph.



Figure 2-12 View of Halehaka Street looking south towards Kuntz Avenue

20th Street runs parallel to and north of Kuntz Avenue between Halehaka Street and Kokomalei Street. Its cross-section and function are similar to a driveway, and it provides access to parking lots for the various commercial facilities along Kuntz Avenue between Kokomalei Street and Halehaka Street. It is a two-lane, undivided roadway with one lane in each direction. However, vehicles are often parallel-parked alongside the road, which narrows the driving lane. There is an intermittent curb along its south side.

2.2.2 Intersection Conditions

The following intersections are directly adjacent or around the proposed sites:

- Kuntz Avenue and McClelland Street
- Kuntz Avenue and Kokomalei Street
- Kuntz Avenue and McChord Street
- Kuntz Avenue and Halehaka Street/Kamakahi Street
- McClelland Street and Mountain Home Street
- McChord Street and Mountain Home Street
- North Road and Battleship Drive
- North Road and Pearl Harbor Boulevard

2.2.2.1 Tradewinds-Par 3 and Kuntz Gate Sites

The Kuntz Avenue and McClelland Street intersection is an unsignalized "T"-intersection with a STOP-sign control on the McClelland Street approach. On Kuntz Avenue, the eastbound approach has a shared through/right-turn lane and a painted median. The westbound approach has a through lane and a median left-turn lane. The McClelland Street approach has a shared left-turn/right-turn lane. A crosswalk is located across the McClelland Street approach. Figure 2-13 shows a view of this intersection looking northeast.



Figure 2-13 View of the Kuntz Avenue and McClelland Street intersection, looking northeast

The Kuntz Avenue and Kokomalei Street intersection is an unsignalized "T"-intersection with STOP-sign control on the Kokomalei Street approach. On Kuntz Avenue, the eastbound approach has a through lane and a left-turn lane, and the westbound approach has a shared through/right-turn lane and a painted median. Kokomalei Street has exclusive right-turn and exclusive left-turn lanes. A crosswalk is located across the Kokomalei Street approach.

The Kuntz Avenue and McChord Street intersection is an unsignalized "T"-intersection with STOP-sign control on the McChord Street approach. On Kuntz Avenue, the eastbound approach has a shared through/right-turn lane and a painted median, and the westbound approach has a through lane and a left-turn lane. McChord Street has a shared right-turn/left-turn lane configuration. Crosswalks are located across the Kuntz Avenue westbound and the McChord Street approaches. Figure 2-14 shows the Kuntz Avenue and McChord Street intersection.





McClelland Street and Mountain Home Street meet at an unsignalized "T"-intersection with STOP-sign control on the Mountain Home Street approach. The McClelland Street northbound approach has a shared through/right-turn lane while its southbound approach has a shared through/left-turn lane. The Mountain Home Street approach has a shared right-turn/left-turn lane.

Mountain Home Street intersects McChord Street at an unsignalized "T"-intersection with STOP-sign control on the Mountain Home Street approach. The McChord Street northbound approach has a shared through/left-turn lane while its southbound approach has a shared through/right-turn lane. The Mountain Home Street approach has a shared right-turn/left-turn lane.

The Kuntz Avenue and Halehaka Street/Kamakahi Street intersection is an unsignalized, four-legged intersection with STOP-sign control on the Halehaka Street/Kamakahi Street approaches. On Kuntz Avenue, the eastbound approach has a shared through/right-turn lane and a left-turn lane and the westbound approach has a shared through/right-turn/left-turn lane. The eastbound approach lanes have pavement markings that indicate exclusive left-turn and exclusive through lanes on that approach, which is inconsistent with the actual operations where the right lane functions as a shared through/right-turn lane. The Halehaka Street approach has a shared through/right-turn/left-turn lane. Because of the wide width of this approach, it was observed that the Halehaka Street approach operates as a shared through/left-turn lane and an exclusive right-turn lane. The Kamakahi Street approach has a

shared through/right-turn/left-turn lane. However, there is also an inconsistency with the pavement markings that indicate that the lane is to be used as a shared through/right-turn lane. Crosswalks are located across the Kuntz Avenue eastbound approach and the Kamakahi Street approach. Figure 2-15 shows a view of this intersection looking in the northeast direction.



Figure 2-15 View of the Kuntz Avenue and Halehaka Street/Kamakahi Street Intersection in the Northeast Direction

A closely spaced driveway intersection is located on Halehaka Street immediately north of its intersection with Kuntz Avenue. One driveway provides egress from a parking lot to the west of Halehaka Street and the opposite driveway provides access to the Hickam Car Wash and Flight Crew Motorcycle Repair shops to the east. These driveways have STOP-sign control. On Halehaka Street, the northbound approach has a shared through/right-turn lane and the southbound approach has a shared through/left-turn lane. Both driveways are single-lane approaches. A crosswalk is located across the parking lot exit and another crosswalk across the Halehaka Street southbound approach.

The Halehaka Street and 20th Street intersection is an unsignalized, four-legged intersection with STOP-sign control on both approaches of 20th Street to Halehaka Street. On Halehaka Street, both approaches have a shared through/right-turn/left-turn lane. The 20th Street approaches are one lane serving shared through/right-turn/left-turn lane movements.

2.2.2.2 Bloch Arena Site

The North Road and Battleship Drive intersection is an unsignalized "T"-intersection with STOP-sign control on the Battleship Drive approach. On the North Road northbound approach are two lanes: one through lane and a shared through/right-turn lane. On the North Road southbound approach is one through lane and a shared through/left-turn lane. On the Battleship Drive approach is one shared right-turn/left-turn lane. Crosswalks are located across the North Road northbound and the Battleship Drive approaches.

The North Road and Pearl Harbor Boulevard intersection is a signalized "T"-intersection. On North Road's northbound approach, the lane configuration includes one shared through/left-turn lane and one through lane. On North Road's southbound approach, the lane configuration includes one through lane and one channelized exclusive right-turn lane that operates as a free-right into its own lane on Pearl Harbor Boulevard. This channelized right-turn lane has a pedestrian traffic signal activated via a pedestrian call button. On the Pearl Harbor Boulevard approach, the lane configuration includes two left-turn lanes and a channelized right-turn lane. This channelized right-turn lane is similar to the channelized right-turn on the southbound North Road approach. It operates as a free-right into its own lane on North Road except when the channelized right-turn lane pedestrian traffic signal is activated. Crosswalks are located across the North Road northbound and the Pearl Harbor Boulevard approaches. Figure 2-16 shows a view of this intersection looking in the northwest direction.



Figure 2-16 View of the North Road and Pearl Harbor Boulevard Intersection in the Northwest Direction

2.3 Pedestrian and Bicycle Conditions

2.3.1 Pedestrian Facilities

2.3.1.1 Tradewinds-Par 3 and Kuntz Gate Sites

Sidewalks

Kuntz Avenue has a combination of detached and attached sidewalks. In the immediate vicinity of the Tradewinds-Par 3 site, the sidewalks are detached. McClelland Street has no sidewalk on its west side, while the east side of the road has a detached sidewalk that begins at Kuntz Avenue and transitions to an attached sidewalk south of the Tradewinds Club.

Kokomalei Street between Kuntz Avenue and 20th Street has an attached sidewalk on the west side of the road and a detached sidewalk on the east side.

McChord Street has a detached sidewalk on the west side of the street. Except for a short, attached sidewalk adjacent to the Hale Aina dining facility, there are no sidewalks on the east side of McChord Street. No sidewalks are located along Mountain Home Street or 20th Street.

Halehaka Street and Kamakahi Street have attached sidewalks on the west side of the road.

Crosswalks

Crosswalks are located across McClelland Street, Kokomalei Street, and McChord Street at their respective intersections with Kuntz Avenue.

There is a mid-block crosswalk on Kuntz Avenue approximately 140 feet east of McClelland Street. There is a pedestrian warning sign (R1-6a) located in the center of Kuntz Avenue to increase driver awareness of the crossing.

A crosswalk is located on Kuntz Avenue at the unsignalized McChord Street intersection, with a pedestrian warning sign (R-16a) in the center of Kuntz Avenue.

A crosswalk on Kuntz Avenue at its unsignalized intersection with Westover Street also has a pedestrian warning sign (R-16a) in the center of Kuntz Avenue.

A mid-block crosswalk on Kuntz Avenue is located to the east of the driveway to the Arts and Crafts center, with a pedestrian warning sign (R1-6) in the center of Kuntz Avenue.

A crosswalk on Kuntz Avenue is located on the eastbound approach to the unsignalized intersection with Halehaka/Kamakahi, with pedestrian crossing signs (W11-2) and pedestrian-activated RRFBs intended to increase driver awareness.

A crosswalk is provided across the northbound approach to the Kuntz Avenue and Halehaka/Kamakahi intersection.

The closely spaced driveway intersection located north of Kuntz Avenue on Halehaka Street has crosswalks on the southbound and the eastbound approaches.

2.3.1.2 Bloch Arena Site

Sidewalks

Detached sidewalks are located on both sides of North Road between Nimitz Gate and Pearl Harbor Boulevard. North of Pearl Harbor Boulevard, the west side of the road, has an attached sidewalk. On the east side, the detached sidewalk continues to Battleship Drive, where it transitions into an attached sidewalk. In this area, there is also a detached sidewalk on the west side of the road.

Attached sidewalks are located along both sides of Pearl Harbor Boulevard, Battleship Drive, and Center Drive. The attached sidewalk on Center Drive begins north of the JBPHH Pass and ID office parking lot.

The driveway into the Bloch Arena parking lot has an attached sidewalk on the east side of the roadway.

No sidewalks are located along North Nimitz Highway as it approaches the Nimitz Gate.

Crosswalks

There is a crosswalk immediately north of the Nimitz Gate as it approaches the North Road intersection. The crosswalk is enhanced with pedestrian crossing signs (W11-2) and has pedestrian-activated rectangular rapid flashing beacons (RRFBs) intended to increase driver awareness.

There is a mid-block crosswalk on North Road between Nimitz Gate and Pearl Harbor Boulevard in the vicinity of the Administration Building (Building 150). This crosswalk is identified by pedestrian crossing signs (W11-2) with flashing LED lights to increase driver awareness.

At the signalized North Road and Pearl Harbor Boulevard intersection, there are crosswalks across the northbound North Road and Pearl Harbor Boulevard approaches and crosswalks that cross the right-turn lanes. There are pedestrian-activated traffic signals that stop traffic in the right-turn lanes to allow pedestrians to cross to the pork-chop channelization islands at the intersection.

At the unsignalized North Road and Battleship Drive intersection, there are crosswalks across the northbound North Road and Battleship Drive approaches. The crosswalk across North Road is identified by pedestrian crossing signs (W11-2) and has pedestrian-activated RRFBs intended to increase driver awareness of pedestrians crossing North Road at this location. There are also pedestrian crossing signs (W11-2) with flashing LED lights around the perimeter of the signs before and after the crosswalk facing traffic in the northbound direction.

2.3.2 Bicycle Facilities

2.3.2.1 Tradewinds-Par 3 and Kuntz Gate Sites

No exclusive bicycle facilities are located in the vicinity of the Kuntz Avenue sites. Bicyclists were observed to ride on Kuntz Avenue. Bicycle volumes are discussed in Section 2.5.

2.3.2.2 Bloch Arena Site

No exclusive bicycle facilities are located in the vicinity of the Bloch Arena site. During traffic data collection, bicyclists were observed to ride in traffic or on the sidewalk. Bicycle volumes are discussed in Section 2.5.

2.4 Public Transit Conditions


On JBPHH, public transit options include municipal bus service (TheBus) and Navy Exchange (NEX) shuttles.


2.4.1 TheBus

2.4.1.1 Tradewinds-Par 3 and Kuntz Gate Sites

The municipal bus route serving the Tradewinds-Par 3 and Kuntz Gate sites is Route 19 (Waikiki – Airport – Hickam), which provides transit service to and from Waikiki, through Downtown Honolulu and the Daniel K. Inouye International Airport, and to the Hickam portion of JBPHH. It serves JBPHH daily from 6:00 AM to 1:00 AM (span of 19 hours), entering through Kuntz Gate, traveling along Kuntz Avenue, and continuing to the MAC Terminal. From approximately 9:00 PM to 1:00 AM, this route enters through the O'Malley Gate, only serves the western side of Hickam, and does not travel along Kuntz Avenue.

Several bus stops are located in the vicinity of the Tradewinds-Par 3 and Kuntz Gate sites. Near the Tradewinds-Par 3 site is a stop on the west side of McClelland Street (Stop No. 924). A stop west of McChord Street (Stop No. 923) is on the north side of Kuntz Avenue and a stop east of McChord Street (Stop No. 965) is on the south side of Kuntz Avenue. Also, along Kuntz Avenue near the Halehaka Street/Kamakahi Street intersection are two stops, one the north side (Stop No. 921) and one on the south side (Stop No. 967). In between the two alternative sites are two additional stops on Kuntz Avenue, one on the north side near the Hickam Memorial Theater (Stop No. 922) and one on the south side at the Hickam Arts & Crafts Center (Stop No. 966). Figure 2-17 illustrates TheBus Route 19.





2-20 DO NOT FORWARD TO PERSONS WITHOUT A DEMONSTRATED OFFICIAL NEED FOR THE INFORMATION CONTAINED HEREIN Existing Conditions

2.4.1.2 Bloch Arena Site

The municipal bus routes that serve the Bloch Arena site vicinity are Routes 9, PH1, PH2, PH3, PH4, PH6, and PH7.

Route 9 (Kaimuki – Pearl Harbor) provides local service between Kaimuki and JBPHH Nimitz Gate. Several variants of this route provide service to different areas of JBPHH. This route travels through Ala Moana, downtown Honolulu, Kalihi, and Mapunapuna as it travels between Kaimuki and JBPHH. Route 9 variants that enter JBPHH do so at the Nimitz Gate and operate primarily during the morning and afternoon commuter periods. These commuter periods run from approximately 6:00 AM to 9:00 AM and from 3:30 PM to 7:30 PM (span of 7 hours: 3 hours during the morning commuter peak and 4 hours during the afternoon commuter peak). Figure 2-18 illustrates TheBus Route 9.




Figure 2-18 TheBus Route 9

Several express routes service JBPHH. These routes travel between Pearl Harbor and various areas of Oahu during the morning and afternoon commuter peak hours. All express routes enter JBPHH at the Arizona Gate and exit at the O'Malley Gate, and run along the same route through JBPHH. The express routes that serve JBPHH are as follows:

- Route PH1 (Waianae Coast to Pearl Harbor Express): Provides service from the Waianae Coast area. It runs from approximately 4:30 AM to 6:00 AM and from 3:00 PM to 5:00 PM (span of 3.5 hours: 1.5 hour during the morning commuter peak and 2 hours during the afternoon commuter peak).
- Route PH2 (Mililani Town Pearl Harbor Express): Provides service from the Mililani area. It runs from approximately 5:00 AM to 6:30 AM and from 3:00 PM to 4:30 PM (span of 3 hours: 1.5 hours during the morning commuter peak and 1.5 hours during the afternoon commuter peak).

- Route PH3 (Wahiawa Heights Pearl Harbor Express): Provides service from the Wahiawa area. It runs from approximately 5:15 AM to 6:15 AM and from 3:15 PM to 4:15 PM (span of 2 hours: 1 hour in the morning commuter peak and 1 hour in the afternoon commuter peak).
- Route PH4 (Kailua Kahaluu Pearl Harbor Express): Provides service from the windward areas of Oahu such as Kahaluu, Ahuimanu, Kaneohe, and Kailua. It runs from approximately 4:30 AM to 6:00 AM and 3:00 PM to 5:00 PM (span of 3.5 hours: 1.5 hours in the morning commuter peak and 2 hours in the afternoon commuter peak).
- Route PH6 (Hawaii Kai Pearl Harbor Express): Provides service from the Hawaii Kai area. It runs from approximately 5:00 AM to 6:00 AM and from 3:15 PM to 4:45 PM (span of 2.5 hours: 1 hour in the morning commuter peak and 1.5 hours in the afternoon commuter peak).
- Route PH7 (Ewa Beach Pearl Harbor Express): Provides service to JBPHH from the Ewa areas. It runs from approximately 5:00 AM to 6:00 AM and 3:15 PM to 4:15 PM (span of 2 hours: 1 hour in the morning commuter peak and 1 hour in the afternoon commuter peak).

The municipal bus stop closest to the Bloch Arena site is north and west of the North Road and Battleship Drive intersection (Stop Number [No.] 4277). Additional bus stops are along Pearl Harbor Boulevard. In the eastbound direction is a bus stop at a McDonald's restaurant (Stop No. 3377); in the westbound direction, a bus stop is located on the opposite side of the street (Stop No. 3360). Route 9 is the only municipal bus route that serves all three of these stops. Further west, after Pearl Harbor Boulevard transitions to Safeguard Street, is the bus stop that all routes on JBPHH serve (Stop No. 3362). Figure 2-19 illustrates selected express routes (all express routes have the same route through JBPHH). FOR OFFICIAL USE ONLY: MAY NOT BE RELEASABLE UNDER FOIA TIAR for Ambulatory Care Center Replacement JBPHH, Oahu, Hawaii Final




Figure 2-19 TheBus express routes serving JBPHH

2-23 DO NOT FORWARD TO PERSONS WITHOUT A DEMONSTRATED OFFICIAL NEED FOR THE INFORMATION CONTAINED HEREIN Existing Conditions

2.4.2 Navy Exchange Shuttles

The NEX shuttle provides service between JBPHH and The Mall at Pearl Harbor (NEX) on Radford Drive. According to the 2018 NEX Shuttle route (Figure 2-20), it begins its route at NEX, enters JBPHH through Kuntz Gate, circulates through JBPHH, and exits via Makalapa Gate. Its route takes approximately an hour to complete. It operates from 10:00 AM to 9:00 PM. Figure 2-20 illustrates the route and approximate schedule of the NEX shuttles.

2.4.2.1 Bloch Arena Site


In the vicinity of the Bloch Arena site, the NEX shuttle travels along Pearl Harbor Boulevard, turning left onto North Road. A NEX shuttle stop is located north of the intersection of North Road and Battleship Drive. This stop is also used by TheBus (Stop No. 4277).

2.4.2.2 Tradewinds-Par 3 and Kuntz Gate Sites

In the vicinity of the two proposed sites along Kuntz Avenue, the NEX shuttle travels west along Kuntz Avenue, turns left onto McChord Street, right onto Moffet Street, right onto McClelland Street, and then left back onto Kuntz Avenue.

April 2020

WEX **★ SHUTTLE BUS** A Complimentary Service



2-25

DO NOT FORWARD TO PERSONS WITHOUT A DEMONSTRATED OFFICIAL NEED FOR THE INFORMATION CONTAINED HEREIN Existing Conditions

2.5 Transportation Conditions

Twenty-four-hour traffic volume counts and peak period intersection traffic turning movement counts were conducted for this TIAR. Data collection occurred between November 18 and 21, 2019. This week was selected because it was representative of typical traffic conditions not affected by holidays or special events.

2.5.1 Existing 24-Hour Traffic Volumes


The 24-hour traffic volume counts were conducted using automatic traffic recorders (ATRs) installed along roadways in the vicinity of the sites. The ATRs counted for a period slightly longer than 24 hours at each location before being moved to a new location. The ATRs were installed on Monday, November 18, 2019, and were removed from the last location on Thursday, November 21, 2019. The 24-hour traffic volume counts were conducted at the following six roadways:


- Kuntz Avenue, west of McClelland Street (November 19 to 20, 2019)
- Kuntz Avenue, east of Halehaka Street/Kamakahi Street (November 18 to 19, 2019)
- Halehaka Street (November 18 to 19, 2019)
- McClelland Street (November 19 to 20, 2019)
- North Road, north of Battleship Drive (November 20 to 21, 2019)
- North Road, south of Pearl Harbor Boulevard (November 20 to 21, 2019)

The 24-hour traffic volume summary worksheets are included in Appendix B.

Figure 2-21 illustrates the total 24-hour vehicular traffic volume at each location. Figure 2-22 to Figure 2-27 display the hourly variation of traffic volumes over a 24-hour period at each ATR count location by direction of travel.

April 2020





2-27 DO NOT FORWARD TO PERSONS WITHOUT A DEMONSTRATED OFFICIAL NEED FOR THE INFORMATION CONTAINED HEREIN Existing Conditions






Figure 2-22 Hourly volume variation on Kuntz Avenue, west of McClelland Street






Figure 2-23 Hourly volume variation on Kuntz Avenue, east of Halehaka Street/Kamakahi Street

FOR OFFICIAL USE ONLY: MAY NOT BE RELEASABLE UNDER FOIA TIAR for Ambulatory Care Center Replacement JBPHH, Oahu, Hawaii Final










Figure 2-25 Hourly volume variation on McClelland Street

2-29 DO NOT FORWARD TO PERSONS WITHOUT A DEMONSTRATED OFFICIAL NEED FOR THE INFORMATION CONTAINED HEREIN Existing Conditions

April 2020






Figure 2-26 Hourly volume variation on North Road, north of Battleship Drive





2.5.2 Existing Turning Movement Volumes

Pedestrian, bicycle, and vehicular turning movement counts were conducted for the AM, midday, and PM peak hour periods on Tuesday, November 19, 2019, Wednesday, November 20, 2019, and Thursday, November 21, 2019. The turning movement counts were conducted at the following six intersections:


- Kuntz Avenue and McClelland Street
- Kuntz Avenue and Kokomalei Street
- Kuntz Avenue and McChord Street
- Kuntz Avenue and Halehaka Street/Kamakahi Street
- North Road and Pearl Harbor Boulevard
- North Road and Battleship Drive


The pedestrian, bicycle, and vehicle turning movement count summary sheets are included in Appendix A.

The traffic study periods were from 6:00 AM to 8:00 AM for the AM peak period, 11:00 AM to 1:00 PM for the midday peak period, and 2:00 PM to 4:00 PM for the PM peak period.

2.5.2.1 Tradewinds-Par 3 and Kuntz Gate Sites

At the two sites along Kuntz Avenue, the AM peak hour is from 7:00 AM to 8:00 AM, the midday peak is from 12:00 PM to 1:00 PM, and the PM peak hour is from 3:00 PM to 4:00 PM. Figure 2-28 illustrates the vehicular counts for all three peak hour periods.





KOKOMALEI ST

TRADEWINDS-PAR 3 SITE

50[53](43)

- 424[389](367)

(291)[244]322

(28)[36]71

Year 2019 AM, Midday, and PM Peak Hour Vehicular Volumes at Kuntz Avenue Sites

140[94](74)

(172)[137]134 -

(464)[262]257 →

27[16](15)

TIAR for Ambulatory Care Center Replacement JBPHH, Oahu, Hawaii

7:00-8:00 am 12:00-1:00 pm 3:00-4:00 pm

Date: 1/28/2020 NOT TO SCALE

← 578[503](521)

15[12](13)

4[3](10)

32[40](65)

MCCLELLAND ST

Figure 2-28

*AM

KUNTZ

AVE

(568)[404]489-

(55)[41]33

Midday PM

165[68](47) -25[19](8) -90[22](28)

(72)[57]27

(26)[67]78

(267)[101]66

← 516[404](316)

23[23](15)

- 58 - 33[46](87)

MCCHORD ST

43[41](42) 136[132](139)

56[60](19)

10[5](13)

(52)

60[60](61)

KAMAKAHI ST

-

KUNTZ

GATE

SITE

2.5.2.2 Bloch Arena Site

At the Bloch Arena site, the weekday AM peak hour is from 6:15 AM to 7:15 AM, the midday peak hour is from 11:00 AM to 12:00 PM, and the PM peak hour is from 2:45 PM to 3:45 PM. Figure 2-29 illustrates the vehicular counts for all three peak hour periods.




Figure 2-29 Year 2019 AM, Midday, and PM Peak Hour Vehicular Volumes at Bloch Arena Site

2.5.3 Existing Pedestrian and Bicycle Volumes

The pedestrian and bicycle volumes were counted during the data collection process. The pedestrian and bicycle volumes observed during the vehicular peak hours at the Kuntz Avenue sites and the Bloch Arena site are illustrated on Figure 2-30 and Figure 2-31, respectively.

FOR OFFICIAL USE ONLY: MAY NOT BE RELEASABLE UNDER FOIA

TIAR for Ambulatory Care Center Replacement JBPHH, Oahu, Hawaii

LEGEND Road 2[1](0) AM[Midday](PM)* Pedestrian Volume (per hour) 00 AM[Midday](PM)* **KOKOMALEI ST** Bike Volume (per hour) 7:00-8:00 am 12:00-1:00 pm 3:00-4:00 pm *AM Midday PM Date: 1/28/2020 (0)[0](1) 00 - 00 - **oľoľ(o)** oľoľ(o) - **oľoľ(o)** oľoľ(o) olol(o) olol(o) olol(o) (2)[1]0 (0)[5]1 (0)[1]1 NOT TO SCALE 00 -oo (0)[0]0-0[2]0 4[0](2) 3[0](2) 00 00 ← 4[2](0) 3[1](2) ← 2[0](1) 10 KUNTZ 00 00 00 00 10 00 AVE 00 21 3[1](0) 70 (0)[1]3 (6)[0]1 (0)[0]0 (1)[0]0 -(5)[0]0 (1)[1]4 KUNTZ! (0)[0]0 (0)[0]0 -- **0[0]0 (0)[0]0** - **0[0]0** - **0[0]0** - **0**[0]0 - **0**[0] (0)[0]0 (0)[0]0^L - **oo** o[o](0) - **oo** 2[1](0) - **oo** 00 GATE / (0)[0]0 (1)[0]0 (1)[2]0 (2)[1]3 → (0)[0]0 (0)[0]0 (0)[2]0 (2)[0]1 → 10 1[0](1) SITE (0)[0]1 (0)[0]0 TRADEWINDS-PAR 3 SITE MCCLELLAND ST ST MCCHORD ST KAMAKAHI

Figure 2-30 Year 2019 AM, Midday, PM Peak Hour Pedestrian and Bicycle Volumes at Kuntz Avenue Site

Final

FOR OFFICIAL USE ONLY: MAY NOT BE RELEASABLE UNDER FOIA TIAR for Ambulatory Care Center Replacement JBPHH, Oahu, Hawaii Final




Figure 2-31 Year 2019 AM, Midday, PM Peak Hour Pedestrian and Bicycle Volumes at Bloch Arena Site

2.5.3.1 Tradewinds-Par 3 and Kunz Gate Sites

At the Tradewinds-Par 3 and Kuntz Gate sites, little to no pedestrian and bicycle activity was observed, as shown on Figure 2-30.

2.5.3.2 Bloch Arena Site

At the Bloch Arena site, pedestrian and bicycle activity was observed at the North Road and Battleship Drive intersection as shown on Figure 2-31.

The pedestrian volumes at the crosswalk across North Road were 44 pedestrians per hour, 9 pedestrians per hour, and 32 pedestrians per hour during the AM, midday, and PM vehicular peak hours, respectively. The pedestrian volumes at the crosswalk across Battleship Drive were 45 pedestrians per hour, 33 pedestrians per hour, and 40 pedestrians per hour during the AM, midday, and PM vehicular peak hours, respectively.

The bicycle volumes on North Road were 24 bicycles per hour, 4 bicycles per hour, and 19 bicycles per hour during the AM, midday, and PM peak hours, respectively. The bicycle volumes along Battleship Drive were 9 bicycles per hour and 10 bicycles per hour during the AM and PM vehicular peak hours, respectively.

2.5.4 Existing Intersection Operations

The six intersections noted in Section 2.2.2 were analyzed using 2019 existing conditions based on the peak hour traffic turning movement volumes and intersection configurations. Table 2-1 summarizes the weekday AM, midday, and PM peak hour operations at each of the intersections.

The six intersections were analyzed using the appropriate signalized or unsignalized intersection capacity methods described in the 2010 Highway Capacity Manual (TRB 2010) as implemented through Synchro/Sim Traffic software. For the analysis of existing conditions, existing traffic signal timing and phasing were used as input into Synchro. The Synchro analysis worksheets are included in Appendix C.

Analysis results are expressed as vehicular delay and level of service (LOS). LOS for signalized and unsignalized intersections is a qualitative index that references a performance measure such as intersection delay to show the relative quality of the traffic services. Definitions for LOS are included in Appendix D. A LOS D indicates heavy but functional operations at the intersection and is usually considered acceptable for peak hour conditions.

2.5.4.1 Tradewinds-Par 3 and Kuntz Gate Sites

As shown in Table 2-1, these unsignalized intersections were found to operate relatively well during the peak periods.

During initial data collection efforts at the Kuntz Avenue and Halehaka Street/Kamakahi Street intersection, a queue was observed forming on Kuntz Avenue eastbound during the PM peak hour. Subsequent observations on multiple days did not find recurrence of this queuing and the initial observation was considered to be an atypical occurrence.

2.5.4.2 Bloch Arena Site

As shown in Table 2-1, the signalized intersection of North Road and Pearl Harbor Boulevard operates with a LOS C or better during the morning, midday, and afternoon peak hours. It was observed that the shared northbound through/left-turn lane on North Road operates as a de facto left-turn lane. The protected left-turn phase typically clears the queue of vehicles turning left, leaving the lane open to service through traffic. However, there are periods during peak hours where higher volumes of left-turning vehicles arrive during the permissive phase and wait longer to make the turn, preventing through vehicles from using the lane and effectively causing the lane to operate as a left-turn lane. This does not occur during non-peak hours.

The unsignalized intersection of North Road and Battleship Drive has constrained traffic movements during the afternoon (PM) peak hour. The left-turning movement out of Battleship Drive has a LOS F during the PM peak hour due to the difficulty in finding sufficient gaps in the through volume along North Road and due to conflicts with vehicles turning left into Battleship Drive from North Road. Turning operations at this intersection benefit from gaps caused by signal phase transitions at the signalized North Road and Pearl Harbor Boulevard intersection.

Table 2-1	Та	b	le	2-	1
-----------	----	---	----	----	---

Existing Intersection Operations Summary

	AM Pea	ak Hour	Midday P	eak Hour	PM Pea	k Hour
Intersection/	Delay		Delay		Delay	
Traffic Movements	(sec/veh)	LOS	(sec/veh)	LOS	(sec/veh)	LOS
Kuntz Ave/McClelland St						
WB Kuntz Ave LT	8.6	А	8.4	А	9.0	А
McClelland St LT/RT	25.5	D	21.5	С	33.5	D
Kuntz Ave/Kokomalei St			•			
EB Kuntz Ave LT	9.0	А	8.9	А	8.9	А
LT from Kokomalei St	24.5	С	22.6	С	32.3	D
RT from Kokomalei St	13.4	В	12.1	В	11.5	В
Kuntz Ave/McChord St						
WB Kuntz Ave LT	8.3	А	7.9	А	8.0	А
McChord St LT/RT	19.6	С	16.2	С	16.6	С
Kuntz Ave/Halehaka St/Kama	kahi St					
EB Kuntz Ave LT	7.7	A	7.7	А	7.8	А
Halehaka St LT/RT	16	С	12.3	В	14.3	В
WB Kuntz Ave LT	7.6	A	7.7	А	7.9	А
Kamakahi Ave LT/RT	17.2	С	15.7	С	18.3	С
North Rd/Battleship Dr						
SB North Rd LT	9.1	А	9.7	А	13.3	В
Battleship Dr LT/RT	25.1	D	26.0	D	60.6	F
North Rd/Pearl Harbor Dr*						
Signalized-Overall LOS	16.9	В	16.6	В	23.6	С

Notes:

* North Rd/Pearl Harbor Drive is a signalized intersection. LOS is overall LOS. All other intersections in Table 2-1 are unsignalized, two-way STOP controlled.

Ave = avenue

Dr = drive

EB = eastbound

LOS = level of service

LT = left-turn

Rd = road

RT = right-turn

SB = southbound

sec = seconds

St = street

veh = vehicle

WB = westbound

This page intentionally left blank.

3 Future Conditions

3.1 Proposed Development

The proposed development of the ACC would include a multi-story health/dental care center facility, space to accommodate 10-20 percent (%) future growth, and surface and/or garage parking areas. The building itself would occupy approximately 250,000 square feet over multiple stories. The parking facilities would be able to accommodate approximately 1,200 parking stalls.

The ACC would offer comprehensive primary care, dental, behavioral health, occupational, and preventive special medicine services to active duty service members and beneficiaries. The hours of operations for the clinic are expected to extend from 7:00 AM to 6:00 PM. According to the AE-0 Planning Study/Joint Base Pearl Harbor-Hickam Ambulatory Care Center Replacement document (Planning Study) (SS&A Page 2019; Appendix E of this report), it is assumed that the facility would have 699 employees. This TIAR assumes that approximately 80% of the employees will arrive to the clinic before the 7:00 AM opening time and the remaining 20% will arrive between the hours of 9:00 AM and 10:00 AM. Similarly, it was also assumed that approximately 80% of the staff will depart from the site between the hours of 3:00 PM and 4:00 PM and the remaining 20% will depart from the site between the hours of 5:00 PM and 6:00 PM.

From the Planning Study, the parking calculations indicate that not all staff would park on site. The Planning Study indicates a reduction of 25% when calculating required parking for staff. This reduction may be attributed to several reasons such as the use of carpooling or other modes of transportation.

The Planning Study indicates that there would be approximately 2,208 appointments per day at the ACC, based on estimates from several beneficiary groups that would be using the clinic.

Based on the amount of traffic generated by the proposed ACC, it was assumed that the ACC would have two access points into the site: one primarily oriented toward patients and the other oriented toward staff. It is assumed that the staff would park on the surface lots and the patients would park in the garage. Figure 3-1, Figure 3-2, and Figure 3-3 illustrate the conceptual site plans for the Tradewinds-Par 3, Kuntz Gate sites, and Bloch Arena, respectively.

An excerpt from the Planning Study that was used to make these assumptions is included in Appendix E.

3.1.1 Tradewinds-Par 3 Site

The proposed Tradewinds-Par 3 alternative conceptual site plan is illustrated in Figure 3-1. For this site plan, the patient access point would be located at the Kuntz Avenue/Kokomalei Street intersection directly opposite Kokomalei Street. The proposed patient parking garage would be located adjacent to the proposed ACC building to the left of the access drive.

Patient vehicles would access the site via the Kuntz Avenue/Kokomalei Street intersection and would either stop at a designated drop-off/pick-up area or enter the parking garage directly. The parking garage would connect to the ACC building via a pedestrian bridge, reducing surface level pedestrian crossings. Outbound patient vehicles would travel from the parking garage to the Kuntz Avenue/Kokomalei Street intersection and could optionally stop at the drop-off/pick-up area first.

Staff would park in the surface parking lots located along McClelland Street and Mountain Home Street. The staff would either turn right from Kuntz Avenue onto McClelland Street or turn from Kuntz Avenue onto McChord Street and then onto Mountain Home Street to access the surface parking areas. This arrangement would separate patient and staff parking access completely. This would lower traffic demand at the intersections involved with access to and from the proposed ACC. It would also reduce potential pedestrian-vehicle conflicts.



Figure 3-1 Proposed Conceptual Site Plan of the Tradewinds-Par 3 Site

3.1.2 Kuntz Gate Site

The proposed Kuntz Gate alternative conceptual site plan is illustrated in Figure 3-2. Patient access to the ACC would occur at the Halehaka Street/20th Street intersection.

Inbound patient vehicles would access the site via Halehaka Street and either drop off patients in the drop-off/pick-up area east of the parking garage or access the garage directly. Vehicles using the drop-off/pick-up area would loop around the proposed ACC building and then turn into the parking garage. The patients would not often encounter the inbound/outbound traffic flow when traveling between the parking garage and proposed ACC building. The outbound patient vehicles would either turn into the drop-off/pick-up area or directly exit the site onto Halehaka Street. Patients would cross a non-through driveway between the parking garage and the ACC building.

Staff would park in the surface parking lots, one located west of Halehaka Street between Kuntz Avenue and 20th Street and one east of the ACC building. The western lot would be accessed from Halehaka Street via 20th Street, while the eastern lot would be accessed directly from Kuntz Avenue at a new driveway located approximately 400 feet east of the Kuntz Avenue/Halehaka Street/Kamakahi Street intersection.

Staff parking in the eastern lot would access the ACC building directly. Staff parking in the western lot would cross Halehaka Street and pass through the parking garage before crossing the non-through driveway to the ACC building.



Figure 3-2 Proposed Conceptual Site Plan of the Kuntz Gate Site

3.1.1 Bloch Arena Site

The proposed Bloch Arena alternative conceptual site plan is illustrated in Figure 3-3. The primary site access would be located at the North Road and Pearl Harbor Boulevard intersection, adding a fourth leg to the current "T"-intersection. This new access would be used by patients and staff of the proposed ACC. Staff would also have another access to the surface parking lot via Battleship Drive.

Inbound patient vehicles would enter the site and either use the drop-off/pick-up area or proceed directly to the parking garage. The patients would directly access the proposed ACC from the parking garage. The outbound patient vehicles would depart via the driveway at the North Road and Pearl Harbor Boulevard intersection.

When accessing the ACC site from the North Road/Pearl Harbor Boulevard intersection, staff would travel toward the surface parking area, which wraps around the north and east sides of the proposed ACC building. When accessing the ACC site from Battleship Drive, staff would drive directly into the surface parking area. Staff would cross the internal site driveway to access the proposed ACC building. Staff would have the option of leaving via either the North Road/Pearl Harbor Boulevard intersection or Battleship Drive.

FOR OFFICIAL USE ONLY: MA	AY NOT BE RELEASABLE UNDER FOIA
TIAR for Ambulatory Care Center Replacement	
JBPHH, Oahu, Hawaii	Final




Figure 3-3 Proposed Conceptual Site Plan of the Bloch Arena Site

3.2 Vehicular Trips Generated by the Ambulatory Care Center

To estimate the vehicular volume generated by the ACC, the approximate number of staff and appointments per day from the Planning Study and the assumptions and approximations in the Hawaii Enhanced Multi-Service Market JBPHH Traffic Study Data Request presentation (Military Health System 2020) were used. The Traffic Study Data Request presentation estimates the population that will be using the ACC, their housing location (whether it is on-base or off-base), the overall appointment volume and schedule at the ACC, and appointment distribution by beneficiary group.

The Traffic Study Data Request presentation is included in Appendix E along with an excerpt from the Planning Study.

Using the average number of appointments per day, the appointment distribution by beneficiary group, and the overall appointment utilization, the number of patients arriving at and departing from the ACC were estimated. In addition to the data from the Traffic Study Data Request, two assumptions were made on times of arrival and departure of the patients for their appointments. It was assumed that the patients would arrive approximately 30 minutes prior to the scheduled appointments, and that each scheduled appointment would last approximately one hour. Table 3-1 summarizes the distribution of patient arrivals and departures during peak periods.

	AD	FM	ADSM		RET		RET/OTHER		Total	
Time of Day	In	Out	In	Out	In	Out	In	Out	In	Out
6:00 - 7:00	33	0	115	0	6	0	49	0	203	0
7:00 – 8:00	83	0	218	0	10	0	49	0	360	0
11:00 – 12:00	11	88	77	192	3	11	37	50	128	341
12:00 – 13:00	72	44	179	90	9	5	31	9	291	148
15:00 – 16:00	6	66	13	141	1	6	0	19	20	232

 Table 3-1
 Arrival and Departure of Patients During Peak Periods

Notes:

Assumes patients arrive approximately 30 minutes prior to scheduled appointment.

Assumes appointments take approximately 1 hour to complete.

ADFM = Active Duty Family Member

ADSM = Active Duty Service Member

RET = Retired Service Member

RET/OTHER = Retiree Family Member/Other

The number of staff members arriving and departing during the peak periods were also estimated based on the assumptions in Section 3.1. Table 3-2 details the trips generated by the staff arriving and departing during the peak periods. The complete distribution for the staff is included in Appendix F.

Table 3-2	Arrivals and Departures of Staff during Pea	ak Periods

Time of Day	In	Out
6:00 - 7:00	168	0
7:00 – 8:00	251	0
11:00 – 12:00	0	0
12:00 – 13:00	0	0
15:00 – 16:00	0	168

Note: Assumes 32% of staff arrive/depart first, 48% of staff arrive/depart next, and then remaining 20% arrive/depart 2 hours later.

% = percent

3.3 Background Traffic Volumes

Background traffic is the traffic in the area surrounding the proposed development that is unrelated to the proposed project. A growth rate is applied to the background traffic to account for the future general growth of the area. However, given that the areas around the site are located on JBPHH, the growth of the surrounding area may be different from typical civilian/commercial areas. The year 2027 was used as the future projection year. Based on discussions with JBPHH planning staff, no growth in background traffic volumes was assumed for the background traffic around the three proposed alternative sites within the 2027 projection time frame.

3.4 Projected Future Peak Hour Traffic Volumes for the Ambulatory Care Center

3.4.1 Trip Distribution and Assignment

The vehicular traffic volumes generated by the ACC that are summarized in Table 3-3 and Table 3-4 were distributed based on the general housing area from which patients were coming, and assigned to the surrounding roadway network. The assumptions made for the distributions are included in the Hawaii Military Health System Traffic Study Data Request results shown in Appendix E.

From the Traffic Study Data Request, the vehicular volume was first distributed among two groups: the on-base population and the off-base population. The on-base population was then further subdivided into four groups. These four groups are the Navy barracks, the Air Force barracks, other Navy housing, and Hickam housing. The Hickam housing was further subdivided into two categories: the larger residential area to the west of Kuntz Avenue and the smaller residential area to the north of Kuntz Avenue.

The Traffic Study Data Request results indicate that approximately 80% of future patients are located off-base and the remaining 20% are located on-base. For the housing area of the staff, it was assumed that approximately 50% would be located on-base and 50% would be located off-base. The on-base volumes were then further distributed to the Navy barracks, Air Force barracks, other Navy housing, and Hickam housing areas. For the vehicular trips headed to and from Hickam housing areas, trips were proportioned based on the approximate area of the two housing areas. Table 3-3 to Table 3-7 detail the projected trip distribution for the future staff and appointments based on the peak periods and housing locations. Not all of the projected off-base vehicle trips are new trips. The ACC would replace existing facilities that are currently located within JBPHH. Some of these projected off-base trips are already among the current off-base trips using JBPHH gates to access these existing facilities. However, a worst-case scenario assuming no reduction in off-base trips at the JBPHH gates was used for evaluation of gate impacts.

A quantitative evaluation of gate impacts was beyond the scope of this TIAR. However, the EA interdisciplinary team sought the support and expertise of the Surface Deployment and Distribution Command Transportation Engineering Agency (SDDCTEA) to quantify potential gate impacts in an Entry Control Facility (ECF) Lane Assessment. The purpose of the ECF Lane Assessment was to calculate the number of ID check lanes needed at each of the four ECFs given additional traffic demand generated by the three ACC alternatives. The methodology and results of the SDDCTEA report are included in full as Appendix E in the EA.

Traffic volumes at intersections adjacent to the proposed alternative sites would be new trips directly overlaid over existing traffic volumes. The traffic impacts at the alternative sites' intersections would be based on the resulting projected traffic volumes.

	Staff					Appointment			
Location	In	Out	Total	Percentage	In	Out	Total	Percentage	
Off-base	84	0	84	50.0%	162	0	162	80.0%	
Navy Barracks	18	0	18	10.9%	9	0	9	4.3%	
Other Navy Housing	1	0	1	0.6%	1	0	1	0.2%	
Air Force Barracks	3	0	3	1.9%	2	0	2	0.8%	
Hickam West	39	0	39	23.1%	18	0	18	9.2%	
Hickam North	23	0	23	13.6%	11	0	11	5.4%	
Total	168	0	168	100.0%	203	0	203	100.0%	

Table 3-3	Trip distribution during the	he AM peak hour	(6:00-7:00 AM)

Note:

% = percent

Table 3-4Trip distribution during the AM peak hour (7:00-8:00 AM)

	Staff					Appointment			
Location	In	Out	Total	Percentage	In	Out	Total	Percentage	
Off-base	126	0	126	50.0%	288	0	288	80.0%	
Navy Barracks	27	0	27	10.9%	15	0	15	4.3%	
Other Navy Housing	1	0	1	0.6%	1	0	1	0.2%	
Air Force Barracks	5	0	5	1.9%	3	0	3	0.8%	
Hickam West	58	0	58	23.1%	33	0	33	9.2%	
Hickam North	34	0	34	13.6%	20	0	20	5.4%	
Total	251	0	251	100.0%	360	0	360	100.0%	

Note:

% = percent

Table 3-5	Trip distribution during the midday peak hour (11:00 AM-12:00 PM)
-----------	---

	Staff					Appointment			
Location	In	Out	Total	Percentage	In	Out	Total	Percentage	
Off-base	0	0	0	50.0%	102	273	375	80.0%	
Navy Barracks	0	0	0	10.9%	6	14	20	4.3%	
Other Navy Housing	0	0	0	0.6%	0	1	1	0.2%	
Air Force Barracks	0	0	0	1.9%	1	3	4	0.8%	
Hickam West	0	0	0	23.1%	12	32	44	9.2%	
Hickam North	0	0	0	13.6%	7	18	25	5.4%	
Total	0	0	0	100.0%	128	341	469	100.0%	

Note:

% = percent

Trip distribution during the midday peak hour (12:00-1:00 PM) Table 3-6

	Staff					Appointment			
Location	In	Out	Total	Percentage	In	Out	Total	Percentage	
Off-base	0	0	0	50.0%	233	118	351	80.0%	
Navy Barracks	0	0	0	10.9%	13	6	19	4.3%	
Other Navy Housing	0	0	0	0.6%	1	0	1	0.2%	
Air Force Barracks	0	0	0	1.9%	2	1	3	0.8%	
Hickam West	0	0	0	23.1%	26	13	39	9.2%	
Hickam North	0	0	0	13.6%	16	8	24	5.4%	
Total	0	0	0	100.0%	291	148	437	100.0%	

Note:

% = percent

Table 2.7	,
Table 3-7	

Trip distribution during the PM peak hour (3:00-4:00 PM)

	Staff			Appointment				
Location	In	Out	Total	Percentage	In	Out	Total	Percentage
Off-base	0	84	84	50.0%	16	186	202	80.0%
Navy Barracks	0	18	18	10.9%	1	10	11	4.3%
Other Navy Housing	0	1	1	0.6%	0	0	0	0.2%
Air Force Barracks	0	3	3	1.9%	0	2	2	0.8%
Hickam West	0	39	39	23.1%	2	21	23	9.2%
Hickam North	0	23	23	13.6%	1	13	14	5.4%
Total	0	168	168	100.0%	20	232	252	100.0%

Note:

% = percent

After the projected ACC-generated trip distribution was determined for peak hours, the vehicular volume was distributed across the roadway network in the vicinity of the sites, with the assumption of vehicles returning to each of the housing areas. The ACC-generated traffic destined for off-base locations was distributed to the nearest JBPHH gates. It was assumed that the off-base traffic could use any of the JBPHH gates to access the clinic. The projected ACC-generated traffic was distributed to account for potential use of all available access points.

3.4.2 Future Peak Hour Traffic Volumes

The projected ACC-generated traffic volumes were combined with existing traffic volumes to create a total projected peak hour traffic volume calculation. Based on discussions with JBPHH planning staff, existing traffic volumes were not projected to grow appreciably within the 2027 projection time frame. The projected total traffic volumes generated for the Tradewinds-Par 3, Kuntz Gate, and Bloch Arena alternative sites are shown in Figure 3-4, Figure 3-5, and Figure 3-6, respectively.




Figure 3-4 Projected AM, midday, and PM peak hour traffic volumes along Kuntz Avenue for the Tradewinds-Par 3 site

FOR OFFICIAL USE ONLY: MAY NOT BE RELEASABLE UNDER FOIA TIAR for Ambulatory Care Center Replacement JBPHH, Oahu, Hawaii Final




Figure 3-5 Projected AM, midday, and PM peak hour traffic volumes along Kuntz Avenue for the Kuntz Gate site




Figure 3-6 Projected AM, midday, and PM peak hour traffic volumes for the Bloch Arena site

3.5 Projected Intersection Peak Hour Operations

The projected 2027 AM, midday, and PM peak hour traffic volumes for the proposed ACC were evaluated using both the unsignalized and signalized Highway Capacity Manual methods (TRB 2010) as implemented by the Synchro analysis software for all three alternative sites. The Synchro analysis worksheets are included in Appendix C. Aside from including new access driveways, the existing roadway geometry and traffic control were maintained as much as possible for this analysis. These analysis findings are labeled as "No Mitigation" in the Synchro analysis worksheets.

3.5.1 Tradewinds-Par 3 Site

Table 3-8 details the future operations for the intersections along the Kuntz Avenue corridor. The intersections and lane geometry would remain the same, with modifications at the Kuntz Avenue and Kokomalei Street intersection to provide a fourth leg for the driveway to the proposed ACC.

Table 3-8Future Intersection Operations for the Tradewinds-Par 3 Alternative with No
Mitigation

	AM Peak Hour		Midday P	eak Hour	PM Peak Hour					
Intersection/	Delay		Delay		Delay					
Traffic Movements	(sec/veh)	LOS	(sec/veh)	LOS	(sec/veh)	LOS				
Kuntz Ave/McClelland St	Kuntz Ave/McClelland St									
WB Kuntz Ave LT	10.1	В	8.9	А	9.1	А				
McClelland St LT/RT	41.2	E	30.8	D	>300	F				
Kuntz Ave/Kokomalei St										
WB Kuntz Ave LT	9.0	А	8.9	А	8.9	А				
LT/TH from ACC Driveway	0.0	А	>300	F	>300	F				
RT from ACC Driveway	0.0	А	13.6	В	15.1	В				
EB Kuntz Ave LT	9.1	А	9.0	А	9.4	А				
LT/TH from Kokomalei St	231.8	F	81.0	F	66.9	F				
RT from Kokomalei St	13.9	С	12.6	В	12.8	В				
Kuntz Ave/McChord St										
WB Kuntz Ave LT	8.6	А	8.1	А	7.9	А				
McChord St LT/RT	31.8	D	21.8	С	24.5	D				
Kuntz Ave/Halehaka St/Kamakahi St										
EB Kuntz Ave LT	8.3	А	8.1	А	7.9	А				
Halehaka St LT/TH/RT	31.4	D	22.3	С	28.7	D				
WB Kuntz Ave LT	7.7	А	7.8	А	8.4	А				
Kamakahi Ave LT/TH/RT	31.7	D	15.6	С	18.6	С				

Notes:

ACC = Ambulatory Care Center

Ave = avenue

Dr = drive

EB = eastbound

LT = left-turn

Rd = road

RT = right-turn

sec = seconds

St = street

TH = through

veh = vehicle

WB = westbound

3-15

The majority of the ACC-generated traffic would be oriented to Kuntz Avenue. The increase in traffic along Kuntz Avenue and at streets accessing the ACC affects left-turning movements throughout the vicinity, particularly on McClelland Street and Kokomalei Street. As shown in Table 3-8, both left turns from these unsignalized intersections operate with a LOS F during the PM peak hour with a delay that exceeds 300 seconds per vehicle, indicating substantial vehicular queuing. With no mitigations implemented around this site, the traffic exiting from the side streets would have difficulty turning onto Kuntz Avenue. This would affect the staff and patients of the proposed ACC. The increased traffic on Kuntz Avenue would increase delays to movements at the Kuntz Avenue/Halehaka Street/Kamakahi Street intersection, although these would still be in the acceptable peak hour operational range. Section 5 of this TIAR documents recommendations to mitigate these impacts.

3.5.2 Kuntz Gate Site

Although existing roadway configurations would be maintained as much as possible if the ACC were constructed at this site, access would require some physical modifications. A new driveway would be added on Kuntz Avenue, east of the Halehaka Street/Kamakahi Street intersection, for staff access to a surface parking lot. The existing driveways between Kuntz Avenue and 20th Street on Halehaka Street would be closed, and primary site access would occur on 20th Street, turning east for the ACC building and eastern parking lot and west for the western parking lot.

Table 3-9 details the results from the traffic analysis for intersections adjacent to the Kuntz Gate site and along the Kuntz Avenue corridor.

Similar to the Tradewinds-Par 3 alternative, the majority of traffic for the Kuntz Gate Site alternative would be oriented to Kuntz Avenue. As shown in Table 3-9, at the Kuntz Avenue and Halehaka Street/Kamakahi Street intersection, left turns from Halehaka Street/Kamakahi Street would be projected to operate at LOS F during all peak hour time periods. The proposed access on Kuntz Avenue for the staff parking lot and the main ACC building access on Halehaka Street at 20th Street would be projected to operate acceptably for peak hour conditions.

Traffic generated by this alternative would travel along Kuntz Avenue, affecting other intersections, especially those to the west of the Kuntz Gate site. The additional traffic would increase the difficulty for traffic turning out of cross streets and driveways onto Kuntz Avenue. As shown in Table 3-9, the left turn from Kokomalei Street and the turning movements out of McClelland Street are projected to operate at a LOS F during the PM peak hour, indicating substantial delay and excessive vehicle queuing at these approaches.

Table 3-9	Future Intersection Operations for the Kuntz Gate Alternative with No
	Mitigation

	AM Peak Hour		Midday P	eak Hour	PM Peak Hour					
Intersection/	Delay		Delay		Delay					
Traffic Movements	(sec/veh)	LOS	(sec/veh)	LOS	(sec/veh)	LOS				
Kuntz Ave/McClelland St	Kuntz Ave/McClelland St									
WB Kuntz Ave LT	10.1	В	8.9	А	9.1	А				
McClelland St LT/RT	47.9	E	30.8	D	57.8	F				
Kuntz Ave/Kokomalei St										
EB Kuntz Ave LT	9.1	А	9.4	А	10.8	В				
LT from Kokomalei St	82.6	F	37.4	E	55.7	F				
RT from Kokomalei St	13.9	В	13.7	В	16.5	С				
Kuntz Ave/McChord St										
WB Kuntz Ave LT	9.6	А	8.5	А	73.0	А				
McChord St LT/RT	31.8	D	21.8	С	24.5	D				
Kuntz Ave/Halehaka St/Kamaka	ahi St									
EB Kuntz Ave LT	8.3	А	8.1	А	7.9	А				
Halehaka St LT/TH/RT	31.4	D	22.3	С	28.7	D				
WB Kuntz Ave LT	7.7	А	7.8	А	8.4	А				
Kamakahi Ave LT/TH/RT	31.7	D	15.6	С	18.6	С				
Kuntz Ave/Proposed Access										
EB Kuntz Ave LT	8.6	А	0	А	0.0	А				
Proposed Access LT/RT	0.0	А	0.0	А	13.3	В				

Notes:

Ave = avenue

EB = eastbound

LOS = level of service

LT = left-turn

RT = right-turn

sec = seconds

St = street

TH = through

veh = vehicle

WB = westbound

3-17

3.5.3 Bloch Arena Site

Table 3-10 summarizes the projected future operations for the intersections in the immediate vicinity of the Bloch Arena site.

The North Road/Pearl Harbor Boulevard intersection would be modified from a signalized "T"-intersection to a signalized four-legged intersection to accommodate the access driveway for the proposed ACC, located opposite of the terminus of Pearl Harbor Boulevard. Lane configuration at the intersection would be modified to add a southbound left-turn lane and to change the outside eastbound left-turn lane into a through/left-turn lane for traffic accessing the ACC. Traffic signal control would be modified to a split-phase operation to accommodate the shared eastbound through/left-lane on the Pearl Harbor Boulevard approach. These geometric changes would require widening North Road by one lane from Pearl Harbor Boulevard to Battleship Drive to provide room for the southbound left-turn lane.

The North Road/Battleship Drive intersection and associated lane configurations would not be modified from the existing unsignalized "T"-intersection with STOP-sign control on the Battleship Drive approach.

As shown in Table 3-10, overall peak hour operations at the North Road/Pearl Harbor Boulevard intersection would be at a typically accepted level of LOS D. However, further evaluation of the analysis worksheets indicate that vehicle queuing would be an issue. The vehicle queue for North Road in the northbound direction during the PM peak hour is projected to back up as far as Nimitz Gate. The ACC driveway approach is also projected to have a long vehicle queue during this time period, creating internal circulation issues within the Bloch Arena site.

Delays at the North Road/Battleship Drive intersection would be projected to increase for vehicles exiting Battleship Drive, with LOS for this movement declining from LOS D operation in the existing condition to LOS E operation during the AM peak hour for the Bloch Arena site alternative. During the midday and PM peak periods, existing and projected future LOSs would be similar, although the already congested condition during the PM peak hour would be expected to worsen. Section 5 of this TIAR identifies recommended improvements to mitigate these conditions.

Future Intersection Operations for Bloch Arena Site Alternative with No Table 3-10 Mitigation

	AM Peak Hour		Midday P	eak Hour	PM Peak Hour			
Intersection/	Delay		Delay		Delay			
Traffic Movements	(sec/veh)	LOS	(sec/veh)	LOS	(sec/veh)	LOS		
North Rd/Battleship Dr								
SB North Rd LT	9.5	А	9.8	А	14.4	В		
Battleship Dr LT/RT	36.6	E	26.6	D	131.8	F		
North Rd/Pearl Harbor Dr*								
Signalized-Overall LOS	17.5	В	37.2	D	43.8	D		

Notes:

* North Rd/Pearl Harbor Dr is a signalized intersection. LOS is overall LOS. All other intersections in Table 3-10 are unsignalized, two-way STOP controlled.

Dr = drive

LOS = level of service

LT = left-turnRd = road

RT = right-turn

SB = southbound

sec = seconds

veh = vehicle

3.6 Traffic Signal Warrant Analysis

In preparation for the evaluation of actions to mitigate the issues identified in the initial traffic analyses, a preliminary traffic signal warrant analysis was conducted for the intersections in the vicinity of the proposed alternative sites. With the exception of the North Road/Pearl Harbor Boulevard intersection, most of the evaluated intersections are unsignalized. The increase in traffic volumes that would occur with the addition of the ACC on each potential site are projected to overwhelm the unsignalized operation at some of these unsignalized locations. The most obvious remedy for this situation is to signalize the intersections, but to do so requires that the conditions at these intersections satisfy traffic signal warrants as documented in the Manual on Uniform Traffic Control Devices (MUTCD) (USDOT 2009).

Preliminary traffic signal warrant evaluations were conducted at unsignalized intersections where it was determined that projected operations would benefit from signalization. The following intersections were evaluated:

- Tradewinds-Par 3: Kuntz Avenue and McClelland Street, Kuntz Avenue and Kokomalei Street, and Kuntz Avenue and McChord Street
- Kuntz Gate: Kuntz Avenue and Halehaka Street/Kamakahi Street and Kuntz Avenue and proposed • staff parking lot access on Kuntz Avenue
- Bloch Arena: North Road and Battleship Drive •

There are nine traffic signal warrants listed in Chapter 4C, Traffic Control Signal Needs Studies of the MUTCD (USDOT 2009). Six out of the nine traffic signal warrants are based on factors other than the vehicular volume at the intersection. Warrant 4, Pedestrian Volume, would not apply at any of the intersections. At the North Road and Battleship Drive intersection, there were approximately 44 pedestrians per hour during the AM peak hour and 32 pedestrians per hour during the PM peak hour, which were the largest pedestrian volumes observed during data collection. These pedestrian volumes are not large enough to meet the minimum requirements of the Pedestrian Peak Hour component of Warrant 4 (133 pedestrians per hour). Warrant 5, School Crossing, is not applicable at any of the three alternative sites. Warrant 6, Coordinated Signal System, is not applicable for this analysis. Warrant 7, Crash Experience, was not evaluated. Warrant 8, Roadway Network, is not applicable for this analysis. Warrant 9, Intersection Near a Grade Crossing (Railroad), is not applicable at any of the intersections at the three proposed sites.

The remaining three warrants are volume-based: Warrant 1, Eight-Hour Vehicular Volume; Warrant 2, Four-Hour Vehicular Volume; and Warrant 3, Peak Hour.

The approach used in this analysis was to evaluate Warrant 3, Peak Hour, using the projected peak hour traffic volumes to identify whether signalization would be potentially justified at the intersections evaluated. Warrant 3, Peak Hour, is usually the easiest to satisfy out of the three volume warrants. If the peak hour warrant is not satisfied, it is unlikely the other volume warrants also would be satisfied and a traffic signal would be considered as not warranted at the intersection. If the peak hour warrant is satisfied, it is assumed that a traffic signal would be warranted for the purposes of this TIAR.

3.7 Tradewinds-Par 3 Site

From the criteria listed under Warrant 3, Peak Hour from Chapter 4C, Traffic Control Signal Needs Studies of the MUTCD (USDOT 2009), the Kuntz Avenue/McClelland Street and Kuntz Avenue/Kokomalei Street/proposed ACC access are projected to satisfy the requirements for Warrant 3. The Kuntz Avenue/McChord Street intersection does not satisfy the requirements for Warrant 3. The worksheets for the analysis at these three intersections are included in Appendix G.

3.8 Kuntz Gate Site

From the criteria listed under Warrant 3, Peak Hour from Chapter 4C, Traffic Control Signal Needs Studies of the MUTCD (USDOT 2009), the Kuntz Avenue/Halehaka Street/Kamakahi Street intersection is projected to satisfy the requirements for Warrant 3. The Kuntz Avenue/proposed staff lot access intersection does not satisfy the requirements for Warrant 3. The worksheets for this analysis are included in Appendix G.

3.9 Bloch Arena Site

From the criteria listed under Warrant 3, Peak Hour from Chapter 4C, Traffic Control Signal Needs Studies of the MUTCD (USDOT 2009), the North Road/Battleship Drive intersection is projected to satisfy the requirements for Warrant 3 with the projected volumes. The worksheets for the analysis for all three peak periods are included in Appendix G.

4 Proposed Alternatives and Impacts

4.1 Tradewinds-Par 3 Site Alternative

The conceptual site plan assumed in this analysis for the Tradewinds-Par 3 alternative is illustrated on Figure 3-1. The site plan shows the general conceptual location of the clinic building, parking facilities, and pedestrian and vehicle circulation.

4.1.1 Internal Circulation and Parking

The patient traffic would enter through the access opposite Kokomalei Street and have internal circulation that would enable drop-off/pick-up and access to the parking garage. The surface lots for the ACC staff are located along McClelland Street and Mountain Home Street. The staff would need to cross either road to arrive at the ACC from the surface parking areas.

The Tradewinds-Par 3 alternative also would be partially located on an existing surface parking lot. Several other surface parking areas are in the vicinity of the site that would be used to utilize the other facilities in the area.

4.1.2 Site Access Impacts

The major site access impact for the Tradewinds-Par 3 alternative is the new patient access point along Kuntz Avenue and opposite of Kokomalei Street, which changes the "T"-intersection to a four-legged intersection. This addition would increase the complexity of this intersection and require the addition of a westbound median left-turn lane on Kuntz Avenue. Staff would be directed to McClelland Street and McChord Street for access to the surface parking lots, increasing the congestion at the intersections of these roadways with Kuntz Avenue.

4.1.3 Intersection Operational Impacts

As shown in Table 3-8, the Tradewinds-Par 3 alternative will primarily impact the McClelland Street and Kokomalei Street intersections on Kuntz Avenue. Additional traffic approaching the site from the west along Kuntz Avenue increases the delay experienced by vehicles exiting from the north-south streets such as Kokomalei Street. The increased delay would inhibit the patient and staff of the ACC departing from the proposed facility. As detailed in Table 3-8, the left-turn movement from McClelland Street and Kokomalei Street are projected to operate at LOS F during the peak periods.

As documented in Section 3.6, both the McClelland Street and Kokomalei Street intersections with Kuntz Avenue would satisfy Warrant 3, Peak Hour from Chapter 4C, Traffic Control Signal Needs Studies in the MUTCD (USDOT 2009) suggesting signalization as a potential mitigating action.

4.1.4 Roadway Impacts

The Tradewinds-Par 3 alternative would impact the surrounding roadways with the introduction of the additional leg at the Kuntz Avenue and Kokomalei Street intersection. This addition of this leg would also involve the addition of a left-turn lane into the proposed ACC site. However, Kuntz Avenue currently has sufficient width to add a new left-turn lane. Between Kokomalei Street and McChord Street is a painted median separating the two travel lanes opposite of the two left-turn lanes at their respective intersections with Kuntz Avenue. Part of this median could be converted into a new left-turn lane for this alternative.

4.1.5 Pedestrian and Bicycle Impacts

The installation of the proposed ACC would not affect existing sidewalks and could potentially improve sidewalk coverage in the vicinity of the proposed Tradewinds-Par 3 site. Signalization of the Kuntz Avenue/Kokomalei Street and Kuntz Avenue/McClelland Street intersections has the potential to increase safety for pedestrians crossing Kuntz Avenue.

The Tradewinds-Par 3 alternative would have minimal impacts on the bicycle facilities. As stated in Section 2.3.1.2, there are no existing bicycle facilities along Kuntz Avenue. The JBPHH Installation Development Plan (IDP) identifies plans for a marked bike lane along Kuntz Avenue and shared bike lanes along McClelland Street, Mountain Home Street, and McChord Street. According to the JBPHH IDP, a moderate shared bike lane is defined as a portion of the roadway within the shoulder that has been designated for shared use between bicycles and street parking. The installation of the proposed ACC at this site should not impact the potential for these planned bicycle lanes to be installed in the future.

4.1.6 Public Transit Impacts

The Tradewinds-Par 3 site alternative would not have a large impact on the public transit facilities. The roadway impacts would not impact TheBus or the NEX shuttle services. It is also compatible with bus stop locations in the vicinity (Stops No. 923, 924, and 965).

4.2 Kuntz Gate Site Alternative

The conceptual site plan for the Kuntz Gate alternative that was used for this analysis is illustrated on Figure 3-2. The site plan shows the general conceptual location of the clinic building, parking facilities, and pedestrian and vehicle circulation.

4.2.1 Internal Circulation and Parking Impacts

The vehicular circulation for the Kuntz Gate site proposes that patients and approximately half of the staff would enter at the Halehaka Street/20th Street intersection while the other half of the staff would enter at a newly created access on Kuntz Avenue, east of Halehaka Street. The patient vehicles would need to be able to drop off and pick up at the front of the clinic while still providing convenient access to the parking garage.

Half of the staff would need to cross Halehaka Street to access the ACC from the surface lot to the west of Halehaka Street. The remaining staff would approach the ACC from the east without crossing the roadway.

The Kuntz Gate alternative would also partially displace an existing parking area, but similar to the Tradewinds-Par 3 alternative, there are several other parking areas in the vicinity that could be used for the other facilities.

4.2.2 Site Access Impacts

The Kuntz Gate alternative would have two access points. The primary site access would be located on Halehaka Street at the existing 20th Street intersection. The staff would access the surface parking lot at 20th Street, to the west of Halehaka Street. The second access into the site would be located on Kuntz Avenue approximately 800 feet from the Kuntz Avenue and Halehaka Street/Kamakahi Street intersection. It would provide access to a second surface parking lot for the staff. The existing driveways on Halehaka Street located immediately north of Kuntz Avenue would be closed.

4.2.3 Intersection Operational Impacts

As shown in Table 3-9, the Kuntz Gate site alternative would affect the Kuntz Avenue/Halehaka Street/Kamakahi Street intersection. The increase of peak period traffic volumes with the addition of the ACC-generated traffic would cause measurable increases in delay for the Halehaka Street and Kamakahi Street approaches. Both approaches are calculated to operate at LOS F during the morning peak hour with large delays.

As mentioned in Section 3.6, the Kuntz Avenue and Halehaka Street/Kamakahi Street intersection is projected to satisfy MUTCD Warrant 3, Peak Hour based on the additional traffic generated by the proposed JBPHH-ACC which suggests that signalization could be a mitigation measure.

4.2.4 Roadway Impacts

For the Kuntz Gate alternative, the majority of the roadway improvements would occur around the Kuntz Avenue and Halehaka Street/Kamakahi Street intersection and the new access point from Kuntz Avenue into the surface parking lot area. The Kuntz Avenue and Halehaka Street/Kamakahi Street intersection would need to be modified to mitigate the increase in delay at that intersection. The segments along Kuntz Avenue east of Halehaka Street and a portion of Kamakahi Street would need to be widened to accommodate a median left-turn lane for traffic turning into the proposed staff parking lot to the east.

4.2.5 Pedestrian and Bicycle Impacts

The Kuntz Gate alternative would have no adverse impacts on the pedestrian facilities and could enhance the existing facilities. On Halehaka Street, north of Kuntz Avenue where the proposed ACC would be located, there is currently no existing sidewalk. The addition of the ACC could provide the opportunity to add a sidewalk for pedestrian circulation around the site. The potential for a signalized Kuntz Avenue/Halehaka Street/Kamakahi Street intersection could also increase pedestrian crossing safety.

The Kuntz Gate alternative also would have no impact on the bicycle facilities because there are no bicycle facilities in the vicinity of the site. According to the JBPHH IDP, there are current plans for a marked bicycle lane along Kuntz Avenue and Halehaka Street. There are plans for a moderate shared bike lane along Kamakahi Street. The installation of the proposed ACC and the modifications to the roadway are not expected to prevent the implementation of these bicycle facilities in the future.

4.2.6 Public Transit Impacts

The Kuntz Gate site alternative would not impact TheBus and NEX shuttle services. Near the Kuntz Avenue and Halehaka Street/Kamakahi Street intersection on the westbound Kuntz Avenue approach is a bus stop (Stop No. 921) approximately 50 feet from the intersection. Depending on the modifications to the roadway and site, it may need to be relocated.

4.3 Bloch Arena Site Alternative

The Bloch Arena alternative conceptual site plan is shown on Figure 3-3. The site plan shows the general conceptual location of the clinic building, parking facilities, and pedestrian and vehicle circulation.

4.3.1 Internal Circulation and Parking Impacts

In the Bloch Arena site alternative, the vehicular and pedestrian circulation would all occur on one parcel without the need to cross any of the surrounding roadways after accessing the site. Due to the location of the patient parking garage, pedestrians may need to cross the path of traffic entering/exiting the site via the main driveway.

The parking impacts would involve the loss of the surface parking for the Bloch Arena. The ACC and its parking facilities would encompass most of the existing surface lot that is currently used by the Bloch Arena and its surrounding facilities.

4.3.2 Site Access Impacts

To access the proposed ACC on the Bloch Arena site, a new access would need to be created opposite of the Pearl Harbor Boulevard intersection. This new access would change the intersection from a "T"-intersection to a four-legged intersection. This access is critical in the operation of the ACC as it provides the path for both the patients and staff parking facilities on the site. Another access would also be created along Battleship Drive that the staff may use to enter and exit from the surface parking areas.

4.3.3 Intersection Operational Impacts

As shown in Table 3-10, this alternative would have operational impacts to traffic along North Road, exiting the ACC driveway, and exiting Battleship Drive.

With an unsignalized intersection at North Road and Battleship Drive, the turning movement from Battleship Drive to North Road remains at LOS F and worsens during the PM peak hour. As discussed in Section 3.6, the North Road and Battleship Drive intersection is projected to satisfy requirements for Warrant 3, Peak Hour from the Chapter 4C, Traffic Control Signal Needs Studies in the MUTCD (USDOT 2009), which suggests that a signal could be installed as potential mitigation at this location.

At the North Road/Pearl Harbor Boulevard intersection, it was projected that specific turning movements into and exiting the proposed ACC site would encounter delay with the current configuration of North Road. As an example, the southbound left-turn movement on North Road into the proposed ACC site operates at LOS F during the AM peak hour, which are shown in the Synchro analysis worksheets in Appendix C. This suggests that physical roadway geometric changes may be needed to address this issue.

4.3.4 Roadway Impacts

The roadway impacts for the Bloch Arena site alternative involve the modification of North Road and potentially Pearl Harbor Boulevard. With the addition of a leg at the North Road and Pearl Harbor Boulevard intersection, North Road would need to be widened to accommodate the southbound left-turn lane for traffic turning into the proposed ACC site.

4.3.5 Pedestrian and Bicycle Impacts

Changes in traffic control at the North Road intersections at Pearl Harbor Boulevard and Battleship Drive may require modifications to existing crosswalk locations and operations. The potential addition of a traffic signal at the Battleship Drive intersection would be considered as an improvement in pedestrian crossing safety.

The Bloch Arena site alternative would have minimal impacts to the bicycle facilities. As discussed in Section 2.3.1.2, there are no existing bicycle facilities in the vicinity and bicyclists currently share the road with vehicles. The JBPHH IDP indicates that there are plans to install marked bike lanes in the vicinity of the site along North Road and Pearl Harbor Boulevard. Roadway improvements for this alternative would not prevent the installation of marked bike lanes in the future.

4.3.6 Public Transit Impacts

The Bloch Arena site alternative would have a limited impact on either TheBus or the NEX shuttle services. The proposed ACC location is compatible with the existing bus stop north of Battleship Drive (Stop No. 4277).

This page intentionally left blank.

5 Recommended Actions to Mitigate Transportation Impacts

5.1 Overview of Recommended Actions

This TIAR identified transportation impacts associated with three alternative sites for the ACC: Bloch Arena, Tradewinds-Par 3, and Kuntz Gate site alternatives. The addition of additional traffic associated with the ACC created a need for recommended improvements at all three site alternative locations. These improvements ranged from restriping of the roadway to new traffic signals and roadway widening. The following writeup provides an overview of recommended improvements to mitigate projected transportation impacts.

5.1.1 Site Access

Tradewinds-Par 3 site access is proposed to be located opposite existing Kokomalei St at its intersection with Kuntz Ave. This would require the modification of the existing "T"-intersection to a four-legged intersection. Access to the staff parking lots would be through McClelland St and McChord St.

The Kuntz Gate site main access is proposed on the east leg of the Halehaka St/20th St intersection. Access to one of the two staff parking lots would use the west leg of this intersection. Access to the other staff parking lot would be directly from Kuntz Ave between the Halehaka/Kamakahi intersection and Kunz Gate.

The Bloch Arena site access is proposed to be located opposite existing Pearl Harbor Blvd at its intersection with North Rd. This would require modifying the existing "T"-intersection to a four-legged configuration to accommodate the ACC driveway. Traffic signal equipment and operational modifications would also be required to provide acceptable traffic operations. Secondary access for the staff parking lot is proposed from Battleship Dr.

5.1.2 Internal Circulation and Parking

The Tradewinds-Par 3 site contains all patient circulation within the primary site, but staff would need to cross McClelland Street and Mountain Home Street to access the ACC.

The Kuntz Gate site, patients would be contained on site. Staff that park in the proposed lot north of Halehaka St would need to cross Halehaka St to access the ACC. Staff that park in the proposed lot directly accessed from Kuntz Ave would access ACC directly.

The Bloch Arena site circulation would require patients and staff to only cross internal driveways, since the entire site is proposed to be contained within a block bounded by non-site roadways.

All alternatives displace existing parking lots, but the Tradewinds-Par 3 and Kuntz Gate site alternatives have vacant nearby parking that has the potential to be reassigned to accommodate the displaced existing parking. The Bloch Arena site displaces the existing Bloch Arena parking and there would need to be a discussion of how to replace that parking. One potential idea is to construct a larger parking garage that would serve both ACC and Bloch Arena uses. Intersection Operations

Intersections at all three sites are recommended for traffic signalization or traffic signal modification. The Tradewinds-Par 3 site requires signalization of the McClelland St and Kokomalei St intersections on Kuntz Ave. Additionally, left-turns into McClelland St and right turn out of McClelland St are recommended to be prohibited to reduce traffic delay on McClelland and to allow maximization of the EB median left-turn lane length on Kuntz Ave at Kokomalei Street.

The Kuntz Gate site traffic impacts require a new traffic signal at the Kuntz Ave/Halehaka St/Kamakahi St intersection. It is noted that actions recommended at the Tradewinds-Par 3 site can mitigate the operational issues identified along the Kuntz Ave corridor. Actions recommended at the Kuntz Gate site mitigate the issues identified at the Kuntz Gate site but do not mitigate traffic impacts on Kuntz Ave further west on Kuntz Ave. These operational issues are currently considered in this TIAR as negative consequences of the Kuntz Gate site alternative.

The Bloch Arena site traffic impacts require signal modifications on North Road at the Pearl Harbor Blvd intersection and a new traffic signal at the Battleship Dr intersection.

5.1.3 Roadway Impacts

The Tradewinds-Par 3 site would require restriping of the existing painted median to add a westbound left-turn lane into the proposed ACC driveway and to lengthen the existing EB left-turn lane at the Kuntz Ave/Kokomalei St intersection.

The Kuntz Gate site would require widening of Kuntz Ave between the Halehaka/Kamakahi intersection and Kuntz Gate to accommodate a new eastbound median left-turn lane into the new staff parking lot access. This widening would be approximately 1,050 feet long. Additionally, Halehaka St is recommended to be widened between 20th Street and Kuntz Ave to accommodate separate southbound left-through and right-turn lanes. This widening would be approximately 260 feet long.

The Bloch Arena site requires widening of one northbound lane in North Road from Nimitz Gate to the Fitness Center Driveway located north of Battleship Drive. The widening would accommodate a median left-turn into the proposed ACC driveway at the Pearl Harbor Blvd intersection while maintaining two northbound through lanes on North Road. The total distance of this widening is approximately 1,500 feet.

5.1.4 Pedestrian and Bicycle

The Tradewinds-Par 3 and Kuntz Gate sites could potentially enhance the pedestrian facilities if a traffic signal is implemented by providing an opportunity for a signalized crossing across Kuntz Avenue.

The Bloch Arena site alternative would primarily affect the existing crosswalks across North Road at the Pearl Harbor Boulevard and Battleship Drive intersections. With the intersection being updated and the site-generated traffic traveling in and out of those intersections, it may be desirable to relocate the crosswalk to enhance pedestrian safety. Signalization of the North Road/Battleship Drive intersection has the potential to increase pedestrian crossing safety.

While there are no existing bicycle facilities on roadways in the vicinity of the proposed ACC sites, modifications and improvements are not expected to prevent the implementation of bicycle facility improvements in the future.

5.1.5 Public Transit

No actions are required for the Tradewinds/Par 3 site. The recommended widening of Kuntz Ave between the Halehaka/Kamakahi intersection and Kuntz Gate will require minor relocation of Bus Stop 921.

Only minor transit stop modifications are required. The recommended widening of North Rd would require minor relocation of Bus Stop 4277 located north of Battleship Drive.

5.1.6 Conceptual Order of Magnitude Costs of Recommended Mitigation Measures

Table 5-1 summarizes recommended actions to mitigate projected transportation impacts for each of the site alternatives. Rough order of magnitude (ROM) conceptual costs were developed for the recommended mitigation measures for each site alternative and are included in Table 5-1. Appendix H contains more details itemization of the ROM costs for each alternative site.

Import		Alternative Sites							
Impact	Tradewinds-Par 3	Kuntz Gate	Bloch Arena						
Internal Circulation and Parking	Provide pedestrian crossings on McClelland St between staff parking lot and ACC and on Mountain Home St between staff parking lot and ACC. Appropriate vacant parking areas for displaced existing parking.	Provide pedestrian crossing on Halehaka St between staff parking lot and ACC. Appropriate additional parking on sites near ACC for parking displaced by staff parking lot.	Provide pedestrian crossing on main ACC driveway between staff parking lot and ACC. Explore options for replacing existing Bloch Arena parking displaced by ACC site.						
Site Access	Add additional leg at Kuntz Ave/ Kokomalei St intersection for new ACC access driveway. Staff parking lots accessed via McClelland St and McChord St.	Main access for ACC at east leg of Halehaka St/20 th St intersection. Staff parking lot access at west leg of Halehaka St/20 St intersection and second staff parking lot access directly from Kuntz Ave, east of Halehaka St/Kamakahi St/Kuntz Ave intersection.	Add additional leg at North Rd/Pearl Harbor Blvd intersection for new ACC access driveway. Provide secondary access to staff parking lot from Battleship Dr.						
Intersection Operations	Signalize McClelland St and Kokomalei St intersections on Kuntz Ave. Prohibit left turn into and right turn out of McClelland St at Kuntz Ave.	Signalize Kuntz Ave/Halehaka St/Kamakahi St intersection.	Modify North Rd/Pearl Harbor Blvd intersection into split-phase operation for Pearl Harbor Blvd-ACC approaches. Signalize North Rd/Battleship Dr intersection.						

Table 5-1 Recommended Mitigation Actions for Each Site Alternative

Table 5-1 Recommended Mitigation Actions for Each Site Alternative

Impact	Alternative Sites						
Impact	Tradewinds-Par 3	Kuntz Gate	Bloch Arena				
Roadway	Restripe painted median on Kuntz Ave to provide WB left-turn lane and to extend EB left-turn lane at Kokomalei St.	Widen Kuntz Ave approximately 1,050 feet between Halehaka St/ Kamakahi St intersection and Kuntz Gate to provide median left-turn lane into proposed ACC staff parking driveway. Widen Halehaka St approximately 260 feet between Kuntz Ave and 20 th St to provide separate SB left/through and right turn lanes.	one lane between Nimitz Gate and Entrance to Fitness Center Driveway approximately 1,500 feet to provide exclusive NB and SB left-turn lanes at Pearl Harbor Blvd/ACC Access				
Pedestrian	Enhance facilities with signalized crossing at traffic signal.	Enhance facilities with signalized crossing at traffic signal and sidewalk north of Kuntz Ave in vicinity of site.	Relocate crosswalk from south leg to north leg of North Rd/ Battleship Dr intersection.				
Bicycle	Continue shared bike operation	Continue shared bike operation	Continue shared bike operation				
Public Transit	No changes.	Maintain Stop No. 921.	Maintain Stop No. 4277.				
ROM Costs for Recommended Mitigations*	\$1,150,000	\$1,860,000	\$2,600,000				

Notes:

* ROM costs for gate modifications are not included in the totals. For details on ROM cost estimates, see Appendix H of this TIAR.

ACC = Ambulatory Care Center

Ave = avenue Blvd = boulevard Dr = drive EB = eastbound No. = number Rd = road ROM = rough order of magnitude St = street WB = westbound

5.2 Description of Recommended Improvements

The following describes the recommended improvements in more detail.

5.2.1 Tradewinds-Par 3 Site

The following recommendations are for the Tradewinds-Par 3 site:

- Modifications at the Kuntz Avenue and Kokomalei Street intersection:
 - Convert the existing median striping into a left-turn lane for the Kuntz Avenue westbound traffic into the proposed site.

- Prohibit the left turns into McClelland Street from Kuntz Avenue:
 - Convert the existing westbound left-turn lane into additional storage length for the Kuntz Avenue eastbound left-turn lane at Kokomalei Street.
- Prohibit the right turns out of McClelland Street to Kuntz Avenue.
- Install a new traffic signal at the Kuntz Avenue/Kokomalei Street and Kuntz Avenue/McClelland Street intersections:
 - At the Kuntz Avenue/Kokomalei Street/ACC access driveway intersection, the phasing for the left-turns from Kuntz Avenue to Kokomalei Street and the ACC access driveway should be protected-permissive while the phasing for left-turns from Kokomalei Street and the proposed access should be protected.
- Add a new crosswalk across Kuntz Avenue to the east leg of the signalized Kuntz Avenue/McClelland Street intersection and new crosswalks across Kuntz Avenue at the signalized Kuntz Avenue/Kokomalei Street intersection.

The proposed ACC access driveway opposite of Kokomalei Street would be primarily for patients. A new westbound left-turn lane on Kuntz Avenue would be created by restriping the existing painted median. The existing left-turn lane on the Kokomalei Street approach would be modified to a through/left lane.

Access to the staff parking lot would be accommodated at the McClelland Street and McChord Street intersections on Kuntz Avenue. At the McClelland intersection, westbound left turns would be prohibited to allow lengthening of the eastbound left-turn lane at Kokomalei Street. The left-turns currently using McClelland would be redirected to McChord Street. Right turns from McClelland Street to Kuntz Avenue would also be prohibited and redirected to McChord Street. This action is projected to improve the ability of McClelland Street to handle staff traffic generated by the ACC by distributing ACC staff traffic demand more evenly between McClelland and McChord.

The additional traffic generated by the ACC is projected to allow both McClelland and Kokomalei intersections on Kuntz Avenue to warrant traffic signalization. The installation of new traffic signals at the two intersections would improve the ability of vehicles exiting McClelland Street and Kokomalei Street to access Kuntz Avenue. As shown in Table 3-8, if the intersections remain as STOP-sign controlled, the delay on the left-turning vehicles out of the McClelland Street and the ACC Driveway would be very lengthy. The new traffic signals would reduce this delay and mitigate the operational issue. The two recommended signals are closely spaced and should be coordinated to optimize operation.

The proposed new traffic signals also improve pedestrian safety at these intersections by providing a protected pedestrian crossing of Kuntz Avenue. The addition of a crosswalk to the east side of the signal-controlled intersection would provide pedestrians a signalized crossing across Kuntz Avenue. It is recommended to implement a crosswalk only on the east side of McClelland Street to avoid conflict with the projected traffic volumes turning left out of McClelland.

Table 5-2 details the intersection operation with the mitigation measures implemented at the McClelland Street and Kokomalei Street intersections.

With implementation of the recommended traffic mitigations, the intersections in the vicinity of the Tradewinds-Par 3 site alternative would maintain LOSs acceptable for peak hour conditions.

Table 5-2Future Intersection Operations for the Tradewinds-Par 3 Alternative with
Mitigation Measures

	AM Peak Hour		Midday Peak Hour		PM Peak Hour	
Intersection/ Traffic Movements	Delay (sec/veh)	LOS	Delay (sec/veh)	LOS	Delay (sec/veh)	LOS
Kuntz Ave/McClelland St*	1.3	A	0.8	A	0.9	A
Kuntz Ave/Kokomalei St*	18.3	В	26.9	С	24.9	С
Kuntz Ave/McChord St						
WB Kuntz Ave LT	8.6	А	8.2	А	8.7	А
McChord St LT/RT	30.8	D	21.3	С	32.4	D
Kuntz Ave/Halehaka St/Kamak	ahi St					
EB Kuntz Ave LT	8.3	А	8.1	А	7.9	А
Halehaka St LT/TH/RT	31.4	D	22.3	С	28.7	D
WB Kuntz Ave LT	7.7	А	7.8	А	8.4	А
Kamakahi Ave LT/TH/RT	31.7	D	15.6	С	18.6	С

Notes:

* Signalized intersection. LOS is overall LOS.

Ave = avenue

EB = eastbound

LOS = level of service

- LT = left-turn
- Rd = road
- RT = right-turn
- sec = seconds
- St = street
- TH = through
- veh = vehicle

WB = westbound

5.2.2 Kuntz Gate Site

The following recommendations for the Kuntz Gate alternative:

- Modify the Kuntz Avenue and Halehaka Street/Kamakahi Street intersection:
 - Provide left-turn lanes along Halehaka Street, Kamakahi Street, and the westbound Kuntz Avenue.
 - Close the existing driveway accesses on Halehaka Street into the existing surface parking lot and the area with the automobile facilities.
- Widen Kuntz Avenue between Halehaka/Kamakahi intersection and Kuntz Gate to accommodate a median eastbound left-turn lane for the proposed ACC staff parking lot driveway. The driveway is proposed to be approximately 800 feet east of the Kuntz Avenue and Halehaka Street/ Kamakahi Street intersection. Total length of the widening would be approximately 1,050 feet.
- Widen Halehaka Street to provide separate southbound through/left and right-turn lanes between Kuntz Avenue and 20th Street. The widening would be approximately 260 feet long.

- Install a new traffic signal at the Kuntz Avenue and Halehaka Street/Kamakahi Street intersection.
- Add sidewalk along the north side of Kuntz Avenue, adjacent to the ACC site.
- Relocate Bus Stop 921 to accommodate the widening of Kuntz Avenue.

The additional traffic generated by the proposed ACC will require modifications to the Kuntz Avenue and Halehaka Street/Kamakahi Street intersection. The Halehaka Street approach would be modified to provide a separate left/through and right-turn lanes. This would require widening Halehaka Street approximately 260 feet between Kuntz Avenue and 20th Street. The Kamakahi Street approach would be widened to provide a left/through lane. The westbound Kuntz Avenue approach would be widened to provide a width for a left-turn lane. The additional traffic generated by the ACC also allows the intersection to warrant a traffic signal and a new traffic signal is recommended. These actions would address the operational issues identified in Table 3-9.

Table 5-3 below summarizes the intersection operations if mitigation measures implemented.

Table 5-3	Future Intersection Operations for the Kuntz Gate Alternative with Mitigation
	Measures

	AM Peak Hour		Midday P	eak Hour	PM Peak Hour	
Intersection/	Delay		Delay		Delay	
Traffic Movements	(sec/veh)	LOS	(sec/veh)	LOS	(sec/veh)	LOS
Kuntz Ave/McClelland St						
WB Kuntz Ave LT	10.1	В	8.9	А	9.1	А
McClelland St LT/RT	47.9	E	30.8	D	57.8	F
Kuntz Ave/Kokomalei St						
EB Kuntz Ave LT	9.1	А	9.4	А	10.8	В
LT from Kokomalei St	82.6	F	37.4	E	55.7	F
RT from Kokomalei St	13.9	В	13.7	В	16.5	С
Kuntz Ave/McChord St						
WB Kuntz Ave LT	9.6	А	8.5	А	8.4	А
McChord St LT/RT	30.8	D	23.2	С	39.2	E
Kuntz Ave/						
Halehaka St/Kamakahi St*	32.2	С	32.2	С	32.2	С
Kuntz Ave/Proposed Access						
EB Kuntz Ave LT	8.6	А	0	А	0.0	А
Proposed Access LT/RT	0.0	А	0.0	А	13.3	В

Notes:

* Signalized intersection. LOS is overall LOS.

Ave = avenue

EB = eastbound

LOS = level of service

LT = left-turn

Rd = road

RT = right-turn

sec = seconds

St = street

veh = vehicle

WB = westbound

With implementation of the recommended traffic mitigations, the intersections in the vicinity of the Kuntz Gate site alternative would maintain LOSs acceptable for peak hour conditions.

A driveway to the ACC staff parking lot is recommended at a location approximately 800 feet east of the Kuntz Avenue and Halehaka Street/Kamakahi Street intersection. To accommodate the median left-turn lane for this driveway, Kuntz Avenue is recommended to be widened between Halehaka/Kamakahi and Kuntz Gate.

To provide appropriate pedestrian access a sidewalk on the north side of Kuntz Avenue is recommended.

5.2.3 Bloch Arena Site

The recommendations for the Bloch Arena site are as follows:

- Modify the lane geometry and roadway at the North Road and Pearl Harbor Boulevard intersection:
 - Add a new approach to access the ACC site with a single left-turn lane and a shared through/right-turn lane on the approach to the intersection
 - Widen North Road by approximately 10 feet to add left-turn lanes on both NB and SB approaches. This requires widening North Rd between Pearl Harbor Blvd and the Fitness Center driveway (north of Battleship Dr)
 - On the North Road NB approach, provide a through lane and a shared through/right-turn lane. This requires continuing the North Rd widening south to the Nimitz Gate
 - Modify the existing traffic signal operation to a split-phase operation for the Pearl Harbor Boulevard and ACC Driveway approaches
- Provide secondary access into the staff parking area from Battleship Drive.
- Install a new traffic signal at the North Road/Battleship Drive intersection.
- Relocate the crosswalk across North Road at the Battleship Dr intersection from south of the intersection.

North Road would need to be widened to add exclusive left-turn lanes at both NB and SB approaches at Pearl Harbor Dr. For the northbound approach, making the existing left/through lane an exclusive left-turn lane would formalize the de-facto operation of this lane during existing peak period conditions. The opposing SB left-turn lane would provide access to the ACC. To provide the required lane transitions and left-turn storage length North Road would need to be widened from Pearl Harbor Dr to the Fitness Center Driveway located north of Battleship Drive, a distance of approximately 700 feet.

The added traffic volume due to the ACC require that two NB lanes be maintained at the NB approach to the North Rd/Pearl Harbor Blvd intersection during the PM peak period. This would require further widening of North Rd between Pearl Harbor Boulevard and Nimitz Gate, a distance of approximately 800 feet.

An additional access point for the staff from Battleship Drive would provide the staff another point of entry into the staff parking lot. Traffic to and from the proposed ACC using the Battleship Drive access

would need to be accommodated at the existing North Road/Battleship Drive intersection. The existing unsignalized intersection operates with substantial delay during peak hours for traffic turning left out of Battleship Drive. With the added traffic from the ACC, this delay is projected to get worse. The added traffic does allow the intersection to satisfy traffic signal warrants, and it is, therefore recommended to install a new traffic signal at this intersection. The installation of a traffic signal is projected to reduce delay to vehicles existing Battleship Drive.

Table 5-4 summarizes intersection operations after these improvements have been implemented.

Table 5-4	Future Intersection Operations for the Bloch Arena Site Alternative with
	Mitigation Measures

	AM Peak Hour		Midday Peak Hour		PM Peak Hour	
Intersection/	Delay		Delay		Delay	
Traffic Movements	(sec/veh)	LOS	(sec/veh)	LOS	(sec/veh)	LOS
North Rd/Battleship Dr*	13.8	В	10.3	В	17.7	В
North Rd/Pearl Harbor Dr*	14.5	В	34.5	С	36.4	С

Notes:

* Signalized intersection. LOS is overall LOS. Dr = driveLOS = level of service Rd = road sec = secondsSt = street veh = vehicle

The recommend traffic signal is also expected to improve safety of pedestrians crossing North Road at Battleship Drive, since they would do so with the protection of a traffic signal phase. In implementing the traffic signal, it is recommended to relocate the existing crosswalk located south of the intersection to north of the intersection to reduce conflicts between vehicles turning out of Battleship Drive and pedestrians crossing North Road.

With implementation of the recommended traffic mitigations, the intersections in the vicinity of the Bloch Arena site alternative would maintain LOSs acceptable for peak hour conditions.

This page intentionally left blank.


6 References

- Military Health System. 2020. Hawaii Enhanced Multi-Service Market JBPHH Traffic Study Data Request. Hawaii Military Health System.
- Sherlock, Smith & Adams/Page (SS&A Page). 2019. AE-0 Planning Study/Joint Base Pearl Harbor-Hickam Ambulatory Care Center Replacement Corrected Final Submittal. Southerland Page JV. JBPHH HI: Defense Health Agency. October 18.
- Transportation Research Board (TRB). 2010. Highway Capacity Manual 2010. Washington, DC: Transportation Research Board.
- United States Department of Transportation (USDOT). 2009. Manual on Uniform Traffic Control Devices for Streets and Highways. Federal Highway Administration. December.

This page intentionally left blank.

Appendix A Turning Movement Count Worksheets


This page intentionally left blank.




TIME	MOVEMENT NUMBER					
PERIOD	1	2	3	4	5	6
6:00-6:15a	65	24	14	2	15	66
6:15-6:30a	37	14	14	2	11	119
6:30-6:45a	37	29	10	8	7	55
6:45-7:00a	41	29	29	3	21	110
7:00-7:15a	43	34	31	7	12	103
7:15-7:30a	38	27	40	3	12	142
7:30-7:45a	79	32	46	6	16	122
7:45-8:00a	97	41	23	11	10	57
Peak Hour: 7:00-8:00a	257	134	140	27	50	424
Notes: Was pulled ove	er around 7:55 AN	Λ to talk with the	military police			

LOCATION: Kuntz Ave/Kokomalei St DATE: Kokomalei St 11/19/2019 TIME: 11:00a-1:00p 3 4 WEATHER: ┙ Clear ╘ --► **RECORDER:** JY 2 1 Ĺ 5 ← 1 \rightarrow 6 Kuntz Ave

TIME	MOVEMENT NUMBER					
PERIOD	1	2	3	4	5	6
11:00-11:15a	73	54	21	4	18	122
11:15-11:30a	97	48	18	6	12	93
11:30-11:45a	80	50	17	10	14	108
11:45-12:00p	75	38	32	10	16	118
12:00-12:15p	66	29	24	2	19	85
12:15-12:30p	68	43	25	8	16	100
12:30-12:45p	70	38	28	2	9	97
12:45-1:00p	58	27	17	4	9	107
Peak Hour: 12:00p-1:00p	262	137	94	16	53	389
Notes:						




TIME			MOVEMEN	IT NUMBER				
PERIOD	1	2	3	4	5	6		
2:00-2:15p	56	23	18	7	15	83		
2:15-2:30p	50	41	20	8	13	87		
2:30-2:45p	65	41	18	7	13	135		
2:45-3:00p	76	34	16	4	13	106		
3:00-3:15p	86	51	14	3	9	74		
3:15-3:30p	186	34	19	4	10	57		
3:30-3:45p	112	49	22	4	17	131		
3:45-4:00p	80	38	19	4	7	105		
Peak Hour: 3:00-4:00p	464	172	74	15	43	367		
Notes: Began raining a	Notes: Began raining around 2:45 PM and continued until the end of the counts.							




TIME	MOVEMENT NUMBER							
PERIOD	1	2	3	4	5	6		
6:00-6:15a	0	0	0	1	0	0		
6:15-6:30a	0	0	4	3	0	0		
6:30-6:45a	0	0	1	0	0	0		
6:45-7:00a	0	0	0	1	0	0		
7:00-7:15a	0	0	1	2	0	0		
7:15-7:30a	0	0	0	0	0	0		
7:30-7:45a	0	0	2	0	0	0		
7:45-8:00a	0	0	0	0	0	0		
Peak Hour: 7:00-8:00a	0	0	3	2	0	0		
Notes: Was pulled ove								

LOCATION: Kuntz Ave/Kokomalei St DATE: Kokomalei St 11/19/2019 TIME: 11:00a-1:00p WEATHER: Clear -≁ **RECORDER:** JY 2 1 3 4 1 5 ţ ← 1 \rightarrow Ť 6 Kuntz Ave

TIME	MOVEMENT NUMBER					
PERIOD	1	2	3	4	5	6
11:00-11:15a	0	0	0	0	0	0
11:15-11:30a	0	0	0	0	0	0
11:30-11:45a	0	0	0	0	0	0
11:45-12:00p	0	0	1	1	0	0
12:00-12:15p	0	0	1	0	0	0
12:15-12:30p	0	0	0	0	0	0
12:30-12:45p	0	0	0	0	0	0
12:45-1:00p	0	0	0	0	0	0
Peak Hour: 12:00p-1:00p	0	0	1	0	0	0
Notes:						




TIME			MOVEMEN	T NUMBER		
PERIOD	1	2	3	4	5	6
2:00-2:15p	0	0	0	1	0	0
2:15-2:30p	0	0	0	0	0	0
2:30-2:45p	0	0	0	0	0	0
2:45-3:00p	0	0	0	0	0	0
3:00-3:15p	0	0	0	0	0	0
3:15-3:30p	0	0	0	0	0	0
3:30-3:45p	0	0	0	0	0	0
3:45-4:00p	0	0	0	1	0	0
Peak Hour: 3:00-4:00p	0	0	0	1	0	0
Notes: Began raining a	around 2:45 PM a	and continued un	til the end of the o	counts.		



TIME			MOVEMEN	T NUMBER		
PERIOD	1	2	3	4	5	6
6:00-6:15a	0	0	0	0	0	0
6:15-6:30a	0	0	1	0	0	1
6:30-6:45a	0	0	0	0	0	1
6:45-7:00a	0	0	0	0	0	0
7:00-7:15a	0	0	0	0	0	2
7:15-7:30a	0	0	0	0	0	0
7:30-7:45a	0	0	0	0	0	0
7:45-8:00a	0	0	0	0	0	0
Peak Hour: 7:00-8:00a	0	0	0	0	0	2
Notes: Was pulled ove	er around 7:55 AN	Λ to talk with the	military police			

LOCATION: Kuntz Ave/Kokomalei St DATE: 11/19/2019 Kokomalei St TIME: 11:00a-1:00p 3 4 WEATHER: ┙ Clear \rightarrow --► **RECORDER:** JY 2 1 Ĺ 5 ← 1 \rightarrow 6 Kuntz Ave

TIME			MOVEMEN	T NUMBER		
PERIOD	1	2	3	4	5	6
11:00-11:15a	0	0	0	0	0	0
11:15-11:30a	0	0	0	0	0	0
11:30-11:45a	1	0	0	0	0	1
11:45-12:00p	1	0	0	0	0	0
12:00-12:15p	0	0	0	0	0	0
12:15-12:30p	0	0	0	0	0	0
12:30-12:45p	0	0	0	0	0	0
12:45-1:00p	0	0	0	0	0	1
Peak Hour: 12:00p-1:00p	0	0	0	0	0	1
Notes:						



TIME			MOVEMEN	T NUMBER		
PERIOD	1	2	3	4	5	6
2:00-2:15p	0	0	0	0	0	0
2:15-2:30p	0	0	0	0	0	0
2:30-2:45p	0	0	0	0	0	0
2:45-3:00p	0	0	0	0	0	0
3:00-3:15p	1	0	0	0	0	0
3:15-3:30p	0	0	0	0	0	0
3:30-3:45p	0	0	0	0	0	1
3:45-4:00p	1	1	1	0	0	0
Peak Hour: 3:00-4:00p	2	1	1	0	0	1
Notes: Began raining a	around 2:45 PM a	and continued un	til the end of the o	counts.		

LOCATION: Kuntz Ave/Halehaka St DATE: 11/19/2019 Halehaka St TIME: 6:00-8:00a 5 4 6 ┙ WEATHER: Cloudy ţ ╘ **RECORDER:** WYY t 3 Ĺ 7 2 8 -← 1 L 9 ļ Kuntz Ave Kuntz Ave 1 t ⊢ 12 11 10 Kamakahi St

TIME						MOVEMENT	NUMBER					
PERIOD	1	2	3	4	5	6	7	8	9	10	11	12
6:00-6:15a	32	4	8	12	5	1	0	47	20	1	0	4
6:15-6:30a	25	5	2	20	4	6	2	41	10	4	0	28
6:30-6:45a	9	7	7	9	1	3	1	13	9	0	1	2
6:45-7:00a	15	15	6	27	4	20	4	38	14	2	2	13
7:00-7:15a	15	13	4	29	4	18	8	31	15	8	2	11
7:15-7:30a	8	14	6	58	7	34	6	38	12	9	3	21
7:30-7:45a	26	15	3	50	10	26	13	43	12	1	4	19
7:45-8:00a	29	24	14	18	4	12	16	24	17	5	1	9
Peak Hour: 7:00-8:00a	78	66	27	155	25	90	43	136	56	23	10	60

Notes:

4

┙

t


12


5

ţ

1

Kuntz Ave/Halehaka St LOCATION: DATE: 11/19/2019 TIME: 11:00a-1:00p WEATHER: Clear **RECORDER:** WYY





TIME						MOVEMENT	NUMBER					
PERIOD	1	2	3	4	5	6	7	8	9	10	11	12
11:00-11:15a	11	33	13	8	3	14	5	37	3	11	2	20
11:15-11:30a	7	29	24	11	3	5	11	37	7	7	1	12
11:30-11:45a	9	21	22	7	7	6	8	36	7	8	5	28
11:45-12:00p	18	15	16	15	6	9	9	28	7	14	3	24
12:00-12:15p	10	27	16	13	3	4	13	39	10	8	0	19
12:15-12:30p	15	21	20	15	4	2	9	37	10	11	3	20
12:30-12:45p	19	25	10	17	7	7	9	27	9	0	0	14
12:45-1:00p	23	28	11	23	5	9	10	29	11	7	2	7
Peak Hour: 12:00p-1:00p	67	101	57	68	19	22	41	132	40	26	5	60


Notes:


LOCATION: Kuntz Ave/Halehaka St DATE: 11/19/2019 Halehaka St TIME: 2:00-4:00p 5 4 6 ┙ WEATHER: Cloudy/Rain Ţ ╘ **RECORDER:** WYY Ĵ 3 Ĺ 7 2 8 _ ← L 9 1 ļ Kuntz Ave Kuntz Ave 1 t ⊢ 12 11 10 Kamakahi St

TIME						MOVEMENT	NUMBER					
PERIOD	1	2	3	4	5	6	7	8	9	10	11	12
2:00-2:15p	18	25	12	18	1	13	13	33	3	12	2	28
2:15-2:30p	10	31	10	11	1	11	33	34	3	11	1	17
2:30-2:45p	4	40	12	19	2	10	16	30	0	18	6	20
2:45-3:00p	7	41	16	11	1	9	10	33	5	11	4	13
3:00-3:15p	4	53	20	5	4	12	11	20	10	19	4	20
3:15-3:30p	9	98	13	7	1	7	4	29	7	14	3	10
3:30-3:45p	8	73	21	19	3	4	13	45	0	11	2	18
3:45-4:00p	5	43	18	16	0	5	14	45	2	8	4	13
Peak Hour: 3:00-4:00p	26	267	72	47	8	28	42	139	19	52	13	61

Notes: Began raining around 2:45 PM. Continued until end of counts. Noticed queueing of vehicles around 3:00-3:30 PM on Kuntz Avenue.

LOCATION: Kuntz Ave/Halehaka St DATE: 11/19/2019 TIME: 6:00-8:00a WEATHER: Cloudy **RECORDER:** WYY






TIME MOVEMENT NUMBER PERIOD 6:00-6:15a 6:15-6:30a 6:30-6:45a 6:45-7:00a 7:00-7:15a 7:15-7:30a 7:30-7:45a 7:45-8:00a Peak Hour: 7:00-8:00a


←

 \rightarrow

Notes:

LOCATION:Kuntz Ave/Halehaka StDATE:11/19/2019TIME:11:00a-1:00pWEATHER:ClearRECORDER:WYY





Kamakahi St


←


→

TIME						MOVEMEN	TNUMBER					
PERIOD	1	2	3	4	5	6	7	8	9	10	11	12
11:00-11:15a	0	0	0	0	0	0	0	0	0	0	0	0
11:15-11:30a	0	0	0	0	0	0	0	0	0	0	0	0
11:30-11:45a	0	0	0	0	0	0	0	0	0	0	0	0
11:45-12:00p	0	1	0	0	0	0	0	0	0	0	0	0
12:00-12:15p	0	0	0	0	0	0	0	0	0	0	0	0
12:15-12:30p	0	0	0	0	0	0	0	0	0	0	0	0
12:30-12:45p	2	0	0	1	0	0	0	0	0	0	0	0
12:45-1:00p	0	0	0	0	0	0	0	0	0	0	0	0
Реак Hour: 12:00р-1:00р	2	0	0	1	0	0	0	0	0	0	0	0

Notes:

LOCATION: Kuntz Ave/Halehaka St DATE: 11/19/2019 TIME: 2:00-4:00p WEATHER: Cloudy/Rain **RECORDER:** WYY





TIME						MOVEMEN	T NUMBER					
PERIOD	1	2	3	4	5	6	7	8	9	10	11	12
2:00-2:15p	0	0	0	0	0	0	0	0	0	0	0	0
2:15-2:30p	0	0	0	0	0	0	0	0	0	0	0	0
2:30-2:45p	0	0	0	0	0	0	0	0	0	0	0	0
2:45-3:00p	0	0	0	0	0	0	0	0	0	0	0	0
3:00-3:15p	0	0	0	0	0	0	0	0	0	0	0	0
3:15-3:30p	0	0	0	0	0	0	0	0	0	0	0	0
3:30-3:45p	0	0	0	0	0	0	0	0	0	0	0	0
3:45-4:00p	0	0	0	0	0	0	0	0	0	0	0	0
Peak Hour: 3:00-4:00p	0	0	0	0	0	0	0	0	0	0	0	0

←

 \rightarrow

Notes: Began raining around 2:45 PM. Continued until end of counts. Noticed queueing of vehicles around 3:00-3:30 PM on Kuntz Avenue.

LOCATION: Kuntz Ave/Halehaka St DATE: 11/19/2019 Halehaka St TIME: 6:00-8:00a 5 6 4 WEATHER: ┙ \rightarrow Cloudy ţ **RECORDER:** WYY 3 t Ĺ 7 2 8 **→** ← 1 J L 9 Kuntz Ave 1 Kuntz Ave t ⊢ 12 11 10 Kamakahi St

TIME						MOVEMEN	T NUMBER					
PERIOD	1	2	3	4	5	6	7	8	9	10	11	12
6:00-6:15a	0	0	0	0	0	0	0	0	0	0	0	0
6:15-6:30a	0	0	0	0	0	0	0	0	0	0	0	0
6:30-6:45a	0	1	0	0	0	0	0	0	0	0	0	0
6:45-7:00a	0	0	0	0	0	0	0	1	0	0	0	0
7:00-7:15a	0	0	0	0	0	0	0	1	1	0	0	0
7:15-7:30a	0	1	0	0	0	0	0	0	0	0	0	0
7:30-7:45a	0	0	0	0	0	0	0	1	0	0	0	0
7:45-8:00a	0	0	0	0	0	0	0	0	0	0	0	0
Peak Hour: 7:00-8:00a	0	1	0	0	0	0	0	2	1	0	0	0

Notes:

LOCATION: Kuntz Ave/Halehaka St DATE: 11/19/2019 Halehaka St TIME: 11:00a-1:00p 5 6 4 WEATHER: Clear ┙ \rightarrow ţ **RECORDER:** WYY 3 t Ĺ 7 2 8 **→** ← 1 J L 9 Kuntz Ave Kuntz Ave 1 t ⊢ 12 11 10 Kamakahi St

TIME						MOVEMEN	T NUMBER					
PERIOD	1	2	3	4	5	6	7	8	9	10	11	12
11:00-11:15a	0	0	0	0	0	0	0	0	0	0	0	0
11:15-11:30a	0	0	0	0	0	0	0	1	0	0	0	0
11:30-11:45a	0	0	0	0	0	0	0	0	0	0	0	0
11:45-12:00p	0	0	0	0	0	0	0	0	0	0	1	0
12:00-12:15p	0	0	0	0	0	0	0	0	0	0	0	0
12:15-12:30p	0	0	0	0	0	0	0	0	0	0	0	0
12:30-12:45p	0	0	0	0	0	0	0	0	0	0	0	0
12:45-1:00p	0	0	0	0	0	0	0	0	0	0	0	0
Реак Hour: 12:00р-1:00р	0	0	0	0	0	0	0	0	0	0	0	0


Notes:

LOCATION: Kuntz Ave/Halehaka St DATE: 11/19/2019 Halehaka St TIME: 2:00-4:00p 5 6 4 WEATHER: Cloudy/Rain ┙ \rightarrow T **RECORDER:** WYY 3 t Ĺ 7 2 **→** 8 ← 1 J L 9 Kuntz Ave 1 Kuntz Ave t ⊢ 12 11 10 Kamakahi St

TIME						MOVEMEN	T NUMBER					
PERIOD	1	2	3	4	5	6	7	8	9	10	11	12
2:00-2:15p	0	0	0	0	0	0	0	0	0	0	0	0
2:15-2:30p	0	0	0	0	0	0	0	0	0	0	0	0
2:30-2:45p	0	0	0	0	0	0	0	0	0	0	0	0
2:45-3:00p	0	0	0	0	0	0	0	0	0	0	0	0
3:00-3:15p	0	1	0	0	0	0	0	0	0	0	0	0
3:15-3:30p	0	0	0	0	0	0	0	0	0	0	0	0
3:30-3:45p	0	0	0	0	0	0	0	1	0	0	0	0
3:45-4:00p	0	1	0	0	0	0	0	0	0	0	0	0
Peak Hour: 3:00-4:00p	0	2	0	0	0	0	0	1	0	0	0	0


Notes: Began raining around 2:45 PM. Continued until end of counts. Noticed queueing of vehicles around 3:00-3:30 PM on Kuntz Avenue.

LOCATION:Kuntz Ave/McChord StDATE:11/20/2019TIME:6:00-8:00aWEATHER:ClearRECORDER:JY



TIME	MOVEMENT NUMBER					
PERIOD	1	2	3	4	5	6
6:00-6:15a	39	7	1	0	5	84
6:15-6:30a	43	16	3	1	5	88
6:30-6:45a	42	12	6	0	4	91
6:45-7:00a	39	17	7	0	5	124
7:00-7:15a	58	29	11	2	8	118
7:15-7:30a	56	12	5	0	4	147
7:30-7:45a	100	10	4	1	4	144
7:45-8:00a	108	20	13	2	7	107
Peak Hour: 7:00-8:00a	322	71	33	5	23	516
Notes:						

LOCATION: Kuntz Ave/McChord St DATE: 11/19/2019 TIME: 11:15a-1:00p WEATHER: Clear RECORDER: JY



TIME			MOVEMEN	T NUMBER		
PERIOD	1	2	3	4	5	6
11:15-11:30a	54	17	7	2	16	94
11:30-11:45a	65	20	24	3	7	90
11:45-12:00p	69	17	19	3	8	81
12:00-12:15p	52	8	15	1	4	95
12:15-12:30p	52	13	8	7	6	106
12:30-12:45p	73	5	12	0	5	123
12:45-1:00p	67	10	11	0	8	100
Peak Hour: 12:00p-1:00p	244	36	46	8	23	424
Notes:			<u></u>	·		

Kuntz Ave

←


←

Г

LOCATION:Kuntz Ave/McChord StDATE:11/19/2019TIME:2:00-4:00p1WEATHER:Clear2RECORDER:JY

McChord St TIME MOVEMENT NUMBER PERIOD 2:00-2:15p 2:15-2:30p 2:30-2:45p 2:45-3:00p 3:00-3:15p 3:15-3:30p 3:30-3:45p 3:45-4:00p Peak Hour: 3:00-4:00p Notes: Was pulled over to talk to the military police around 3:40 PM

LOCATION: Kuntz Ave/McChord St DATE: 11/20/2019 TIME: 6:00-8:00a WEATHER: Clear **RECORDER:** JY



L 6 ⊢

McChord St

1

Ţ

4

3


7

Kuntz Ave


←

 \rightarrow

TIME				MOVEMENT	NUMBER			
PERIOD	1	2	3	4	5	6	7	8
6:00-6:15a	0	4	0	0	0	0	0	0
6:15-6:30a	1	3	1	0	0	0	0	1
6:30-6:45a	3	5	1	0	1	0	0	0
6:45-7:00a	1	1	0	0	1	0	0	0
7:00-7:15a	1	1	0	0	0	0	1	0
7:15-7:30a	2	1	0	1	0	6	0	0
7:30-7:45a	1	1	0	0	0	1	0	0
7:45-8:00a	0	0	0	0	0	0	0	0
Peak Hour: 7:00-8:00a	4	3	0	1	0	7	1	0
Notes:								




TIME				MOVEMENT	NUMBER			
PERIOD	1	2	3	4	5	6	7	8
11:15-11:30a	0	1	1	0	0	0	0	0
11:30-11:45a	2	1	0	1	0	0	1	0
11:45-12:00p	0	1	1	0	0	0	0	0
12:00-12:15p	0	0	1	2	0	0	0	0
12:15-12:30p	0	1	0	3	0	0	0	0
12:30-12:45p	1	0	0	0	0	0	0	0
12:45-1:00p	0	0	1	0	0	0	0	0
Peak Hour: 12:00p-1:00p	1	1	2	5	0	0	0	0
Notes:								



2 0	3	4	5	6	7	8
0	1	4			1	Ŭ
1		4	0	0	0	0
	4	1	0	0	0	0
0	0	0	0	0	0	0
1	0	0	0	0	0	0
1	0	0	0	0	1	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
1	2	0	0	0	0	0
2	2	0	0	0	1	0
	0 1 2	1 0 1 0 0 0 0 0 0 0	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$

LOCATION: Kuntz Ave/McChord St DATE: 11/20/2019 TIME: 6:00-8:00a WEATHER: Clear **RECORDER:** JY



8 ← L 7


McChord St

1


6 Ţ

5

TIME				MOVEMENT	NUMBER			
PERIOD	1	2	3	4	5	6	7	8
6:00-6:15a	0	0	0	0	0	0	0	1
6:15-6:30a	0	0	0	0	0	0	0	0
6:30-6:45a	1	0	0	0	0	0	0	0
6:45-7:00a	0	0	0	0	0	0	0	2
7:00-7:15a	0	0	0	0	0	0	0	1
7:15-7:30a	0	0	0	1	0	1	0	1
7:30-7:45a	0	0	0	0	0	0	0	0
7:45-8:00a	0	0	0	0	0	0	0	1
Peak Hour: 7:00-8:00a	0	0	0	1	0	1	0	3
tes:								



TIME				MOVEMENT	NUMBER			
PERIOD	1	2	3	4	5	6	7	8
11:15-11:30a	0	0	0	0	0	0	0	0
11:30-11:45a	0	0	0	0	0	0	0	0
11:45-12:00p	0	0	0	0	0	0	0	0
12:00-12:15p	0	0	0	0	0	1	0	0
12:15-12:30p	0	0	0	0	1	0	0	0
12:30-12:45p	0	0	0	0	0	0	0	0
12:45-1:00p	0	0	0	0	0	0	0	0
Peak Hour: 12:00p-1:00p	0	0	0	0	1	1	0	0
Notes:								



TIME	MOVEMENT NUMBER								
PERIOD	1	2	3	4	5	6	7	8	
2:00-2:15p	0	0	0	0	0	0	0	1	
2:15-2:30p	0	0	0	0	0	0	0	0	
2:30-2:45p	0	0	0	0	0	0	0	0	
2:45-3:00p	0	0	0	0	0	0	0	0	
3:00-3:15p	1	0	0	0	0	0	0	0	
3:15-3:30p	2	0	0	0	0	0	0	0	
3:30-3:45p	2	0	0	0	0	0	0	2	
3:45-4:00p	0	0	0	0	0	0	0	0	
Реак Hour: 3:00-4:00р	5	0	0	0	0	0	0	2	

LOCATION: Kuntz Ave/McClelland St DATE: 11/20/2019 Kuntz Ave TIME: 6 6:00-8:00a 1 \rightarrow ← WEATHER: ļ L Cloudy 2 5 **RECORDER:** WYY ← 3 4 McClelland St


TIME			MOVEMEN	T NUMBER		
PERIOD	1	2	3	4	5	6
6:00-6:15a	55	7	0	0	7	78
6:15-6:30a	56	8	4	4	2	70
6:30-6:45a	59	6	3	0	4	75
6:45-7:00a	77	9	2	0	4	110
7:00-7:15a	107	9	11	2	4	130
7:15-7:30a	82	5	4	1	1	165
7:30-7:45a	141	7	6	0	3	159
7:45-8:00a	159	12	11	1	7	124
Peak Hour: 7:00-8:00a	489	33	32	4	15	578
Notes:						

LOCATION: Kuntz Ave/McClelland St DATE: 11/20/2019 Kuntz Ave TIME: 11:30a-1:00p 1 \rightarrow ← 6 WEATHER: Cloudy J L 2 5 **RECORDER:** WYY ← 3 4 McClelland St


TIME		MOVEMENT NUMBER									
PERIOD	1	2	3	4	5	6					
11:30-11:45a	111	11	15	4	1	120					
11:45-12:00p	100	3	11	6	2	114					
12:00-12:15p	102	10	10	2	0	119					
12:15-12:30p	111	2	9	0	4	112					
12:30-12:45p	98	12	9	0	3	153					
12:45-1:00p	93	17	12	1	5	119					
Peak Hour: 12:00-1:00p	404	41	40	3	12	503					
Notes:											

LOCATION: Kuntz Ave/McClelland St DATE: 11/20/2019 Kuntz Ave TIME: 6 2:15-4:00p 1 \rightarrow ← WEATHER: Cloudy ļ L 2 5 **RECORDER:** WYY ← 3 4 McClelland St


TIME			MOVEMEN	T NUMBER		
PERIOD	1	2	3	4	5	6
2:15-2:30p	80	6	20	1	4	102
2:30-2:45p	74	3	15	1	3	113
2:45-3:00p	105	11	9	3	3	113
3:00-3:15p	165	10	15	5	5	139
3:15-3:30p	170	24	7	1	4	92
3:30-3:45p	114	17	40	2	3	145
3:45-4:00p	119	4	3	2	1	145
Peak Hour: 3:00-4:00p	568	55	65	10	13	521
Notes: Tradewinds op	ened at 3:30p					



TIME	MOVEMENT NUMBER							
PERIOD	1	2	3	4	5	6	7	8
6:00-6:15a	1	2	0	0	0	0	0	0
6:15-6:30a	0	3	0	0	0	0	0	0
6:30-6:45a	0	1	0	0	0	4	1	0
6:45-7:00a	3	0	0	0	1	0	0	0
7:00-7:15a	2	2	0	0	0	0	0	0
7:15-7:30a	1	1	0	0	0	0	0	0
7:30-7:45a	0	1	0	0	0	0	0	0
7:45-8:00a	0	0	0	0	0	0	0	0
Peak Hour: 7:00-8:00a	3	4	0	0	0	0	0	0



TIME				MOVEMENT	NUMBER			
PERIOD	1	2	3	4	5	6	7	8
11:30-11:45a	0	0	0	0	0	0	0	0
11:45-12:00p	0	1	0	0	0	0	0	0
12:00-12:15p	0	0	0	0	0	0	0	0
12:15-12:30p	0	1	0	0	0	0	0	0
12:30-12:45p	1	0	0	0	0	0	0	0
12:45-1:00p	0	1	0	0	0	0	0	0
Peak Hour: 12:00-1:00p	1	2	0	0	0	0	0	0
Notes:								



TIME		MOVEMENT NUMBER						
PERIOD	1	2	3	4	5	6	7	8
2:15-2:30p	0	1	0	0	0	0	0	0
2:30-2:45p	0	0	0	0	0	0	0	0
2:45-3:00p	0	0	0	0	0	0	0	0
3:00-3:15p	0	0	0	0	0	0	0	0
3:15-3:30p	0	0	0	0	0	0	0	0
3:30-3:45p	0	0	0	0	0	0	0	0
3:45-4:00p	0	0	0	0	0	0	0	0
Peak Hour: 3:00-4:00p	0	0	0	0	0	0	0	0

Notes: Tradewinds opened at 3:30p

LOCATION: Kuntz Ave/McClelland St DATE: 11/20/2019 Kuntz Ave TIME: 6:00-8:00a 1 \rightarrow 1 ← 8 WEATHER: 2 ļ L Cloudy 6 7 **RECORDER:** WYY Ţ ⊢ ← 3 4 5 McChord St

TIME	MOVEMENT NUMBER							
PERIOD	1	2	3	4	5	6	7	8
6:00-6:15a	0	0	0	0	0	0	0	1
6:15-6:30a	0	0	0	0	0	0	0	0
6:30-6:45a	0	0	0	0	0	0	0	0
6:45-7:00a	1	0	0	0	0	0	0	1
7:00-7:15a	1	0	0	0	0	0	0	1
7:15-7:30a	0	0	0	0	0	0	0	2
7:30-7:45a	0	0	0	0	0	0	0	0
7:45-8:00a	0	0	0	0	0	0	0	1
Peak Hour: 7:00-8:00a	1	0	0	0	0	0	0	4
Notes:								

LOCATION: Kuntz Ave/McClelland St DATE: 11/20/2019 Kuntz Ave TIME: 11:30a-1:00p 1 \rightarrow 1 ← 8 WEATHER: Cloudy 2 ļ L 6 7 **RECORDER:** WYY Ţ ⊢ ← 3 4 5 McChord St


TIME	MOVEMENT NUMBER							
PERIOD	1	2	3	4	5	6	7	8
11:30-11:45a	0	0	0	0	0	0	0	0
11:45-12:00p	0	0	0	0	0	0	0	0
12:00-12:15p	0	0	0	0	0	0	0	0
12:15-12:30p	0	0	0	0	0	0	0	0
12:30-12:45p	0	0	0	0	0	0	0	0
12:45-1:00p	0	0	0	0	0	0	0	0
Peak Hour: 12:00-1:00p	0	0	0	0	0	0	=	0
Notes:								

LOCATION: Kuntz Ave/McClelland St DATE: 11/20/2019 Kuntz Ave TIME: 2:15-4:00p 1 \rightarrow 1 ← 8 WEATHER: ļ L Cloudy 2 6 7 **RECORDER:** WYY T ⊢ **t** 3 4 5 McChord St

TIME		MOVEMENT NUMBER						
PERIOD	1	2	3	4	5	6	7	8
2:15-2:30p	0	0	0	0	0	0	0	0
2:30-2:45p	0	0	0	0	0	0	0	0
2:45-3:00p	0	0	0	0	0	0	0	0
3:00-3:15p	1	0	0	0	0	0	0	0
3:15-3:30p	2	0	0	0	0	0	0	0
3:30-3:45p	3	0	0	0	0	0	0	1
3:45-4:00p	0	0	0	0	0	0	0	1
Peak Hour: 3:00-4:00p	6	0	0	0	0	0	0	2


Notes: Tradewinds opened at 3:30p

LOCATION:N Rd/Battleship DrDATE:11/21/2019TIME:6:00-8:00aWEATHER:CloudyRECORDER:JY




TIME	MOVEMENT NUMBER						
PERIOD	1	2	3	4	5	6	
6:00-6:15a	270	3	7	6	4	101	
6:15-6:30a	259	2	10	15	6	107	
6:30-6:45a	246	9	6	12	4	120	
6:45-7:00a	165	4	7	8	9	179	
7:00-7:15a	208	2	8	3	12	211	
7:15-7:30a	148	2	9	5	6	188	
7:30-7:45a	129	5	14	5	13	188	
7:45-8:00a	102	5	13	4	6	211	
Peak Hour: 6:15-7:15a	878	17	31	38	31	617	

LOCATION: N Rd/Battleship Dr DATE: 11/21/2019 TIME: 11:00a-1:00p WEATHER: Clear RECORDER: JY



TIME			MOVEMEN	T NUMBER		
PERIOD	1	2	3	4	5	6
11:00-11:15a	176	8	9	8	15	203
11:15-11:30a	162	6	6	11	16	167
11:30-11:45a	135	3	12	12	11	176
11:45-12:00p	167	10	11	9	15	163
12:00-12:15p	165	9	14	9	7	148
12:15-12:30p	180	7	7	11	13	167
12:30-12:45p	151	8	6	5	15	147
12:45-1:00p	140	8	7	6	6	129
Peak Hour: 11:00a-12:00p	640	27	38	40	57	709
Notes:						

LOCATION:N Rd/Battleship DrDATE:11/21/2019TIME:2:00-4:00pWEATHER:CloudyRECORDER:JY



TIME			MOVEMEN	MOVEMENT NUMBER						
PERIOD	1	2	3	4	5	6				
2:00-2:15p	147	10	17	3	11	176				
2:15-2:30p	156	16	12	9	8	192				
2:30-2:45p	151	10	11	11	7	235				
2:45-3:00p	104	8	13	11	28	236				
3:00-3:15p	112	13	14	6	14	355				
3:15-3:30p	104	10	15	8	17	347				
3:30-3:45p	86	11	16	6	20	286				
3:45-4:00p	97	15	11	11	21	211				
Peak Hour: 2:45-3:45p	406	42	58	31	79	1224				
Notes:										

LOCATION:N Rd/Battleship DrDATE:11/21/2019TIME:6:00-8:00aWEATHER:CloudyRECORDER:JY

N R	oad	I		
		В	attleship Drive	
		Ĺ	6	
		Ť	5	
		Ļ	4	
		Ĺ	3	
←	\rightarrow			
1	2			

TIME			MOVEMEN	T NUMBER		
PERIOD	1	2	3	4	5	6
6:00-6:15a	11	0	0	11	1	0
6:15-6:30a	14	0	0	17	2	0
6:30-6:45a	14	0	0	4	2	0
6:45-7:00a	9	1	0	5	5	0
7:00-7:15a	2	4	0	5	5	0
7:15-7:30a	1	0	0	3	0	1
7:30-7:45a	0	1	0	3	3	0
7:45-8:00a	0	1	0	0	2	0
Peak Hour: 6:15-7:15a	39	5	0	31	14	0
Notes:						

LOCATION:N Rd/Battleship DrDATE:11/21/2019TIME:11:00a-1:00pWEATHER:ClearRECORDER:JY

	N Road		I	
				Battleship Drive
			Ĺ	6
			1	5
			Ļ	4
			Ĺ	3
←	\rightarrow	┍→		
1	2	7		


TIME		MOVEMENT NUMBER							
PERIOD	1	2	3	4	5	6	7		
11:00-11:15a	4	2	0	6	6	0	0		
11:15-11:30a	0	2	0	2	8	0	0		
11:30-11:45a	0	1	0	1	3	1	0		
11:45-12:00p	0	0	0	3	4	1	1		
12:00-12:15p	3	2	0	4	5	0	0		
12:15-12:30p	4	3	0	1	8	0	0		
12:30-12:45p	3	2	0	3	3	1	0		
12:45-1:00p	2	2	0	0	2	0	0		
Peak Hour: 11:00a-12:00p	4	5	0	12	21	2	1		

LOCATION:N Rd/Battleship DrDATE:11/21/2019TIME:2:00p-4:00pWEATHER:ClearRECORDER:JY

N R	oad	I		
		В	attleship Drive	
		Ĺ	6	
		1	5	
		Ţ	4	
		Ĺ	3	
←	\rightarrow			
1	2			


TIME			MOVEMEN	T NUMBER		
PERIOD	1	2	3	4	5	6
2:00-2:15p	0	5	0	2	8	2
2:15-2:30p	0	3	0	1	4	0
2:30-2:45p	0	4	0	0	1	0
2:45-3:00p	0	2	0	2	1	0
3:00-3:15p	3	4	0	2	7	0
3:15-3:30p	1	10	0	1	11	0
3:30-3:45p	1	11	0	2	14	0
3:45-4:00p	1	6	0	1	12	0
Peak Hour: 2:45-3:45p	5	27	0	7	33	0
Notes:						

LOCATION:N Rd/Battleship DrDATE:11/21/2019TIME:6:00-8:00aWEATHER:CloudyRECORDER:JY



MOVEMENT NUMBER								
1	2	3	4	5	6	7	8	
7	0	0	0	0	1	1	0	
7	0	0	0	0	0	2	0	
8	0	0	0	0	0	2	3	
4	0	1	1	0	1	1	0	
1	0	0	0	0	0	1	1	
1	0	0	0	0	1	1	3	
3	0	0	0	0	0	1	2	
4	0	0	0	0	0	0	2	
20	0	1	1	0	1	6	4	
	4 1 1 3 4	7 0 7 0 8 0 4 0 1 0 3 0 4 0	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$					


LOCATION: N Rd/Battleship Dr DATE: 11/21/2019 TIME: 11:00a-1:00p WEATHER: Clear **RECORDER:** JY




TIME	MOVEMENT NUMBER							
PERIOD	1	2	3	4	5	6	7	8
11:00-11:15a	0	0	0	0	0	0	0	1
11:15-11:30a	1	0	0	0	0	0	0	2
11:30-11:45a	0	0	0	0	0	0	0	0
11:45-12:00p	0	0	0	0	0	0	0	0
12:00-12:15p	0	0	0	0	0	0	0	0
12:15-12:30p	1	0	0	0	0	0	0	0
12:30-12:45p	0	0	0	0	0	0	0	0
12:45-1:00p	0	0	0	0	0	0	0	0
Peak Hour: 11:00a-12:00p	1	0	0	0	0	0	0	3

lotes


LOCATION:N Rd/Battleship DrDATE:11/21/2019TIME:2:00p-4:00pWEATHER:ClearRECORDER:JY




TIME	MOVEMENT NUMBER							
PERIOD	1	2	3	4	5	6	7	8
2:00-2:15p	1	0	0	0	0	0	0	1
2:15-2:30p	1	0	0	0	0	1	0	1
2:30-2:45p	0	0	0	0	0	0	0	5
2:45-3:00p	0	0	0	0	0	2	0	3
3:00-3:15p	2	0	0	0	0	2	0	5
3:15-3:30p	0	0	1	0	0	0	0	3
3:30-3:45p	2	0	0	0	0	0	0	4
3:45-4:00p	3	0	0	0	0	1	0	2
Peak Hour: 2:45-3:45p	4	0	1	0	0	4	0	15




		MOVEMEN	T NUMBER		
1	2	3	4	5	6
122	114	57	99	5	39
127	102	59	100	4	56
105	100	57	76	1	72
110	90	94	55	4	93
83	89	85	48	4	130
68	82	105	22	4	88
78	66	94	31	6	114
60	48	100	36	12	126
425	381	295	279	13	351
	122 127 105 110 83 68 78 60	122 114 127 102 105 100 110 90 83 89 68 82 78 66 60 48	1 2 3 122 114 57 127 102 59 105 100 57 110 90 94 83 89 85 68 82 105 78 66 94 60 48 100	122 114 57 99 127 102 59 100 105 100 57 76 110 90 94 55 83 89 85 48 68 82 105 22 78 66 94 31 60 48 100 36	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$




TIME		MOVEMENT NUMBER									
PERIOD	1	2	3	4	5	6					
11:00-11:15a	98	95	90	24	32	101					
11:15-11:30a	79	85	82	16	19	81					
11:30-11:45a	77	71	107	31	27	67					
11:45-12:00p	82	85	87	24	30	77					
12:00-12:15p	30	40	51	13	19	46					
12:15-12:30p	106	97	87	31	26	103					
12:30-12:45p	79	83	68	21	34	84					
12:45-1:00p	76	70	57	12	26	88					
Peak Hour: 11:00a-12:00p	336	336	366	95	108	326					




TIME		MOVEMENT NUMBER								
PERIOD	1	2	3	4	5	6				
2:00-2:15p	54	100	83	24	43	106				
2:15-2:30p	57	104	105	30	31	73				
2:30-2:45p	35	116	70	16	63	145				
2:45-3:00p	27	81	107	15	51	135				
3:00-3:15p	35	71	101	10	95	240				
3:15-3:30p	50	62	136	10	32	202				
3:30-3:45p	31	78	131	14	30	184				
3:45-4:00p	45	77	108	14	38	121				
Peak Hour: 2:45-3:45p	143	292	475	49	208	761				



TIME		MOVEMENT NUMBER								
PERIOD	1	2	3	4	5	6	7	8		
6:00-6:15a	0	0	0	0	0	0	0	0		
6:15-6:30a	0	0	0	0	0	0	2	1		
6:30-6:45a	1	1	0	0	0	0	0	5		
6:45-7:00a	0	0	0	0	0	0	0	2		
7:00-7:15a	0	2	1	0	0	2	0	0		
7:15-7:30a	0	0	1	0	0	0	0	0		
7:30-7:45a	1	1	0	0	0	0	0	0		
7:45-8:00a	0	1	1	0	0	2	0	2		
Peak Hour: 6:15-7:15a	1	3	1	0	0	2	2	8		
Notes:										



TIME	MOVEMENT NUMBER								
PERIOD	1	2	3	4	5	6	7	8	
11:00-11:15a	0	0	0	0	0	0	0	0	
11:15-11:30a	0	0	0	0	0	0	0	0	
11:30-11:45a	0	0	0	0	0	0	1	1	
11:45-12:00p	0	0	0	0	0	1	1	0	
12:00-12:15p	0	0	0	0	0	0	0	0	
12:15-12:30p	0	0	0	0	0	0	1	0	
12:30-12:45p	0	0	0	0	0	0	0	0	
12:45-1:00p	0	0	0	0	0	0	0	0	
Peak Hour: 11:00a-12:00p	0	0	0	0	0	1	2	1	




TIME				MOVEMEN	TNUMBER			
PERIOD	1	2	3	4	5	6	7	8
2:00-2:15p	3	0	1	0	0	0	2	0
2:15-2:30p	0	0	0	0	0	0	0	0
2:30-2:45p	1	0	0	0	0	0	0	0
2:45-3:00p	0	0	0	0	0	0	0	0
3:00-3:15p	0	0	0	0	0	0	2	0
3:15-3:30p	1	0	1	0	0	0	4	0
3:30-3:45p	0	0	1	0	0	0	5	0
3:45-4:00p	9	1	0	0	0	1	2	5
Peak Hour: 2:45-3:45p	1	0	2	0	0	0	11	0
Notes:								

LOCATION: N Rd/Pearl Harbor Blvd DATE: 11/21/2019 TIME: 6:00-8:00a WEATHER: Cloudy RECORDER: WYY


		N Ro	ad
		1	2
		┙	Ļ
6	Ţ		
5	ļ		
Pearl Harbor Blvd		←	1
		4	3

TIME			MOVEMEN	T NUMBER		
PERIOD	1	2	3	4	5	6
6:00-6:15a	1	0	0	0	0	0
6:15-6:30a	1	1	1	0	0	0
6:30-6:45a	5	0	3	0	0	0
6:45-7:00a	1	0	0	0	0	0
7:00-7:15a	0	0	1	0	0	0
7:15-7:30a	0	0	0	0	0	1
7:30-7:45a	0	0	1	0	0	0
7:45-8:00a	1	1	1	0	0	0
Peak Hour: 6:15-7:15a	7	1	5	0	0	0
Notes:						

LOCATION:N Rd/Pearl Harbor BlvdDATE:11/21/2019TIME:11:00a-1:00pWEATHER:ClearRECORDER:WYY



TIME	MOVEMENT NUMBER						
PERIOD	1	2	3	4	5	6	
11:00-11:15a	0	0	0	0	0	1	
11:15-11:30a	0	0	1	0	0	0	
11:30-11:45a	0	0	0	0	0	0	
11:45-12:00p	0	0	0	0	0	0	
12:00-12:15p	0	0	0	0	0	0	
12:15-12:30p	1	0	0	0	0	0	
12:30-12:45p	1	0	0	0	0	0	
12:45-1:00p	0	0	0	0	0	0	
Peak Hour: 11:00a-12:00p	0	0	1	0	0	1	
Notes:			·				



TIME	MOVEMENT NUMBER							
PERIOD	1	2	3	4	5	6		
2:00-2:15p	1	0	0	0	0	1		
2:15-2:30p	0	1	0	0	0	0		
2:30-2:45p	0	0	0	0	0	2		
2:45-3:00p	0	0	0	0	0	1		
3:00-3:15p	0	0	0	0	0	0		
3:15-3:30p	0	0	0	0	0	1		
3:30-3:45p	0	0	0	0	1	0		
3:45-4:00p	1	0	0	0	0	4		
Peak Hour: 2:45-3:45p	0	0	0	0	1	2		

Appendix B 24-Hour Traffic Volume Worksheets

This page intentionally left blank.

VehicleCount-150 -- English (ENU)

<u>Datasets:</u> Site: Attribute:	[Halehaka Street] Halehaka St north of 20th Street November 18, 2019
Direction:	
	7 - North bound A>B, South bound B>A. Lane: 0
Survey Duration: Zone:	13:46 Sunday, November 17, 2019 => 13:07 Tuesday, November 19, 2019,
File:	Halehaka Street 0 2019-11-19 1307.EC0 (Regular)
Identifier:	R090852E MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm:	Factory default axle (v5.02)
Data type:	Axle sensors - Paired (Class/Speed/Count)
Profile: Filter time: Included classes: Speed range: Direction: Separation: Name: Scheme: Units: In profile:	10:00 Monday, November 18, 2019 => 13:07 Tuesday, November 19, 2019 (1.13023) 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North, Lane = 0-1</u> Headway > 0 sec, Span 0 - 300 ft Default Profile Vehicle classification (Scheme F3) Non metric (ft, mi, ft/s, mph, lb, ton) Vehicles = 3400 / 3418 (99.47%)

* Monday, November 18, 2019 - Total=1961 (Incomplete) , 15 minute drops

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
-	-	-	-	-	-	-	-	-	-	50	199	194	156	193	217	271	263	193	98	55	39	26	7	
-	-	-	-	-	-	-	-	-	-	0	52	53	46	46	53	54	81	45	30	15	11	10	0	2
-	-	-	-	-	-	-	-	-	-	0	46	61	39	53	47	65	77	55	30	15	б	4	2	1
-	-	-	-	-	-	-	-	-	-	20	52	42	39	42	59	75	51	42	21	16	9	6	1	2
-	-	-	-	-	-	-	-	-	-	30	49	38	32	52	58	77	54	51	17	9	13	6	4	0

PM Peak 1630 - 1730 (310), PM PHF=0.96

* Tuesday, November 19, 2019 - Total=1439 (Incomplete), 15 minute drops

		, ,			-,				1		· · · / ,				-									
0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
5	4	3	5	20	70	157	338	193	126	132	164	198	-	-	-	-	-	-	-	-	-	-	-	
2	1	0	1	1	7	25	55	57	37	35	32	45	24	-	-	-	-	-	-	-	-	-	-	-
1	1	0	2	3	17	36	110	44	24	26	45	53	-	-	-	-	-	-	-	-	-	-	-	-
2	1	1	0	8	22	34	102	52	29	39	45	45	-	-	-	-	-	-	-	-	-	-	-	-
0	1	2	2	8	24	62	71	40	36	32	42	55	-	-	-	-	-	-	-	-	-	-	-	-
AM Pea	ak 071	5 - 081	5 (340)), AM F	PHF=0.	77																		

VehicleCount-151 -- English (ENU)

Datasets:	
Site:	[Halehaka Street] Halehaka St north of 20th Street (Northbound)
Attribute:	November 18, 2019
Direction:	7 - North bound A>B, South bound B>A. Lane: 0
Survey Duration:	13:46 Sunday, November 17, 2019 => 13:07 Tuesday, November 19, 2019,
Zone:	
File:	Halehaka Street 0 2019-11-19 1307.EC0 (Regular)
Identifier:	R090852E MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm:	Factory default axle (v5.02)
Data type:	Axle sensors - Paired (Class/Speed/Count)
Profile:	
Filter time:	10:00 Monday, November 18, 2019 => 13:07 Tuesday, November 19, 2019 (1.13023)
Filter time: Included classes:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Filter time: Included classes: Speed range:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph.
Filter time: Included classes: Speed range: Direction:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 0
Filter time: Included classes: Speed range: Direction: Separation:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 0 Headway > 0 sec, Span 0 - 300 ft
Filter time: Included classes: Speed range: Direction: Separation: Name:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 0 Headway > 0 sec, Span 0 - 300 ft Default Profile
Filter time: Included classes: Speed range: Direction: Separation: Name: Scheme:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 0 Headway > 0 sec, Span 0 - 300 ft Default Profile Vehicle classification (Scheme F3)
Filter time: Included classes: Speed range: Direction: Separation: Name:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 0 Headway > 0 sec, Span 0 - 300 ft Default Profile
Filter time: Included classes: Speed range: Direction: Separation: Name: Scheme:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 0 Headway > 0 sec, Span 0 - 300 ft Default Profile Vehicle classification (Scheme F3)

* Monday, November 18, 2019 - Total=1243 (Incomplete) , 15 minute drops

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
-	-	-	-	-	-	-	-	-	-	28	124	113	68	104	144	202	167	131	68	41	28	21	4	
-	-	-	-	-	-	-	-	-	-	0	30	36	20	24	40	44	55	31	21	13	8	8	0	2
-	-	-	-	-	-	-	-	-	-	0	33	30	18	30	29	46	48	35	19	9	4	4	1	1
-	-	-	-	-	-	-	-	-	-	11	34	26	13	21	38	54	33	33	14	12	б	5	1	2
-	-	-	-	-	-	-	-	-	-	17	27	21	17	29	37	58	31	32	14	7	10	4	2	0

PM Peak 1630 - 1730 (215), PM PHF=0.93

* Tuesday, November 19, 2019 - Total=550 (Incomplete), 15 minute drops

		, ,			-,			(-,, .	• • • • • • • • • • • • • • • • • • • •												
0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
5	3	0	2	1	9	40	84	78	55	58	106	99	-	-	-	-	-	-	-	-	-	-	-	
2	1	0	0	0	0	8	9	27	20	9	20	28	10	-	-	-	-	-	-	-	-	-	-	-
1	0	0	1	0	2	б	18	18	10	10	32	32	-	-	-	-	-	-	-	-	-	-	-	-
2	1	0	0	1	3	13	21	15	16	22	31	18	-	-	-	-	-	-	-	-	-	-	-	-
0	1	0	1	0	4	13	36	18	9	17	23	21	-	-	-	-	-	-	-	-	-	-	-	-
AM Pea	ık 111	5 - 121	5 (114)), AM F	PHF=0.	89																		

VehicleCount-152 -- English (ENU)

Datasets:	
Site:	[Halehaka Street] Halehaka St north of 20th Street (Southbound)
Attribute:	November 18, 2019
Direction:	7 - North bound A>B, South bound B>A. Lane: 0
Survey Duration:	13:46 Sunday, November 17, 2019 => 13:07 Tuesday, November 19, 2019,
Zone:	
File:	Halehaka Street 0 2019-11-19 1307.EC0 (Regular)
Identifier:	R090852E MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm:	Factory default axle (v5.02)
Data type:	Axle sensors - Paired (Class/Speed/Count)
Profile:	
<u>Profile:</u> Filter time:	10:00 Monday, November 18, 2019 => 13:07 Tuesday, November 19, 2019 (1.13023)
	10:00 Monday, November 18, 2019 => 13:07 Tuesday, November 19, 2019 (1.13023) 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Filter time:	
Filter time: Included classes:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Filter time: Included classes: Speed range:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph.
Filter time: Included classes: Speed range: Direction:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 1
Filter time: Included classes: Speed range: Direction: Separation:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 1 Headway > 0 sec, Span 0 - 300 ft
Filter time: Included classes: Speed range: Direction: Separation: Name:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 1 Headway > 0 sec, Span 0 - 300 ft Default Profile
Filter time: Included classes: Speed range: Direction: Separation: Name: Scheme:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 1 Headway > 0 sec, Span 0 - 300 ft Default Profile Vehicle classification (Scheme F3)

* Monday, November 18, 2019 - Total=718 (Incomplete) , 15 minute drops

000	0 0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
			-	-	-	-	-	-	-	22	75	81	88	89	73	69	96	62	30	14	11	5	3	
		-	-	-	-	-	-	-	-	0	22	17	26	22	13	10	26	14	9	2	3	2	0	0
			-	-	-	-	-	-	-	0	13	31	21	23	18	19	29	20	11	б	2	0	1	0
			-	-	-	-	-	-	-	9	18	16	26	21	21	21	18	9	7	4	3	1	0	0
			-	-	-	-	-	-	-	13	22	17	15	23	21	19	23	19	3	2	3	2	2	0

PM Peak 1700 - 1800 (96), PM PHF=0.83

* Tuesday, November 19, 2019 - Total=889 (Incomplete) , 15 minute drops

			-		- , -						- / /	-												
0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
C) 1	3	3	19	61	117	254	115	71	74	58	99	-	-	-	-	-	-	-	-	-	-	-	
C	0	0	1	1	7	17	46	30	17	26	12	17	14	-	-	-	-	-	-	-	-	-	-	-
C	1	0	1	3	15	30	92	26	14	16	13	21	-	-	-	-	-	-	-	-	-	-	-	-
C	0	1	0	7	19	21	81	37	13	17	14	27	-	-	-	-	-	-	-	-	-	-	-	-
C	0	2	1	8	20	49	35	22	27	15	19	34	-	-	-	-	-	-	-	-	-	-	-	-
AM Pe	ak 064	5 - 074	5 (268)), AM F	PHF=0.	73																		

VehicleCount-149 -- English (ENU)

Datasets: Site: Attribute: Direction: Survey Duration: Zone: File: Identifier:	[Kuntz Avenue] Kuntz Ave at Halehaka Street November 18, 2019 8 - East bound A>B, West bound B>A. Lane: 0 13:36 Sunday, November 17, 2019 => 9:49 Tuesday, November 19, 2019, Kuntz Avenue 0 2019-11-19 0949.EC0 (Regular) R186JWT5 MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm:	Factory default axle (v5.02)
Data type:	Axle sensors - Paired (Class/Speed/Count)
Profile: Filter time: Included classes: Speed range: Direction: Separation: Name: Scheme: Units: In profile:	9:00 Monday, November 18, 2019 => 9:49 Tuesday, November 19, 2019 (1.03453) 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>East</u> , Lane = 0-1 Headway > 0 sec, Span 0 - 300 ft Default Profile Vehicle classification (Scheme F3) Non metric (ft, mi, ft/s, mph, lb, ton) Vehicles = 5524 / 5539 (99.73%)

* Monday, November 18, 2019 - Total=3951 (Incomplete) , 15 minute drops

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
-	-	-	-	-	-	-	-	-	98	345	459	426	390	417	484	422	403	262	143	83	11	2	6	
-	-	-	-	-	-	-	-	-	0	79	108	110	99	108	135	126	109	66	44	25	4	1	0	2
-	-	-	-	-	-	-	-	-	0	103	96	109	103	97	135	96	105	62	41	32	3	0	2	0
-	-	-	-	-	-	-	-	-	1	80	134	99	72	114	131	96	101	77	29	13	0	0	3	1
-	-	-	-	-	-	-	-	-	97	83	121	108	116	98	83	104	88	57	29	13	4	1	1	0

PM Peak 1445 - 1545 (499), PM PHF=0.92

* Tuesday, November 19, 2019 - Total=1573 (Incomplete) , 15 minute drops

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
3	0	0	0	8	263	300	425	361	213	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	0	0	0	0	32	77	99	109	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0	0	0	0	3	74	81	112	93	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	0	0	0	2	76	50	111	74	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0	0	0	0	3	81	92	103	85	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

VehicleCount-147 -- English (ENU)

Datasets:	
Site:	[Kuntz Avenue] Kuntz Ave at Halehaka Street (Eastbound)
Attribute:	November 18, 2019
Direction:	8 - East bound A>B, West bound B>A. Lane: 0
Survey Duration:	13:36 Sunday, November 17, 2019 => 9:49 Tuesday, November 19, 2019,
Zone:	
File:	Kuntz Avenue 0 2019-11-19 0949.EC0 (Regular)
Identifier:	R186JWT5 MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm:	Factory default axle (v5.02)
Data type:	Axle sensors - Paired (Class/Speed/Count)
Profile:	
<u>Profile:</u> Filter time:	9:00 Monday, November 18, 2019 => 9:49 Tuesday, November 19, 2019 (1.03453)
	9:00 Monday, November 18, 2019 => 9:49 Tuesday, November 19, 2019 (1.03453) 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Filter time:	
Filter time: Included classes:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Filter time: Included classes: Speed range:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph.
Filter time: Included classes: Speed range: Direction:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>East</u> , Lane = 0
Filter time: Included classes: Speed range: Direction: Separation:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>East</u> , Lane = 0 Headway > 0 sec, Span 0 - 300 ft
Filter time: Included classes: Speed range: Direction: Separation: Name:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>East</u> , Lane = 0 Headway > 0 sec, Span 0 - 300 ft Default Profile
Filter time: Included classes: Speed range: Direction: Separation: Name: Scheme:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>East</u> , Lane = 0 Headway > 0 sec, Span 0 - 300 ft Default Profile Vehicle classification (Scheme F3)

* Monday, November 18, 2019 - Total=1820 (Incomplete) , 15 minute drops

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
-	-	-	-	-	-	-	-	-	37	142	216	170	176	203	273	194	175	125	59	41	4	2	3	
-	-	-	-	-	-	-	-	-	0	33	54	45	45	47	82	58	49	36	18	11	1	1	0	1
-	-	-	-	-	-	-	-	-	0	43	46	46	42	43	82	47	47	29	22	15	2	0	1	0
-	-	-	-	-	-	-	-	-	1	24	61	34	37	65	69	52	45	35	11	8	0	0	2	1
-	-	-	-	-	-	-	-	-	36	42	55	45	52	48	40	37	34	25	8	7	1	1	0	0

PM Peak 1445 - 1545 (281), PM PHF=0.86

* Tuesday, November 19, 2019 - Total=504 (Incomplete) , 15 minute drops

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
2	0	0	0	7	30	76	182	110	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	0	0	0	0	1	7	42	24	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0	0	0	0	2	8	18	55	32	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	0	0	0	2	9	15	42	23	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0	0	0	0	3	12	36	43	31	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

VehicleCount-148 -- English (ENU)

<u>Datasets:</u>	
Site:	[Kuntz Avenue] Kuntz Ave at Halehaka Street (Westbound)
Attribute:	November 18, 2019
Direction:	8 - East bound A>B, West bound B>A. Lane: 0
Survey Duration:	13:36 Sunday, November 17, 2019 => 9:49 Tuesday, November 19, 2019,
Zone:	
File:	Kuntz Avenue 0 2019-11-19 0949.EC0 (Regular)
Identifier:	R186JWT5 MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm:	Factory default axle (v5.02)
Data type:	Axle sensors - Paired (Class/Speed/Count)
Profile:	
<u>Profile:</u> Filter time:	9:00 Monday, November 18, 2019 => 9:49 Tuesday, November 19, 2019 (1.03453)
	9:00 Monday, November 18, 2019 => 9:49 Tuesday, November 19, 2019 (1.03453) 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Filter time: Included classes: Speed range:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph.
Filter time: Included classes:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Filter time: Included classes: Speed range:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph.
Filter time: Included classes: Speed range: Direction:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>East</u> , Lane = 1
Filter time: Included classes: Speed range: Direction: Separation:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>East</u> , Lane = 1 Headway > 0 sec, Span 0 - 300 ft
Filter time: Included classes: Speed range: Direction: Separation: Name:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>East</u> , Lane = 1 Headway > 0 sec, Span 0 - 300 ft Default Profile
Filter time: Included classes: Speed range: Direction: Separation: Name: Scheme:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>East</u> , Lane = 1 Headway > 0 sec, Span 0 - 300 ft Default Profile Vehicle classification (Scheme F3)

* Monday, November 18, 2019 - Total=2131 (Incomplete) , 15 minute drops

0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
-	-	-	-	-	-	-	-	61	203	243	256	214	214	211	228	228	137	84	42	7	0	3	
-	-	-	-	-	-	-	-	0	46	54	65	54	61	53	68	60	30	26	14	3	0	0	1
-	-	-	-	-	-	-	-	0	60	50	63	61	54	53	49	58	33	19	17	1	0	1	0
-	-	-	-	-	-	-	-	0	56	73	65	35	49	62	44	56	42	18	5	0	0	1	C
-	-	-	-	-	-	-	-	61	41	66	63	64	50	43	67	54	32	21	б	3	0	1	(
	0100	0100 0200	0100 0200 0300 	0100 0200 0300 0400 	0100 0200 0300 0400 0500 	0100 0200 0300 0400 0500 0600 	0100 0200 0300 0400 0500 0600 0700 	0100 0200 0300 0400 0500 0600 0700 0800 	0100 0200 0300 0400 0500 0600 0700 0800 0900 0 0 0 0	0100 0200 0300 0400 0500 0600 0700 0800 0900 1000 - - - - - - - 61 203 - - - - - - - 61 203 - - - - - - - 0 46 - - - - - - 0 60 - - - - - - 0 0 60 - - - - - - 0 0 56	0100 0200 0300 0400 0500 0600 0700 0800 0900 1000 1100 61 203 243 0 46 54 0 60 50 0 56 73	0100 0200 0300 0400 0500 0600 0700 0800 0900 1000 1100 1200 - - - - - - - 61 203 243 256 - - - - - - 0 46 54 65 - - - - - 0 060 50 63 - - - - - 0 56 73 65	0100 0200 0300 0400 0500 0600 0700 0800 0900 1000 1100 1200 1300 - - - - - - 61 203 243 256 214 - - - - - - 0 46 54 65 54 - - - - - 0 06 500 63 61 - - - - - 0 060 50 63 61 - - - - - 0 060 573 65 35 - - - - - 0 0 50 63 61 - - - - - 0 56 73 65 35	0100 0200 0300 0400 0500 0600 0700 0800 0900 1000 1100 1200 1300 1400 - - - - - 61 203 243 256 214 214 - - - - - - 61 54 65 54 61 - - - - - 0 66 50 63 61 54 - - - - 0 0 56 73 65 35 49	- - - - - 61 203 243 256 214 214 211 - - - - - - 0 46 54 65 54 61 53 - - - - - 0 60 50 63 61 54 53 - - - - - 0 50 53 61 54 53 - - - - 0 56 73 65 35 49 62	0100 0200 0300 0400 0500 0600 0700 0800 0900 1000 1100 1200 1300 1400 1500 1600 61 203 243 256 214 214 211 228 0 46 54 65 54 61 53 68 0 60 50 63 51 49 62 44	0100 0200 0300 0400 0500 0600 0700 0800 0900 1000 1100 1200 1300 1400 1500 1600 1700 - - - - - 61 203 243 256 214 214 211 228 228 - - - - - 0 46 54 65 54 61 53 68 60 - - - - - 0 66 50 63 61 54 53 68 60 - - - - - 0 0 56 73 65 35 49 58 - - - - - 0 56 73 65 35 49 58	0100 0200 0300 0400 0500 0600 0700 0800 0900 1000 1100 1200 1300 1400 1500 1600 1700 1800 - - - - - - 61 203 243 256 214 214 211 228 228 137 - - - - - - 0 46 54 65 54 61 53 68 60 30 - - - - - 0 060 570 63 61 54 53 68 60 30 - - - - 0 0 50 63 61 54 53 49 58 33 - - - - - 0 05 73 65 35 49 58 49 58 33 - - - - 0 0 56 73 65 35 49 6	0100 0200 0300 0400 0500 0600 0700 0800 0900 1000 1100 1200 1300 1400 1500 1600 1700 1800 1900 - - - - - 61 203 243 256 214 214 211 228 228 137 84 - - - - - - 0 46 54 65 54 61 53 68 60 30 26 - - - - - 0 65 73 65 54 61 53 68 60 30 26 - - - - - 0 0 50 63 61 54 53 49 58 33 19 - - - - 0 56 73 65 35 49 62 44 56 42 18	0100 0200 0300 0400 0500 0600 0700 0800 0900 1000 1100 1200 1300 1400 1500 1600 1700 1800 1900 2000 61 203 243 256 214 214 211 228 228 137 84 422 0 46 54 65 54 61 53 68 60 30 26 14 0 60 50 63 61 54 53 49 58 33 19 17 0 56 73 65 35 49 62 44 56 42 18 5	0100 0200 0300 0400 0500 0600 0700 0800 0900 1000 1000 1200 1300 1400 1500 1600 1700 1800 1900 2000 2100 - - - - - 61 203 243 256 214 214 211 228 228 137 84 42 7 - - - - - - - 65 54 61 53 68 60 30 26 14 31 - - - - - 0 65 54 61 53 68 60 30 26 14 31 - - - - - 0 65 73 65 34 53 68 60 30 26 14 31 - - - - 0 56 73 65 35 49 58 33 19 17 1 -	0100 0200 0300 0400 0500 0600 0700 0800 0900 1000 1000 1400 1400 1500 1600 1700 1800 1900 2000 2100 2200 - - - - - 61 203 243 256 214 214 214 218 228 137 84 42 7 0 - - - - - - 61 54 65 54 61 53 68 60 30 26 14 3 0 - - - - - 0 65 73 65 34 55 64 53 68 60 30 26 14 3 0 - - - - - 0 65 73 65 35 49 58 33 19 17 1 0 - - - - 0 56 73 65 35 49 <	0100 0200 0300 0400 0500 0600 0700 0800 0900 1000 1200 1300 1400 1500 1600 1700 1800 1900 2000 2100 2200 2300 - - - - - 61 203 243 256 214 214 211 228 228 137 84 42 7 0 3 - - - - 61 203 243 256 214 214 211 228 228 137 84 42 7 0 3 - - - - - 0 466 54 65 54 61 53 68 60 30 26 14 3 0 0 - - - - - 0 56 73 65 34 53 49 58 33 19 17 1 0 1 - - - - - 0

PM Peak 1200 - 1300 (256), PM PHF=0.98

* Tuesday, November 19, 2019 - Total=1069 (Incomplete) , 15 minute drops

_	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	_
	1	0	0	0	1	233	224	243	251	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	1	0	0	0	0	31	70	57	85	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	0	0	0	0	1	66	63	57	61	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	0	0	0	0	0	67	35	69	51	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	0	0	0	0	0	69	56	60	54	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

VehicleCount-153 -- English (ENU)

Datasets: Site: Attribute: Direction: Survey Duration: Zone: File: Identifier: Algorithm: Data type:	[Kuntz Avenue] Kuntz Ave at McClelland November 19, 2019 6 - West bound A>B, East bound B>A. Lane: 0 10:03 Tuesday, November 19, 2019 => 10:26 Wednesday, November 20, 2019, Kuntz Avenue_McClelland 0 2019-11-20 1027.EC0 (Regular) R186JWT5 MC56-L5 [MC55] (c)Microcom 19Oct04 Factory default axle (v5.02) Axle sensors - Paired (Class/Speed/Count)
Profile: Filter time: Included classes: Speed range: Direction: Separation: Name: Scheme: Units: In profile:	10:04 Tuesday, November 19, 2019 => 10:26 Wednesday, November 20, 2019 (1.01588) 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>East</u> , Lane = 0-16 Headway > 0 sec, Span 0 - 300 ft Default Profile Vehicle classification (Scheme F3) Non metric (ft, mi, ft/s, mph, lb, ton) Vehicles = 14052 / 14084 (99.77%)

* Tuesday, November 19, 2019 - Total=9454 (Incomplete) , 15 minute drops

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
-	-	-	-	-	-	-	-	-	-	719	1097	919	719	975	1139	932	954	665	420	337	300	180	98	
-	-	-	-	-	-	-	-	-	-	б	275	215	195	215	240	236	253	202	121	87	67	64	28	17
-	-	-	-	-	-	-	-	-	-	198	273	243	170	257	304	220	245	176	102	95	61	41	35	8
-	-	-	-	-	-	-	-	-	-	288	263	239	189	275	341	234	216	164	106	82	79	38	20	10
-	-	-	-	-	-	-	-	-	-	227	286	222	165	228	254	242	240	123	91	73	93	37	15	12
			~~ / / / /																					

PM Peak 1500 - 1600 (1139), PM PHF=0.84

* Wednesday, November 20, 2019 - Total=4598 (Incomplete) , 15 minute drops

_	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	_
_	47	41	30	50	215	538	720	1185	891	692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	17	7	13	9	29	94	143	265	207	174	169	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	13	6	7	43	129	169	272	207	156	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10	14	8	17	67	131	186	321	254	185	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12	7	3	17	76	184	222	327	223	177	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

VehicleCount-155 -- English (ENU)

Datasets:	
Site:	[Kuntz Avenue] Kuntz Ave at McClelland (Eastbound)
Attribute:	November 19, 2019
Direction:	6 - West bound A>B, East bound B>A. Lane: 0
Survey Duration:	10:03 Tuesday, November 19, 2019 => 10:26 Wednesday, November 20, 2019,
Zone:	
File:	Kuntz Avenue McClelland 0 2019-11-20 1027.EC0 (Regular)
Identifier:	R186JWT5 MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm:	Factory default axle (v5.02)
Data type:	Axle sensors - Paired (Class/Speed/Count)
51	
Profile:	
<u>Profile:</u> Filter time:	10:04 Tuesday, November 19, 2019 => 10:26 Wednesday, November 20, 2019 (1.01588)
	10:04 Tuesday, November 19, 2019 => 10:26 Wednesday, November 20, 2019 (1.01588) 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Filter time:	
Filter time: Included classes:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Filter time: Included classes: Speed range:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph.
Filter time: Included classes: Speed range: Direction:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>East</u> , Lane = 1
Filter time: Included classes: Speed range: Direction: Separation:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>East</u> , Lane = 1 Headway > 0 sec, Span 0 - 300 ft
Filter time: Included classes: Speed range: Direction: Separation: Name:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>East</u> , Lane = 1 Headway > 0 sec, Span 0 - 300 ft Default Profile
Filter time: Included classes: Speed range: Direction: Separation: Name: Scheme:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>East</u> , Lane = 1 Headway > 0 sec, Span 0 - 300 ft Default Profile Vehicle classification (Scheme F3)

* Tuesday, November 19, 2019 - Total=4527 (Incomplete) , 15 minute drops

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
-	-	-	-	-	-	-	-	-	-	302	541	415	343	422	625	472	496	309	182	160	143	79	38	
-	-	-	-	-	-	-	-	-	-	6	124	98	90	90	146	109	123	106	55	40	30	24	12	11
-	-	-	-	-	-	-	-	-	-	86	153	116	93	123	216	104	137	69	51	50	42	20	15	3
-	-	-	-	-	-	-	-	-	-	106	132	111	73	110	157	125	104	74	43	33	35	17	8	8
-	-	-	-	-	-	-	-	-	-	104	132	90	87	99	106	134	132	60	33	37	36	18	3	4
D14 D																								

PM Peak 1500 - 1600 (625), PM PHF=0.72

* Wednesday, November 20, 2019 - Total=2117 (Incomplete) , 15 minute drops

_	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
_	26	21	17	24	127	241	310	546	353	348	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	11	3	10	2	16	42	62	116	94	83	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	8	2	4	27	72	77	92	90	76	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	3	3	7	37	52	83	157	71	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	7	2	11	47	75	88	181	98	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

VehicleCount-155 -- English (ENU)

Datasets: Site: Attribute: Direction: Survey Duration: Zone: File: Identifier: Algorithm: Data type:	[Kuntz Avenue] Kuntz Ave at McClelland (Westbound) November 19, 2019 6 - West bound A>B, East bound B>A. Lane: 0 10:03 Tuesday, November 19, 2019 => 10:26 Wednesday, November 20, 2019, Kuntz Avenue_McClelland 0 2019-11-20 1027.EC0 (Regular) R186JWT5 MC56-L5 [MC55] (c)Microcom 19Oct04 Factory default axle (v5.02) Axle sensors - Paired (Class/Speed/Count)
Profile: Filter time: Included classes: Speed range: Direction: Separation: Name: Scheme: Units: In profile:	10:04 Tuesday, November 19, 2019 => 10:26 Wednesday, November 20, 2019 (1.01588) 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>East</u> , Lane = 0 Headway > 0 sec, Span 0 - 300 ft Default Profile Vehicle classification (Scheme F3) Non metric (ft, mi, ft/s, mph, lb, ton) Vehicles = 7408 / 14084 (52.60%)

* Tuesday, November 19, 2019 - Total=4927 (Incomplete) , 15 minute drops

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
-	-	-	-	-	-	-	-	-	-	417	556	504	376	553	514	460	458	356	238	177	157	101	60	
-	-	-	-	-	-	-	-	-	-	0	151	117	105	125	94	127	130	96	66	47	37	40	16	6
-	-	-	-	-	-	-	-	-	-	112	120	127	77	134	88	116	108	107	51	45	19	21	20	5
-	-	-	-	-	-	-	-	-	-	182	131	128	116	165	184	109	112	90	63	49	44	21	12	2
-	-	-	-	-	-	-	-	-	-	123	154	132	78	129	148	108	108	63	58	36	57	19	12	8

PM Peak 1530 - 1630 (575), PM PHF=0.78

* Wednesday, November 20, 2019 - Total=2481 (Incomplete) , 15 minute drops

_	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
_	21	20	13	26	88	297	410	639	538	344	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	4	3	7	13	52	81	149	113	91	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	5	4	3	16	57	92	180	117	80	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	11	5	10	30	79	103	164	183	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	0	1	б	29	109	134	146	125	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

VehicleCount-154 -- English (ENU)

Datasets:	
Site:	[McClelland St] McClelland St
Attribute:	November 19, 2019
Direction:	7 - North bound A>B, South bound B>A. Lane: 0
Survey Duration:	13:09 Tuesday, November 19, 2019 => 13:17 Wednesday, November 20, 2019,
Zone:	
File:	McClelland St 0 2019-11-20 1318.EC0 (Regular)
Identifier:	R090852E MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm:	Factory default axle (v5.02)
Data type:	Axle sensors - Paired (Class/Speed/Count)
51	
Profile:	
Filter time:	13:10 Tuesday, November 19, 2019 => 13:17 Wednesday, November 20, 2019 (1.00513)
Filter time: Included classes:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Filter time: Included classes: Speed range:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph.
Filter time: Included classes: Speed range: Direction:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 0-16
Filter time: Included classes: Speed range: Direction: Separation:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 0-16 Headway > 0 sec, Span 0 - 300 ft
Filter time: Included classes: Speed range: Direction: Separation: Name:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 0-16 Headway > 0 sec, Span 0 - 300 ft Default Profile
Filter time: Included classes: Speed range: Direction: Separation: Name: Scheme:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 0-16 Headway > 0 sec, Span 0 - 300 ft Default Profile Vehicle classification (Scheme F3)
Filter time: Included classes: Speed range: Direction: Separation: Name:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 0-16 Headway > 0 sec, Span 0 - 300 ft Default Profile Vehicle classification (Scheme F3) Non metric (ft, mi, ft/s, mph, lb, ton)
Filter time: Included classes: Speed range: Direction: Separation: Name: Scheme:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 0-16 Headway > 0 sec, Span 0 - 300 ft Default Profile Vehicle classification (Scheme F3)

* Tuesday, November 19, 2019 - Total=558 (Incomplete) , 15 minute drops

C	000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
_	-	-	-	-	-	-	-	-	-	-	-	-	-	46	130	106	63	51	43	29	22	34	19	15	
	-	-	-	-	-	-	-	-	-	-	-	-	-	0	21	12	29	12	4	10	2	8	8	2	0
	-	-	-	-	-	-	-	-	-	-	-	-	-	12	57	20	12	8	8	7	3	7	2	5	2
	-	-	-	-	-	-	-	-	-	-	-	-	-	22	34	35	11	14	14	6	12	12	б	4	1
	-	-	-	-	-	-	-	-	-	-	-	-	-	12	18	39	11	17	17	6	5	7	3	4	0

* Wednesday, November 20, 2019 - Total=685 (Incomplete) , 15 minute drops

	0100					0600										1600	1700	1800	1900	2000	2100	2200	2300	
3	2	1	5	17	57	67	87	103	63	83	88	91	-	-	-	-	-	-	-	-	-	-	-	
0	0	0	0	1	5	14	24	20	14	16	24	20	18	-	-	-	-	-	-	-	-	-	-	-
2	0	0	1	б	12	15	11	29	13	16	18	15	-	-	-	-	-	-	-	-	-	-	-	-
1	0	1	1	5	16	16	17	27	13	27	20	22	-	-	-	-	-	-	-	-	-	-	-	-
0	2	0	3	5	24	22	35	27	23	24	26	34	-	-	-	-	-	-	-	-	-	-	-	-
AM Pe	ak 074	5 - 084	5 (111)	, AM F	PHF=0.	79																		

VehicleCount-154 -- English (ENU)

Site:	[McClelland St] McClelland St (Northbound)
Attribute:	November 19, 2019
Direction:	7 - North bound A>B, South bound B>A. Lane: 0
Survey Duration:	13:09 Tuesday, November 19, 2019 => 13:17 Wednesday, November 20, 2019,
Zone:	
File:	McClelland St 0 2019-11-20 1318.EC0 (Regular)
Identifier:	R090852E MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm:	Factory default axle (v5.02)
Data type:	Axle sensors - Paired (Class/Speed/Count)
Profile:	
Filter time:	13:10 Tuesday, November 19, 2019 => 13:17 Wednesday, November 20, 2019 (1.00513)
	15.10 ruesday, november 19, 2019 - 7 15.17 we unesday, november 20, 2019 (1.00515)
Included classes:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Included classes: Speed range:	
	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph.
Speed range: Direction:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 0
Speed range: Direction: Separation:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 0 Headway > 0 sec, Span 0 - 300 ft
Speed range: Direction: Separation: Name:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 0 Headway > 0 sec, Span 0 - 300 ft Default Profile

* Tuesday, November 19, 2019 - Total=351 (Incomplete) , 15 minute drops

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
-	-	-	-	-	-	-	-	-	-	-	-	-	26	68	79	46	30	19	19	16	17	17	14	
-	-	-	-	-	-	-	-	-	-	-	-	-	0	11	7	25	9	2	6	1	б	8	2	0
-	-	-	-	-	-	-	-	-	-	-	-	-	б	28	13	10	4	4	3	2	1	1	4	2
-	-	-	-	-	-	-	-	-	-	-	-	-	16	18	29	б	9	5	4	10	7	6	4	1
-	-	-	-	-	-	-	-	-	-	-	-	-	4	11	30	5	8	8	6	3	3	2	4	0

* Wednesday, November 20, 2019 - Total=291 (Incomplete), 15 minute drops

		· · · , ,			- ,				•		,	, -												
0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
3	0	0	0	3	4	17	39	53	25	43	55	43	-	-	-	-	-	-	-	-	-	-	-	
0	0	0	0	0	1	0	12	7	6	8	15	12	6	-	-	-	-	-	-	-	-	-	-	-
2	0	0	0	2	0	8	5	10	б	7	11	8	-	-	-	-	-	-	-	-	-	-	-	-
1	0	0	0	1	2	5	7	18	4	14	12	11	-	-	-	-	-	-	-	-	-	-	-	-
0	0	0	0	0	1	4	15	18	9	14	17	12	-	-	-	-	-	-	-	-	-	-	-	-
A 84 D	-1- 440		0 (A 84 DI	10-0.0																			

AM Peak 1100 - 1200 (55), AM PHF=0.81

VehicleCount-154 -- English (ENU)

Datasets:	
Site:	[McClelland St] McClelland St (Southbound)
Attribute:	November 19, 2019
Direction:	7 - North bound A>B, South bound B>A. Lane: 0
Survey Duration:	13:09 Tuesday, November 19, 2019 => 13:17 Wednesday, November 20, 2019,
Zone:	
File:	McClelland St 0 2019-11-20 1318.EC0 (Regular)
Identifier:	R090852E MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm:	Factory default axle (v5.02)
Data type:	Axle sensors - Paired (Class/Speed/Count)
Profile:	
<u>Profile:</u> Filter time:	13:10 Tuesday, November 19, 2019 => 13:17 Wednesday, November 20, 2019 (1.00513)
	13:10 Tuesday, November 19, 2019 => 13:17 Wednesday, November 20, 2019 (1.00513) 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Filter time:	
Filter time: Included classes:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Filter time: Included classes: Speed range:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph.
Filter time: Included classes: Speed range: Direction:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 1
Filter time: Included classes: Speed range: Direction: Separation:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 1 Headway > 0 sec, Span 0 - 300 ft
Filter time: Included classes: Speed range: Direction: Separation: Name:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 1 Headway > 0 sec, Span 0 - 300 ft Default Profile
Filter time: Included classes: Speed range: Direction: Separation: Name: Scheme:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 1 Headway > 0 sec, Span 0 - 300 ft Default Profile Vehicle classification (Scheme F3)

* Tuesday, November 19, 2019 - Total=207 (Incomplete) , 15 minute drops

00	000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
	-	-	-	-	-	-	-	-	-	-	-	-	-	20	62	27	17	21	24	10	6	17	2	1	
	-	-	-	-	-	-	-	-	-	-	-	-	-	0	10	5	4	3	2	4	1	2	0	0	0
	-	-	-	-	-	-	-	-	-	-	-	-	-	б	29	7	2	4	4	4	1	б	1	1	0
	-	-	-	-	-	-	-	-	-	-	-	-	-	б	16	6	5	5	9	2	2	5	0	0	0
	-	-	-	-	-	-	-	-	-	-	-	-	-	8	7	9	б	9	9	0	2	4	1	0	0

* Wednesday, November 20, 2019 - Total=394 (Incomplete), 15 minute drops

		,		•••••	·,						,	,												
0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
0	2	1	5	14	53	50	48	50	38	40	33	48	-	-	-	-	-	-	-	-	-	-	-	
0	0	0	0	1	4	14	12	13	8	8	9	8	12	-	-	-	-	-	-	-	-	-	-	-
0	0	0	1	4	12	7	6	19	7	9	7	7	-	-	-	-	-	-	-	-	-	-	-	-
0	0	1	1	4	14	11	10	9	9	13	8	11	-	-	-	-	-	-	-	-	-	-	-	-
0	2	0	3	5	23	18	20	9	14	10	9	22	-	-	-	-	-	-	-	-	-	-	-	-
AM Pe	ak 051	5 - 061	5 (63),	AM PH	IF=0.6	8																		

VehicleCount-157 -- English (ENU)

Datasets: Site: Attribute: Direction: Survey Duration: Zone: File: Identifier: Algorithm: Data type:	[N Road] N Road north of Battleship Drive November 20, 2019 7 - North bound A>B, South bound B>A. Lane: 0 10:29 Wednesday, November 20, 2019 => 19:01 Thursday, November 21, 2019, N Road_North of Battleship 0 2019-11-21 1846.EC0 (Regular) R186JWT5 MC56-L5 [MC55] (c)Microcom 19Oct04 Factory default axle (v5.02) Axle sensors - Paired (Class/Speed/Count)
Profile: Filter time: Included classes: Speed range: Direction: Separation: Name: Scheme: Units: In profile:	10:30 Wednesday, November 20, 2019 => 18:00 Thursday, November 21, 2019 (1.3125) 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 0-16 Headway > 0 sec, Span 0 - 300 ft Default Profile Vehicle classification (Scheme F3) Non metric (ft, mi, ft/s, mph, lb, ton) Vehicles = 28092 / 28466 (98.69%)

* Wednesday, November 20, 2019 - Total=11424 (Incomplete) , 15 minute drops

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
-	-	-	-	-	-	-	-	-	-	-	1459	1354	1305	1327	1525	1170	889	675	503	377	318	306	216	
-	-	-	-	-	-	-	-	-	-	-	385	326	351	308	420	327	223	170	145	101	87	86	72	49
-	-	-	-	-	-	-	-	-	-	-	352	346	318	321	439	327	271	178	129	97	84	87	49	43
-	-	-	-	-	-	-	-	-	-	0	356	352	301	357	369	260	225	166	117	85	92	78	45	45
-	-	-	-	-	-	-	-	-	-	139	366	330	335	341	297	256	170	161	112	94	55	55	50	23
D14 D			4 - 14 - 4			A AA																		

PM Peak 1445 - 1545 (1569), PM PHF=0.89

* Thursday, November 21, 2019 - Total=16529 (Incomplete), 15 minute drops

		-,	•••••		,							,,												
0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
160	31	74	155	332	1125	1405	1416	1048	1127	1231	1389	1225	1149	1403	1524	1179	556	-	-	-	-	-	-	
49	8	20	37	72	206	342	386	238	282	278	377	318	280	340	434	336	223	-	-	-	-	-	-	-
43	5	18	17	82	254	328	342	281	281	269	343	336	277	354	422	309	218	-	-	-	-	-	-	-
45	11	14	33	96	337	359	362	253	270	335	337	299	298	377	353	264	115	-	-	-	-	-	-	-
23	7	22	68	82	328	376	326	276	294	349	332	272	294	332	315	270	0	-	-	-	-	-	-	-
AM Pe	ak 064	5 - 074	5 (146	6), AM	PHF=(0.95																		

VehicleCount-157 -- English (ENU)

<u>Datasets:</u> Site: Attribute: Direction: Survey Duration:	[N Road] N Road north of Battleship Drive (Northbound) November 20, 2019 7 - North bound A>B, South bound B>A. Lane: 0 10:29 Wednesday, November 20, 2019 => 19:01 Thursday, November 21, 2019,
Zone: File: Identifier: Algorithm: Data type:	N Road_North of Battleship 0 2019-11-21 1846.EC0 (Regular) R186JWT5 MC56-L5 [MC55] (c)Microcom 19Oct04 Factory default axle (v5.02) Axle sensors - Paired (Class/Speed/Count)
Profile: Filter time: Included classes: Speed range: Direction: Separation: Name: Scheme: Units: In profile:	10:30 Wednesday, November 20, 2019 => 18:00 Thursday, November 21, 2019 (1.3125) 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 0 Headway > 0 sec, Span 0 - 300 ft Default Profile Vehicle classification (Scheme F3) Non metric (ft, mi, ft/s, mph, lb, ton) Vehicles = 14967 / 28466 (52.58%)

* Wednesday, November 20, 2019 - Total=6291 (Incomplete) , 15 minute drops

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
-	-	-	-	-	-	-	-	-	-	-	741	665	621	740	1053	767	534	364	244	181	136	144	101	
-	-	-	-	-	-	-	-	-	-	-	197	154	159	153	297	208	142	100	71	55	39	38	35	31
-	-	-	-	-	-	-	-	-	-	-	174	167	160	177	306	217	161	97	60	50	26	46	20	23
-	-	-	-	-	-	-	-	-	-	0	183	168	148	193	251	175	126	89	58	36	42	34	27	22
-	-	-	-	-	-	-	-	-	-	68	187	176	154	217	199	167	105	78	55	40	29	26	19	8

PM Peak 1445 - 1545 (1071), PM PHF=0.88

* Thursday, November 21, 2019 - Total=8608 (Incomplete), 15 minute drops

		-,	•••••		,					· • · · · · · ·	,													
0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
84	18	44	111	245	313	534	798	528	530	591	696	582	591	814	1047	761	321	-	-	-	-	-	-	
31	4	10	20	61	69	98	187	128	133	147	191	151	158	178	303	233	140	-	-	-	-	-	-	-
23	4	12	13	69	62	118	191	142	133	126	163	160	133	197	300	190	124	-	-	-	-	-	-	-
22	6	11	25	69	94	123	213	130	125	153	182	142	149	217	249	177	57	-	-	-	-	-	-	-
8	4	11	53	46	88	195	207	128	139	165	160	129	151	222	195	161	0	-	-	-	-	-	-	-
AM Pe	ak 070	0 - 080	0 (798)	, AM F	PHF=0.	94																		

VehicleCount-157 -- English (ENU)

Datasets: Site: Attribute: Direction: Survey Duration: Zone: File: Identifier: Algorithm: Data type:	[N Road] N Road north of Battleship Drive (Southbound) November 20, 2019 7 - North bound A>B, South bound B>A. Lane: 0 10:29 Wednesday, November 20, 2019 => 19:01 Thursday, November 21, 2019, N Road_North of Battleship 0 2019-11-21 1846.EC0 (Regular) R186JWT5 MC56-L5 [MC55] (c)Microcom 19Oct04 Factory default axle (v5.02)
Data type: <u>Profile:</u> Filter time: Included classes: Speed range: Direction: Separation: Name: Scheme: Units: In profile:	Axle sensors - Paired (Class/Speed/Count) 10:30 Wednesday, November 20, 2019 => 18:00 Thursday, November 21, 2019 (1.3125) 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 1 Headway > 0 sec, Span 0 - 300 ft Default Profile Vehicle classification (Scheme F3) Non metric (ft, mi, ft/s, mph, lb, ton) Vehicles = 13125 / 28466 (46.11%)

* Wednesday, November 20, 2019 - Total=5133 (Incomplete) , 15 minute drops

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
-	-	-	-	-	-	-	-	-	-	-	718	689	684	587	472	403	355	311	259	196	182	162	115	
-	-	-	-	-	-	-	-	-	-	-	188	172	192	155	123	119	81	70	74	46	48	48	37	18
-	-	-	-	-	-	-	-	-	-	-	178	179	158	144	133	110	110	81	69	47	58	41	29	20
-	-	-	-	-	-	-	-	-	-	0	173	184	153	164	118	85	99	77	59	49	50	44	18	23
-	-	-	-	-	-	-	-	-	-	71	179	154	181	124	98	89	65	83	57	54	26	29	31	15

PM Peak 1215 - 1315 (709), PM PHF=0.92

* Thursday, November 21, 2019 - Total=7921 (Incomplete), 15 minute drops

		-,	• • • • •		,				••	· • · · · · · · ·	,													
0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
76	13	30	44	87	812	871	618	520	597	640	693	643	558	589	477	418	235	-	-	-	-	-	-	
18	4	10	17	11	137	244	199	110	149	131	186	167	122	162	131	103	83	-	-	-	-	-	-	-
20	1	6	4	13	192	210	151	139	148	143	180	176	144	157	122	119	94	-	-	-	-	-	-	-
23	5	3	8	27	243	236	149	123	145	182	155	157	149	160	104	87	58	-	-	-	-	-	-	-
15	3	11	15	36	240	181	119	148	155	184	172	143	143	110	120	109	0	-	-	-	-	-	-	-
AM Pea	ak 053	0 - 063	0 (937)	, AM F	PHF=0.	96																		

VehicleCount-156 -- English (ENU)

Datasets: Site: Attribute: Direction: Survey Duration: Zone: File: Identifier: Algorithm: Data type:	[N Road] South of Signalized Intersection November 20, 2019 5 - South bound A>B, North bound B>A. Lane: 0 16:45 Wednesday, November 20, 2019 => 18:46 Thursday, November 21, 2019, N Road_South of Pearl Harbor Blvd 0 2019-11-21 1846.EC0 (Regular) R090852E MC56-L5 [MC55] (c)Microcom 19Oct04 Factory default axle (v5.02) Axle sensors - Paired (Class/Speed/Count)
Profile: Filter time: Included classes: Speed range: Direction: Separation: Name: Scheme: Units: In profile:	16:46 Wednesday, November 20, 2019 => 18:00 Thursday, November 21, 2019 (1.05139) 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 0-16 Headway > 0 sec, Span 0 - 300 ft Default Profile Vehicle classification (Scheme F3) Non metric (ft, mi, ft/s, mph, lb, ton) Vehicles = 14841 / 15740 (94.29%)

* Wednesday, November 20, 2019 - Total=2701 (Incomplete) , 15 minute drops

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	677	508	384	293	281	336	222	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	160	137	118	81	82	107	71	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	206	135	97	62	70	86	48	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	168	137	83	59	74	83	48	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	175	143	99	86	91	55	60	55	21

* Thursday, November 21, 2019 - Total=11965 (Incomplete) , 15 minute drops

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
157	38	83	184	515	919	993	791	677	709	814	950	814	846	1020	964	867	624	-	-	-	-	-	-	
46	6	24	35	126	200	263	219	178	160	204	251	224	212	229	235	251	170	-	-	-	-	-	-	-
39	9	19	20	139	213	264	199	180	188	182	238	234	201	294	266	201	178	-	-	-	-	-	-	-
51	14	22	49	130	235	234	184	158	179	206	238	195	226	240	239	235	178	-	-	-	-	-	-	-
21	9	18	80	120	271	232	189	161	182	222	223	161	207	257	224	180	98	-	-	-	-	-	-	-
AM Pe	ak 053	0 - 063	0 (103	3), AM	PHF=().95																		

VehicleCount-156 -- English (ENU)

Datasets: Site: Attribute: Direction: Survey Duration: Zone: File: Identifier:	[N Road] South of Signalized Intersection (Northbound) November 20, 2019 5 - South bound A>B, North bound B>A. Lane: 0 16:45 Wednesday, November 20, 2019 => 18:46 Thursday, November 21, 2019, N Road_South of Pearl Harbor Blvd 0 2019-11-21 1846.EC0 (Regular) R090852E MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm:	Factory default axle (v5.02)
Data type:	Axle sensors - Paired (Class/Speed/Count)
Profile: Filter time: Included classes: Speed range: Direction: Separation: Name: Scheme: Units: In profile:	16:46 Wednesday, November 20, 2019 => 18:00 Thursday, November 21, 2019 (1.05139) 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 1 Headway > 0 sec, Span 0 - 300 ft Default Profile Vehicle classification (Scheme F3) Non metric (ft, mi, ft/s, mph, lb, ton) Vehicles = 7217 / 15740 (45.85%)

* Wednesday, November 20, 2019 - Total=1178 (Incomplete) , 15 minute drops

0	000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	337	209	153	126	121	137	95	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87	61	37	34	26	40	27	23
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	103	51	38	28	30	42	22	22
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79	57	41	25	40	29	27	20
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82	68	40	37	39	25	26	19	6

* Thursday, November 21, 2019 - Total=5957 (Incomplete) , 15 minute drops

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
71	20	52	144	422	523	528	440	343	308	361	453	340	329	443	458	431	291	-	-	-	-	-	-	
23	2	12	18	104	133	136	117	103	72	97	120	99	87	97	94	132	79	-	-	-	-	-	-	-
22	7	14	18	116	122	126	102	80	88	76	109	100	78	138	138	95	87	-	-	-	-	-	-	-
20	6	17	39	107	123	131	110	82	69	86	128	80	82	103	120	115	79	-	-	-	-	-	-	-
б	5	9	69	95	145	135	111	78	79	102	96	61	82	105	106	89	46	-	-	-	-	-	-	-
AM Pe	ak 054	5 - 064	5 (538)), AM F	PHF=0.	93																		

VehicleCount-156 -- English (ENU)

Datasets:	
Site:	[N Road] South of Signalized Intersection (Southbound)
Attribute:	November 20, 2019
Direction:	5 - South bound A>B, North bound B>A. Lane: 0
Survey Duration:	16:45 Wednesday, November 20, 2019 => 18:46 Thursday, November 21, 2019,
Zone:	
File:	N Road South of Pearl Harbor Blvd 0 2019-11-21 1846.EC0 (Regular)
Identifier:	R090852E MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm:	Factory default axle (v5.02)
Data type:	Axle sensors - Paired (Class/Speed/Count)
51	
Profile:	
<u>Profile:</u> Filter time:	16:46 Wednesday, November 20, 2019 => 18:00 Thursday, November 21, 2019 (1.05139)
	16:46 Wednesday, November 20, 2019 => 18:00 Thursday, November 21, 2019 (1.05139) 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Filter time:	
Filter time: Included classes:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Filter time: Included classes: Speed range:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North,</u> Lane = 0
Filter time: Included classes: Speed range: Direction:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph.
Filter time: Included classes: Speed range: Direction: Separation:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 0 Headway > 0 sec, Span 0 - 300 ft
Filter time: Included classes: Speed range: Direction: Separation: Name:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 0 Headway > 0 sec, Span 0 - 300 ft Default Profile Vehicle classification (Scheme F3)
Filter time: Included classes: Speed range: Direction: Separation: Name: Scheme:	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 5 - 100 mph. North, East, South, West (bound), P = <u>North</u> , Lane = 0 Headway > 0 sec, Span 0 - 300 ft Default Profile

* Wednesday, November 20, 2019 - Total=1523 (Incomplete) , 15 minute drops

0	000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	340	299	231	167	160	199	127	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73	76	81	47	56	67	44	23
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	103	84	59	34	40	44	26	17
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89	80	42	34	34	54	21	31
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93	75	59	49	52	30	34	36	15

* Thursday, November 21, 2019 - Total=6008 (Incomplete), 15 minute drops

		.,			,						,	,												
0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	_
86	18	31	40	93	396	465	351	334	401	453	497	474	517	577	506	436	333	-	-	-	-	-	-	
23	4	12	17	22	67	127	102	75	88	107	131	125	125	132	141	119	91	-	-	-	-	-	-	-
17	2	5	2	23	91	138	97	100	100	106	129	134	123	156	128	106	91	-	-	-	-	-	-	-
31	8	5	10	23	112	103	74	76	110	120	110	115	144	137	119	120	99	-	-	-	-	-	-	-
15	4	9	11	25	126	97	78	83	103	120	127	100	125	152	118	91	52	-	-	-	-	-	-	-
AM Pea	ak 0530	0 - 063	0 (503)), AM F	PHF=0.	91																		

Appendix C Synchro Analysis Worksheets

This page intentionally left blank.

Synchro Analysis Worksheets

Existing Conditions

	≯	\mathbf{r}	1	Ť	ţ	1			
Movement	EBL	EBR	NBL	NBT	SBT	SBR			
Lane Configurations	ሻሻ	1	7	^	1	1			
Traffic Volume (veh/h)	351	13	279	295	381	425			
Future Volume (veh/h)	351	13	279	295	381	425			
lumber	7	14	5	2	6	16			
nitial Q (Qb), veh	0	0	0	0	0	0			
Ped-Bike Adj(A_pbT)	1.00	1.00	1.00	Ŭ	Ŭ	1.00			
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00			
dj Sat Flow, veh/h/ln	1863	1863	1863	1863	1863	1863			
Adj Flow Rate, veh/h	382	0	303	321	414	0			
Adj No. of Lanes	2	1	1	1	1	1			
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92			
	0.52	0.52	0.92	0.52	0.52	0.52			
Percent Heavy Veh, %	∠ 486	224	722	∠ 1411	∠ 1157	∠ 984			
Cap, veh/h			0.09						
Arrive On Green	0.14	0.00		0.76	0.62	0.00			
Sat Flow, veh/h	3442	1583	1774	1863	1863	1583			
Grp Volume(v), veh/h	382	0	303	321	414	0			
Grp Sat Flow(s),veh/h/ln	1721	1583	1774	1863	1863	1583			
Q Serve(g_s), s	10.6	0.0	5.6	5.0	10.7	0.0			
Cycle Q Clear(g_c), s	10.6	0.0	5.6	5.0	10.7	0.0			
Prop In Lane	1.00	1.00	1.00			1.00			
ane Grp Cap(c), veh/h	486	224	722	1411	1157	984			
//C Ratio(X)	0.79	0.00	0.42	0.23	0.36	0.00			
Avail Cap(c_a), veh/h	1217	560	1286	1411	1157	984			
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00			
Jpstream Filter(I)	1.00	0.00	1.00	1.00	1.00	0.00			
Jniform Delay (d), s/veh	41.1	0.0	5.6	3.5	9.1	0.0			
ncr Delay (d2), s/veh	2.9	0.0	0.4	0.4	0.9	0.0			
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0			
%ile BackOfQ(50%),veh/ln	5.2	0.0	2.7	2.6	5.7	0.0			
LnGrp Delay(d),s/veh	43.9	0.0	6.0	3.9	10.0	0.0			
_nGrp LOS	D		А	А	А				
Approach Vol, veh/h	382			624	414				
Approach Delay, s/veh	43.9			4.9	10.0				
Approach LOS	D			A	A				
limer	1	2	3	4	5	6	7	8	
Assigned Phs		2	-	4	5	6			
Phs Duration (G+Y+Rc), s		80.0		19.0	13.5	66.5			
Change Period (Y+Rc), s		5.0		5.0	5.0	5.0			
Max Green Setting (Gmax), s		75.0		35.0	40.0	30.0			
Max Q Clear Time (g c+I1), s		7.0		12.6	7.6	12.7			
Green Ext Time (p_c), s		7.0 5.8		12.0	1.0	4.5			
u = 71		J.O		1.4	1.0	4.3			
ntersection Summary									
ICM 2010 Ctrl Delay			16.9						
HCM 2010 LOS			В						

	≯	\mathbf{r}	1	1	ţ	4	
Movement	EBL	EBR	NBL	NBT	SBT	SBR	
Lane Configurations	ኘካ	1	۲	1	1	1	
Traffic Volume (veh/h)	326	108	95	366	336	336	
Future Volume (veh/h)	326	108	95	366	336	336	
Number	7	14	5	2	6	16	
Initial Q (Qb), veh	0	0	0	0	0	0	
Ped-Bike Adj(A_pbT)	1.00	1.00	1.00	U	Ū	1.00	
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	
Adj Sat Flow, veh/h/ln	1863	1863	1863	1863	1863	1863	
Adj Flow Rate, veh/h	354	0	1003	398	365	0	
Adj No. of Lanes	2	1	103	1	1	1	
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	
Percent Heavy Veh, %	0.92	0.92	0.92	0.92	0.92	0.92	
Cap, veh/h	∠ 457	210	Z 751	Z 1425	2 1241	2 1055	
Arrive On Green	457 0.13	0.00	0.05	0.77	0.67	0.00	
						0.00 1583	
Sat Flow, veh/h	3442	1583	1774	1863	1863		
Grp Volume(v), veh/h	354	0	103	398	365	0	
Grp Sat Flow(s),veh/h/ln	1721	1583	1774	1863	1863	1583	
Q Serve(g_s), s	9.7	0.0	1.6	6.3	8.0	0.0	
Cycle Q Clear(g_c), s	9.7	0.0	1.6	6.3	8.0	0.0	
Prop In Lane	1.00	1.00	1.00			1.00	
Lane Grp Cap(c), veh/h	457	210	751	1425	1241	1055	
V/C Ratio(X)	0.77	0.00	0.14	0.28	0.29	0.00	
Avail Cap(c_a), veh/h	1229	565	1390	1425	1241	1055	
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	
Upstream Filter(I)	1.00	0.00	1.00	1.00	1.00	0.00	
Uniform Delay (d), s/veh	41.1	0.0	4.2	3.4	6.8	0.0	
Incr Delay (d2), s/veh	2.9	0.0	0.1	0.5	0.6	0.0	
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	
%ile BackOfQ(50%),veh/In	4.8	0.0	0.8	3.4	4.3	0.0	
LnGrp Delay(d),s/veh	43.9	0.0	4.3	3.9	7.4	0.0	
LnGrp LOS	D		А	А	А		
Approach Vol, veh/h	354			501	365		
Approach Delay, s/veh	43.9			4.0	7.4		
Approach LOS	D			A	A		
Timer	1	2	3	4	5	6	7 8
Assigned Phs		2		4	5	6	
Phs Duration (G+Y+Rc), s		80.0		18.0	9.7	70.3	
Change Period (Y+Rc), s		5.0		5.0	5.0	5.0	
Max Green Setting (Gmax), s		75.0		35.0	40.0	30.0	
Max Q Clear Time (g c+I1), s		8.3		11.7	3.6	10.0	
Green Ext Time (p_c), s		6.0		1.3	0.3	5.0	
Intersection Summary							
HCM 2010 Ctrl Delay			16.6				
HCM 2010 LOS			B				
10111 2010 200			D				

	≯	\mathbf{r}	1	1	ţ	1	
Movement	EBL	EBR	NBL	NBT	SBT	SBR	
Lane Configurations	ኘኘ	1	٦	1	↑	1	
Traffic Volume (veh/h)	761	208	49	475	292	143	
Future Volume (veh/h)	761	208	49	475	292	143	
Number	7	14	5	2	6	16	
Initial Q (Qb), veh	0	0	0	0	0	0	
Ped-Bike Adj(A_pbT)	1.00	1.00	1.00	-	-	1.00	
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	
Adj Sat Flow, veh/h/ln	1863	1863	1863	1863	1863	1863	
Adj Flow Rate, veh/h	827	0	53	516	317	0	
Adj No. of Lanes	2	1	1	1	1	1	
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	
Percent Heavy Veh, %	2	2	2	2	2	2	
Cap, veh/h	970	446	597	1149	983	835	
Arrive On Green	0.28	0.00	0.04	0.62	0.53	0.00	
Sat Flow, veh/h	3442	1583	1774	1863	1863	1583	
Grp Volume(v), veh/h	827	0	53	516	317	0	
Grp Sat Flow(s), veh/h/ln	627 1721	1583	53 1774	1863	1863	1583	
	22.5		1.3	14.5	9.6		
Q Serve(g_s), s		0.0				0.0	
Cycle Q Clear(g_c), s	22.5	0.0	1.3	14.5	9.6	0.0	
Prop In Lane	1.00	1.00	1.00	4440	000	1.00	
Lane Grp Cap(c), veh/h	970	446	597	1149	983	835	
V/C Ratio(X)	0.85	0.00	0.09	0.45	0.32	0.00	
Avail Cap(c_a), veh/h	1706	785	654	1149	983	835	
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	
Upstream Filter(I)	1.00	0.00	1.00	1.00	1.00	0.00	
Uniform Delay (d), s/veh	33.6	0.0	9.4	10.0	13.3	0.0	
Incr Delay (d2), s/veh	2.2	0.0	0.1	1.3	0.9	0.0	
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	
%ile BackOfQ(50%),veh/ln	11.0	0.0	0.6	7.9	5.2	0.0	
LnGrp Delay(d),s/veh	35.8	0.0	9.5	11.3	14.2	0.0	
LnGrp LOS	D		A	В	В		
Approach Vol, veh/h	827			569	317		
Approach Delay, s/veh	35.8			11.1	14.2		
Approach LOS	D			В	В		
Timer	1	2	3	4	5	6	7 8
Assigned Phs		2		4	5	6	
Phs Duration (G+Y+Rc), s		66.0		32.9	8.8	57.2	
Change Period (Y+Rc), s		5.0		5.0	5.0	5.0	
Max Green Setting (Gmax), s		61.0		49.0	7.0	49.0	
Max Q Clear Time (g c+l1), s		16.5		24.5	3.3	11.6	
Green Ext Time (p_c), s		6.8		3.4	0.0	6.6	
Intersection Summary							
Intersection Summary HCM 2010 Ctrl Delay			23.6				

Int Delay, s/veh	1.3						
Movement	WBL	WBR	NBT	NBR	SBL	SBT	
Lane Configurations	Y		- † 1-			-4 †	
Traffic Vol, veh/h	38	31	617	31	17	878	
Future Vol, veh/h	38	31	617	31	17	878	
Conflicting Peds, #/hr	0	0	0	0	0	0	
Sign Control	Stop	Stop	Free	Free	Free	Free	
RT Channelized	-	None	-	None	-	None	
Storage Length	0	-	-	-	-	-	
Veh in Median Storage,	# 0	-	0	-	-	0	
Grade, %	0	-	0	-	-	0	
Peak Hour Factor	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	
Mvmt Flow	41	34	671	34	18	954	

Major/Minor	Minor1	Ν	1ajor1	Ν	lajor2	
Conflicting Flow All	1201	353	0	0	705	0
Stage 1	688	-	-	-	-	-
Stage 2	513	-	-	-	-	-
Critical Hdwy	6.84	6.94	-	-	4.14	-
Critical Hdwy Stg 1	5.84	-	-	-	-	-
Critical Hdwy Stg 2	5.84	-	-	-	-	-
Follow-up Hdwy	3.52	3.32	-	-	2.22	-
Pot Cap-1 Maneuver	177	643	-	-	889	-
Stage 1	460	-	-	-	-	-
Stage 2	566	-	-	-	-	-
Platoon blocked, %			-	-		-
Mov Cap-1 Maneuver	r 169	643	-	-	889	-
Mov Cap-2 Maneuver	169	-	-	-	-	-
Stage 1	460	-	-	-	-	-
Stage 2	542	-	-	-	-	-

Approach	WB	NB	SB
HCM Control Delay, s	25.1	0	0.4
HCMLOS	D		

Minor Lane/Major Mvmt	NBT	NBRWBLn1	SBL	SBT	
Capacity (veh/h)	-	- 253	889	-	
HCM Lane V/C Ratio	-	- 0.296	0.021	-	
HCM Control Delay (s)	-	- 25.1	9.1	0.2	
HCM Lane LOS	-	- D	Α	Α	
HCM 95th %tile Q(veh)	-	- 1.2	0.1	-	

Int Delay, s/veh	1.7						
Movement	WBL	WBR	NBT	NBR	SBL	SBT	•
Lane Configurations	Y		- † 1-			-4 †	4
Traffic Vol, veh/h	40	38	709	57	27	640	1
Future Vol, veh/h	40	38	709	57	27	640	1
Conflicting Peds, #/hr	0	0	0	0	0	0	1
Sign Control	Stop	Stop	Free	Free	Free	Free	;
RT Channelized	-	None	-	None	-	None	;
Storage Length	0	-	-	-	-	-	
Veh in Median Storage,	# 0	-	0	-	-	0	1
Grade, %	0	-	0	-	-	0	1
Peak Hour Factor	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	
Mvmt Flow	43	41	771	62	29	696	i

Major/Minor	Minor1	Ν	lajor1	Ν	lajor2					
Conflicting Flow All	1208	417	0	0	833	0				
Stage 1	802	-	-	-	-	-				
Stage 2	406	-	-	-	-	-				
Critical Hdwy	6.84	6.94	-	-	4.14	-				
Critical Hdwy Stg 1	5.84	-	-	-	-	-				
Critical Hdwy Stg 2	5.84	-	-	-	-	-				
Follow-up Hdwy	3.52	3.32	-	-	2.22	-				
Pot Cap-1 Maneuver	176	585	-	-	796	-				
Stage 1	402	-	-	-	-	-				
Stage 2	641	-	-	-	-	-				
Platoon blocked, %			-	-		-				
Mov Cap-1 Maneuve	r 166	585	-	-	796	-				
Mov Cap-2 Maneuve	r 166	-	-	-	-	-				
Stage 1	402	-	-	-	-	-				
Stage 2	603	-	-	-	-	-				

Approach	WB	NB	SB
HCM Control Delay, s	26	0	0.7
HCMLOS	D		

Minor Lane/Major Mvmt	NBT	NBRWB	3Ln1	SBL	SBT	
Capacity (veh/h)	-	-	255	796	-	
HCM Lane V/C Ratio	-	- 0.	.332	0.037	-	
HCM Control Delay (s)	-	-	26	9.7	0.3	
HCM Lane LOS	-	-	D	А	Α	
HCM 95th %tile Q(veh)	-	-	1.4	0.1	-	

Intersection

Int Delay, s/veh	3.4					
Movement	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations	Y		_ ≜ î≽			-4 †
Traffic Vol, veh/h	31	58	1224	79	42	406
Future Vol, veh/h	31	58	1224	79	42	406
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage	,# 0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	34	63	1330	86	46	441

Major/Minor	Minor1	Ν	1ajor1	Ν	/lajor2	
Conflicting Flow All	1686	708	0	0	1416	0
Stage 1	1373	-	-	-	-	-
Stage 2	313	-	-	-	-	-
Critical Hdwy	6.84	6.94	-	-	4.14	-
Critical Hdwy Stg 1	5.84	-	-	-	-	-
Critical Hdwy Stg 2	5.84	-	-	-	-	-
Follow-up Hdwy	3.52	3.32	-	-	2.22	-
Pot Cap-1 Maneuver	85	377	-	-	477	-
Stage 1	200	-	-	-	-	-
Stage 2	715	-	-	-	-	-
Platoon blocked, %			-	-		-
Mov Cap-1 Maneuve	r 74	377	-	-	477	-
Mov Cap-2 Maneuve	r 74	-	-	-	-	-
Stage 1	200	-	-	-	-	-
Stage 2	623	-	-	-	-	-

Approach	WB	NB	SB	
HCM Control Delay, s	60.6	0	1.9	
HCM LOS	F			

Minor Lane/Major Mvmt	NBT	NBRW	/BLn1	SBL	SBT	
Capacity (veh/h)	-	-	155	477	-	
HCM Lane V/C Ratio	-	-	0.624	0.096	-	
HCM Control Delay (s)	-	-	60.6	13.3	0.7	
HCM Lane LOS	-	-	F	В	А	
HCM 95th %tile Q(veh)	-	-	3.4	0.3	-	

12/30/201	9
-----------	---

Intersection						
Int Delay, s/veh	0.9					
Movement	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations	4			↑	۰¥	
Traffic Vol, veh/h	489	33	15	578	32	4
Future Vol, veh/h	489	33	15	578	32	4
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	-	-	100	-	0	-
Veh in Median Storage	,# 0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	532	36	16	628	35	4

Major/Minor	Major1	Major2	Minor1	
Conflicting Flow All	0	0 568	0 1210	550
Stage 1	-		- 550	-
Stage 2	-		- 660	-
Critical Hdwy	-	- 4.12	- 6.42	6.22
Critical Hdwy Stg 1	-		- 5.42	-
Critical Hdwy Stg 2	-		- 5.42	-
Follow-up Hdwy	-	- 2.218	- 3.518	3.318
Pot Cap-1 Maneuver	-	- 1004	- 202	535
Stage 1	-		- 578	-
Stage 2	-		- 514	-
Platoon blocked, %	-	-	-	
Mov Cap-1 Maneuve		- 1004	- 199	535
Mov Cap-2 Maneuve	r -		- 199	-
Stage 1	-		- 578	-
Stage 2	-		- 506	-

Approach	EB	WB	NB
HCM Control Delay, s	0	0.2	25.5
HCM LOS			D

Minor Lane/Major Mvmt	NBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)	214	-	-	1004	-
HCM Lane V/C Ratio	0.183	-	-	0.016	-
HCM Control Delay (s)	25.5	-	-	8.6	-
HCM Lane LOS	D	-	-	А	-
HCM 95th %tile Q(veh)	0.7	-	-	0.1	-

Intersection	

Int Delay,	s/veh
------------	-------

Int Delay, s/veh	3.6					
Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations	٦	1	el 🗧		٦	1
Traffic Vol, veh/h	134	257	424	50	27	140
Future Vol, veh/h	134	257	424	50	27	140
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	100	-	-	-	0	0
Veh in Median Storage	e, # -	0	0	-	0	-
Grade, %	-	0	0	-	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	146	279	461	54	29	152

Major/Minor	Major1	Majo	or2		Minor2		
Conflicting Flow All	515	0	-	0	1059	488	
Stage 1	-	-	-	-	488	-	
Stage 2	-	-	-	-	571	-	
Critical Hdwy	4.12	-	-	-	6.42	6.22	
Critical Hdwy Stg 1	-	-	-	-	5.42	-	
Critical Hdwy Stg 2	-	-	-	-	5.42	-	
Follow-up Hdwy	2.218	-	-	-	3.518	3.318	
Pot Cap-1 Maneuver	1051	-	-	-	249	580	
Stage 1	-	-	-	-	617	-	
Stage 2	-	-	-	-	565	-	
Platoon blocked, %		-	-	-			
Mov Cap-1 Maneuver	1051	-	-	-	214	580	
Mov Cap-2 Maneuver	-	-	-	-	214	-	
Stage 1	-	-	-	-	531	-	
Stage 2	-	-	-	-	565	-	

Approach	EB	WB	SB
HCM Control Delay, s	3.1	0	15.2
HCM LOS			С

Minor Lane/Major Mvmt	EBL	EBT	WBT	WBR SBLr	1 SBLn2
Capacity (veh/h)	1051	-	-	- 21	4 580
HCM Lane V/C Ratio	0.139	-	-	- 0.13	7 0.262
HCM Control Delay (s)	9	-	-	- 24	5 13.4
HCM Lane LOS	А	-	-	-	C B
HCM 95th %tile Q(veh)	0.5	-	-	- 0	5 1

Int Delay, s/veh	1					
Movement	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations	et 👘		٦	1	Y	
Traffic Vol, veh/h	322	71	23	516	33	5
Future Vol, veh/h	322	71	23	516	33	5
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	-	-	100	-	0	-
Veh in Median Storage,	# 0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	350	77	25	561	36	5

Major/Minor	Major1	Major2	Minor1		
Conflicting Flow All	0	0 427	0 1000	389	
Stage 1	-		- 389	-	
Stage 2	-		- 611	-	
Critical Hdwy	-	- 4.12	- 6.42	6.22	
Critical Hdwy Stg 1	-		- 5.42	-	
Critical Hdwy Stg 2	-		- 5.42	-	
Follow-up Hdwy	-	- 2.218	- 3.518	3.318	
Pot Cap-1 Maneuver	-	- 1132	- 270	659	
Stage 1	-		- 685	-	
Stage 2	-		- 542	-	
Platoon blocked, %	-	-	-		
Mov Cap-1 Maneuve		- 1132	- 264	659	
Mov Cap-2 Maneuve	r -		- 264	-	
Stage 1	-		- 685	-	
Stage 2	-		- 530	-	

Approach	EB	WB	NB
HCM Control Delay, s	0	0.4	19.6
HCM LOS			С

Minor Lane/Major Mvmt	NBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)	287	-	-	1132	-
HCM Lane V/C Ratio	0.144	-	-	0.022	-
HCM Control Delay (s)	19.6	-	-	8.3	-
HCM Lane LOS	С	-	-	А	-
HCM 95th %tile Q(veh)	0.5	-	-	0.1	-

Intersection

Maximum		ГРТ						NIDT		001	ODT	000	
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
Lane Configurations	ኘ	ef 👘			- 4 >			- 4 >			- 4 >		
Traffic Vol, veh/h	27	66	78	56	136	43	60	10	23	90	25	155	
Future Vol, veh/h	27	66	78	56	136	43	60	10	23	90	25	155	
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0	
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop	
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None	
Storage Length	85	-	-	-	-	-	-	-	-	-	-	-	
Veh in Median Storage,	# -	0	-	-	0	-	-	0	-	-	0	-	
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2	
Mvmt Flow	29	72	85	61	148	47	65	11	25	98	27	168	

Major/Minor	Major1		Ν	/lajor2			Minor1			Minor2			
Conflicting Flow All	195	0	0	157	0	0	564	490	115	485	509	172	
Stage 1	-	-	-	-	-	-	173	173	-	294	294	-	
Stage 2	-	-	-	-	-	-	391	317	-	191	215	-	
Critical Hdwy	4.12	-	-	4.12	-	-	7.12	6.52	6.22	7.12	6.52	6.22	
Critical Hdwy Stg 1	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-	
Critical Hdwy Stg 2	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-	
Follow-up Hdwy	2.218	-	-	2.218	-	-	3.518	4.018	3.318	3.518	4.018	3.318	
Pot Cap-1 Maneuver	1378	-	-	1423	-	-	436	479	937	492	467	872	
Stage 1	-	-	-	-	-	-	829	756	-	714	670	-	
Stage 2	-	-	-	-	-	-	633	654	-	811	725	-	
Platoon blocked, %		-	-		-	-							
Mov Cap-1 Maneuver	1378	-	-	1423	-	-	318	446	937	446	435	872	
Mov Cap-2 Maneuver	-	-	-	-	-	-	318	446	-	446	435	-	
Stage 1	-	-	-	-	-	-	812	740	-	699	638	-	
Stage 2	-	-	-	-	-	-	465	623	-	761	710	-	
-													

Approach	EB	WB	NB	SB	
HCM Control Delay, s	1.2	1.8	17.2	16	
HCM LOS			С	С	

Minor Lane/Major Mvmt	NBLn1	EBL	EBT	EBR	WBL	WBT	WBR	SBLn1
Capacity (veh/h)	395	1378	-	-	1423	-	-	618
HCM Lane V/C Ratio	0.256	0.021	-	-	0.043	-	-	0.475
HCM Control Delay (s)	17.2	7.7	-	-	7.6	0	-	16
HCM Lane LOS	С	А	-	-	А	А	-	С
HCM 95th %tile Q(veh)	1	0.1	-	-	0.1	-	-	2.6

Int Delay, s/veh	1					
Movement	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations	el 🗧		٦	1	Y	
Traffic Vol, veh/h	404	41	12	503	40	3
Future Vol, veh/h	404	41	12	503	40	3
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	-	-	100	-	0	-
Veh in Median Storage,	# 0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	439	45	13	547	43	3

Major/Minor	Major1	M	ajor2		Minor1						
Conflicting Flow All	0	0	484	0	1035	462					
Stage 1	-	-	-	-	462	-					
Stage 2	-	-	-	-	573	-					
Critical Hdwy	-	-	4.12	-	6.42	6.22					
Critical Hdwy Stg 1	-	-	-	-	5.42	-					
Critical Hdwy Stg 2	-	-	-	-	5.42	-					
Follow-up Hdwy	-	- 2	2.218	-	3.518	3.318					
Pot Cap-1 Maneuver	-	-	1079	-	257	600					
Stage 1	-	-	-	-	634	-					
Stage 2	-	-	-	-	564	-					
Platoon blocked, %	-	-		-							
Mov Cap-1 Maneuve	r -	-	1079	-	254	600					
Mov Cap-2 Maneuve	r -	-	-	-	254	-					
Stage 1	-	-	-	-	634	-					
Stage 2	-	-	-	-	557	-					

Approach	EB	WB	NB
HCM Control Delay, s	0	0.2	21.5
HCM LOS			С

Minor Lane/Major Mvmt	NBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)	265	-	-	1079	-
HCM Lane V/C Ratio	0.176	-	-	0.012	-
HCM Control Delay (s)	21.5	-	-	8.4	-
HCM Lane LOS	С	-	-	А	-
HCM 95th %tile Q(veh)	0.6	-	-	0	-

Intersection		
Int Dolov, s/vob	28	

Int Delay, s/ven	2.8						
Movement	EBL	EBT	WBT	WBR	SBL	SBR	ł
Lane Configurations	٦	1	et 👘		٦	1	1
Traffic Vol, veh/h	137	262	389	53	16	94	ŀ
Future Vol, veh/h	137	262	389	53	16	94	ŀ
Conflicting Peds, #/hr	0	0	0	0	0	0)
Sign Control	Free	Free	Free	Free	Stop	Stop)
RT Channelized	-	None	-	None	-	None	;
Storage Length	100	-	-	-	0	0)
Veh in Median Storage,	# -	0	0	-	0	-	-
Grade, %	-	0	0	-	0	-	-
Peak Hour Factor	92	92	92	92	92	92)
Heavy Vehicles, %	2	2	2	2	2	2)
Mvmt Flow	149	285	423	58	17	102)

Major/Minor	Major1	Мајо	r2	1	Minor2	
Conflicting Flow All	481	0	-	0	1035	452
Stage 1	-	-	-	-	452	-
Stage 2	-	-	-	-	583	-
Critical Hdwy	4.12	-	-	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	-	5.42	-
Critical Hdwy Stg 2	-	-	-	-	5.42	-
Follow-up Hdwy	2.218	-	-	-	3.518	3.318
Pot Cap-1 Maneuver	1082	-	-	-	257	608
Stage 1	-	-	-	-	641	-
Stage 2	-	-	-	-	558	-
Platoon blocked, %		-	-	-		
Mov Cap-1 Maneuver	1082	-	-	-	222	608
Mov Cap-2 Maneuver	-	-	-	-	222	-
Stage 1	-	-	-	-	553	-
Stage 2	-	-	-	-	558	-

Approach	EB	WB	SB
HCM Control Delay, s	3	0	13.6
HCM LOS			В

Minor Lane/Major Mvmt	EBL	EBT	WBT	WBR SBLn1	SBLn2
Capacity (veh/h)	1082	-	-	- 222	608
HCM Lane V/C Ratio	0.138	-	-	- 0.078	0.168
HCM Control Delay (s)	8.9	-	-	- 22.6	5 12.1
HCM Lane LOS	А	-	-	- 0	; B
HCM 95th %tile Q(veh)	0.5	-	-	- 0.3	0.6

te			

Int Delay, s/veh	1.3					
Movement	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations	ef 👘		٦	1	Y	
Traffic Vol, veh/h	244	36	23	424	46	8
Future Vol, veh/h	244	36	23	424	46	8
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	-	-	100	-	0	-
Veh in Median Storage,	# 0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	265	39	25	461	50	9

Major/Minor	Major1	Major2	Minor1	
Conflicting Flow All	0	0 304	0 796	285
Stage 1	-		- 285	-
Stage 2	-		- 511	-
Critical Hdwy	-	- 4.12	- 6.42	6.22
Critical Hdwy Stg 1	-		- 5.42	-
Critical Hdwy Stg 2	-		- 5.42	-
Follow-up Hdwy	-	- 2.218	- 3.518	3.318
Pot Cap-1 Maneuver	-	- 1257	- 356	754
Stage 1	-		- 763	-
Stage 2	-		- 602	-
Platoon blocked, %	-	-	-	
Mov Cap-1 Maneuver	r -	- 1257	- 349	754
Mov Cap-2 Maneuver	· -		- 349	-
Stage 1	-		- 763	-
Stage 2	-		- 590	-

Approach	EB	WB	NB
HCM Control Delay, s	0	0.4	16.2
HCM LOS			С

Minor Lane/Major Mvmt	NBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)	379	-	-	1257	-
HCM Lane V/C Ratio	0.155	-	-	0.02	-
HCM Control Delay (s)	16.2	-	-	7.9	-
HCM Lane LOS	С	-	-	А	-
HCM 95th %tile Q(veh)	0.5	-	-	0.1	-

Intersection

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
				VVDL			NDL		NDIN	JDL		JUIN	
Lane Configurations	<u></u>	િંગિ			- 4 >			- 4 >			- 4 >		
Traffic Vol, veh/h	57	101	67	40	132	41	60	5	26	22	19	68	
Future Vol, veh/h	57	101	67	40	132	41	60	5	26	22	19	68	
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0	
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop	
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None	
Storage Length	85	-	-	-	-	-	-	-	-	-	-	-	
Veh in Median Storage,	# -	0	-	-	0	-	-	0	-	-	0	-	
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2	
Mvmt Flow	62	110	73	43	143	45	65	5	28	24	21	74	

Major/Minor	Major1		N	lajor2			Minor1			Minor2			
Conflicting Flow All	188	0	0	183	0	0	570	545	147	539	559	166	
Stage 1	-	-	-	-	-	-	271	271	-	252	252	-	
Stage 2	-	-	-	-	-	-	299	274	-	287	307	-	
Critical Hdwy	4.12	-	-	4.12	-	-	7.12	6.52	6.22	7.12	6.52	6.22	
Critical Hdwy Stg 1	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-	
Critical Hdwy Stg 2	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-	
Follow-up Hdwy	2.218	-	-	2.218	-	-	3.518	4.018	3.318	3.518	4.018	3.318	
Pot Cap-1 Maneuver	1386	-	-	1392	-	-	432	446	900	453	438	878	
Stage 1	-	-	-	-	-	-	735	685	-	752	698	-	
Stage 2	-	-	-	-	-	-	710	683	-	720	661	-	
Platoon blocked, %		-	-		-	-							
Mov Cap-1 Maneuver	1386	-	-	1392	-	-	358	411	900	409	404	878	
Mov Cap-2 Maneuver	-	-	-	-	-	-	358	411	-	409	404	-	
Stage 1	-	-	-	-	-	-	702	654	-	718	674	-	
Stage 2	-	-	-	-	-	-	608	659	-	661	631	-	

Approach	EB	WB	NB	SB	
HCM Control Delay, s	2	1.4	15.7	12.3	
HCM LOS			С	В	

Minor Lane/Major Mvmt	NBLn1	EBL	EBT	EBR	WBL	WBT	WBR S	SBLn1
Capacity (veh/h)	436	1386	-	-	1392	-	-	611
HCM Lane V/C Ratio	0.227	0.045	-	-	0.031	-	-	0.194
HCM Control Delay (s)	15.7	7.7	-	-	7.7	0	-	12.3
HCM Lane LOS	С	А	-	-	А	А	-	В
HCM 95th %tile Q(veh)	0.9	0.1	-	-	0.1	-	-	0.7

	ecti	

Int Delay, s/veh	2.1					
Movement	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations	el 🗧		٦	1	Y	
Traffic Vol, veh/h	568	55	13	521	65	10
Future Vol, veh/h	568	55	13	521	65	10
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	-	-	100	-	0	-
Veh in Median Storage,	# 0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	617	60	14	566	71	11

Major/Minor	Major1	Majo	2	Mi	inor1	
Conflicting Flow All	0	0 67	7	0	1241	647
Stage 1	-	-	-	-	647	-
Stage 2	-	-	-	-	594	-
Critical Hdwy	-	- 4.1	2	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	-	5.42	-
Critical Hdwy Stg 2	-	-	-	-	5.42	-
Follow-up Hdwy	-	- 2.21	8	- 3	8.518	3.318
Pot Cap-1 Maneuver	-	- 91	5	-	193	471
Stage 1	-	-	-	-	521	-
Stage 2	-	-	-	-	552	-
Platoon blocked, %	-	-		-		
Mov Cap-1 Maneuve	r -	- 91	5	-	190	471
Mov Cap-2 Maneuve	r -	-	-	-	190	-
Stage 1	-	-	-	-	521	-
Stage 2	-	-	-	-	544	-

Approach	EB	WB	NB
HCM Control Delay, s	0	0.2	33.5
HCM LOS			D

Minor Lane/Major Mvmt	NBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)	206	-	-	915	-
HCM Lane V/C Ratio	0.396	-	-	0.015	-
HCM Control Delay (s)	33.5	-	-	9	-
HCM Lane LOS	D	-	-	А	-
HCM 95th %tile Q(veh)	1.8	-	-	0	-

Intersection						
Int Delay, s/veh	2.5					
Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations	ľ	•	ef 👘		1	1
Traffic Vol, veh/h	172	464	367	43	15	74
Future Vol, veh/h	172	464	367	43	15	74
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	100	-	-	-	0	0
Veh in Median Storage,	,# -	0	0	-	0	-
Grade, %	-	0	0	-	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow						

Major/Minor	Major1	Majo	or2		Minor2	
Conflicting Flow All	446	0	-	0	1301	423
Stage 1	-	-	-	-	423	-
Stage 2	-	-	-	-	878	-
Critical Hdwy	4.12	-	-	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	-	5.42	-
Critical Hdwy Stg 2	-	-	-	-	5.42	-
Follow-up Hdwy	2.218	-	-	-	3.518	3.318
Pot Cap-1 Maneuver	1114	-	-	-	178	631
Stage 1	-	-	-	-	661	-
Stage 2	-	-	-	-	406	-
Platoon blocked, %		-	-	-		
Mov Cap-1 Maneuver	1114	-	-	-	148	631
Mov Cap-2 Maneuver		-	-	-	148	-
Stage 1	-	-	-	-	550	-
Stage 2	-	-	-	-	406	-

Approach	EB	WB	SB
HCM Control Delay, s	2.4	0	15
HCM LOS			С

Minor Lane/Major Mvmt	EBL	EBT	WBT	WBR SI	BLn1	SBLn2
Capacity (veh/h)	1114	-	-	-	148	631
HCM Lane V/C Ratio	0.168	-	-	-	0.11	0.127
HCM Control Delay (s)	8.9	-	-	-	32.3	11.5
HCM Lane LOS	А	-	-	-	D	В
HCM 95th %tile Q(veh)	0.6	-	-	-	0.4	0.4

12	/30)/2(01	9
----	-----	------	----	---

Major/Minor	Major1	Major2	Mino	r1
Conflicting Flow All	0	0 346	0 7	06 331
Stage 1	-		- 3	31 -
Stage 2	-		- 3	75 -
Critical Hdwy	-	- 4.12	- 6.	42 6.22
Critical Hdwy Stg 1	-		- 5.	42 -
Critical Hdwy Stg 2	-		- 5.	
Follow-up Hdwy	-	- 2.218	- 3.5	18 3.318
Pot Cap-1 Maneuver	-	- 1213	- 4	02 711
Stage 1	-		- 72	28 -
Stage 2	-		- 6	95 -
Platoon blocked, %	-	-	-	
Mov Cap-1 Maneuve	r -	- 1213	- 3	97 711
Mov Cap-2 Maneuve	r -		- 3	97 -
Stage 1	-		- 73	28 -
Stage 2	-		- 6	36 -

Approach	EB	WB	NB
HCM Control Delay, s	0	0.4	16.6
HCM LOS			С

Minor Lane/Major Mvmt	NBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)	412	-	-	1213	-
HCM Lane V/C Ratio	0.251	-	-	0.013	-
HCM Control Delay (s)	16.6	-	-	8	-
HCM Lane LOS	С	-	-	А	-
HCM 95th %tile Q(veh)	1	-	-	0	-

Intersection

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
				VVDL		WDIX	NDL		NDIN	ODL	-	ODIX	
Lane Configurations	<u></u>	- Þ			- (}			- 4 >			- ()		
Traffic Vol, veh/h	72	267	26	19	139	42	61	13	52	28	8	47	
Future Vol, veh/h	72	267	26	19	139	42	61	13	52	28	8	47	
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0	
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop	
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None	
Storage Length	85	-	-	-	-	-	-	-	-	-	-	-	
Veh in Median Storage,	# -	0	-	-	0	-	-	0	-	-	0	-	
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2	
Mvmt Flow	78	290	28	21	151	46	66	14	57	30	9	51	

Major/Minor	Major1		Ν	/lajor2		Ν	/linor1		I	Minor2			
Conflicting Flow All	197	0	0	318	0	0	706	699	304	712	690	174	
Stage 1	-	-	-	-	-	-	460	460	-	216	216	-	
Stage 2	-	-	-	-	-	-	246	239	-	496	474	-	
Critical Hdwy	4.12	-	-	4.12	-	-	7.12	6.52	6.22	7.12	6.52	6.22	
Critical Hdwy Stg 1	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-	
Critical Hdwy Stg 2	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-	
Follow-up Hdwy	2.218	-	-	2.218	-	-	3.518	4.018	3.318	3.518	4.018	3.318	
Pot Cap-1 Maneuver	1376	-	-	1242	-	-	351	364	736	347	368	869	
Stage 1	-	-	-	-	-	-	581	566	-	786	724	-	
Stage 2	-	-	-	-	-	-	758	708	-	556	558	-	
Platoon blocked, %		-	-		-	-							
Mov Cap-1 Maneuver	1376	-	-	1242	-	-	305	337	736	293	340	869	
Mov Cap-2 Maneuver	-	-	-	-	-	-	305	337	-	293	340	-	
Stage 1	-	-	-	-	-	-	548	534	-	741	710	-	
Stage 2	-	-	-	-	-	-	691	695	-	471	526	-	
-													

Approach	EB	WB	NB	SB	
HCM Control Delay, s	1.5	0.8	18.3	14.3	
HCM LOS			С	В	

Minor Lane/Major Mvmt	NBLn1	EBL	EBT	EBR	WBL	WBT	WBR S	SBLn1
Capacity (veh/h)	407	1376	-	-	1242	-	-	479
HCM Lane V/C Ratio	0.337	0.057	-	-	0.017	-	-	0.188
HCM Control Delay (s)	18.3	7.8	-	-	7.9	0	-	14.3
HCM Lane LOS	С	А	-	-	А	А	-	В
HCM 95th %tile Q(veh)	1.5	0.2	-	-	0.1	-	-	0.7

Synchro Analysis Worksheets

Future Conditions Tradewinds-Par 3 Site

No Mitigation

01/	29/2	2020
-----	------	------

Intersection						
Int Delay, s/veh	1.2					
Movement	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations	et e		5	•	Y	
Traffic Vol, veh/h	683	184	15	580	35	5
Future Vol, veh/h	683	184	15	580	35	5
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	-	-	0	-	0	-
Veh in Median Storage	,# 0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	742	200	16	630	38	5

Major/Minor	Major1		Major2		Minor1	
Conflicting Flow All	0	0	942	0	1504	842
Stage 1	-	-	-	-	842	-
Stage 2	-	-	-	-	662	-
Critical Hdwy	-	-	4.12	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	-	5.42	-
Critical Hdwy Stg 2	-	-	-	-	5.42	-
Follow-up Hdwy	-	-	2.218	-	3.518	3.318
Pot Cap-1 Maneuver	-	-	728	-	134	364
Stage 1	-	-	-	-	423	-
Stage 2	-	-	-	-	513	-
Platoon blocked, %	-	-		-		
Mov Cap-1 Maneuve	r -	-	728	-	131	364
Mov Cap-2 Maneuve	r -	-	-	-	131	-
Stage 1	-	-	-	-	423	-
Stage 2	-	-	-	-	502	-

Approach	EB	WB	NB
HCM Control Delay, s	0	0.3	41.2
HCM LOS			Е

Minor Lane/Major Mvmt	NBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)	142	-	-	728	-
HCM Lane V/C Ratio	0.306	-	-	0.022	-
HCM Control Delay (s)	41.2	-	-	10.1	-
HCM Lane LOS	E	-	-	В	-
HCM 95th %tile Q(veh)	1.2	-	-	0.1	-

Intersection Int Delay, s/veh 11.6 EBL EBT EBR WBL WBT WBR NBL NBT NBR SBL SBT SBR Movement Lane Configurations ٦ Þ ٦ Ъ ٦ Þ đ ۴ 455 0 0 Traffic Vol, veh/h 135 360 193 50 0 47 140 154 10 Future Vol, veh/h 135 360 193 154 455 50 0 0 0 47 10 140 Conflicting Peds, #/hr 0 0 0 0 0 0 0 0 0 0 0 0 Sign Control Stop Stop Stop Free Free Free Free Free Stop Stop Stop Free RT Channelized -None -None None None ---_ --Storage Length 100 100 0 ----_ ---0 Veh in Median Storage, # 0 0 0 -0 -------Grade, % 0 0 0 0 --------Peak Hour Factor 92 92 92 92 92 92 92 92 92 92 92 92 2 2 2 2 Heavy Vehicles, % 2 2 2 2 2 2 2 2 Mvmt Flow 147 391 210 167 495 54 0 0 0 51 11 152

Major/Minor	Major1		Ν	Major2			Minor1			Minor2			
Conflicting Flow All	549	0	0	601	0	0	1728	1673	496	1646	1751	522	
Stage 1	-	-	-	-	-	-	790	790	-	856	856	-	
Stage 2	-	-	-	-	-	-	938	883	-	790	895	-	
Critical Hdwy	4.12	-	-	4.12	-	-	7.12	6.52	6.22	7.12	6.52	6.22	
Critical Hdwy Stg 1	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-	
Critical Hdwy Stg 2	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-	
Follow-up Hdwy	2.218	-	-	2.218	-	-	3.518	4.018	3.318	3.518	4.018	3.318	
Pot Cap-1 Maneuver	1021	-	-	976	-	-	70	96	574	79	86	555	
Stage 1	-	-	-	-	-	-	383	402	-	352	374	-	
Stage 2	-	-	-	-	-	-	317	364	-	383	359	-	
Platoon blocked, %		-	-		-	-							
Mov Cap-1 Maneuver	1021	-	-	976	-	-	34	68	574	61	61	555	
Mov Cap-2 Maneuver	-	-	-	-	-	-	34	68	-	61	61	-	
Stage 1	-	-	-	-	-	-	328	344	-		310	-	
Stage 2	-	-	-	-	-	-	184	302	-	328	307	-	
Approach	EB			WB			NB			SB			
HCM Control Delay, s	1.8			2.2			0			76.9			
HCM LOS							А			F			

Minor Lane/Major Mvmt	NBLn1 NB	Ln2	EBL	EBT	EBR	WBL	WBT	WBR SBL	n1 SBL	n2
Capacity (veh/h)	-	-	1021	-	-	976	-	-	61 5	55
HCM Lane V/C Ratio	-	-	0.144	-	-	0.172	-	- 1.0	16 0.2	74
HCM Control Delay (s)	0	0	9.1	-	-	9.5	-	- 231	1.8 13	.9
HCM Lane LOS	А	Α	Α	-	-	Α	-	-	F	В
HCM 95th %tile Q(veh)	-	-	0.5	-	-	0.6	-	- 4	1.9 1	.1

01/	29/2	020
-----	------	-----

Intersection						
Int Delay, s/veh	1.8					
Movement	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations	4		٦		Y	
Traffic Vol, veh/h	315	92	105	624	35	5
Future Vol, veh/h	315	92	105	624	35	5
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	-	-	100	-	0	-
Veh in Median Storage	,# 0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	342	100	114	678	38	5

Major/Minor	Major1		Major2		Minor1	
Conflicting Flow All	0	0	442	0	1298	392
Stage 1	-	-	-	-	392	-
Stage 2	-	-	-	-	906	-
Critical Hdwy	-	-	4.12	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	-	5.42	-
Critical Hdwy Stg 2	-	-	-	-	5.42	-
Follow-up Hdwy	-	-	2.218	-	3.518	3.318
Pot Cap-1 Maneuver	-	-	1118	-	178	657
Stage 1	-	-	-	-	683	-
Stage 2	-	-	-	-	394	-
Platoon blocked, %	-	-		-		
Mov Cap-1 Maneuve	r -	-	1118	-	160	657
Mov Cap-2 Maneuve	r -	-	-	-	160	-
Stage 1	-	-	-	-	683	-
Stage 2	-	-	-	-	354	-

Approach	EB	WB	NB
HCM Control Delay, s	0	1.2	31.8
HCM LOS			D

Minor Lane/Major Mvmt	NBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)	177	-	-	1118	-
HCM Lane V/C Ratio	0.246	-	-	0.102	-
HCM Control Delay (s)	31.8	-	-	8.6	-
HCM Lane LOS	D	-	-	А	-
HCM 95th %tile Q(veh)	0.9	-	-	0.3	-

Intersection

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
Lane Configurations	5	4		TIDE	4		HDL	4			4	OBIN	
Traffic Vol, veh/h	30	70	80	60	347	45	60	10	25	90	25	182	
Future Vol, veh/h	30	70	80	60	347	45	60	10	25	90	25	182	
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0	
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop	
RT Channelized	-	-	None										
Storage Length	85	-	-	-	-	-	-	-	-	-	-	-	
Veh in Median Storage,	# -	0	-	-	0	-	-	0	-	-	0	-	
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2	
Mvmt Flow	33	76	87	65	377	49	65	11	27	98	27	198	

Major/Minor	Major1		Ν	lajor2			Minor1			Minor2			
Conflicting Flow All	426	0	0	163	0	0	830	742	120	737	761	402	
Stage 1	-	-	-	-	-	-	186	186	-	532	532	-	
Stage 2	-	-	-	-	-	-	644	556	-	205	229	-	
Critical Hdwy	4.12	-	-	4.12	-	-	7.12	6.52	6.22	7.12	6.52	6.22	
Critical Hdwy Stg 1	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-	
Critical Hdwy Stg 2	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-	
Follow-up Hdwy	2.218	-	- 2	2.218	-	-	3.518	4.018	3.318	3.518	4.018	3.318	
Pot Cap-1 Maneuver	1133	-	-	1416	-	-	289	344	931	334	335	648	
Stage 1	-	-	-	-	-	-	816	746	-	531	526	-	
Stage 2	-	-	-	-	-	-	461	513	-	797	715	-	
Platoon blocked, %		-	-		-	-							
Mov Cap-1 Maneuver	1133	-	-	1416	-	-	175	314	931	295	306	648	
Mov Cap-2 Maneuver	-	-	-	-	-	-	175	314	-	295	306	-	
Stage 1	-	-	-	-	-	-	792	724	-	516	494	-	
Stage 2	-	-	-	-	-	-	284	482	-	740	694	-	

Approach	EB	WB	NB	SB	
HCM Control Delay, s	1.4	1	31.4	31.7	
HCM LOS			D	D	

Minor Lane/Major Mvmt	NBLn1	EBL	EBT	EBR	WBL	WBT	WBR \$	SBLn1
Capacity (veh/h)	237	1133	-	-	1416	-	-	445
HCM Lane V/C Ratio	0.436	0.029	-	-	0.046	-	-	0.725
HCM Control Delay (s)	31.4	8.3	-	-	7.7	0	-	31.7
HCM Lane LOS	D	А	-	-	Α	А	-	D
HCM 95th %tile Q(veh)	2.1	0.1	-	-	0.1	-	-	5.8

01/29/20	020
----------	-----

Intersection						
Int Delay, s/veh	1.2					
Movement	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations	el 👘		۳	•	Y	
Traffic Vol, veh/h	561	45	15	583	40	5
Future Vol, veh/h	561	45	15	583	40	5
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	-	-	0	-	0	-
Veh in Median Storage	,# 0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	610	49	16	634	43	5

Major/Minor	Major1	Major2	Minor1	
Conflicting Flow All	0	0 659	0 1301	635
Stage 1	-		- 635	-
Stage 2	-		- 666	-
Critical Hdwy	-	- 4.12	- 6.42	6.22
Critical Hdwy Stg 1	-		- 5.42	-
Critical Hdwy Stg 2	-		- 5.42	-
Follow-up Hdwy	-	- 2.218	- 3.518	3.318
Pot Cap-1 Maneuver	-	- 929	- 178	478
Stage 1	-		- 528	-
Stage 2	-		- 511	-
Platoon blocked, %	-	-	-	
Mov Cap-1 Maneuve		- 929	- 175	478
Mov Cap-2 Maneuve	r -		- 175	-
Stage 1	-		- 528	-
Stage 2	-		- 502	-

Approach	EB	WB	NB
HCM Control Delay, s	0	0.2	30.8
HCM LOS			D

Minor Lane/Major Mvmt	NBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)	188	-	-	929	-
HCM Lane V/C Ratio	0.26	-	-	0.018	-
HCM Control Delay (s)	30.8	-	-	8.9	-
HCM Lane LOS	D	-	-	А	-
HCM 95th %tile Q(veh)	1	-	-	0.1	-

Intersection													
Int Delay, s/veh	24.3												
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
Lane Configurations	- ሽ	f		- ሽ	f		- ሽ	f			्र	1	
Traffic Vol, veh/h	140	270	156	125	425	55	78	4	64	20	8	95	
Future Vol, veh/h	140	270	156	125	425	55	78	4	64	20	8	95	
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0	
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop	
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None	
Storage Length	100	-	-	100	-	-	0	-	-	-	-	0	
Veh in Median Storage,	,# -	0	-	-	0	-	-	0	-	-	0	-	
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2	
Mvmt Flow	152	293	170	136	462	60	85	4	70	22	9	103	

Major/Minor	Major1			Major2			Minor1			Minor2					
Conflicting Flow All	522	0	0	463	0	0	1502	1476	378	1483	1531	492			
Stage 1	-	-	-	-	-	-	682	682	-	764	764	-			
Stage 2	-	-	-	-	-	-	820	794	-	719	767	-			
Critical Hdwy	4.12	-	-	4.12	-	-	7.12	6.52	6.22	7.12	6.52	6.22			
Critical Hdwy Stg 1	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-			
Critical Hdwy Stg 2	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-			
Follow-up Hdwy	2.218	-	-	2.218	-	-	3.518	4.018	3.318	3.518	4.018	3.318			
Pot Cap-1 Maneuver	1044	-	-	1098	-	-	100	126	669	103	117	577			
Stage 1	-	-	-	-	-	-	440	450	-	396	413	-			
Stage 2	-	-	-	-	-	-	369	400	-	420	411	-			
Platoon blocked, %		-	-		-	-									
Mov Cap-1 Maneuver	1044	-	-	1098	-	-	~ 61	94	669	72	88	577			
Mov Cap-2 Maneuver	-	-	-	-	-	-	~ 61	94	-	72	88	-			
Stage 1	-	-	-	-	-	-	376	384	-	338	362	-			
Stage 2	-	-	-	-	-	-	259	350	-	318	351	-			
Approach	EB			WB			NB			SB					
HCM Control Delay, s	2.2			1.8			200.2			28.2				 	
HCM LOS	2.2			1.0			200.2			20.2 D					
										2					
Minor Lane/Major Mvm	nt	NBLn1	JBI n2	EBL	EBT	EBR	WBL	WBT	WBR	SBLn1	SBI n2				
Capacity (veh/h)		61	492	1044	-	-	1098	-	-	76	577			 	
HCM Lane V/C Ratio		1.39	0.15	0.146	_	_	0.124	_	_	0.4	0.179				
HCM Control Delay (s)		\$ 362.9	13.6	9	_	_	8.7	_	_	81	12.6				
HCM Lane LOS	,	F 502.5	10.0 B	A	_	-	0.7 A	_	_	F	12.0 B				
HCM 95th %tile Q(veh)	7.3	0.5	0.5	_	_	0.4	_	_	1.6	0.6				
	/	1.0	0.0	0.0			0.1			1.0	0.0				
Notes															
~: Volume exceeds cap	pacity	\$: De	lay exc	eeds 30	0s -	+: Com	putatior	i Not De	efined	*: All	major v	olume in	platoon		

Par 3 Tradewinds Midday Peak Hour 11/19/2019 Future Year 2027 with Project

Int Delay, s/veh	1.7						
Movement	EBT	EBR	WBL	WBT	NBL	NBR	l I
Lane Configurations	et		٦	1	Y		
Traffic Vol, veh/h	313	41	40	555	50	15	;
Future Vol, veh/h	313	41	40	555	50	15	,
Conflicting Peds, #/hr	0	0	0	0	0	0	ł
Sign Control	Free	Free	Free	Free	Stop	Stop	,
RT Channelized	-	None	-	None	-	None	;
Storage Length	-	-	100	-	0	-	
Veh in Median Storage,	# 0	-	-	0	0	-	
Grade, %	0	-	-	0	0	-	
Peak Hour Factor	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	
Mvmt Flow	340	45	43	603	54	16	i

Major/Minor	Major1	Maj	jor2		Minor1	
Conflicting Flow All	0	0	385	0	1052	363
Stage 1	-	-	-	-	363	-
Stage 2	-	-	-	-	689	-
Critical Hdwy	-	- 4	1.12	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	-	5.42	-
Critical Hdwy Stg 2	-	-	-	-	5.42	-
Follow-up Hdwy	-	- 2.	218	-	3.518	3.318
Pot Cap-1 Maneuver	-	- 1	173	-	251	682
Stage 1	-	-	-	-	704	-
Stage 2	-	-	-	-	498	-
Platoon blocked, %	-	-		-		
Mov Cap-1 Maneuve	r -	- 1	173	-	242	682
Mov Cap-2 Maneuve	r -	-	-	-	242	-
Stage 1	-	-	-	-	704	-
Stage 2	-	-	-	-	480	-

Approach	EB	WB	NB
HCM Control Delay, s	0	0.6	21.8
HCM LOS			С

Minor Lane/Major Mvmt	NBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)	284	-	-	1173	-
HCM Lane V/C Ratio	0.249	-	-	0.037	-
HCM Control Delay (s)	21.8	-	-	8.2	-
HCM Lane LOS	С	-	-	А	-
HCM 95th %tile Q(veh)	1	-	-	0.1	-

Intersection

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
Lane Configurations	٦.	f			- 🗘			4			- 🗘		
Traffic Vol, veh/h	64	164	70	40	252	45	60	5	30	25	20	78	
Future Vol, veh/h	64	164	70	40	252	45	60	5	30	25	20	78	
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0	
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop	
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None	
Storage Length	85	-	-	-	-	-	-	-	-	-	-	-	
Veh in Median Storage,	# -	0	-	-	0	-	-	0	-	-	0	-	
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2	
Mvmt Flow	70	178	76	43	274	49	65	5	33	27	22	85	

Major/Minor	Major1		Ν	1ajor2			Minor1			Minor2			
Conflicting Flow All	323	0	0	254	0	0	794	765	216	760	779	299	
Stage 1	-	-	-	-	-	-	356	356	-	385	385	-	
Stage 2	-	-	-	-	-	-	438	409	-	375	394	-	
Critical Hdwy	4.12	-	-	4.12	-	-	7.12	6.52	6.22	7.12	6.52	6.22	
Critical Hdwy Stg 1	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-	
Critical Hdwy Stg 2	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-	
Follow-up Hdwy	2.218	-	-	2.218	-	-	3.518	4.018	3.318	3.518	4.018	3.318	
Pot Cap-1 Maneuver	1237	-	-	1311	-	-	306	333	824	323	327	741	
Stage 1	-	-	-	-	-	-	661	629	-	638	611	-	
Stage 2	-	-	-	-	-	-	597	596	-	646	605	-	
Platoon blocked, %		-	-		-	-							
Mov Cap-1 Maneuver	1237	-	-	1311	-	-	237	301	824	284	296	741	
Mov Cap-2 Maneuver	-	-	-	-	-	-	237	301	-	284	296	-	
Stage 1	-	-	-	-	-	-	623	593	-	602	587	-	
Stage 2	-	-	-	-	-	-	489	572	-	580	571	-	

Approach	EB	WB	NB	SB
HCM Control Delay, s	1.7	0.9	22.3	15.6
HCM LOS			С	С

Minor Lane/Major Mvmt	NBLn1	EBL	EBT	EBR	WBL	WBT	WBR	SBLn1
Capacity (veh/h)	310	1237	-	-	1311	-	-	472
HCM Lane V/C Ratio	0.333	0.056	-	-	0.033	-	-	0.283
HCM Control Delay (s)	22.3	8.1	-	-	7.8	0	-	15.6
HCM Lane LOS	С	А	-	-	А	А	-	С
HCM 95th %tile Q(veh)	1.4	0.2	-	-	0.1	-	-	1.2

01/	29/2	2020
-----	------	------

Intersection						
Int Delay, s/veh	23.1					
Movement	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations	et 👘		۳	•	Y	
Traffic Vol, veh/h	581	55	15	649	165	10
Future Vol, veh/h	581	55	15	649	165	10
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	-	-	0	-	0	-
Veh in Median Storage	,# 0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	632	60	16	705	179	11

Major/Minor	Major1		Major2		Minor1					
Conflicting Flow All	0	0	692	0	1399	662				
Stage 1	-	-	-	-	662	-				
Stage 2	-	-	-	-	737	-				
Critical Hdwy	-	-	4.12	-	•••-	6.22				
Critical Hdwy Stg 1	-	-	-	-	5.42	-				
Critical Hdwy Stg 2	-	-	-	-	5.42	-				
Follow-up Hdwy	-	-	2.218		3.518					
Pot Cap-1 Maneuver	-	-	903	-	~ 155	462				
Stage 1	-	-	-	-	010	-				
Stage 2	-	-	-	-	473	-				
Platoon blocked, %	-	-		-						
Mov Cap-1 Maneuver		-	903		~ 152	462				
Mov Cap-2 Maneuver	r -	-	-	-	~ 152	-				
Stage 1	-	-	-	-	513	-				
Stage 2	-	-	-	-	464	-				
Approach	EB		WB		NB					
HCM Control Delay, s	s 0		0.2		193.9					
HCM LOS					F					
Minor Lane/Major Mvi	mt	NBLn1	EBT	EBR	WBL	WBT				
Capacity (veh/h)		158	-	-	903	-				
HCM Lane V/C Ratio		1.204	-		0.018	-				
HCM Control Delay (s		193.9	_	_	9.1	-				
HCM Lane LOS		F	_	-	A	-				
HCM 95th %tile Q(vel	h)	10.7	-	-	0.1	-				
	,									
Notes										

~: Volume exceeds capacity

\$: Delay exceeds 300s

+: Computation Not Defined *: All major volume in platoon

Intersection

Int Delay, s/veh

				14/51				NET		0.51	0.5.7		
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
Lane Configurations	- ሽ	- 1 +		<u>۲</u>	- 1 +		- ኘ	- î÷			- स	1	
Traffic Vol, veh/h	175	405	11	8	465	57	124	7	101	15	1	75	
Future Vol, veh/h	175	405	11	8	465	57	124	7	101	15	1	75	
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0	
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop	
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None	
Storage Length	350	-	-	100	-	-	0	-	-	-	-	0	
Veh in Median Storage,	# -	0	-	-	0	-	-	0	-	-	0	-	
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2	
Mvmt Flow	190	440	12	9	505	62	135	8	110	16	1	82	

Major/Minor I	Major1			Major2			Minor1			Minor2			
Conflicting Flow All	567	0	0	452	0	0	1422	1411	446	1439	1386	536	
Stage 1	-	-	-	-	-	-	826	826	-	554	554	-	
Stage 2	-	-	-	-	-	-	596	585	-	885	832	-	
Critical Hdwy	4.12	-	-	4.12	-	-	7.12	6.52	6.22	7.12	6.52	6.22	
Critical Hdwy Stg 1	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-	
Critical Hdwy Stg 2	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-	
Follow-up Hdwy	2.218	-	-	2.218	-	-	3.518	4.018	3.318	3.518	4.018	3.318	
Pot Cap-1 Maneuver	1005	-	-	1109	-	-	~ 114	138	612	111	143	545	
Stage 1	-	-	-	-	-	-	366	387	-	517	514	-	
Stage 2	-	-	-	-	-	-	490	498	-	340	384	-	
Platoon blocked, %		-	-		-	-							
Mov Cap-1 Maneuver	1005	-	-	1109	-	-	~ 82	111	612	73	115	545	
Mov Cap-2 Maneuver	-	-	-	-	-	-	~ 82	111	-	73	115	-	
Stage 1	-	-	-	-	-	-	297	314	-		510	-	
Stage 2	-	-	-	-	-	-	412	494	-	221	311	-	
Approach	EB			WB			NB			SB			
HCM Control Delay, s	2.8			0.1			234.1			22.3			
HCM LOS							F			С			
Minor Lane/Major Mvm	nt l	NBLn1	NBLn2	EBL	EBT	EBR	WBL	WBT	WBR	SBLn1	SBLn2		
Capacity (veh/h)		82	473	1005	-	-	1109	-	-	75	545		
HCM Lane V/C Ratio		1.644	0.248	0.189	-	-	0.008	-	-	0.232	0.15		
HCM Control Delay (s)	\$	6 424.9	15.1	9.4	-	-	8.3	-	-	66.9	12.8		
HCM Lane LOS		F	С	А	-	-	А	-	-	F	В		
HCM 95th %tile Q(veh))	11.1	1	0.7	-	-	0	-	-	0.8	0.5		

Notes

~: Volume exceeds capacity

\$: Delay exceeds 300s

+: Computation Not Defined *: All major volume in platoon

01/29/2020)
------------	---

Intersection						
Int Delay, s/veh	5.5					
Movement	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations	eî 👘		ኘ	↑	Y	
Traffic Vol, veh/h	489	32	30	428	102	73
Future Vol, veh/h	489	32	30	428	102	73
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None		None
Storage Length	-	-	100	-	0	-
Veh in Median Storage	e, # 0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	532	35	33	465	111	79

Major/Minor	Major1	Major2	Minor1	
Conflicting Flow All	0	0 567	0 1081	550
Stage 1	-		- 550	-
Stage 2	-		- 531	-
Critical Hdwy	-	- 4.12	- 6.42	6.22
Critical Hdwy Stg 1	-		- 5.42	-
Critical Hdwy Stg 2	-		- 5.42	-
Follow-up Hdwy	-	- 2.218	- 3.518	3.318
Pot Cap-1 Maneuver	-	- 1005	- 241	535
Stage 1	-		- 578	-
Stage 2	-		- 590	-
Platoon blocked, %	-	-	-	
Mov Cap-1 Maneuver		- 1005	- 233	535
Mov Cap-2 Maneuver	r -		- 233	-
Stage 1	-		- 578	-
Stage 2	-		- 571	-

Approach	EB	WB	NB
HCM Control Delay, s	0	0.6	34.5
HCM LOS			D

Minor Lane/Major Mvmt	NBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)	305	-	-	1005	-
HCM Lane V/C Ratio	0.624	-	-	0.032	-
HCM Control Delay (s)	34.5	-	-	8.7	-
HCM Lane LOS	D	-	-	А	-
HCM 95th %tile Q(veh)	3.9	-	-	0.1	-

Intersection

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
Lane Configurations	5	4	LBIX		4	TIDI(1102	4		002	4	ODIT	
Traffic Vol, veh/h	92	405	30	20	148	45	65	15	55	30	10	50	
Future Vol, veh/h	92	405	30	20	148	45	65	15	55	30	10	50	
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0	
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop	
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None	
Storage Length	85	-	-	-	-	-	-	-	-	-	-	-	
Veh in Median Storage,	# -	0	-	-	0	-	-	0	-	-	0	-	
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2	
Mvmt Flow	100	440	33	22	161	49	71	16	60	33	11	54	

Major/Minor	Major1		Ν	/lajor2			Minor1			Minor2			
Conflicting Flow All	210	0	0	473	0	0	919	911	457	925	903	186	
Stage 1	-	-	-	-	-	-	657	657	-	230	230	-	
Stage 2	-	-	-	-	-	-	262	254	-	695	673	-	
Critical Hdwy	4.12	-	-	4.12	-	-	7.12	6.52	6.22	7.12	6.52	6.22	
Critical Hdwy Stg 1	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-	
Critical Hdwy Stg 2	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-	
Follow-up Hdwy	2.218	-	-	2.218	-	-	3.518	4.018	3.318	3.518	4.018	3.318	
Pot Cap-1 Maneuver	1361	-	-	1089	-	-	252	274	604	250	277	856	
Stage 1	-	-	-	-	-	-	454	462	-	773	714	-	
Stage 2	-	-	-	-	-	-	743	697	-	433	454	-	
Platoon blocked, %		-	-		-	-							
Mov Cap-1 Maneuver	1361	-	-	1089	-	-	212	248	604	199	251	856	
Mov Cap-2 Maneuver	-	-	-	-	-	-	212	248	-	199	251	-	
Stage 1	-	-	-	-	-	-	421	428	-	717	698	-	
Stage 2	-	-	-	-	-	-	669	681	-	348	421	-	
-													

Approach	EB	WB	NB	SB	
HCM Control Delay, s	1.4	0.8	28.7	18.6	
HCM LOS			D	С	

Minor Lane/Major Mvmt	NBLn1	EBL	EBT	EBR	WBL	WBT	WBR	SBLn1
Capacity (veh/h)	295	1361	-	-	1089	-	-	361
HCM Lane V/C Ratio	0.497	0.073	-	-	0.02	-	-	0.271
HCM Control Delay (s)	28.7	7.9	-	-	8.4	0	-	18.6
HCM Lane LOS	D	А	-	-	А	А	-	С
HCM 95th %tile Q(veh)	2.6	0.2	-	-	0.1	-	-	1.1

Synchro Analysis Worksheets

Future Conditions Tradewinds-Par 3 Site

Mitigation

	-	\mathbf{r}	1	+	1	۲	
Movement	EBT	EBR	WBL	WBT	NBL	NBR	
Lane Configurations	4Î			↑	۲		
Traffic Volume (veh/h)	683	184	0	580	35	0	
Future Volume (veh/h)	683	184	0	580	35	0	
Number	4	14	3	8	5	12	
Initial Q (Qb), veh	0	0	0	0	0	0	
Ped-Bike Adj(A_pbT)	•	1.00	1.00	•	1.00	1.00	
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	
Adj Sat Flow, veh/h/ln	1863	1900	0	1863	1863	0	
Adj Flow Rate, veh/h	742	200	0	630	38	0	
Adj No. of Lanes	1	0	Ŭ Ŭ	1	1	Ũ	
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	
Percent Heavy Veh, %	2	2	0.02	2	2	0.02	
Cap, veh/h	1307	352	0	1722	0	0	
Arrive On Green	0.92	0.92	0.00	1.00	0.00	0.00	
Sat Flow, veh/h	1414	381	0.00	1863	0.00	0.00	
Grp Volume(v), veh/h	0	942	0	630	0	0	
Grp Sat Flow(s), veh/h/ln	0	942 1795	0	1863	0	0	
	0.0	5.5	0.0	0.0	0.0	0.0	
Q Serve(g_s), s							
Cycle Q Clear(g_c), s	0.0	5.5	0.0	0.0	0.0	0.0	
Prop In Lane	0	0.21	0.00	4700	0.00	0.00	
Lane Grp Cap(c), veh/h	0	1659	0	1722	0	0	
V/C Ratio(X)	0.00	0.57	0.00	0.37	0.00	0.00	
Avail Cap(c_a), veh/h	0	1659	0	1722	0	0	
HCM Platoon Ratio	1.00	1.00	1.00	2.00	1.00	1.00	
Upstream Filter(I)	0.00	1.00	0.00	1.00	0.00	0.00	
Uniform Delay (d), s/veh	0.0	0.4	0.0	0.0	0.0	0.0	
Incr Delay (d2), s/veh	0.0	1.4	0.0	0.6	0.0	0.0	
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	
%ile BackOfQ(50%),veh/In	0.0	3.0	0.0	0.3	0.0	0.0	
LnGrp Delay(d),s/veh	0.0	1.8	0.0	0.6	0.0	0.0	
LnGrp LOS		A		A			
Approach Vol, veh/h	942			630	0		
Approach Delay, s/veh	1.8			0.6	0.0		
Approach LOS	А			А			
Timer	1	2	3	4	5	6	7 8
Assigned Phs		2		4			8
Phs Duration (G+Y+Rc), s		0.0		66.0			66.0
Change Period (Y+Rc), s		5.0		5.0			5.0
Max Green Setting (Gmax), s		19.0		61.0			61.0
Max Q Clear Time (g_c+I1), s		0.0		7.5			2.0
Green Ext Time (p_c), s		0.0		20.8			21.4
Intersection Summary							
			1.3				
HCM 2010 Ctrl Delay			1.0				

Par 3 Tradewinds Alternative AM Peak Hour 11/19/2019 Future Year 2027 with Project

	≯	-	$\mathbf{\hat{z}}$	4	+	•	•	1	1	1	Ļ	~
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	1	el 🕴		۲.	et 🗧		ľ	el 🗧			र्भ	1
Traffic Volume (veh/h)	135	355	193	154	440	50	0	0	0	47	10	140
Future Volume (veh/h)	135	355	193	154	440	50	0	0	0	47	10	140
Number	7	4	14	3	8	18	5	2	12	1	6	16
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Adj Sat Flow, veh/h/ln	1863	1863	1900	1863	1863	1900	1863	1863	1900	1900	1863	1863
Adj Flow Rate, veh/h	147	386	210	167	478	54	0	0	0	51	11	152
Adj No. of Lanes	1	1	0	1	1	0	1	1	0	0	1	1
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Percent Heavy Veh, %	2	2	2	2	2	2	2	2	2	2	2	2
Cap, veh/h	568	568	309	510	822	93	2	349	0	0	349	297
Arrive On Green	0.13	0.50	0.50	0.13	0.50	0.50	0.00	0.00	0.00	0.00	0.19	0.19
Sat Flow, veh/h	1774	1136	618	1774	1644	186	1774	1863	0	0	1863	1583
Grp Volume(v), veh/h	147	0	596	167	0	532	0	0	0	0	11	152
Grp Sat Flow(s),veh/h/ln	1774	0	1754	1774	0	1830	1774	1863	0	0	1863	1583
Q Serve(g_s), s	2.7	0.0	20.6	3.1	0.0	16.4	0.0	0.0	0.0	0.0	0.4	6.9
Cycle Q Clear(g_c), s	2.7	0.0	20.6	3.1	0.0	16.4	0.0	0.0	0.0	0.0	0.4	6.9
Prop In Lane	1.00		0.35	1.00		0.10	1.00		0.00	0.00		1.00
Lane Grp Cap(c), veh/h	568	0	877	510	0	915	2	349	0	0	349	297
V/C Ratio(X)	0.26	0.00	0.68	0.33	0.00	0.58	0.00	0.00	0.00	0.00	0.03	0.51
Avail Cap(c_a), veh/h	568	0	877	510	0	915	155	349	0	0	349	297
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	1.00	1.00	0.00	1.00	0.00	0.00	0.00	0.00	1.00	1.00
Uniform Delay (d), s/veh	8.2	0.0	15.1	9.5	0.0	14.1	0.0	0.0	0.0	0.0	26.6	29.2
Incr Delay (d2), s/veh	1.1	0.0	4.2	1.7	0.0	2.7	0.0	0.0	0.0	0.0	0.2	6.2
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/ln	1.4	0.0	11.0	1.7	0.0	8.8	0.0	0.0	0.0	0.0	0.2	3.5
LnGrp Delay(d),s/veh	9.3	0.0	19.4	11.2	0.0	16.8	0.0	0.0	0.0	0.0	26.7	35.4
LnGrp LOS	А		В	В		В					С	D
Approach Vol, veh/h		743			699			0			163	
Approach Delay, s/veh		17.4			15.5			0.0			34.8	
Approach LOS		В			В						С	
Timer	1	2	3	4	5	6	7	8				
Assigned Phs	1	2	3	4	5	6	7	8				
Phs Duration (G+Y+Rc), s	0.0	20.0	15.0	45.0	0.0	20.0	15.0	45.0				
Change Period (Y+Rc), s	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0				
Max Green Setting (Gmax), s	5.0	15.0	10.0	40.0	7.0	13.0	10.0	40.0				
Max Q Clear Time (g_c+I1), s	0.0	0.0	5.1	22.6	0.0	8.9	4.7	18.4				
Green Ext Time (p_c), s	0.0	0.0	0.2	7.7	0.0	0.2	0.2	8.6				
Intersection Summary												
HCM 2010 Ctrl Delay			18.3									
HCM 2010 LOS			В									

Par 3 Tradewinds Alternative AM Peak Hour 11/19/2019 Future Year 2027 with Project

Int Delay, s/veh	2					
Movement	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations	ef 👘		٦	1	Y	
Traffic Vol, veh/h	310	92	120	609	35	10
Future Vol, veh/h	310	92	120	609	35	10
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	-	-	100	-	0	-
Veh in Median Storage,	# 0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	337	100	130	662	38	11

Major/Minor	Major1	Major2	Minor1	
Conflicting Flow All	0	0 437	0 1309	387
Stage 1	-		- 387	-
Stage 2	-		- 922	-
Critical Hdwy	-	- 4.12	- 6.42	6.22
Critical Hdwy Stg 1	-		- 5.42	-
Critical Hdwy Stg 2	-		- 5.42	-
Follow-up Hdwy	-	- 2.218	- 3.518	3.318
Pot Cap-1 Maneuver	-	- 1123	- 176	661
Stage 1	-		- 686	-
Stage 2	-		- 387	-
Platoon blocked, %	-	-	-	
Mov Cap-1 Maneuver	r -	- 1123	- 156	661
Mov Cap-2 Maneuver	r -		- 156	-
Stage 1	-		- 686	-
Stage 2	-		- 342	-

Approach	EB	WB	NB
HCM Control Delay, s	0	1.4	30.8
HCM LOS			D

Minor Lane/Major Mvmt	NBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)	188	-	-	1123	-
HCM Lane V/C Ratio	0.26	-	-	0.116	-
HCM Control Delay (s)	30.8	-	-	8.6	-
HCM Lane LOS	D	-	-	А	-
HCM 95th %tile Q(veh)	1	-	-	0.4	-

Intersection

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
Lane Configurations	۲	4Î			4			4			4		
Traffic Vol, veh/h	30	70	80	60	347	45	60	10	25	90	25	182	
Future Vol, veh/h	30	70	80	60	347	45	60	10	25	90	25	182	
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0	
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop	
RT Channelized	-	-	None										
Storage Length	85	-	-	-	-	-	-	-	-	-	-	-	
Veh in Median Storage,	# -	0	-	-	0	-	-	0	-	-	0	-	
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2	
Mvmt Flow	33	76	87	65	377	49	65	11	27	98	27	198	

Major/Minor	Major1		Ν	1ajor2			Minor1			Minor2			
Conflicting Flow All	426	0	0	163	0	0	830	742	120	737	761	402	
Stage 1	-	-	-	-	-	-	186	186	-	532	532	-	
Stage 2	-	-	-	-	-	-	644	556	-	205	229	-	
Critical Hdwy	4.12	-	-	4.12	-	-	7.12	6.52	6.22	7.12	6.52	6.22	
Critical Hdwy Stg 1	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-	
Critical Hdwy Stg 2	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-	
Follow-up Hdwy	2.218	-	-	2.218	-	-	3.518	4.018	3.318	3.518	4.018	3.318	
Pot Cap-1 Maneuver	1133	-	-	1416	-	-	289	344	931	334	335	648	
Stage 1	-	-	-	-	-	-	816	746	-	531	526	-	
Stage 2	-	-	-	-	-	-	461	513	-	797	715	-	
Platoon blocked, %		-	-		-	-							
Mov Cap-1 Maneuver	1133	-	-	1416	-	-	175	314	931	295	306	648	
Mov Cap-2 Maneuver	-	-	-	-	-	-	175	314	-	295	306	-	
Stage 1	-	-	-	-	-	-	792	724	-	516	494	-	
Stage 2	-	-	-	-	-	-	284	482	-	740	694	-	

Approach	EB	WB	NB	SB	
HCM Control Delay, s	1.4	1	31.4	31.7	
HCM LOS			D	D	

Minor Lane/Major Mvmt	NBLn1	EBL	EBT	EBR	WBL	WBT	WBR \$	SBLn1
Capacity (veh/h)	237	1133	-	-	1416	-	-	445
HCM Lane V/C Ratio	0.436	0.029	-	-	0.046	-	-	0.725
HCM Control Delay (s)	31.4	8.3	-	-	7.7	0	-	31.7
HCM Lane LOS	D	А	-	-	А	А	-	D
HCM 95th %tile Q(veh)	2.1	0.1	-	-	0.1	-	-	5.8

	-	>	•	+	•	1			
Movement	EBT	EBR	• WBL	WBT	NBL	NBR			
ine Configurations	1		VVDL	<u> </u>	<u> </u>	NDIX			
affic Volume (veh/h)	561	45	0	583	40	0			
ture Volume (veh/h)	561	45	0	583	40	0			
mber	4	14	3	8	40 5	12			
ial Q (Qb), veh	4 0	0	0	0	0	0			
id-Bike Adj(A_pbT)	0	1.00	1.00	0	1.00	1.00			
rking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00			
ij Sat Flow, veh/h/ln	1863	1900	0	1863	1863	0			
j Flow Rate, veh/h	610	49	0	634	43	0			
lj No. of Lanes	1	49	0	1	43	0			
ak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92			
	0.92	0.92	0.92	0.92	0.92	0.92			
rcent Heavy Veh, %	∠ 1567	2 126	0	∠ 1715	2	0			
p, veh/h ive On Green	0.92	0.92	0.00	1.00	0.00	0.00			
t Flow, veh/h	0.92 1702	0.92 137		1863					
			0		0	0			
p Volume(v), veh/h	0	659	0	634	0	0			
rp Sat Flow(s),veh/h/ln	0	1839	0	1863	0	0			
Serve(g_s), s	0.0	2.8	0.0	0.0	0.0	0.0			
/cle Q Clear(g_c), s	0.0	2.8	0.0	0.0	0.0	0.0			
op In Lane		0.07	0.00		0.00	0.00			
ne Grp Cap(c), veh/h	0	1693	0	1715	0	0			
C Ratio(X)	0.00	0.39	0.00	0.37	0.00	0.00			
vail Cap(c_a), veh/h	0	1693	0	1715	0	0			
CM Platoon Ratio	1.00	1.00	1.00	2.00	1.00	1.00			
pstream Filter(I)	0.00	1.00	0.00	1.00	0.00	0.00			
niform Delay (d), s/veh	0.0	0.3	0.0	0.0	0.0	0.0			
cr Delay (d2), s/veh	0.0	0.7	0.0	0.6	0.0	0.0			
iitial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0			
ile BackOfQ(50%),veh/ln	0.0	1.6	0.0	0.3	0.0	0.0			
nGrp Delay(d),s/veh	0.0	1.0	0.0	0.6	0.0	0.0			
IGrp LOS		А		А					
pproach Vol, veh/h	659			634	0				
pproach Delay, s/veh	1.0			0.6	0.0				
pproach LOS	А			А					
imer	1	2	3	4	5	6	7	8	
ssigned Phs		2		4				8	
Phs Duration (G+Y+Rc), s		0.0		63.0			6	3.0	
hange Period (Y+Rc), s		5.0		5.0				5.0	
lax Green Setting (Gmax), s		22.0		58.0				8.0	
lax Q Clear Time (g c+l1), s		0.0		4.8				2.0	
reen Ext Time (p_c), s		0.0		13.7				3.8	
u = 71									
tersection Summary			0.0						
CM 2010 Ctrl Delay CM 2010 LOS			0.8 A						
GIVI 2010 LUS			A						

Par 3 Tradewinds Midday Peak Hour 11/19/2019 Future Year 2027 with Project

	≯	→	$\mathbf{\hat{z}}$	4	+	•	1	1	1	1	ţ	~
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	۳.	el 🕴		۲.	et 🗧		٦	ef 👘			÷	1
Traffic Volume (veh/h)	140	265	156	125	410	55	78	4	64	20	8	95
Future Volume (veh/h)	140	265	156	125	410	55	78	4	64	20	8	95
Number	7	4	14	3	8	18	5	2	12	1	6	16
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Adj Sat Flow, veh/h/ln	1863	1863	1900	1863	1863	1900	1863	1863	1900	1900	1863	1863
Adj Flow Rate, veh/h	152	288	170	136	446	60	85	4	70	22	9	103
Adj No. of Lanes	1	1	0	1	1	0	1	1	0	0	1	1
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Percent Heavy Veh, %	2	2	2	2	2	2	2	2	2	2	2	2
Cap, veh/h	468	440	260	490	643	87	197	26	453	0	248	211
Arrive On Green	0.13	0.40	0.40	0.13	0.40	0.40	0.11	0.30	0.30	0.00	0.13	0.13
Sat Flow, veh/h	1774	1099	649	1774	1608	216	1774	86	1510	0	1863	1583
Grp Volume(v), veh/h	152	0	458	136	0	506	85	0	74	0	9	103
Grp Sat Flow(s), veh/h/ln	1774	0	1748	1774	0	1825	1774	0	1596	0	1863	1583
Q Serve(g_s), s	3.9	0.0	19.2	3.5	0.0	20.7	4.0	0.0	3.1	0.0	0.4	5.4
Cycle Q Clear(g_c), s	3.9	0.0	19.2	3.5	0.0	20.7	4.0	0.0	3.1	0.0	0.4	5.4
Prop In Lane	1.00		0.37	1.00		0.12	1.00		0.95	0.00		1.00
Lane Grp Cap(c), veh/h	468	0	699	490	0	730	197	0	479	0	248	211
V/C Ratio(X)	0.33	0.00	0.65	0.28	0.00	0.69	0.43	0.00	0.15	0.00	0.04	0.49
Avail Cap(c_a), veh/h	468	0	699	490	0	730	197	0	479	0	248	211
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	1.00	1.00	0.00	1.00	1.00	0.00	1.00	0.00	1.00	1.00
Uniform Delay (d), s/veh	13.6	0.0	22.0	13.0	0.0	22.4	37.3	0.0	23.1	0.0	34.0	36.2
Incr Delay (d2), s/veh	1.8	0.0	4.7	1.4	0.0	5.4	6.7	0.0	0.7	0.0	0.3	7.9
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/In	2.1	0.0	10.1	1.9	0.0	11.5	2.3	0.0	1.4	0.0	0.2	2.8
LnGrp Delay(d),s/veh	15.4	0.0	26.7	14.4	0.0	27.8	44.1	0.0	23.8	0.0	34.2	44.0
LnGrp LOS	В		С	В		С	D		С		С	D
Approach Vol, veh/h		610			642			159	-		112	
Approach Delay, s/veh		23.9			25.0			34.7			43.2	
Approach LOS		С			С			С			D	
Timer	1	2	3	4	5	6	7	8				
Assigned Phs	1	2	3	4	5	6	7	8				
Phs Duration (G+Y+Rc), s	0.0	32.0	17.0	41.0	15.0	17.0	17.0	41.0				
Change Period (Y+Rc), s	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0				
Max Green Setting (Gmax), s	5.0	17.0	12.0	36.0	10.0	12.0	12.0	36.0				
Max Q Clear Time (g_c+I1), s	0.0	5.1	5.5	21.2	6.0	7.4	5.9	22.7				
Green Ext Time (p_c), s	0.0	0.6	0.2	5.9	0.1	0.3	0.2	5.6				
Intersection Summary												
HCM 2010 Ctrl Delay			26.9									
HCM 2010 LOS			С									

Int Delay, s/veh	1.7						
Movement	EBT	EBR	WBL	WBT	NBL	NBR	
Lane Configurations	el el		٦	1	Y		
Traffic Vol, veh/h	308	41	40	540	50	15	;
Future Vol, veh/h	308	41	40	540	50	15	;
Conflicting Peds, #/hr	0	0	0	0	0	0)
Sign Control	Free	Free	Free	Free	Stop	Stop)
RT Channelized	-	None	-	None	-	None	;
Storage Length	-	-	100	-	0	-	-
Veh in Median Storage,	# 0	-	-	0	0	-	
Grade, %	0	-	-	0	0	-	
Peak Hour Factor	92	92	92	92	92	92)
Heavy Vehicles, %	2	2	2	2	2	2	2
Mvmt Flow	335	45	43	587	54	16	;

Major/Minor	Major1	Ν	/lajor2		Minor1	
Conflicting Flow All	0	0	380	0	1031	358
Stage 1	-	-	-	-	358	-
Stage 2	-	-	-	-	673	-
Critical Hdwy	-	-	4.12	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	-	5.42	-
Critical Hdwy Stg 2	-	-	-	-	5.42	-
Follow-up Hdwy	-	-	2.218	-	3.518	3.318
Pot Cap-1 Maneuver	-	-	1178	-	258	686
Stage 1	-	-	-	-	707	-
Stage 2	-	-	-	-	507	-
Platoon blocked, %	-	-		-		
Mov Cap-1 Maneuver	r -	-	1178	-	248	686
Mov Cap-2 Maneuver	r -	-	-	-	248	-
Stage 1	-	-	-	-	707	-
Stage 2	-	-	-	-	488	-

Approach	EB	WB	NB
HCM Control Delay, s	0	0.6	21.3
HCM LOS			С

Minor Lane/Major Mvmt	NBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)	291	-	-	1178	-
HCM Lane V/C Ratio	0.243	-	-	0.037	-
HCM Control Delay (s)	21.3	-	-	8.2	-
HCM Lane LOS	С	-	-	А	-
HCM 95th %tile Q(veh)	0.9	-	-	0.1	-

Intersection

Maxamant		ГРТ					NIDI	NDT		CDI	ОРТ	000	
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
Lane Configurations	ኘ	ef 👘			- 4 >			- 4 >			- 4 >		
Traffic Vol, veh/h	64	164	70	40	252	45	60	5	30	25	20	78	
Future Vol, veh/h	64	164	70	40	252	45	60	5	30	25	20	78	
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0	
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop	
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None	
Storage Length	85	-	-	-	-	-	-	-	-	-	-	-	
Veh in Median Storage,	# -	0	-	-	0	-	-	0	-	-	0	-	
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2	
Mvmt Flow	70	178	76	43	274	49	65	5	33	27	22	85	

Major/Minor	Major1		Ν	/lajor2			Minor1]	Minor2			
Conflicting Flow All	323	0	0	254	0	0	794	765	216	760	779	299	
Stage 1	-	-	-	-	-	-	356	356	-	385	385	-	
Stage 2	-	-	-	-	-	-	438	409	-	375	394	-	
Critical Hdwy	4.12	-	-	4.12	-	-	7.12	6.52	6.22	7.12	6.52	6.22	
Critical Hdwy Stg 1	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-	
Critical Hdwy Stg 2	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-	
Follow-up Hdwy	2.218	-	-	2.218	-	-	3.518	4.018	3.318	3.518	4.018	3.318	
Pot Cap-1 Maneuver	1237	-	-	1311	-	-	306	333	824	323	327	741	
Stage 1	-	-	-	-	-	-	661	629	-	638	611	-	
Stage 2	-	-	-	-	-	-	597	596	-	646	605	-	
Platoon blocked, %		-	-		-	-							
Mov Cap-1 Maneuver	1237	-	-	1311	-	-	237	301	824	284	296	741	
Mov Cap-2 Maneuver	-	-	-	-	-	-	237	301	-	284	296	-	
Stage 1	-	-	-	-	-	-	623	593	-	602	587	-	
Stage 2	-	-	-	-	-	-	489	572	-	580	571	-	
-													

Approach	EB	WB	NB	SB
HCM Control Delay, s	1.7	0.9	22.3	15.6
HCM LOS			С	С

Minor Lane/Major Mvmt	NBLn1	EBL	EBT	EBR	WBL	WBT	WBR	SBLn1
Capacity (veh/h)	310	1237	-	-	1311	-	-	472
HCM Lane V/C Ratio	0.333	0.056	-	-	0.033	-	-	0.283
HCM Control Delay (s)	22.3	8.1	-	-	7.8	0	-	15.6
HCM Lane LOS	С	А	-	-	А	А	-	С
HCM 95th %tile Q(veh)	1.4	0.2	-	-	0.1	-	-	1.2

	-	\mathbf{F}	1	+	•	1			
Movement	EBT	EBR	WBL	WBT	NBL	NBR			
Lane Configurations	1 2	2011		1	1				
Traffic Volume (veh/h)	581	55	0	649	165	0			
Future Volume (veh/h)	581	55	0	649	165	0			
Number	4	14	3	8	5	12			
Initial Q (Qb), veh	0	0	0	0	0	0			
Ped-Bike Adj(A_pbT)	U	1.00	1.00	U	1.00	1.00			
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00			
Adj Sat Flow, veh/h/ln	1863	1900	0	1863	1863	0			
Adj Flow Rate, veh/h	632	60	0	705	179	0			
Adj No. of Lanes	1	0	0	1	1	0			
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92			
Percent Heavy Veh, %	2	2	0.02	2	2	0.02			
Cap, veh/h	1543	146	0	1715	0	0			
Arrive On Green	0.92	0.92	0.00	1.00	0.00	0.00			
Sat Flow, veh/h	1676	159	0.00	1863	0.00	0.00			
Grp Volume(v), veh/h	0	692	0	705	0	0			
Grp Sat Flow(s), veh/h/ln	0	1835	0	1863	0	0			
Q Serve(g_s), s	0.0	3.0	0.0	0.0	0.0	0.0			
Cycle Q Clear(g_c), s	0.0	3.0	0.0	0.0	0.0	0.0			
Prop In Lane	0.0	0.09	0.00	0.0	0.00	0.00			
Lane Grp Cap(c), veh/h	0	1689	0.00	1715	0.00	0.00			
V/C Ratio(X)	0.00	0.41	0.00	0.41	0.00	0.00			
Avail Cap(c_a), veh/h	0.00	1689	0.00	1715	0.00	0.00			
HCM Platoon Ratio	1.00	1.00	1.00	2.00	1.00	1.00			
Upstream Filter(I)	0.00	1.00	0.00	2.00	0.00	0.00			
Uniform Delay (d), s/veh	0.00	0.3	0.00	0.0	0.00	0.00			
Incr Delay (d2), s/veh	0.0	0.3	0.0	0.0	0.0	0.0			
Initial Q Delay(d3),s/veh	0.0	0.7	0.0	0.7	0.0	0.0			
%ile BackOfQ(50%),veh/ln	0.0	1.7	0.0	0.0	0.0	0.0			
LnGrp Delay(d),s/veh	0.0	1.1	0.0	0.3	0.0	0.0			
LnGrp LOS	0.0		0.0		0.0	0.0			
	600	A		A 705	0				
Approach Vol, veh/h	692			705	0				
Approach Delay, s/veh	1.1			0.7	0.0				
Approach LOS	А			А					
Timer	1	2	3	4	5	6	7	8	
Assigned Phs		2		4				8	
Phs Duration (G+Y+Rc), s		0.0		63.0				63.0	
Change Period (Y+Rc), s		5.0		5.0				5.0	
Max Green Setting (Gmax), s		22.0		58.0				58.0	
Max Q Clear Time (g_c+I1), s		0.0		5.0				2.0	
Green Ext Time (p_c), s		0.0		15.7				15.9	
Intersection Summary									
HCM 2010 Ctrl Delay			0.9						
HCM 2010 LOS			А						

	≯	-	$\mathbf{\hat{z}}$	4	+	•	1	Ť	1	1	Ļ	~
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	ľ	el el		1	¢Î		ľ	et			ŧ	1
Traffic Volume (veh/h)	175	395	11	8	450	57	124	7	101	15	1	75
Future Volume (veh/h)	175	395	11	8	450	57	124	7	101	15	1	75
Number	7	4	14	3	8	18	5	2	12	1	6	16
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Adj Sat Flow, veh/h/ln	1863	1863	1900	1863	1863	1900	1863	1863	1900	1900	1863	1863
Adj Flow Rate, veh/h	190	429	12	9	489	62	135	8	110	16	1	82
Adj No. of Lanes	1	1	0	1	1	0	1	1	0	0	1	1
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Percent Heavy Veh, %	2	2	2	2	2	2	2	2	2	2	2	2
Cap, veh/h	367	822	23	448	738	94	237	35	480	0	248	211
Arrive On Green	0.06	0.46	0.46	0.06	0.46	0.46	0.13	0.32	0.32	0.00	0.13	0.13
Sat Flow, veh/h	1774	1803	50	1774	1621	206	1774	108	1491	0	1863	1583
Grp Volume(v), veh/h	190	0	441	9	0	551	135	0	118	0	1	82
Grp Sat Flow(s),veh/h/ln	1774	0	1854	1774	0	1826	1774	0	1600	0	1863	1583
Q Serve(g_s), s	5.0	0.0	15.3	0.2	0.0	21.2	6.4	0.0	4.9	0.0	0.0	4.3
Cycle Q Clear(g_c), s	5.0	0.0	15.3	0.2	0.0	21.2	6.4	0.0	4.9	0.0	0.0	4.3
Prop In Lane	1.00		0.03	1.00		0.11	1.00		0.93	0.00		1.00
Lane Grp Cap(c), veh/h	367	0	845	448	0	832	237	0	515	0	248	211
V/C Ratio(X)	0.52	0.00	0.52	0.02	0.00	0.66	0.57	0.00	0.23	0.00	0.00	0.39
Avail Cap(c_a), veh/h	367	0	845	448	0	832	237	0	515	0	248	211
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	1.00	1.00	0.00	1.00	1.00	0.00	1.00	0.00	1.00	1.00
Uniform Delay (d), s/veh	16.0	0.0	17.5	12.1	0.0	19.1	36.6	0.0	22.3	0.0	33.8	35.6
Incr Delay (d2), s/veh	5.2	0.0	2.3	0.1	0.0	4.1	9.6	0.0	1.0	0.0	0.0	5.3
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/ln	2.1	0.0	8.3	0.1	0.0	11.5	3.8	0.0	2.3	0.0	0.0	2.2
LnGrp Delay(d),s/veh	21.1	0.0	19.8	12.2	0.0	23.2	46.2	0.0	23.4	0.0	33.8	41.0
LnGrp LOS	С		В	В		С	D		С		С	D
Approach Vol, veh/h		631			560	-		253	-		83	
Approach Delay, s/veh		20.2			23.1			35.6			40.9	
Approach LOS		C			C			D			D	
Timer	1	2	3	4	5	6	7	8				
Assigned Phs	1	2	3	4	5	6	7	8				
Phs Duration (G+Y+Rc), s	0.0	34.0	10.0	46.0	17.0	17.0	10.0	46.0				
Change Period (Y+Rc), s	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0				
Max Green Setting (Gmax), s	5.0	19.0	5.0	41.0	12.0	12.0	5.0	41.0				
Max Q Clear Time (g_c+l1), s	0.0	6.9	2.2	17.3	8.4	6.3	7.0	23.2				
Green Ext Time (p_c), s	0.0	0.7	0.0	7.5	0.1	0.4	0.0	6.6				
Intersection Summary												
HCM 2010 Ctrl Delay			24.9									
HCM 2010 LOS			24.9 C									
			U									

01/29/2020

Intersection						
Int Delay, s/veh	5.3					
Movement	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations	4		- ሽ	↑	۰¥	
Traffic Vol, veh/h	479	32	30	413	102	73
Future Vol, veh/h	479	32	30	413	102	73
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	-	-	100	-	0	-
Veh in Median Storage	e, # 0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	521	35	33	449	111	79

Major/Minor	Major1	Major2	Ν	/linor1	
Conflicting Flow All	0	0 556	0	1054	539
Stage 1	-		-	539	-
Stage 2	-		-	515	-
Critical Hdwy	-	- 4.12	-	6.42	6.22
Critical Hdwy Stg 1	-		-	5.42	-
Critical Hdwy Stg 2	-		-	5.42	-
Follow-up Hdwy	-	- 2.218	-	3.518	3.318
Pot Cap-1 Maneuver	-	- 1015	-	250	542
Stage 1	-		-	585	-
Stage 2	-		-	600	-
Platoon blocked, %	-	-	-		
Mov Cap-1 Maneuve	r -	- 1015	-	242	542
Mov Cap-2 Maneuve	r -		-	242	-
Stage 1	-		-	585	-
Stage 2	-		-	580	-

Approach	EB	WB	NB
HCM Control Delay, s	0	0.6	32.4
HCM LOS			D

Minor Lane/Major Mvmt	NBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)	315	-	-	1015	-
HCM Lane V/C Ratio	0.604	-	-	0.032	-
HCM Control Delay (s)	32.4	-	-	8.7	-
HCM Lane LOS	D	-	-	А	-
HCM 95th %tile Q(veh)	3.7	-	-	0.1	-

Intersection

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
Lane Configurations	5	4			4	TIDI(1102	4		002	4	ODIT	
Traffic Vol, veh/h	92	405	30	20	148	45	65	15	55	30	10	50	
Future Vol, veh/h	92	405	30	20	148	45	65	15	55	30	10	50	
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0	
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop	
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None	
Storage Length	85	-	-	-	-	-	-	-	-	-	-	-	
Veh in Median Storage,	# -	0	-	-	0	-	-	0	-	-	0	-	
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2	
Mvmt Flow	100	440	33	22	161	49	71	16	60	33	11	54	

Major/Minor	Major1		Ν	/lajor2			Minor1		l	Minor2			
Conflicting Flow All	210	0	0	473	0	0	919	911	457	925	903	186	
Stage 1	-	-	-	-	-	-	657	657	-	230	230	-	
Stage 2	-	-	-	-	-	-	262	254	-	695	673	-	
Critical Hdwy	4.12	-	-	4.12	-	-	7.12	6.52	6.22	7.12	6.52	6.22	
Critical Hdwy Stg 1	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-	
Critical Hdwy Stg 2	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-	
Follow-up Hdwy	2.218	-	-	2.218	-	-	3.518	4.018	3.318	3.518	4.018	3.318	
Pot Cap-1 Maneuver	1361	-	-	1089	-	-	252	274	604	250	277	856	
Stage 1	-	-	-	-	-	-	454	462	-	773	714	-	
Stage 2	-	-	-	-	-	-	743	697	-	433	454	-	
Platoon blocked, %		-	-		-	-							
Mov Cap-1 Maneuver	1361	-	-	1089	-	-	212	248	604	199	251	856	
Mov Cap-2 Maneuver	-	-	-	-	-	-	212	248	-	199	251	-	
Stage 1	-	-	-	-	-	-	421	428	-	717	698	-	
Stage 2	-	-	-	-	-	-	669	681	-	348	421	-	

Approach	EB	WB	NB	SB	
HCM Control Delay, s	1.4	0.8	28.7	18.6	
HCM LOS			D	С	

Minor Lane/Major Mvmt	NBLn1	EBL	EBT	EBR	WBL	WBT	WBR	SBLn1
Capacity (veh/h)	295	1361	-	-	1089	-	-	361
HCM Lane V/C Ratio	0.497	0.073	-	-	0.02	-	-	0.271
HCM Control Delay (s)	28.7	7.9	-	-	8.4	0	-	18.6
HCM Lane LOS	D	А	-	-	А	А	-	С
HCM 95th %tile Q(veh)	2.6	0.2	-	-	0.1	-	-	1.1

Synchro Analysis Worksheets

Future Conditions Kuntz Gate Site

No Mitigation

Intersection

Int Delay, s/veh	1.4					
Movement	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations	et -		٦	1	Y	
Traffic Vol, veh/h	832	35	15	580	35	5
Future Vol, veh/h	832	35	15	580	35	5
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	-	-	100	-	0	-
Veh in Median Storage,	# 0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	904	38	16	630	38	5

Inflicting Flow All 0 0 942 0 1585 923 Stage 1 - - - 923 - Stage 2 - - - 662 -
Stage 2
tical Hdwy 4.12 - 6.42 6.22
tical Hdwy Stg 1 5.42 -
tical Hdwy Stg 2 5.42 -
llow-up Hdwy 2.218 - 3.518 3.318
t Cap-1 Maneuver 728 - 119 327
Stage 1 387 -
Stage 2 513 -
itoon blocked, %
v Cap-1 Maneuver 728 - 116 327
v Cap-2 Maneuver 116 -
Stage 1 387 -
Stage 2 502 -

Approach	EB	WB	NB
HCM Control Delay, s	0	0.3	47.9
HCM LOS			E

Minor Lane/Major Mvmt	NBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)	126	-	-	728	-
HCM Lane V/C Ratio	0.345	-	-	0.022	-
HCM Control Delay (s)	47.9	-	-	10.1	-
HCM Lane LOS	E	-	-	В	-
HCM 95th %tile Q(veh)	1.4	-	-	0.1	-

Kuntz Gate Alternative AM Peak Hour 01/29/2020 Future Year 2027 with Project

Int Delay, s/veh	5.1					
Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations	٦	1	et –		٦	1
Traffic Vol, veh/h	135	702	455	50	57	140
Future Vol, veh/h	135	702	455	50	57	140
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	100	-	-	-	0	0
Veh in Median Storage,	,# -	0	0	-	0	-
Grade, %	-	0	0	-	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	147	763	495	54	62	152

Major/Minor	Major1	Мајо	r2		Minor2	
Conflicting Flow All	549	0	-	0	1579	522
Stage 1	-	-	-	-	522	-
Stage 2	-	-	-	-	1057	-
Critical Hdwy	4.12	-	-	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	-	5.42	-
Critical Hdwy Stg 2	-	-	-	-	5.42	-
Follow-up Hdwy	2.218	-	-	-	3.518	3.318
Pot Cap-1 Maneuver	1021	-	-	-	120	555
Stage 1	-	-	-	-	595	-
Stage 2	-	-	-	-	334	-
Platoon blocked, %		-	-	-		
Mov Cap-1 Maneuver	1021	-	-	-	103	555
Mov Cap-2 Maneuver	-	-	-	-	103	-
Stage 1	-	-	-	-	509	-
Stage 2	-	-	-	-	334	-

Approach	EB	WB	SB
HCM Control Delay, s	1.5	0	33.8
HCM LOS			D

Minor Lane/Major Mvmt	EBL	EBT	WBT	WBR SBLn1	SBLn2
Capacity (veh/h)	1021	-	-	- 103	555
HCM Lane V/C Ratio	0.144	-	-	- 0.602	0.274
HCM Control Delay (s)	9.1	-	-	- 82.6	13.9
HCM Lane LOS	А	-	-	- F	В
HCM 95th %tile Q(veh)	0.5	-	-	- 2.9	1.1

02/05/2020	
------------	--

Intersection						
Int Delay, s/veh	1.3					
Maxamant	гот					
Movement	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations	ef 👘			- †	۰¥	
Traffic Vol, veh/h	684	75	25	470	35	13
Future Vol, veh/h	684	75	25	470	35	13
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized		None		None		None
Storage Length	-	-	100	-	0	-
Veh in Median Storage	e,#0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	743	82	27	511	38	14

Major/Minor	Major1	Major2	Minor1	
Conflicting Flow All	0	0 825	0 1349	784
Stage 1	-		- 784	-
Stage 2	-		- 565	-
Critical Hdwy	-	- 4.12	- 6.42	6.22
Critical Hdwy Stg 1	-		- 5.42	-
Critical Hdwy Stg 2	-		- 5.42	-
Follow-up Hdwy	-	- 2.218	- 3.518	3.318
Pot Cap-1 Maneuver	-	- 805	- 166	393
Stage 1	-		- 450	-
Stage 2	-		- 569	-
Platoon blocked, %	-	-	-	
Mov Cap-1 Maneuve	r -	- 805	- 160	393
Mov Cap-2 Maneuve	r -		- 160	-
Stage 1	-		- 450	-
Stage 2	-		- 550	-

Approach	EB	WB	NB
HCM Control Delay, s	0	0.5	30.8
HCM LOS			D

Minor Lane/Major Mvmt	NBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)	191	-	-	805	-
HCM Lane V/C Ratio	0.273	-	-	0.034	-
HCM Control Delay (s)	30.8	-	-	9.6	-
HCM Lane LOS	D	-	-	А	-
HCM 95th %tile Q(veh)	1.1	-	-	0.1	-

Intersection

Int Delay, s/veh

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
				VVDL			NDL		NDIN	JDL			
Lane Configurations	<u> </u>	- Þ			- 4 >			- 4 >			÷		
Traffic Vol, veh/h	353	124	80	60	140	189	60	10	25	90	25	155	
Future Vol, veh/h	353	124	80	60	140	189	60	10	25	90	25	155	
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0	
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop	
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None	
Storage Length	85	-	-	-	-	-	-	-	-	-	-	-	
Veh in Median Storage,	# -	0	-	-	0	-	-	0	-	-	0	-	
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2	
Mvmt Flow	384	135	87	65	152	205	65	11	27	98	27	168	

Major/Minor	Major1		Majo	or2		Minor1			Minor2			
Conflicting Flow All	357	0	0 2	22 0) 0	1429	1434	179	1351	1375	255	
Stage 1	-	-	-			947	947	-	385	385	-	
Stage 2	-	-	-			482	487	-	966	990	-	
Critical Hdwy	4.12	-	- 4	12 -		7.12	6.52	6.22	7.12	6.52	6.22	
Critical Hdwy Stg 1	-	-	-			6.12	5.52	-	6.12	5.52	-	
Critical Hdwy Stg 2	-	-	-			6.12	5.52	-	6.12	5.52	-	
Follow-up Hdwy	2.218	-	- 2.2	- 18		3.518	4.018	3.318	3.518	4.018	3.318	
Pot Cap-1 Maneuver	1202	-	- 13	47 -		112	134	864	127	145	784	
Stage 1	-	-	-			314	340	-	638	611	-	
Stage 2	-	-	-			565	550	-	306	324	-	
Platoon blocked, %		-	-	-								
Mov Cap-1 Maneuver	1202	-	- 13	47 -		~ 50	86	864	~ 80	93	784	
Mov Cap-2 Maneuver	-	-	-			~ 50	86	-	~ 80	93	-	
Stage 1	-	-	-			214	232	-	434	573	-	
Stage 2	-	-	-			396	516	-	192	221	-	

Approach	EB	WB	NB	SB	
HCM Control Delay, s	6	1.2	\$ 366.8	\$ 397.4	
HCM LOS			F	F	

Minor Lane/Major Mvmt	NBLn1	EBL	EBT	EBR	WBL	WBT	WBR SB	Ln1	
Capacity (veh/h)	71	1202	-	-	1347	-	-	170	
HCM Lane V/C Ratio	1.454	0.319	-	-	0.048	-	- 1.	726	
HCM Control Delay (s)	\$ 366.8	9.4	-	-	7.8	0	-\$ 39	97.4	
HCM Lane LOS	F	А	-	-	А	А	-	F	
HCM 95th %tile Q(veh)	8.6	1.4	-	-	0.2	-	- 2	20.7	
Notes									
~: Volume exceeds capacit	y \$: De	elay exc	eeds 300)s	+: Comp	outation	Not Defin	led	*: All major volume in platoon

Kuntz Gate Alternative AM Peak Hour 01/29/2020 Future Year 2027 with Project

Intersection

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
	EDL		EDR	VVDL		WDR	INDL		NDN	SDL		SDR	
Lane Configurations		- 4 >											
Traffic Vol, veh/h	5	0	5	0	0	0	122	80	350	10	265	22	
Future Vol, veh/h	5	0	5	0	0	0	122	80	350	10	265	22	
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0	
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free	
RT Channelized	-	-	None										
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-	
Veh in Median Storage,	# -	0	-	-	0	-	-	0	-	-	0	-	
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2	
Mvmt Flow	5	0	5	0	0	0	133	87	380	11	288	24	

Major/Minor	Minor2			Vinor1			Major1			Μ	ajor2			
Conflicting Flow All	865	1055	300	868	877	277	312	0	C)	467	0	0	
Stage 1	322	322	-	543	543	-	-	-	-	-	-	-	-	
Stage 2	543	733	-	325	334	-	-	-	-	-	-	-	-	
Critical Hdwy	7.12	6.52	6.22	7.12	6.52	6.22	4.12	-	-	-	4.12	-	-	
Critical Hdwy Stg 1	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-	-	
Critical Hdwy Stg 2	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-	-	
Follow-up Hdwy	3.518	4.018	3.318	3.518	4.018	3.318	2.218	-	-	- 2	2.218	-	-	
Pot Cap-1 Maneuver	274	226	740	273	287	762	1248	-	-	-	1094	-	-	
Stage 1	690	651	-	524	520	-	-	-	-	-	-	-	-	
Stage 2	524	426	-	687	643	-	-	-	-	-	-	-	-	
Platoon blocked, %								-	-	-		-	-	
Mov Cap-1 Maneuver	240	189	740	237	240	762	1248	-	-	-	1094	-	-	
Mov Cap-2 Maneuver	240	189	-	237	240	-	-	-	-	-	-	-	-	
Stage 1	584	643	-	444	440	-	-	-	-	-	-	-	-	
Stage 2	444	361	-	674	635	-	-	-		-	-	-	-	

Approach	EB	WB	NB	SB	
HCM Control Delay, s	15.3	0	1.8	0.3	
HCM LOS	С	А			

Minor Lane/Major Mvmt	NBL	NBT	NBR E	EBLn1W	/BLn1	SBL	SBT	SBR
Capacity (veh/h)	1248	-	-	362	-	1094	-	-
HCM Lane V/C Ratio	0.106	-	-	0.03	-	0.01	-	-
HCM Control Delay (s)	8.2	0	-	15.3	0	8.3	0	-
HCM Lane LOS	А	А	-	С	А	А	А	-
HCM 95th %tile Q(veh)	0.4	-	-	0.1	-	0	-	-

Int Delay, s/veh	0.7					
Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations	5	•	4		Y	
Traffic Vol, veh/h	54	185	389	63	0	0
Future Vol, veh/h	54	185	389	63	0	0
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	100	-	-	-	0	-
Veh in Median Storage,	# -	0	0	-	0	-
Grade, %	-	0	0	-	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	59	201	423	68	0	0

Major/Minor	Major1	Maj	or2	ſ	Minor2	
Conflicting Flow All	491	0	-	0	776	457
Stage 1	-	-	-	-	457	-
Stage 2	-	-	-	-	319	-
Critical Hdwy	4.12	-	-	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	-	5.42	-
Critical Hdwy Stg 2	-	-	-	-	5.42	-
Follow-up Hdwy	2.218	-	-	-	3.518	3.318
Pot Cap-1 Maneuver	1072	-	-	-	366	604
Stage 1	-	-	-	-	638	-
Stage 2	-	-	-	-	737	-
Platoon blocked, %		-	-	-		
Mov Cap-1 Maneuver	1072	-	-	-	346	604
Mov Cap-2 Maneuver	-	-	-	-	346	-
Stage 1	-	-	-	-	603	-
Stage 2	-	-	-	-	737	-
Annroach	FB		WR		SB	

Approach	EB	WB	SB
HCM Control Delay, s	1.9	0	0
HCM LOS			А

Minor Lane/Major Mvmt	EBL	EBT	WBT	WBR SB	Ln1
Capacity (veh/h)	1072	-	-	-	-
HCM Lane V/C Ratio	0.055	-	-	-	-
HCM Control Delay (s)	8.6	-	-	-	0
HCM Lane LOS	А	-	-	-	А
HCM 95th %tile Q(veh)	0.2	-	-	-	-

02/05/20)20
----------	-----

Intersection						
Int Delay, s/veh	1.2					
Movement	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations	4			↑	۰¥	
Traffic Vol, veh/h	561	45	15	583	40	5
Future Vol, veh/h	561	45	15	583	40	5
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	-	-	100	-	0	-
Veh in Median Storage	,# 0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	610	49	16	634	43	5

Major/Minor	Major1	Ма	ajor2		Minor1	
Conflicting Flow All	0	0	659	0	1301	635
Stage 1	-	-	-	-	635	-
Stage 2	-	-	-	-	666	-
Critical Hdwy	-	-	4.12	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	-	5.42	-
Critical Hdwy Stg 2	-	-	-	-	5.42	-
Follow-up Hdwy	-	- 2	.218	-	3.518	3.318
Pot Cap-1 Maneuver	-	-	929	-	178	478
Stage 1	-	-	-	-	528	-
Stage 2	-	-	-	-	511	-
Platoon blocked, %	-	-		-		
Mov Cap-1 Maneuve	r -	-	929	-	175	478
Mov Cap-2 Maneuve	r -	-	-	-	175	-
Stage 1	-	-	-	-	528	-
Stage 2	-	-	-	-	502	-

Approach	EB	WB	NB
HCM Control Delay, s	0	0.2	30.8
HCM LOS			D

Vinor Lane/Major Mvmt	NBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)	188	-	-	929	-
HCM Lane V/C Ratio	0.26	-	-	0.018	-
HCM Control Delay (s)	30.8	-	-	8.9	-
HCM Lane LOS	D	-	-	А	-
HCM 95th %tile Q(veh)	1	-	-	0.1	-

Intersection		
Int Delay, s/veh	2.9	

Movement	EBL	EBT	WBT	WBR	SBL	SBR	{
Lane Configurations	٦	↑	eî 👘		٦	1	1
Traffic Vol, veh/h	140	426	503	59	28	95	;
Future Vol, veh/h	140	426	503	59	28	95	;
Conflicting Peds, #/hr	0	0	0	0	0	0)
Sign Control	Free	Free	Free	Free	Stop	Stop)
RT Channelized	-	None	-	None	-	None	÷
Storage Length	100	-	-	-	0	0)
Veh in Median Storage,	,# -	0	0	-	0	-	-
Grade, %	-	0	0	-	0	-	-
Peak Hour Factor	92	92	92	92	92	92)
Heavy Vehicles, %	2	2	2	2	2	2)
Mvmt Flow	152	463	547	64	30	103	ţ.

Major/Minor	Major1	Majo	or2	ſ	Minor2						
Conflicting Flow All	611	0	-	0	1346	579					
Stage 1	-	-	-	-	579	-					
Stage 2	-	-	-	-	767	-					
Critical Hdwy	4.12	-	-	-	6.42	6.22					
Critical Hdwy Stg 1	-	-	-	-	5.42	-					
Critical Hdwy Stg 2	-	-	-	-	5.42	-					
Follow-up Hdwy	2.218	-	-	-	3.518	3.318					
Pot Cap-1 Maneuver	968	-	-	-	167	515					
Stage 1	-	-	-	-	560	-					
Stage 2	-	-	-	-	458	-					
Platoon blocked, %		-	-	-							
Mov Cap-1 Maneuve	r 968	-	-	-	141	515					
Mov Cap-2 Maneuve	r -	-	-	-	141	-					
Stage 1	-	-	-	-	472	-					
Stage 2	-	-	-	-	458	-					

Approach	EB	WB	SB
HCM Control Delay, s	2.3	0	19.1
HCM LOS			С

Minor Lane/Major Mvmt	EBL	EBT	WBT	WBR SBLn1	SBLn2
Capacity (veh/h)	968	-	-	- 141	515
HCM Lane V/C Ratio	0.157	-	-	- 0.216	0.201
HCM Control Delay (s)	9.4	-	-	- 37.4	13.7
HCM Lane LOS	А	-	-	- E	В
HCM 95th %tile Q(veh)	0.6	-	-	- 0.8	0.7

02/05/2020)
------------	---

Intersection						
Int Delay, s/veh	1.6					
••						
Movement	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations	ef -		- ሽ	↑	۰¥	
Traffic Vol, veh/h	414	40	26	512	50	12
Future Vol, veh/h	414	40	26	512	50	12
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized		None		None		None
Storage Length	-	-	100	-	0	-
Veh in Median Storage	.# 0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	450	43	28	557	54	13
	400	70	20	551	J .	10

Major/Minor	Major1	Major2	Minor1	
Conflicting Flow All	0	0 493	0 1085	472
Stage 1	-		- 472	-
Stage 2	-		- 613	-
Critical Hdwy	-	- 4.12	- 6.42	6.22
Critical Hdwy Stg 1	-		- 5.42	-
Critical Hdwy Stg 2	-		- 5.42	
Follow-up Hdwy	-	- 2.218	- 3.518	
Pot Cap-1 Maneuver	-	- 1071	- 240	592
Stage 1	-		- 628	-
Stage 2	-		- 541	-
Platoon blocked, %	-	-	-	
Mov Cap-1 Maneuve		- 1071	- 234	592
Mov Cap-2 Maneuve	r -		- 234	-
Stage 1	-		- 628	-
Stage 2	-		- 527	-

Approach	EB	WB	NB
HCM Control Delay, s	0	0.4	23.2
HCM LOS			С

Minor Lane/Major Mvmt	NBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)	265	-	-	1071	-
HCM Lane V/C Ratio	0.254	-	-	0.026	-
HCM Control Delay (s)	23.2	-	-	8.5	-
HCM Lane LOS	С	-	-	А	-
HCM 95th %tile Q(veh)	1	-	-	0.1	-

Intersection

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
Lane Configurations	۲	4			4			4		002	4	ODIT	
Traffic Vol, veh/h	226	105	70	40	135	162	60	5	30	84	20	153	
Future Vol, veh/h	226	105	70	40	135	162	60	5	30	84	20	153	
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0	
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop	
RT Channelized	-	-	None										
Storage Length	85	-	-	-	-	-	-	-	-	-	-	-	
Veh in Median Storage,	# -	0	-	-	0	-	-	0	-	-	0	-	
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2	
Mvmt Flow	246	114	76	43	147	176	65	5	33	91	22	166	

Major/Minor	Major1		Ma	ajor2			Vinor1			Minor2			
Conflicting Flow All	323	0	0	190	0	0	1059	1053	152	984	1003	235	
Stage 1	-	-	-	-	-	-	644	644	-	321	321	-	
Stage 2	-	-	-	-	-	-	415	409	-	663	682	-	
Critical Hdwy	4.12	-	-	4.12	-	-	7.12	6.52	6.22	7.12	6.52	6.22	
Critical Hdwy Stg 1	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-	
Critical Hdwy Stg 2	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-	
Follow-up Hdwy	2.218	-	- 2	.218	-	-	3.518	4.018	3.318	3.518	4.018	3.318	
Pot Cap-1 Maneuver	1237	-	- '	1384	-	-	202	226	894	228	242	804	
Stage 1	-	-	-	-	-	-	461	468	-	691	652	-	
Stage 2	-	-	-	-	-	-	615	596	-	450	450	-	
Platoon blocked, %		-	-		-	-							
Mov Cap-1 Maneuver	1237	-	- '	1384	-	-	120	174	894	177	186	804	
Mov Cap-2 Maneuver	-	-	-	-	-	-	120	174	-	177	186	-	
Stage 1	-	-	-	-	-	-	369	375	-	553	627	-	
Stage 2	-	-	-	-	-	-	453	573	-	342	360	-	

Approach	EB	WB	NB	SB	
HCM Control Delay, s	4.9	0.9	55	53	
HCM LOS			F	F	

Minor Lane/Major Mvmt	NBLn1	EBL	EBT	EBR	WBL	WBT	WBR	SBLn1
Capacity (veh/h)	169	1237	-	-	1384	-	-	333
HCM Lane V/C Ratio	0.611	0.199	-	-	0.031	-	-	0.839
HCM Control Delay (s)	55	8.6	-	-	7.7	0	-	53
HCM Lane LOS	F	Α	-	-	А	А	-	F
HCM 95th %tile Q(veh)	3.3	0.7	-	-	0.1	-	-	7.4

Intersection

• •				14/51				NET		0.01	0.D.T	000	
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
Lane Configurations		- 44			- 44			- 44			- 🗘		
Traffic Vol, veh/h	5	0	5	142	0	4	5	105	283	8	110	5	
Future Vol, veh/h	5	0	5	142	0	4	5	105	283	8	110	5	
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0	
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free	
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None	
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-	
Veh in Median Storage, #	4 -	0	-	-	0	-	-	0	-	-	0	-	
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2	
Mvmt Flow	5	0	5	154	0	4	5	114	308	9	120	5	

Major/Minor	Minor2			Vinor1			Major1		I	Major2			
Conflicting Flow All	421	573	123	421	421	268	125	0	0	422	0	0	
Stage 1	141	141	-	278	278	-	-	-	-	-	-	-	
Stage 2	280	432	-	143	143	-	-	-	-	-	-	-	
Critical Hdwy	7.12	6.52	6.22	7.12	6.52	6.22	4.12	-	-	4.12	-	-	
Critical Hdwy Stg 1	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-	
Critical Hdwy Stg 2	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-	
Follow-up Hdwy	3.518	4.018	3.318	3.518	4.018	3.318	2.218	-	-	2.218	-	-	
Pot Cap-1 Maneuver	543	430	928	543	524	771	1462	-	-	1137	-	-	
Stage 1	862	780	-	728	680	-	-	-	-	-	-	-	
Stage 2	727	582	-	860	779	-	-	-	-	-	-	-	
Platoon blocked, %								-	-		-	-	
Mov Cap-1 Maneuver	534	424	928	534	517	771	1462	-	-	1137	-	-	
Mov Cap-2 Maneuver	534	424	-	534	517	-	-	-	-	-	-	-	
Stage 1	858	773	-	724	677	-	-	-	-	-	-	-	
Stage 2	719	579	-	847	772	-	-	-	-	-	-	-	

Approach	EB	WB	NB	SB	
HCM Control Delay, s	10.4	14.4	0.1	0.5	
HCM LOS	В	В			

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	VBLn1	SBL	SBT	SBR	
Capacity (veh/h)	1462	-	-	678	539	1137	-	-	
HCM Lane V/C Ratio	0.004	-	-	0.016	0.294	0.008	-	-	
HCM Control Delay (s)	7.5	0	-	10.4	14.4	8.2	0	-	
HCM Lane LOS	А	А	-	В	В	Α	А	-	
HCM 95th %tile Q(veh)	0	-	-	0	1.2	0	-	-	

HCM LOS

Int Delay, s/veh	0						
Movement	EBL	EBT	WBT	WBR	SBL	SBR	
Lane Configurations	٦	1	et –		Y		
Traffic Vol, veh/h	0	219	337	0	0	0	
Future Vol, veh/h	0	219	337	0	0	0	
Conflicting Peds, #/hr	0	0	0	0	0	0	
Sign Control	Free	Free	Free	Free	Stop	Stop	
RT Channelized	-	None	-	None	-	None	
Storage Length	0	-	-	-	0	-	
Veh in Median Storage,	# -	0	0	-	0	-	
Grade, %	-	0	0	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	
Mvmt Flow	0	238	366	0	0	0	

Major/Minor	Major1	Ma	ajor2	Ν	/linor2	
Conflicting Flow All	366	0	-	0	604	366
Stage 1	-	-	-	-	366	-
Stage 2	-	-	-	-	238	-
Critical Hdwy	4.12	-	-	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	-	5.42	-
Critical Hdwy Stg 2	-	-	-	-	5.42	-
Follow-up Hdwy	2.218	-	-	-	3.518	3.318
Pot Cap-1 Maneuver	1193	-	-	-	461	679
Stage 1	-	-	-	-	702	-
Stage 2	-	-	-	-	802	-
Platoon blocked, %		-	-	-		
Mov Cap-1 Maneuver	1193	-	-	-	461	679
Mov Cap-2 Maneuver	-	-	-	-	461	-
Stage 1	-	-	-	-	702	-
Stage 2	-	-	-	-	802	-
Approach	EB		WB		SB	
HCM Control Delay, s	0		0		0	

Minor Lane/Major Mvmt	EBL	EBT	WBT	WBR S	BLn1
Capacity (veh/h)	1193	-	-	-	-
HCM Lane V/C Ratio	-	-	-	-	-
HCM Control Delay (s)	0	-	-	-	0
HCM Lane LOS	А	-	-	-	Α
HCM 95th %tile Q(veh)	0	-	-	-	-

А

8

Intersection

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
Lane Configurations		4			4			4			4		
Traffic Vol, veh/h	17	0	83	225	0	7	5	130	19	1	85	5	
Future Vol, veh/h	17	0	83	225	0	7	5	130	19	1	85	5	
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0	
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free	
RT Channelized	-	-	None										
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-	
Veh in Median Storage,	# -	0	-	-	0	-	-	0	-	-	0	-	
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2	
Mvmt Flow	18	0	90	245	0	8	5	141	21	1	92	5	

Major/Minor	Minor2			Minor1			Major1			Major2			
Conflicting Flow All	263	269	95	304	261	152	97	0	0	162	0	0	
Stage 1	97	97	-	162	162	-	-	-	-	-	-	-	
Stage 2	166	172	-	142	99	-	-	-	-	-	-	-	
Critical Hdwy	7.12	6.52	6.22	7.12	6.52	6.22	4.12	-	-	4.12	-	-	
Critical Hdwy Stg 1	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-	
Critical Hdwy Stg 2	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-	
Follow-up Hdwy	3.518	4.018	3.318	3.518	4.018	3.318	2.218	-	-	2.218	-	-	
Pot Cap-1 Maneuver	690	637	962	648	644	894	1496	-	-	1417	-	-	
Stage 1	910	815	-	840	764	-	-	-	-	-	-	-	
Stage 2	836	756	-	861	813	-	-	-	-	-	-	-	
Platoon blocked, %								-	-		-	-	
Mov Cap-1 Maneuver	682	634	962	585	641	894	1496	-	-	1417	-	-	
Mov Cap-2 Maneuver	682	634	-	585	641	-	-	-	-	-	-	-	
Stage 1	906	814	-	837	761	-	-	-	-	-	-	-	
Stage 2	826	753	-	779	812	-	-	-	-	-	-	-	

Approach	EB	WB	NB	SB	
HCM Control Delay, s	9.6	15.5	0.2	0.1	
HCM LOS	А	С			

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	1496	-	-	899	591	1417	-	-
HCM Lane V/C Ratio	0.004	-	-	0.121	0.427	0.001	-	-
HCM Control Delay (s)	7.4	0	-	9.6	15.5	7.5	0	-
HCM Lane LOS	А	А	-	А	С	А	А	-
HCM 95th %tile Q(veh)	0	-	-	0.4	2.1	0	-	-

Int Delay, s/veh	3						
Movement	EBT	EBR	WBL	WBT	NBL	NBR	1
Lane Configurations	ef 👘		- ሽ	↑	- Y		
Traffic Vol, veh/h	581	55	15	749	65	10	
Future Vol, veh/h	581	55	15	749	65	10	i i
Conflicting Peds, #/hr	0	0	0	0	0	0	1
Sign Control	Free	Free	Free	Free	Stop	Stop)
RT Channelized	-	None	-	None	-	None	ļ
Storage Length	-	-	100	-	0	-	
Veh in Median Storage,	# 0	-	-	0	0	-	
Grade, %	0	-	-	0	0	-	
Peak Hour Factor	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	
Mvmt Flow	632	60	16	814	71	11	

Major/Minor	Major1	Major2		Minor1	
Conflicting Flow All	0	0 692	0	1508	662
Stage 1	-		-	662	-
Stage 2	-		-	846	-
Critical Hdwy	-	- 4.12	-	6.42	6.22
Critical Hdwy Stg 1	-		-	5.42	-
Critical Hdwy Stg 2	-		-	5.42	-
Follow-up Hdwy	-	- 2.218	-	3.518	3.318
Pot Cap-1 Maneuver	-	- 903	-	133	462
Stage 1	-		-	513	-
Stage 2	-		-	421	-
Platoon blocked, %	-	-	-		
Mov Cap-1 Maneuver	r –	- 903	-	131	462
Mov Cap-2 Maneuver	· -		-	131	-
Stage 1	-		-	513	-
Stage 2	-		-	413	-

Approach	EB	WB	NB
HCM Control Delay, s	0	0.2	57.8
HCM LOS			F

Minor Lane/Major Mvmt	NBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)	145	-	-	903	-
HCM Lane V/C Ratio	0.562	-	-	0.018	-
HCM Control Delay (s)	57.8	-	-	9.1	-
HCM Lane LOS	F	-	-	А	-
HCM 95th %tile Q(veh)	2.8	-	-	0.1	-

Intersection						
Int Delay, s/veh	2.8					
Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations	<u>ک</u>	•	et 👘		ľ	1
Traffic Vol, veh/h	175	416	689	62	15	75
Future Vol, veh/h	175	416	689	62	15	75
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	100	-	-	-	0	0
Veh in Median Storage	, # -	0	0	-	0	-
Grade, %	-	0	0	-	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	190	452	749	67	16	82

Major/Minor	Major1	Majo	or2		Minor2		
Conflicting Flow All	816	0	-	0	1615	783	
Stage 1	-	-	-	-	783	-	
Stage 2	-	-	-	-	832	-	
Critical Hdwy	4.12	-	-	-	6.42	6.22	
Critical Hdwy Stg 1	-	-	-	-	5.42	-	
Critical Hdwy Stg 2	-	-	-	-	0.12	-	
Follow-up Hdwy	2.218	-	-	-	3.518	3.318	
Pot Cap-1 Maneuver	812	-	-	-	114	394	
Stage 1	-	-	-	-	450	-	
Stage 2	-	-	-	-	427	-	
Platoon blocked, %		-	-	-			
Mov Cap-1 Maneuver		-	-	-	87	394	
Mov Cap-2 Maneuver	r -	-	-	-	87	-	
Stage 1	-	-	-	-	345	-	
Stage 2	-	-	-	-	427	-	

Approach	EB	WB	SB
HCM Control Delay, s	3.2	0	23
HCM LOS			С

Minor Lane/Major Mvmt	EBL	EBT	WBT	WBR SBLn1	SBLn2
Capacity (veh/h)	812	-	-	- 87	394
HCM Lane V/C Ratio	0.234	-	-	- 0.187	0.207
HCM Control Delay (s)	10.8	-	-	- 55.7	16.5
HCM Lane LOS	В	-	-	- F	С
HCM 95th %tile Q(veh)	0.9	-	-	- 0.6	0.8

02/05/2020)
------------	---

Intersection						
Int Delay, s/veh	3.3					
			14/51			
Movement	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations	- 1 2		- ሽ	↑	۰¥	
Traffic Vol, veh/h	401	30	20	661	90	10
Future Vol, veh/h	401	30	20	661	90	10
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None		None
Storage Length	-	-	100	-	0	-
Veh in Median Storage	. # 0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	436	33	22	718	98	11
	400	- 35	22	110	90	11

Major/Minor	Major1	Major2	Minor1	
Conflicting Flow All	0	0 469	0 1215	453
Stage 1	-		- 453	-
Stage 2	-		- 762	-
Critical Hdwy	-	- 4.12	- 6.42	
Critical Hdwy Stg 1	-		- 5.42	
Critical Hdwy Stg 2	-		- 5.42	
Follow-up Hdwy	-	- 2.218	- 3.518	
Pot Cap-1 Maneuver	-	- 1093	- 200	607
Stage 1	-		- 640	-
Stage 2	-		- 461	-
Platoon blocked, %	-	-	-	
Mov Cap-1 Maneuve		- 1093	- 196	607
Mov Cap-2 Maneuve	r -		- 196	-
Stage 1	-		- 640	-
Stage 2	-		- 452	-

Approach	EB	WB	NB
HCM Control Delay, s	0	0.2	39.2
HCM LOS			E

Minor Lane/Major Mvmt	NBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)	210	-	-	1093	-
HCM Lane V/C Ratio	0.518	-	-	0.02	-
HCM Control Delay (s)	39.2	-	-	8.4	-
HCM Lane LOS	E	-	-	А	-
HCM 95th %tile Q(veh)	2.7	-	-	0.1	-

Intersection

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
	EDL	EDI	EDR	VVDL		WDR	INDL		INDI	SDL		JDN	
Lane Configurations	- ግ	ર્ન 👘			- 4 >			- 4 >			- 4 >		
Traffic Vol, veh/h	86	270	30	20	176	53	65	15	55	123	10	260	
Future Vol, veh/h	86	270	30	20	176	53	65	15	55	123	10	260	
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0	
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop	
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None	
Storage Length	85	-	-	-	-	-	-	-	-	-	-	-	
Veh in Median Storage,	# -	0	-	-	0	-	-	0	-	-	0	-	
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2	
Mvmt Flow	93	293	33	22	191	58	71	16	60	134	11	283	

Major/Minor	Major1		Ν	lajor2			Minor1		l	Minor2			
Conflicting Flow All	249	0	0	326	0	0	907	789	310	798	776	220	
Stage 1	-	-	-	-	-	-	496	496	-	264	264	-	
Stage 2	-	-	-	-	-	-	411	293	-	534	512	-	
Critical Hdwy	4.12	-	-	4.12	-	-	7.12	6.52	6.22	7.12	6.52	6.22	
Critical Hdwy Stg 1	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-	
Critical Hdwy Stg 2	-	-	-	-	-	-	6.12	5.52	-	6.12	5.52	-	
Follow-up Hdwy	2.218	-	- 3	2.218	-	-	3.518	4.018	3.318	3.518	4.018	3.318	
Pot Cap-1 Maneuver	1317	-	-	1234	-	-	257	323	730	304	328	820	
Stage 1	-	-	-	-	-	-	556	545	-	741	690	-	
Stage 2	-	-	-	-	-	-	618	670	-	530	536	-	
Platoon blocked, %		-	-		-	-							
Mov Cap-1 Maneuver	1317	-	-	1234	-	-	152	294	730	249	298	820	
Mov Cap-2 Maneuver	-	-	-	-	-	-	152	294	-	249	298	-	
Stage 1	-	-	-	-	-	-	517	506	-	688	676	-	
Stage 2	-	-	-	-	-	-	390	656	-	438	498	-	

Approach	EB	WB	NB	SB	
HCM Control Delay, s	1.8	0.6	39.8	53.9	
HCM LOS			E	F	

Minor Lane/Major Mvmt	NBLn1	EBL	EBT	EBR	WBL	WBT	WBR S	SBLn1
Capacity (veh/h)	244	1317	-	-	1234	-	-	465
HCM Lane V/C Ratio	0.601	0.071	-	-	0.018	-	-	0.919
HCM Control Delay (s)	39.8	7.9	-	-	8	0	-	53.9
HCM Lane LOS	E	А	-	-	А	А	-	F
HCM 95th %tile Q(veh)	3.5	0.2	-	-	0.1	-	-	10.5

Int Delay, s/veh	1.4					
Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations	٦	1	et -		Y	
Traffic Vol, veh/h	0	448	213	0	42	36
Future Vol, veh/h	0	448	213	0	42	36
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	0	-
Veh in Median Storage,	# -	0	0	-	0	-
Grade, %	-	0	0	-	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	0	487	232	0	46	39

Major/Minor	Major1	Maj	or2		Minor2	
Conflicting Flow All	232	0	-	0	719	232
Stage 1	-	-	-	-	232	-
Stage 2	-	-	-	-	487	-
Critical Hdwy	4.12	-	-	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	-	••••=	-
Critical Hdwy Stg 2	-	-	-	-	5.42	-
Follow-up Hdwy	2.218	-	-	-	3.518	3.318
Pot Cap-1 Maneuver	1336	-	-	-	395	807
Stage 1	-	-	-	-	807	-
Stage 2	-	-	-	-	618	-
Platoon blocked, %		-	-	-		
Mov Cap-1 Maneuver		-	-	-	395	807
Mov Cap-2 Maneuver	-	-	-	-	395	-
Stage 1	-	-	-	-	807	-
Stage 2	-	-	-	-	618	-
•					0.0	

Approach	EB	WB	SB	
HCM Control Delay, s	0	0	13.3	
HCM LOS			В	

Minor Lane/Major Mvmt	EBL	EBT	WBT	WBR SBLn1
Capacity (veh/h)	1336	-	-	- 517
HCM Lane V/C Ratio	-	-	-	- 0.164
HCM Control Delay (s)	0	-	-	- 13.3
HCM Lane LOS	А	-	-	- B
HCM 95th %tile Q(veh)	0	-	-	- 0.6

Synchro Analysis Worksheets

Future Conditions Kuntz Gate Site

Mitigation

	ctio	

Int Delay, s/veh	1.4					
Movement	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations	el 🗧		٦	1	Y	
Traffic Vol, veh/h	832	35	15	580	35	5
Future Vol, veh/h	832	35	15	580	35	5
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	-	-	100	-	0	-
Veh in Median Storage,	# 0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	904	38	16	630	38	5

Conflicting Flow All 0 0 942 0 1585 923 Stage 1 - - - 923 - Stage 2 - - - 923 - Critical Hdwy - - 4.12 - 6.42 6.22 Critical Hdwy Stg 1 - - - 5.42 - Critical Hdwy Stg 2 - - - 5.42 - Critical Hdwy Stg 2 - - - 5.42 - Critical Hdwy Stg 2 - - - 5.42 - Follow-up Hdwy - 2.218 - 3.518 3.318 Pot Cap-1 Maneuver - 728 119 327 Stage 1 - - - 387 - Stage 2 - - - 513 - Platoon blocked, % - - - - - Mov Cap-1 Maneuver -	Major/Minor	Major1	nor Ma		Major2		Minor1								
Stage 2 - - - 662 - Critical Hdwy - - 4.12 - 6.42 6.22 Critical Hdwy Stg 1 - - - 5.42 - Critical Hdwy Stg 2 - - - 5.42 - Critical Hdwy Stg 2 - - - 5.42 - Follow-up Hdwy - 2.218 - 3.518 3.318 Pot Cap-1 Maneuver - 728 - 119 327 Stage 1 - - - 387 - Stage 2 - - - 513 - Platoon blocked, % - - - - 527 Mov Cap-1 Maneuver - 728 - 116 327	Conflicting Flow All	0	g Flow All	0	942	0	1585	923							
Critical Hdwy - - 4.12 - 6.42 6.22 Critical Hdwy Stg 1 - - - 5.42 - Critical Hdwy Stg 2 - - - 5.42 - Critical Hdwy Stg 2 - - - 5.42 - Follow-up Hdwy - - 2.218 - 3.518 3.318 Pot Cap-1 Maneuver - - 728 - 119 327 Stage 1 - - - 387 - Stage 2 - - - 513 - Platoon blocked, % - - - - - Mov Cap-1 Maneuver - - 728 - 116 327	Stage 1	-	ige 1	-	-	-	923	-							
Critical Hdwy Stg 1 - - - 5.42 - Critical Hdwy Stg 2 - - - 5.42 - Follow-up Hdwy - - 2.218 - 3.518 3.318 Pot Cap-1 Maneuver - - 728 - 119 327 Stage 1 - - - 387 - Stage 2 - - - 513 - Platoon blocked, % - - - 728 - 116 327	Stage 2	-	ige 2	-	-	-	662	-							
Critical Hdwy Stg 2 - - - 5.42 - Follow-up Hdwy - - 2.218 - 3.518 3.318 Pot Cap-1 Maneuver - - 728 - 119 327 Stage 1 - - - 387 - Stage 2 - - - 513 - Platoon blocked, % - - - - Mov Cap-1 Maneuver - 728 - 116 327	,	-		-	4.12	-		6.22							
Follow-up Hdwy - - 2.218 - 3.518 3.318 Pot Cap-1 Maneuver - - 728 - 119 327 Stage 1 - - - 387 - Stage 2 - - - 513 - Platoon blocked, % - - - - Mov Cap-1 Maneuver - 728 - 116 327		-		-	-	-		-							
Pot Cap-1 Maneuver - - 728 - 119 327 Stage 1 - - - 387 - Stage 2 - - - 513 - Platoon blocked, % - - - - - Mov Cap-1 Maneuver - 728 - 116 327	, ,	-		-	-										
Stage 1 - - - 387 - Stage 2 - - - 513 - Platoon blocked, % - - - - Mov Cap-1 Maneuver - 728 - 116 327				-	2.218	-	3.518	3.318							
Stage 2 - - - 513 - Platoon blocked, % - - - - - Mov Cap-1 Maneuver - - 728 - 116 327		ər -		-	728	-	119	327							
Platoon blocked, % Mov Cap-1 Maneuver 728 - 116 327	Stage 1	-	ige 1	-	-	-	387	-							
Mov Cap-1 Maneuver 728 - 116 327	Stage 2	-	ige 2	-	-	-	513	-							
	Platoon blocked, %	-	locked, %	-		-									
				-	728	-	116	327							
Mov Cap-2 Maneuver 116 -	Mov Cap-2 Maneuve	/er -	-2 Maneuver	-	-	-	116	-							
Stage 1 387 -	Stage 1	-	ige 1	-	-	-	387	-							
Stage 2 502 -	Stage 2	-	ige 2	-	-	-	502	-							

Approach	EB	WB	NB
HCM Control Delay, s	0	0.3	47.9
HCM LOS			Е

Minor Lane/Major Mvmt	NBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)	126	-	-	728	-
HCM Lane V/C Ratio	0.345	-	-	0.022	-
HCM Control Delay (s)	47.9	-	-	10.1	-
HCM Lane LOS	E	-	-	В	-
HCM 95th %tile Q(veh)	1.4	-	-	0.1	-

Kuntz Gate Alternative AM Peak Hour 01/29/2020 Future Year 2027 with Project

Int Delay, s/veh	5.1						
Movement	EBL	EBT	WBT	WBR	SBL	SBR	
Lane Configurations	5	•	et 👘		<u>ار</u>	1	
Traffic Vol, veh/h	135	702	455	50	57	140)
Future Vol, veh/h	135	702	455	50	57	140	
Conflicting Peds, #/hr	0	0	0	0	0	0	
Sign Control	Free	Free	Free	Free	Stop	Stop	
RT Channelized	-	None	-	None	-	None	1
Storage Length	100	-	-	-	0	0	
Veh in Median Storage,	# -	0	0	-	0	-	
Grade, %	-	0	0	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	
Mvmt Flow	147	763	495	54	62	152	

Major/Minor	Major1	Majo	or2		Minor2							
Conflicting Flow All	549	0	-	0	1579	522		_				
Stage 1	-	-	-	-	522	-						
Stage 2	-	-	-	-	1057	-						
Critical Hdwy	4.12	-	-	-	6.42	6.22						
Critical Hdwy Stg 1	-	-	-	-	5.42	-						
Critical Hdwy Stg 2	-	-	-	-	5.42	-						
Follow-up Hdwy	2.218	-	-	-	3.518	3.318						
Pot Cap-1 Maneuver	1021	-	-	-	120	555						
Stage 1	-	-	-	-	595	-						
Stage 2	-	-	-	-	334	-						
Platoon blocked, %		-	-	-								
Mov Cap-1 Maneuver	1021	-	-	-	103	555						
Mov Cap-2 Maneuver	· -	-	-	-	103	-						
Stage 1	-	-	-	-	509	-						
Stage 2	-	-	-	-	334	-						

Approach	EB	WB	SB
HCM Control Delay, s	1.5	0	33.8
HCM LOS			D

Minor Lane/Major Mvmt	EBL	EBT	WBT	WBR SBLn1	SBLn2
Capacity (veh/h)	1021	-	-	- 103	555
HCM Lane V/C Ratio	0.144	-	-	- 0.602	0.274
HCM Control Delay (s)	9.1	-	-	- 82.6	13.9
HCM Lane LOS	А	-	-	- F	В
HCM 95th %tile Q(veh)	0.5	-	-	- 2.9	1.1

01/29/2020

Intersection						
Int Delay, s/veh	1.3					
Movement	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations	el el		5	•	Y	
Traffic Vol, veh/h	684	75	25	470	35	13
Future Vol, veh/h	684	75	25	470	35	13
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	-	-	100	-	0	-
Veh in Median Storage	e, # 0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	743	82	27	511	38	14

Major/Minor	Major1	Major2	Minor1	
Conflicting Flow All	0	0 825	0 1349	784
Stage 1	-		- 784	-
Stage 2	-		- 565	-
Critical Hdwy	-	- 4.12	- 6.42	6.22
Critical Hdwy Stg 1	-		- 5.42	-
Critical Hdwy Stg 2	-		- 5.42	-
Follow-up Hdwy	-	- 2.218	- 3.518	3.318
Pot Cap-1 Maneuver	-	- 805	- 166	393
Stage 1	-		- 450	-
Stage 2	-		- 569	-
Platoon blocked, %	-	-	-	
Mov Cap-1 Maneuver	r -	- 805	- 160	393
Mov Cap-2 Maneuver	r -		- 160	-
Stage 1	-		- 450	-
Stage 2	-		- 550	-

Approach	EB	WB	NB
HCM Control Delay, s	0	0.5	30.8
HCM LOS			D

Minor Lane/Major Mvmt	NBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)	191	-	-	805	-
HCM Lane V/C Ratio	0.273	-	-	0.034	-
HCM Control Delay (s)	30.8	-	-	9.6	-
HCM Lane LOS	D	-	-	А	-
HCM 95th %tile Q(veh)	1.1	-	-	0.1	-

	≯	-	\mathbf{F}	∢	+	•	1	1	1	1	ţ	~
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	٦	el 🗧		٦	ef 🔰		٦	el 🗧		٦	el 🗧	
Traffic Volume (veh/h)	353	124	80	60	140	189	60	10	25	90	25	155
Future Volume (veh/h)	353	124	80	60	140	189	60	10	25	90	25	155
Number	7	4	14	3	8	18	5	2	12	1	6	16
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Adj Sat Flow, veh/h/ln	1863	1863	1900	1863	1863	1900	1863	1863	1900	1863	1863	1900
Adj Flow Rate, veh/h	384	135	87	65	152	205	65	11	27	98	27	168
Adj No. of Lanes	1	1	0	1	1	0	1	1	0	1	1	0
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Percent Heavy Veh, %	2	2	2	2	2	2	2	2	2	2	2	2
Cap, veh/h	575	483	311	512	208	281	177	80	196	177	37	232
Arrive On Green	0.22	0.46	0.46	0.06	0.29	0.29	0.10	0.17	0.17	0.10	0.17	0.17
Sat Flow, veh/h	1774	1059	683	1774	720	971	1774	479	1176	1774	224	1393
Grp Volume(v), veh/h	384	0	222	65	0	357	65	0	38	98	0	195
Grp Sat Flow(s), veh/h/ln	1774	0	1742	1774	0	1691	1774	0	1655	1774	0	1617
Q Serve(g_s), s	11.6	0.0	7.2	2.2	0.0	17.1	3.1	0.0	1.8	4.7	0.0	10.3
Cycle Q Clear(g_c), s	11.6	0.0	7.2	2.2	0.0	17.1	3.1	0.0	1.8	4.7	0.0	10.3
Prop In Lane	1.00	0.0	0.39	1.00	0.0	0.57	1.00		0.71	1.00	0.0	0.86
Lane Grp Cap(c), veh/h	575	0	794	512	0	489	177	0	276	177	0	269
V/C Ratio(X)	0.67	0.00	0.28	0.13	0.00	0.73	0.37	0.00	0.14	0.55	0.00	0.72
Avail Cap(c_a), veh/h	575	0	794	512	0	489	177	0	276	177	0	269
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	1.00	1.00	0.00	1.00	1.00	0.00	1.00	1.00	0.00	1.00
Uniform Delay (d), s/veh	15.7	0.0	15.3	20.1	0.0	28.8	37.8	0.0	32.0	38.6	0.0	35.5
Incr Delay (d2), s/veh	6.1	0.0	0.9	0.5	0.0	9.3	5.8	0.0	1.0	11.8	0.0	15.5
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/ln	6.5	0.0	3.6	1.2	0.0	9.2	1.8	0.0	0.9	2.9	0.0	5.8
LnGrp Delay(d),s/veh	21.8	0.0	16.2	20.6	0.0	38.1	43.6	0.0	33.0	50.4	0.0	51.1
LnGrp LOS	C		B	C		D	D	0.0	C	D	0.0	D
Approach Vol, veh/h		606	_		422			103			293	
Approach Delay, s/veh		19.7			35.4			39.7			50.9	
Approach LOS		B			D			D			D	
	1	2	3	4		6	7	8				
Timer	1	2		4	5	6						
Assigned Phs	1		3	4	5	6	7	8				
Phs Duration (G+Y+Rc), s	14.0	20.0	10.0	46.0	14.0	20.0	25.0	31.0				_
Change Period (Y+Rc), s	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0				
Max Green Setting (Gmax), s	9.0	15.0	5.0	41.0	9.0	15.0	20.0	26.0				
Max Q Clear Time (g_c+l1), s	6.7	3.8	4.2	9.2	5.1	12.3	13.6	19.1				
Green Ext Time (p_c), s	0.0	1.1	0.0	4.4	0.0	0.3	0.7	2.2				
Intersection Summary			00.0									
HCM 2010 Ctrl Delay			32.2									
HCM 2010 LOS			С									

1.4

Intersection

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
Lane Configurations		4			4		<u> </u>	ef 👘		۲.	4Î		
Traffic Vol, veh/h	5	0	5	0	0	0	122	80	350	10	265	22	
Future Vol, veh/h	5	0	5	0	0	0	122	80	350	10	265	22	
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0	
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free	
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None	
Storage Length	-	-	-	-	-	-	100	-	-	0	-	-	
Veh in Median Storage,	# -	0	-	-	0	-	-	0	-	-	0	-	
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2	
Mvmt Flow	5	0	5	0	0	0	133	87	380	11	288	24	

Major/Minor	Minor2			Vinor1			Major1			Μ	ajor2			
Conflicting Flow All	865	1055	300	868	877	277	312	0	C)	467	0	0	
Stage 1	322	322	-	543	543	-	-	-	-	-	-	-	-	
Stage 2	543	733	-	325	334	-	-	-	-	-	-	-	-	
Critical Hdwy	7.12	6.52	6.22	7.12	6.52	6.22	4.12	-	-	-	4.12	-	-	
Critical Hdwy Stg 1	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-	-	
Critical Hdwy Stg 2	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-	-	
Follow-up Hdwy	3.518	4.018	3.318	3.518	4.018	3.318	2.218	-	-	- 2	2.218	-	-	
Pot Cap-1 Maneuver	274	226	740	273	287	762	1248	-	-	-	1094	-	-	
Stage 1	690	651	-	524	520	-	-	-	-	-	-	-	-	
Stage 2	524	426	-	687	643	-	-	-	-	-	-	-	-	
Platoon blocked, %								-	-	-		-	-	
Mov Cap-1 Maneuver	250	200	740	247	254	762	1248	-	-	-	1094	-	-	
Mov Cap-2 Maneuver	250	200	-	247	254	-	-	-	-	-	-	-	-	
Stage 1	616	644	-	468	464	-	-	-	-	-	-	-	-	
Stage 2	468	380	-	675	637	-	-	-		-	-	-	-	

Approach	EB	WB	NB	SB	
HCM Control Delay, s	14.9	0	1.8	0.3	
HCM LOS	В	А			

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1W	BLn1	SBL	SBT	SBR	
Capacity (veh/h)	1248	-	-	374	-	1094	-	-	
HCM Lane V/C Ratio	0.106	-	-	0.029	-	0.01	-	-	
HCM Control Delay (s)	8.2	-	-	14.9	0	8.3	-	-	
HCM Lane LOS	А	-	-	В	А	А	-	-	
HCM 95th %tile Q(veh)	0.4	-	-	0.1	-	0	-	-	

Int Delay, s/veh	0.7						
Movement	EBL	EBT	WBT	WBR	SBL	SBR	1
Lane Configurations		÷.	et 👘		Y		
Traffic Vol, veh/h	54	185	389	63	0	0	1
Future Vol, veh/h	54	185	389	63	0	0	í –
Conflicting Peds, #/hr	0	0	0	0	0	0	1
Sign Control	Free	Free	Free	Free	Stop	Stop	1
RT Channelized	-	None	-	None	-	None	,
Storage Length	-	-	-	-	0	-	
Veh in Median Storage,	# -	0	0	-	0	-	
Grade, %	-	0	0	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	
Mvmt Flow	59	201	423	68	0	0	1

Stage 1 - - - 638 - Stage 2 - - - 737 - Platoon blocked, % - - - - Mov Cap-1 Maneuver 1072 - - 343 604
Stage 1 - - - 457 - Stage 2 - - - 319 - Critical Hdwy 4.12 - - 6.42 6.22 Critical Hdwy Stg 1 - - - 5.42 - Critical Hdwy Stg 2 - - - 5.42 - Critical Hdwy Stg 2 - - - 5.42 - Critical Hdwy Stg 2 - - - 5.42 - Follow-up Hdwy 2.218 - - - 3.518 3.318 Pot Cap-1 Maneuver 1072 - - 366 604 Stage 1 - - - 638 - Stage 2 - - - 737 - Platoon blocked, % - - - 343 604
Critical Hdwy 4.12 - - 6.42 6.22 Critical Hdwy Stg 1 - - - 5.42 - Critical Hdwy Stg 2 - - - 5.42 - Critical Hdwy Stg 2 - - - 5.42 - Follow-up Hdwy 2.218 - - 3.518 3.318 Pot Cap-1 Maneuver 1072 - - 366 604 Stage 1 - - - 638 - Stage 2 - - - 737 - Platoon blocked, % - - - 343 604
Critical Hdwy Stg 1 - - 5.42 - Critical Hdwy Stg 2 - - - 5.42 - Follow-up Hdwy 2.218 - - 3.518 3.318 Pot Cap-1 Maneuver 1072 - - 366 604 Stage 1 - - - 638 - Stage 2 - - - 737 - Platoon blocked, % - - 343 604
Critical Hdwy Stg 2 - - - 5.42 - Follow-up Hdwy 2.218 - - 3.518 3.318 Pot Cap-1 Maneuver 1072 - - 366 604 Stage 1 - - - 638 - Stage 2 - - - 737 - Platoon blocked, % - - - 343 604
Follow-up Hdwy 2.218 - - 3.518 3.318 Pot Cap-1 Maneuver 1072 - - 366 604 Stage 1 - - - 638 - Stage 2 - - - 737 - Platoon blocked, % - - - 343 604
Pot Cap-1 Maneuver 1072 - - 366 604 Stage 1 - - - 638 - Stage 2 - - - 737 - Platoon blocked, % - - - 343 604
Stage 1 - - - 638 - Stage 2 - - - 737 - Platoon blocked, % - - - - - Mov Cap-1 Maneuver 1072 - - 343 604
Stage 2 - - - 737 - Platoon blocked, % - - - - - Mov Cap-1 Maneuver 1072 - - 343 604
Platoon blocked, % Mov Cap-1 Maneuver 1072 343 604
Mov Cap-1 Maneuver 1072 343 604
•
Mov Cap-2 Maneuver 343 -
Stage 1 598 -
Stage 2 737 -
Approach EB WB SB
HCM Control Delay, s 1.9 0 0
HCM LOS A

Minor Lane/Major Mvmt	EBL	EBT	WBT	WBR SE	3Ln1
Capacity (veh/h)	1072	-	-	-	-
HCM Lane V/C Ratio	0.055	-	-	-	-
HCM Control Delay (s)	8.6	0	-	-	0
HCM Lane LOS	А	А	-	-	Α
HCM 95th %tile Q(veh)	0.2	-	-	-	-

Kuntz Gate Alternative AM Peak Hour 01/29/2020 Future Year 2027 with Project

01/29/2020)
------------	---

Intersection						
Int Delay, s/veh	1.2					
Movement	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations	4			↑	۰¥	
Traffic Vol, veh/h	561	45	15	583	40	5
Future Vol, veh/h	561	45	15	583	40	5
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	-	-	100	-	0	-
Veh in Median Storage	,# 0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	610	49	16	634	43	5

Major/Minor	Major1	Major2	Minor1	
Conflicting Flow All	0	0 659	0 1301	635
Stage 1	-		- 635	-
Stage 2	-		- 666	-
Critical Hdwy	-	- 4.12	- 6.42	6.22
Critical Hdwy Stg 1	-		- 5.42	-
Critical Hdwy Stg 2	-		- 5.42	-
Follow-up Hdwy	-	- 2.218	- 3.518	3.318
Pot Cap-1 Maneuver	-	- 929	- 178	478
Stage 1	-		- 528	-
Stage 2	-		- 511	-
Platoon blocked, %	-	-	-	
Mov Cap-1 Maneuve		- 929	- 175	478
Mov Cap-2 Maneuve	r -		- 175	-
Stage 1	-		- 528	-
Stage 2	-		- 502	-

Approach	EB	WB	NB
HCM Control Delay, s	0	0.2	30.8
HCM LOS			D

Minor Lane/Major Mvmt	NBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)	188	-	-	929	-
HCM Lane V/C Ratio	0.26	-	-	0.018	-
HCM Control Delay (s)	30.8	-	-	8.9	-
HCM Lane LOS	D	-	-	А	-
HCM 95th %tile Q(veh)	1	-	-	0.1	-

Intersection	
Int Delay, s/veh	2.9

Movement	EBL	EBT	WBT	WBR	SBL	SBR	2
Lane Configurations	٢	1	el el		٦	1	
Traffic Vol, veh/h	140	426	503	59	28	95	;
Future Vol, veh/h	140	426	503	59	28	95	;
Conflicting Peds, #/hr	0	0	0	0	0	0)
Sign Control	Free	Free	Free	Free	Stop	Stop)
RT Channelized	-	None	-	None	-	None	;
Storage Length	100	-	-	-	0	0)
Veh in Median Storage,	# -	0	0	-	0	-	
Grade, %	-	0	0	-	0	-	
Peak Hour Factor	92	92	92	92	92	92)
Heavy Vehicles, %	2	2	2	2	2	2)
Mvmt Flow	152	463	547	64	30	103	5

Major/Minor	Major1	Majo	or2		Minor2	
Conflicting Flow All	611	0	-	0	1346	579
Stage 1	-	-	-	-	579	-
Stage 2	-	-	-	-	767	-
Critical Hdwy	4.12	-	-	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	-	5.42	-
Critical Hdwy Stg 2	-	-	-	-	5.42	-
Follow-up Hdwy	2.218	-	-	-	3.518	3.318
Pot Cap-1 Maneuver	968	-	-	-	167	515
Stage 1	-	-	-	-	560	-
Stage 2	-	-	-	-	458	-
Platoon blocked, %		-	-	-		
Mov Cap-1 Maneuver	968	-	-	-	141	515
Mov Cap-2 Maneuver	-	-	-	-	141	-
Stage 1	-	-	-	-	472	-
Stage 2	-	-	-	-	458	-

Approach	EB	WB	SB
HCM Control Delay, s	2.3	0	19.1
HCM LOS			С

Minor Lane/Major Mvmt	EBL	EBT	WBT	WBR SBLn1	SBLn2
Capacity (veh/h)	968	-	-	- 141	515
HCM Lane V/C Ratio	0.157	-	-	- 0.216	0.201
HCM Control Delay (s)	9.4	-	-	- 37.4	13.7
HCM Lane LOS	А	-	-	- E	В
HCM 95th %tile Q(veh)	0.6	-	-	- 0.8	0.7

01/	29/2	020
-----	------	-----

Intersection						
Int Delay, s/veh	1.6					
Movement	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations	ર્લ		ሻ	↑	۰Y	
Traffic Vol, veh/h	414	40	26	512	50	12
Future Vol, veh/h	414	40	26	512	50	12
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	-	-	100	-	0	-
Veh in Median Storage	e, # 0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	450	43	28	557	54	13

Major/Minor	Major1	Major2	Minor1	
Conflicting Flow All	0	0 493	0 1085	472
Stage 1	-		- 472	-
Stage 2	-		- 613	-
Critical Hdwy	-	- 4.12	- 6.42	6.22
Critical Hdwy Stg 1	-		- 5.42	-
Critical Hdwy Stg 2	-		- 5.42	
Follow-up Hdwy	-	- 2.218	- 3.518	
Pot Cap-1 Maneuver	-	- 1071	- 240	592
Stage 1	-		- 628	-
Stage 2	-		- 541	-
Platoon blocked, %	-	-	-	
Mov Cap-1 Maneuve		- 1071	- 234	592
Mov Cap-2 Maneuve	r -		- 234	-
Stage 1	-		- 628	-
Stage 2	-		- 527	-

Approach	EB	WB	NB
HCM Control Delay, s	0	0.4	23.2
HCM LOS			С

Minor Lane/Major Mvmt	NBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)	265	-	-	1071	-
HCM Lane V/C Ratio	0.254	-	-	0.026	-
HCM Control Delay (s)	23.2	-	-	8.5	-
HCM Lane LOS	С	-	-	А	-
HCM 95th %tile Q(veh)	1	-	-	0.1	-

	≯	-	\mathbf{r}	1	+	×	1	Ť	1	1	ţ	~
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	ሻ	ef 👘		<u>۲</u>	ef 👘		<u>۲</u>	ef 👘		ሻ	ef 👘	
Traffic Volume (veh/h)	226	105	70	40	135	162	60	5	30	84	20	153
Future Volume (veh/h)	226	105	70	40	135	162	60	5	30	84	20	153
Number	7	4	14	3	8	18	5	2	12	1	6	16
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Adj Sat Flow, veh/h/ln	1863	1863	1900	1863	1863	1900	1863	1863	1900	1863	1863	1900
Adj Flow Rate, veh/h	246	114	76	43	147	176	65	5	33	91	22	166
Adj No. of Lanes	1	1	0	1	1	0	1	1	0	1	1	0
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Percent Heavy Veh, %	2	2	2	2	2	2	2	2	2	2	2	2
Cap, veh/h	540	418	278	502	198	237	197	43	281	197	38	285
Arrive On Green	0.21	0.40	0.40	0.07	0.26	0.26	0.11	0.20	0.20	0.11	0.20	0.20
Sat Flow, veh/h	1774	1044	696	1774	773	926	1774	213	1403	1774	189	1423
Grp Volume(v), veh/h	246	0	190	43	0	323	65	0	38	91	0	188
Grp Sat Flow(s),veh/h/ln	1774	0	1740	1774	0	1699	1774	0	1615	1774	0	1612
Q Serve(g_s), s	7.4	0.0	6.6	1.5	0.0	15.7	3.0	0.0	1.7	4.3	0.0	9.5
Cycle Q Clear(g_c), s	7.4	0.0	6.6	1.5	0.0	15.7	3.0	0.0	1.7	4.3	0.0	9.5
Prop In Lane	1.00		0.40	1.00		0.54	1.00		0.87	1.00		0.88
Lane Grp Cap(c), veh/h	540	0	696	502	0	434	197	0	323	197	0	322
V/C Ratio(X)	0.46	0.00	0.27	0.09	0.00	0.74	0.33	0.00	0.12	0.46	0.00	0.58
Avail Cap(c_a), veh/h	540	0	696	502	0	434	197	0	323	197	0	322
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	1.00	1.00	0.00	1.00	1.00	0.00	1.00	1.00	0.00	1.00
Uniform Delay (d), s/veh	15.9	0.0	18.2	21.2	0.0	30.8	36.9	0.0	29.5	37.5	0.0	32.6
Incr Delay (d2), s/veh	2.8	0.0	1.0	0.3	0.0	11.0	4.4	0.0	0.7	7.6	0.0	7.5
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/ln	4.0	0.0	3.4	0.8	0.0	8.7	1.7	0.0	0.8	2.5	0.0	4.9
LnGrp Delay(d),s/veh	18.7	0.0	19.2	21.5	0.0	41.8	41.3	0.0	30.2	45.1	0.0	40.1
LnGrp LOS	В		В	C		D	D		С	D		D
Approach Vol, veh/h		436			366			103	-		279	
Approach Delay, s/veh		18.9			39.4			37.2			41.7	
Approach LOS		B			D			D			D	
Timer	1	2	3	4	5	6	7	8				
Assigned Phs	1	2	3	4	5	6	7	8				
Phs Duration (G+Y+Rc), s	15.0	23.0	11.0	41.0	15.0	23.0	24.0	28.0				
Change Period (Y+Rc), s	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0				
Max Green Setting (Gmax), s	10.0	18.0	6.0	36.0	10.0	18.0	19.0	23.0				
Max Q Clear Time (g_c+I1), s	6.3	3.7	3.5	8.6	5.0	11.5	9.4	17.7				
Green Ext Time (p_c), s	0.0	1.2	0.0	3.7	0.0	0.7	0.5	1.5				
	0.1	1.2	0.0	5.1	0.0	0.1	0.0	1.0				
Intersection Summary			20.0									
HCM 2010 Ctrl Delay			32.2									_
HCM 2010 LOS			С									

3.4

Intersection

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
Lane Configurations		4		TIDE	4		3	1		3	1 <u>20</u>	OBIN	
Traffic Vol, veh/h	5	0	5	142	0	4	5	105	283	8	110	5	
Future Vol, veh/h	5	0	5	142	0	4	5	105	283	8	110	5	
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0	
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free	
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None	
Storage Length	-	-	-	-	-	-	100	-	-	0	-	-	
Veh in Median Storage,	# -	0	-	-	0	-	-	0	-	-	0	-	
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2	
Mvmt Flow	5	0	5	154	0	4	5	114	308	9	120	5	

Major/Minor	Minor2			Vinor1			Major1			Major2			
Conflicting Flow All	421	573	123	421	421	268	125	0	0	422	0	0	
Stage 1	141	141	-	278	278	-	-	-	-	-	-	-	
Stage 2	280	432	-	143	143	-	-	-	-	-	-	-	
Critical Hdwy	7.12	6.52	6.22	7.12	6.52	6.22	4.12	-	-	4.12	-	-	
Critical Hdwy Stg 1	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-	
Critical Hdwy Stg 2	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-	
Follow-up Hdwy	3.518	4.018	3.318	3.518	4.018	3.318	2.218	-	-	2.218	-	-	
Pot Cap-1 Maneuver	543	430	928	543	524	771	1462	-	-	1137	-	-	
Stage 1	862	780	-	728	680	-	-	-	-	-	-	-	
Stage 2	727	582	-	860	779	-	-	-	-	-	-	-	
Platoon blocked, %								-	-		-	-	
Mov Cap-1 Maneuver	535	425	928	535	518	771	1462	-	-	1137	-	-	
Mov Cap-2 Maneuver	535	425	-	535	518	-	-	-	-	-	-	-	
Stage 1	859	774	-	726	678	-	-	-	-	-	-	-	
Stage 2	720	580	-	848	773	-	-	-	-	-	-	-	
-													

Approach	EB	WB	NB	SB	
HCM Control Delay, s	10.4	14.4	0.1	0.5	
HCM LOS	В	В			

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1\	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	1462	-	-	679	540	1137	-	-
HCM Lane V/C Ratio	0.004	-	-	0.016	0.294	0.008	-	-
HCM Control Delay (s)	7.5	-	-	10.4	14.4	8.2	-	-
HCM Lane LOS	А	-	-	В	В	А	-	-
HCM 95th %tile Q(veh)	0	-	-	0	1.2	0	-	-

Int Delay, s/veh	0						
Movement	EBL	EBT	WBT	WBR	SBL	SBR	1
Lane Configurations		÷	4		Y		
Traffic Vol, veh/h	0	219	337	0	0	0	1
Future Vol, veh/h	0	219	337	0	0	0	i -
Conflicting Peds, #/hr	0	0	0	0	0	0	1
Sign Control	Free	Free	Free	Free	Stop	Stop	1
RT Channelized	-	None	-	None	-	None	
Storage Length	-	-	-	-	0	-	
Veh in Median Storage,	# -	0	0	-	0	-	
Grade, %	-	0	0	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	
Mvmt Flow	0	238	366	0	0	0	1

Major/Minor	Major1	Ma	ajor2	I	Minor2	
Conflicting Flow All	366	0	-	0	604	366
Stage 1	-	-	-	-	366	-
Stage 2	-	-	-	-	238	-
Critical Hdwy	4.12	-	-	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	-	5.42	-
Critical Hdwy Stg 2	-	-	-	-	5.42	-
Follow-up Hdwy	2.218	-	-	-	3.518	3.318
Pot Cap-1 Maneuver	1193	-	-	-	461	679
Stage 1	-	-	-	-	702	-
Stage 2	-	-	-	-	802	-
Platoon blocked, %		-	-	-		
Mov Cap-1 Maneuve	r 1193	-	-	-	461	679
Mov Cap-2 Maneuve	r -	-	-	-	461	-
Stage 1	-	-	-	-	702	-
Stage 2	-	-	-	-	802	-
Approach	EB		WB		SB	

Approach	EB	WB	SB
HCM Control Delay, s	0	0	0
HCM LOS			А

Minor Lane/Major Mvmt	EBL	EBT	WBT	WBR SE	3Ln1
Capacity (veh/h)	1193	-	-	-	-
HCM Lane V/C Ratio	-	-	-	-	-
HCM Control Delay (s)	0	-	-	-	0
HCM Lane LOS	А	-	-	-	Α
HCM 95th %tile Q(veh)	0	-	-	-	-

Int Delay, s/veh	3						
Movement	EBT	EBR	WBL	WBT	NBL	NBR	
Lane Configurations	ef 👘		- ሽ	↑	- Y		
Traffic Vol, veh/h	581	55	15	749	65	10	
Future Vol, veh/h	581	55	15	749	65	10	i i
Conflicting Peds, #/hr	0	0	0	0	0	0	1
Sign Control	Free	Free	Free	Free	Stop	Stop)
RT Channelized	-	None	-	None	-	None	ļ
Storage Length	-	-	100	-	0	-	
Veh in Median Storage,	# 0	-	-	0	0	-	
Grade, %	0	-	-	0	0	-	
Peak Hour Factor	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	
Mvmt Flow	632	60	16	814	71	11	

Major/Minor	Major1	Major2		Minor1	
Conflicting Flow All	0	0 692	0	1508	662
Stage 1	-		-	662	-
Stage 2	-		-	846	-
Critical Hdwy	-	- 4.12	-	6.42	6.22
Critical Hdwy Stg 1	-		-	5.42	-
Critical Hdwy Stg 2	-		-	5.42	-
Follow-up Hdwy	-	- 2.218	-	3.518	3.318
Pot Cap-1 Maneuver	-	- 903	-	133	462
Stage 1	-		-	513	-
Stage 2	-		-	421	-
Platoon blocked, %	-	-	-		
Mov Cap-1 Maneuver	r –	- 903	-	131	462
Mov Cap-2 Maneuver	· -		-	131	-
Stage 1	-		-	513	-
Stage 2	-		-	413	-

Approach	EB	WB	NB
HCM Control Delay, s	0	0.2	57.8
HCM LOS			F

Minor Lane/Major Mvmt	NBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)	145	-	-	903	-
HCM Lane V/C Ratio	0.562	-	-	0.018	-
HCM Control Delay (s)	57.8	-	-	9.1	-
HCM Lane LOS	F	-	-	А	-
HCM 95th %tile Q(veh)	2.8	-	-	0.1	-

01/29/2020

Intersection						
Int Delay, s/veh	2.8					
Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations	5	•	el 👘		5	1
Traffic Vol, veh/h	175	416	689	62	15	75
Future Vol, veh/h	175	416	689	62	15	75
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	100	-	-	-	0	0
Veh in Median Storage	, # -	0	0	-	0	-
Grade, %	-	0	0	-	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	190	452	749	67	16	82

Major/Minor	Major1	Majo	or2		Minor2	
Conflicting Flow All	816	0	-	0	1615	783
Stage 1	-	-	-	-	783	-
Stage 2	-	-	-	-	832	-
Critical Hdwy	4.12	-	-	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	-	5.42	-
Critical Hdwy Stg 2	-	-	-	-	5.42	-
Follow-up Hdwy	2.218	-	-	-	3.518	3.318
Pot Cap-1 Maneuver	812	-	-	-	114	394
Stage 1	-	-	-	-	450	-
Stage 2	-	-	-	-	427	-
Platoon blocked, %		-	-	-		
Mov Cap-1 Maneuver	812	-	-	-	87	394
Mov Cap-2 Maneuver	-	-	-	-	87	-
Stage 1	-	-	-	-	345	-
Stage 2	-	-	-	-	427	-

Approach	EB	WB	SB
HCM Control Delay, s	3.2	0	23
HCM LOS			С

Minor Lane/Major Mvmt	EBL	EBT	WBT	WBR SBLn1	SBLn2
Capacity (veh/h)	812	-	-	- 87	394
HCM Lane V/C Ratio	0.234	-	-	- 0.187	0.207
HCM Control Delay (s)	10.8	-	-	- 55.7	16.5
HCM Lane LOS	В	-	-	- F	С
HCM 95th %tile Q(veh)	0.9	-	-	- 0.6	0.8

01/	29/2	020
-----	------	-----

Intersection						
Int Delay, s/veh	3.3					
-						
Movement	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations	- î>		- ሽ	↑	۰¥	
Traffic Vol, veh/h	401	30	20	661	90	10
Future Vol, veh/h	401	30	20	661	90	10
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None		None		None
Storage Length	-	-	100	-	0	-
Veh in Median Storage	,# 0	-	-	0	0	-
Grade, %	, 0	-	-	0	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	436	33	22	718	98	11
	400	00	22	110	50	11

Major/Minor	Major1	1	Major2		Minor1	
Conflicting Flow All	0	0	469	0	1215	453
Stage 1	-	-	-	-	453	-
Stage 2	-	-	-	-	762	-
Critical Hdwy	-	-	4.12	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	-	5.42	-
Critical Hdwy Stg 2	-	-	-	-	5.42	-
Follow-up Hdwy	-	-	2.218	-	3.518	3.318
Pot Cap-1 Maneuver	-	-	1093	-	200	607
Stage 1	-	-	-	-	640	-
Stage 2	-	-	-	-	461	-
Platoon blocked, %	-	-		-		
Mov Cap-1 Maneuve	r -	-	1093	-	196	607
Mov Cap-2 Maneuve	r -	-	-	-	196	-
Stage 1	-	-	-	-	640	-
Stage 2	-	-	-	-	452	-

Approach	EB	WB	NB
HCM Control Delay, s	0	0.2	39.2
HCM LOS			E

Minor Lane/Major Mvmt	NBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)	210	-	-	1093	-
HCM Lane V/C Ratio	0.518	-	-	0.02	-
HCM Control Delay (s)	39.2	-	-	8.4	-
HCM Lane LOS	E	-	-	А	-
HCM 95th %tile Q(veh)	2.7	-	-	0.1	-

	≯	-	\mathbf{r}	1	-	•	1	1	1	1	ţ	~
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	ሻ	eî 👘		ሻ	4î		ሻ	4		۳.	4	
Traffic Volume (veh/h)	86	270	30	20	176	53	65	15	55	123	10	260
Future Volume (veh/h)	86	270	30	20	176	53	65	15	55	123	10	260
Number	7	4	14	3	8	18	5	2	12	1	6	16
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Adj Sat Flow, veh/h/ln	1863	1863	1900	1863	1863	1900	1863	1863	1900	1863	1863	1900
Adj Flow Rate, veh/h	93	293	33	22	191	58	71	16	60	134	11	283
Adj No. of Lanes	1	1	0	1	1	0	1	1	0	1	1	0
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Percent Heavy Veh, %	2	2	2	2	2	2	2	2	2	2	2	2
Cap, veh/h	415	493	56	334	335	102	177	88	330	296	19	494
Arrive On Green	0.11	0.30	0.30	0.06	0.24	0.24	0.10	0.26	0.26	0.17	0.32	0.32
Sat Flow, veh/h	1774	1645	185	1774	1372	417	1774	344	1291	1774	60	1533
Grp Volume(v), veh/h	93	0	326	22	0	249	71	0	76	134	0	294
Grp Sat Flow(s),veh/h/ln	1774	0	1830	1774	0	1789	1774	0	1635	1774	0	1592
Q Serve(g_s), s	3.1	0.0	13.7	0.8	0.0	11.0	3.4	0.0	3.3	6.1	0.0	13.8
Cycle Q Clear(g_c), s	3.1	0.0	13.7	0.8	0.0	11.0	3.4	0.0	3.3	6.1	0.0	13.8
Prop In Lane	1.00		0.10	1.00		0.23	1.00		0.79	1.00		0.96
Lane Grp Cap(c), veh/h	415	0	549	334	0	437	177	0	418	296	0	513
V/C Ratio(X)	0.22	0.00	0.59	0.07	0.00	0.57	0.40	0.00	0.18	0.45	0.00	0.57
Avail Cap(c_a), veh/h	415	0	549	334	0	437	177	0	418	296	0	513
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	1.00	1.00	0.00	1.00	1.00	0.00	1.00	1.00	0.00	1.00
Uniform Delay (d), s/veh	19.4	0.0	26.8	22.8	0.0	29.8	38.0	0.0	26.2	33.8	0.0	25.4
Incr Delay (d2), s/veh	1.2	0.0	4.7	0.4	0.0	5.3	6.6	0.0	1.0	4.9	0.0	4.6
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/ln	1.6	0.0	7.6	0.4	0.0	6.0	2.0	0.0	1.6	3.4	0.0	6.7
LnGrp Delay(d),s/veh	20.7	0.0	31.5	23.1	0.0	35.1	44.6	0.0	27.1	38.7	0.0	30.0
LnGrp LOS	С		С	С		D	D		С	D		С
Approach Vol, veh/h		419			271			147			428	
Approach Delay, s/veh		29.1			34.2			35.5			32.7	
Approach LOS		C			C			D			C	
Timer	1	2	3	4	5	6	7	8			-	
Assigned Phs	1	2	3	4	5	6	7	8				
Phs Duration (G+Y+Rc), s	20.0	28.0	10.0	32.0	14.0	34.0	15.0	27.0				
Change Period (Y+Rc), s	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0				
Max Green Setting (Gmax), s	5.0 15.0	23.0	5.0	27.0	9.0	29.0	10.0	22.0				
Max Q Clear Time (g_c+I1), s	8.1	23.0 5.3	2.8	15.7	9.0 5.4	15.8	5.1	13.0				
Green Ext Time (p_c), s	0.1	2.3	0.0	2.8	0.0	2.0	0.1	2.5				
. ,	0.2	2.3	0.0	2.0	0.0	2.0	U. I	2.0				
Intersection Summary			20.0									
HCM 2010 Ctrl Delay			32.2									
HCM 2010 LOS			С									

8

Intersection

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
Lane Configurations		4			4		۲.	f,		ሻ	ef 👘		
Traffic Vol, veh/h	17	0	83	225	0	7	5	130	19	1	85	5	
Future Vol, veh/h	17	0	83	225	0	7	5	130	19	1	85	5	
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0	
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free	
RT Channelized	-	-	None										
Storage Length	-	-	-	-	-	-	100	-	-	0	-	-	
Veh in Median Storage,	# -	0	-	-	0	-	-	0	-	-	0	-	
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-	
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92	
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2	
Mvmt Flow	18	0	90	245	0	8	5	141	21	1	92	5	

Major/Minor	Minor2			Minor1			Major1			Major2			
Conflicting Flow All	263	269	95	304	261	152	97	0	0	162	0	0	
Stage 1	97	97	-	162	162	-	-	-	-	-	-	-	
Stage 2	166	172	-	142	99	-	-	-	-	-	-	-	
Critical Hdwy	7.12	6.52	6.22	7.12	6.52	6.22	4.12	-	-	4.12	-	-	
Critical Hdwy Stg 1	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-	
Critical Hdwy Stg 2	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-	
Follow-up Hdwy	3.518	4.018	3.318	3.518	4.018	3.318	2.218	-	-	2.218	-	-	
Pot Cap-1 Maneuver	690	637	962	648	644	894	1496	-	-	1417	-	-	
Stage 1	910	815	-	840	764	-	-	-	-	-	-	-	
Stage 2	836	756	-	861	813	-	-	-	-	-	-	-	
Platoon blocked, %								-	-		-	-	
Mov Cap-1 Maneuver	682	634	962	585	641	894	1496	-	-	1417	-	-	
Mov Cap-2 Maneuver	682	634	-	585	641	-	-	-	-	-	-	-	
Stage 1	907	814	-	837	762	-	-	-	-	-	-	-	
Stage 2	826	754	-	780	812	-	-	-	-	-	-	-	

Approach	EB	WB	NB	SB	
HCM Control Delay, s	9.6	15.5	0.2	0.1	
HCM LOS	А	С			

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1V	WBLn1	SBL	SBT	SBR	
Capacity (veh/h)	1496	-	-	899	591	1417	-	-	
HCM Lane V/C Ratio	0.004	-	-	0.121	0.427	0.001	-	-	
HCM Control Delay (s)	7.4	-	-	9.6	15.5	7.5	-	-	
HCM Lane LOS	А	-	-	Α	С	Α	-	-	
HCM 95th %tile Q(veh)	0	-	-	0.4	2.1	0	-	-	

Int Delay, s/veh	1.4					
Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations		ب	et -		Y	
Traffic Vol, veh/h	0	448	213	0	42	36
Future Vol, veh/h	0	448	213	0	42	36
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	-	-	-	-	0	-
Veh in Median Storage,	# -	0	0	-	0	-
Grade, %	-	0	0	-	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	0	487	232	0	46	39

Major/Minor	Major1	Maj	or2	ľ	Minor2	
Conflicting Flow All	232	0	-	0	719	232
Stage 1	-	-	-	-	232	-
Stage 2	-	-	-	-	487	-
Critical Hdwy	4.12	-	-	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	-	5.42	-
Critical Hdwy Stg 2	-	-	-	-	5.42	-
Follow-up Hdwy	2.218	-	-	-	3.518	3.318
Pot Cap-1 Maneuver	1336	-	-	-	395	807
Stage 1	-	-	-	-	807	-
Stage 2	-	-	-	-	618	-
Platoon blocked, %		-	-	-		
Mov Cap-1 Maneuver	1336	-	-	-	395	807
Mov Cap-2 Maneuver	-	-	-	-	395	-
Stage 1	-	-	-	-	807	-
Stage 2	-	-	-	-	618	-
Approach	ED	1	٨/D		CD	

Approach	EB	WB	SB	
HCM Control Delay, s	0	0	13.3	
HCM LOS			В	

Minor Lane/Major Mvmt	EBL	EBT	WBT	WBR SBLn1
Capacity (veh/h)	1336	-	-	- 517
HCM Lane V/C Ratio	-	-	-	- 0.164
HCM Control Delay (s)	0	-	-	- 13.3
HCM Lane LOS	А	-	-	- B
HCM 95th %tile Q(veh)	0	-	-	- 0.6

Synchro Analysis Worksheets

Future Conditions Bloch Arena Site

No Mitigation

	≯	-	\mathbf{r}	4	+	×	1	1	/	1	ţ	~
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	٦	र्भ	1	٦	et		٦	eî 👘		۲.	•	1
Traffic Volume (veh/h)	355	2	15	0	0	0	280	300	219	90	495	425
Future Volume (veh/h)	355	2	15	0	0	0	280	300	219	90	495	425
Number	7	4	14	3	8	18	5	2	12	1	6	16
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Adj Sat Flow, veh/h/ln	1863	1863	1863	1863	1863	1900	1863	1863	1900	1863	1863	1863
Adj Flow Rate, veh/h	387	0	0	0	0	0	304	326	238	98	538	0
Adj No. of Lanes	2	0	1	1	1	0	1	1	0	1	1	1
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Percent Heavy Veh, %	2	2	2	2	2	2	2	2	2	2	2	2
Cap, veh/h	530	0	237	2	3	0	595	579	423	126	1007	856
Arrive On Green	0.15	0.00	0.00	0.00	0.00	0.00	0.11	0.58	0.58	0.07	0.54	0.00
Sat Flow, veh/h	3548	0	1583	1774	1863	0	1774	1002	732	1774	1863	1583
Grp Volume(v), veh/h	387	0	0	0	0	0	304	0	564	98	538	0
Grp Sat Flow(s), veh/h/ln	1774	0	1583	1774	1863	0	1774	0	1734	1774	1863	1583
Q Serve(g_s), s	7.7	0.0	0.0	0.0	0.0	0.0	5.4	0.0	15.1	4.0	13.9	0.0
Cycle Q Clear(g_c), s	7.7	0.0	0.0	0.0	0.0	0.0	5.4 5.4	0.0	15.1	4.0	13.9	0.0
	1.00	0.0	1.00	1.00	0.0	0.00	1.00	0.0	0.42	1.00	13.9	1.00
Prop In Lane	530	0	237	1.00	3	0.00	595	0	1002	126	1007	856
Lane Grp Cap(c), veh/h	0.73	0	0.00	0.00	0.00	0.00	0.51	0	0.56	0.78	0.53	
V/C Ratio(X)		0.00 0	660	429	451	0.00	0.51 808	0.00	1002	191	0.53 1007	0.00 856
Avail Cap(c_a), veh/h	1479							0				
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	1.00	1.00	1.00	0.00
Uniform Delay (d), s/veh	30.2	0.0	0.0	0.0	0.0	0.0	7.5	0.0	9.8	34.0	11.0	0.0
Incr Delay (d2), s/veh	2.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	2.3	10.8	2.0	0.0
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/In	3.9	0.0	0.0	0.0	0.0	0.0	2.6	0.0	7.8	2.4	7.6	0.0
LnGrp Delay(d),s/veh	32.2	0.0	0.0	0.0	0.0	0.0	8.2	0.0	12.1	44.8	13.1	0.0
LnGrp LOS	С						A		В	D	В	
Approach Vol, veh/h		387			0			868			636	
Approach Delay, s/veh		32.2			0.0			10.7			17.9	
Approach LOS		С						В			В	
Timer	1	2	3	4	5	6	7	8				
Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+Rc), s	10.3	48.0		16.1	13.0	45.2		0.0				
Change Period (Y+Rc), s	5.0	5.0		5.0	5.0	5.0		5.0				
Max Green Setting (Gmax), s	8.0	43.0		31.0	17.0	34.0		18.0				
Max Q Clear Time (g_c+I1), s	6.0	17.1		9.7	7.4	15.9		0.0				
Green Ext Time (p_c), s	0.0	9.0		1.4	0.7	7.7		0.0				
Intersection Summary												
HCM 2010 Ctrl Delay			17.5									
HCM 2010 LOS			В									
			U									
Notes												

Bloch Arena Alternative AM Peak Hour 11/21/2019 Future Year 2027 with Project

User approved volume balancing among the lanes for turning movement.

Int Delay, s/veh	2					
Movement	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations	Y		- † 14		٦	- 11
Traffic Vol, veh/h	40	35	620	35	80	970
Future Vol, veh/h	40	35	620	35	80	970
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	125	-
Veh in Median Storage	,# 0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	43	38	674	38	87	1054

Major/Minor	Minor1	Ν	1ajor1	Ν	lajor2	
Conflicting Flow All	1394	356	0	0	712	0
Stage 1	693	-	-	-	-	-
Stage 2	701	-	-	-	-	-
Critical Hdwy	6.84	6.94	-	-	4.14	-
Critical Hdwy Stg 1	5.84	-	-	-	-	-
Critical Hdwy Stg 2	5.84	-	-	-	-	-
Follow-up Hdwy	3.52	3.32	-	-	2.22	-
Pot Cap-1 Maneuver	133	640	-	-	884	-
Stage 1	457	-	-	-	-	-
Stage 2	453	-	-	-	-	-
Platoon blocked, %			-	-		-
Mov Cap-1 Maneuve	r 120	640	-	-	884	-
Mov Cap-2 Maneuve	r 120	-	-	-	-	-
Stage 1	457	-	-	-	-	-
Stage 2	409	-	-	-	-	-

Approach	WB	NB	SB
HCM Control Delay, s	36.6	0	0.7
HCM LOS	Е		

Minor Lane/Major Mvmt	NBT	NBRWBLr	1 SBL	SBT	
Capacity (veh/h)	-	- 19	3 884	-	
HCM Lane V/C Ratio	-	- 0.42	2 0.098	-	
HCM Control Delay (s)	-	- 36	6 9.5	-	
HCM Lane LOS	-	-	E A	-	
HCM 95th %tile Q(veh)	-	- 1	9 0.3	-	

	≯	→	\mathbf{r}	4	+	×	1	Ť	1	1	ţ	~
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	٦	र्भ	1	٦	et 🗧		٦	eî 👘		۳	•	1
Traffic Volume (veh/h)	330	Ō	110	326	1	14	95	440	125	6	340	340
Future Volume (veh/h)	330	0	110	326	1	14	95	440	125	6	340	340
Number	7	4	14	3	8	18	5	2	12	1	6	16
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Adj Sat Flow, veh/h/ln	1863	1863	1863	1863	1863	1900	1863	1863	1900	1863	1863	1863
Adj Flow Rate, veh/h	359	0	0	354	1	15	103	478	136	7	370	0
Adj No. of Lanes	2	0	1	1	1	0	1	1	0	1	1	1
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Percent Heavy Veh, %	2	2	2	2	2	2	2	2	2	2	2	2
Cap, veh/h	458	0	204	389	22	328	416	617	176	16	744	632
Arrive On Green	0.13	0.00	0.00	0.22	0.22	0.22	0.05	0.44	0.44	0.01	0.40	0.00
Sat Flow, veh/h	3548	0	1583	1774	100	1498	1774	1396	397	1774	1863	1583
Grp Volume(v), veh/h	359	0	0	354	0	16	103	0	614	7	370	0
Grp Sat Flow(s), veh/h/ln	1774	0	1583	1774	0	1598	1774	0	1793	1774	1863	1583
Q Serve(g_s), s	9.8	0.0	0.0	19.4	0.0	0.8	3.3	0.0	28.9	0.4	14.8	0.0
Cycle Q Clear(g_c), s	9.8	0.0	0.0	19.4	0.0	0.8	3.3	0.0	28.9	0.4	14.8	0.0
Prop In Lane	1.00	0.0	1.00	1.00	0.0	0.94	1.00	0.0	0.22	1.00	11.0	1.00
Lane Grp Cap(c), veh/h	458	0	204	389	0	350	416	0	792	1.00	744	632
V/C Ratio(X)	0.78	0.00	0.00	0.91	0.00	0.05	0.25	0.00	0.77	0.45	0.50	0.00
Avail Cap(c_a), veh/h	891	0.00	398	446	0.00	401	592	0.00	792	107	744	632
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	0.00	1.00	0.00	1.00	1.00	0.00	1.00	1.00	1.00	0.00
Uniform Delay (d), s/veh	42.0	0.0	0.0	37.9	0.0	30.7	16.7	0.0	23.6	49.1	22.4	0.0
Incr Delay (d2), s/veh	3.0	0.0	0.0	21.0	0.0	0.1	0.3	0.0	7.3	18.6	2.4	0.0
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/ln	5.0	0.0	0.0	11.7	0.0	0.0	1.6	0.0	15.9	0.3	8.1	0.0
LnGrp Delay(d),s/veh	45.0	0.0	0.0	58.9	0.0	30.7	17.0	0.0	30.9	67.7	24.8	0.0
LnGrp LOS	чо.о D	0.0	0.0	E	0.0	C	B	0.0	C	E	24.0 C	0.0
Approach Vol, veh/h		359		<u>L</u>	370	<u> </u>		717		<u>L</u>	377	
Approach Delay, s/veh		45.0			57.6			28.9			25.6	
		43.0 D			57.0 E			20.9 C			23.0 C	
Approach LOS			•			_	_				U	
Timer	1	2	3	4	5	6	7	8				
Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+Rc), s	5.9	49.0		17.8	10.1	44.8		26.8				
Change Period (Y+Rc), s	5.0	5.0		5.0	5.0	5.0		5.0				
Max Green Setting (Gmax), s	6.0	44.0		25.0	15.0	35.0		25.0				_
Max Q Clear Time (g_c+l1), s	2.4	30.9		11.8	5.3	16.8		21.4				
Green Ext Time (p_c), s	0.0	5.6		1.1	0.2	6.7		0.4				
Intersection Summary												
HCM 2010 Ctrl Delay			37.2									
HCM 2010 LOS			D									
Notes												

Bloch Arena Alternative Midday Peak Hour 11/21/2019 Future Year 2027 with Project All to Main Gate

User approved volume balancing among the lanes for turning movement.

Int Delay, s/veh	1.6					
Movement	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations	Y		- † 1-		٦	^
Traffic Vol, veh/h	40	40	724	60	30	646
Future Vol, veh/h	40	40	724	60	30	646
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	125	-
Veh in Median Storage,	# 0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	43	43	787	65	33	702

Major/Minor	Minor1	Ν	1ajor1	Ν	lajor2	
Conflicting Flow All	1237	426	0	0	852	0
Stage 1	820	-	-	-	-	-
Stage 2	417	-	-	-	-	-
Critical Hdwy	6.84	6.94	-	-	4.14	-
Critical Hdwy Stg 1	5.84	-	-	-	-	-
Critical Hdwy Stg 2	5.84	-	-	-	-	-
Follow-up Hdwy	3.52	3.32	-	-	2.22	-
Pot Cap-1 Maneuver	168	577	-	-	783	-
Stage 1	393	-	-	-	-	-
Stage 2	633	-	-	-	-	-
Platoon blocked, %			-	-		-
Mov Cap-1 Maneuve	r 161	577	-	-	783	-
Mov Cap-2 Maneuve	r 161	-	-	-	-	-
Stage 1	393	-	-	-	-	-
Stage 2	606	-	-	-	-	-

Approach	WB	NB	SB
HCM Control Delay, s	26.6	0	0.4
HCMLOS	D		

Minor Lane/Major Mvmt	NBT	NBRW	/BLn1	SBL	SBT	
Capacity (veh/h)	-	-	252	783	-	
HCM Lane V/C Ratio	-	-	0.345	0.042	-	
HCM Control Delay (s)	-	-	26.6	9.8	-	
HCM Lane LOS	-	-	D	А	-	
HCM 95th %tile Q(veh)	-	-	1.5	0.1	-	

	≯	-	\mathbf{r}	4	+	•	1	1	1	1	ţ	~
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	ľ	र्भ	1	۲.	ef 👘		٦	ef 👘		٦	•	1
Traffic Volume (veh/h)	765	Ō	210	236	1	103	50	540	11	9	300	145
Future Volume (veh/h)	765	0	210	236	1	103	50	540	11	9	300	145
Number	7	4	14	3	8	18	5	2	12	1	6	16
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Adj Sat Flow, veh/h/ln	1863	1863	1863	1863	1863	1900	1863	1863	1900	1863	1863	1863
Adj Flow Rate, veh/h	832	0	0	257	1	112	54	587	12	10	326	0
Adj No. of Lanes	2	0	1	1	1	0	1	1	0	1	1	1
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Percent Heavy Veh, %	2	2	2	2	2	2	2	2	2	2	2	2
Cap, veh/h	949	0	424	297	2	263	343	663	14	21	632	537
Arrive On Green	0.27	0.00	0.00	0.17	0.17	0.17	0.04	0.36	0.36	0.01	0.34	0.00
Sat Flow, veh/h	3548	0	1583	1774	14	1571	1774	1819	37	1774	1863	1583
Grp Volume(v), veh/h	832	0	0	257	0	113	54	0	599	10	326	0
Grp Sat Flow(s), veh/h/ln	1774	0	1583	1774	0	1585	1774	0	1856	1774	1863	1583
Q Serve(g_s), s	23.8	0.0	0.0	15.0	0.0	6.8	2.1	0.0	32.1	0.6	14.9	0.0
Cycle Q Clear(g_c), s	23.8	0.0	0.0	15.0	0.0	6.8	2.1	0.0	32.1	0.6	14.9	0.0
Prop In Lane	1.00	0.0	1.00	1.00	0.0	0.99	1.00	0.0	0.02	1.00	11.0	1.00
Lane Grp Cap(c), veh/h	949	0	424	297	0	265	343	0	677	21	632	537
V/C Ratio(X)	0.88	0.00	0.00	0.87	0.00	0.43	0.16	0.00	0.88	0.47	0.52	0.00
Avail Cap(c_a), veh/h	1204	0.00	537	385	0.00	344	360	0.00	677	84	632	537
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	0.00	1.00	0.00	1.00	1.00	0.00	1.00	1.00	1.00	0.00
Uniform Delay (d), s/veh	37.2	0.0	0.0	43.0	0.0	39.6	22.4	0.0	31.6	52.1	28.1	0.0
Incr Delay (d2), s/veh	6.2	0.0	0.0	15.1	0.0	1.1	0.2	0.0	15.7	15.1	3.0	0.0
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/ln	12.5	0.0	0.0	8.6	0.0	3.1	1.0	0.0	19.4	0.4	8.1	0.0
LnGrp Delay(d),s/veh	43.4	0.0	0.0	58.1	0.0	40.7	22.6	0.0	47.3	67.2	31.1	0.0
LnGrp LOS	D	0.0	0.0	E	0.0	-10.7 D	C	0.0	чи.0 D	E	C	0.0
Approach Vol, veh/h		832			370		<u> </u>	653		<u> </u>	336	
Approach Delay, s/veh		43.4			52.8			45.2			32.1	
Approach LOS		+J.+ D			52.0 D			43.2 D			02.1 C	
			_			-					U	
Timer	1	2	3	4	5	6	7	8				
Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+Rc), s	6.3	43.7		33.4	9.0	41.0		22.7				
Change Period (Y+Rc), s	5.0	5.0		5.0	5.0	5.0		5.0				
Max Green Setting (Gmax), s	5.0	36.0		36.0	5.0	36.0		23.0				
Max Q Clear Time (g_c+I1), s	2.6	34.1		25.8	4.1	16.9		17.0				
Green Ext Time (p_c), s	0.0	1.1		2.6	0.0	6.3		0.8				
Intersection Summary												
HCM 2010 Ctrl Delay			43.8									
HCM 2010 LOS			D									
Notes												

Bloch Arena Alternative PM Peak Hour 11/21/2019 Future Year 2027 with Project

User approved volume balancing among the lanes for turning movement.

Intersection		
Int Dolov, olyop	0.6	

Int Delay, s/ven	9.6						
Movement	WBL	WBR	NBT	NBR	SBL	SBT	-
Lane Configurations	Y		- † î»		٦	- 11	
Traffic Vol, veh/h	35	120	1328	80	45	419)
Future Vol, veh/h	35	120	1328	80	45	419)
Conflicting Peds, #/hr	0	0	0	0	0	0)
Sign Control	Stop	Stop	Free	Free	Free	Free	,
RT Channelized	-	None	-	None	-	None	÷
Storage Length	0	-	-	-	125	-	-
Veh in Median Storage,	,# 0	-	0	-	-	0)
Grade, %	0	-	0	-	-	0)
Peak Hour Factor	92	92	92	92	92	92	2
Heavy Vehicles, %	2	2	2	2	2	2)
Mvmt Flow	38	130	1443	87	49	455	5

Major/Minor	Minor1	Ν	1ajor1	Ν	/lajor2	
Conflicting Flow All	1813	765	0	0	1530	0
Stage 1	1487	-	-	-	-	-
Stage 2	326	-	-	-	-	-
Critical Hdwy	6.84	6.94	-	-	4.14	-
Critical Hdwy Stg 1	5.84	-	-	-	-	-
Critical Hdwy Stg 2	5.84	-	-	-	-	-
Follow-up Hdwy	3.52	3.32	-	-	2.22	-
Pot Cap-1 Maneuver	70	346	-	-	431	-
Stage 1	174	-	-	-	-	-
Stage 2	704	-	-	-	-	-
Platoon blocked, %			-	-		-
Mov Cap-1 Maneuve	r 62	346	-	-	431	-
Mov Cap-2 Maneuve	r 62	-	-	-	-	-
Stage 1	174	-	-	-	-	-
Stage 2	624	-	-	-	-	-

Approach V	B N	NB	SB
HCM Control Delay, s 12	4	0	1.4
HCM LOS	F		

Minor Lane/Major Mvmt	NBT	NBRWBLn1	SBL	SBT
Capacity (veh/h)	-	- 170	431	-
HCM Lane V/C Ratio	-	- 0.991	0.113	-
HCM Control Delay (s)	-	- 121.4	14.4	-
HCM Lane LOS	-	- F	В	-
HCM 95th %tile Q(veh)	-	- 7.9	0.4	-

Bloch Arena Alternative PM Peak Hour 11/21/2019 Future Year 2027 with Project

Synchro Analysis Worksheets

Future Conditions Bloch Arena Site

Mitigation

Lane Configurations 1 0		۶	-	\mathbf{r}	4	-	•	1	1	1	1	ţ	4
Traffic Volume (veh/h) 355 2 15 0 0 280 300 219 90 495 422 Future Volume (veh/h) 355 2 15 0 0 0 280 300 219 90 495 422 Number 7 4 14 3 8 18 5 2 12 1 6 11 Initial Q(b), veh 0	Movement		EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR			SBR
Traffic Volume (veh/h) 355 2 15 0 0 280 300 219 90 445 422 Future Volume (veh/h) 355 2 15 0 0 0 280 300 219 90 4495 422 Number 7 4 14 3 8 18 5 2 12 1 6 10 Initial Q(b), veh 0	Lane Configurations	ľ	र्च	1	۲.	ef 👘		ľ	≜ î≽		٦	•	1
Number 7 4 14 3 8 18 5 2 12 1 6 11 Initial Q (Ob), veh 0	Traffic Volume (veh/h)						0	280		219		495	425
Initial Q(b), veh 0	Future Volume (veh/h)	355	2	15	0	0	0	280	300	219	90	495	425
Ped-Bike Adj(A, pbT) 1.00 <td< td=""><td>Number</td><td>7</td><td>4</td><td>14</td><td>3</td><td>8</td><td>18</td><td>5</td><td>2</td><td>12</td><td>1</td><td>6</td><td>16</td></td<>	Number	7	4	14	3	8	18	5	2	12	1	6	16
Parking Bus, Adj 1.00 1.0	Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Acj Sar Flow, veh/h/ln 1863 <	Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Acj Sar Flow, ven/h/n 1863 <t< td=""><td></td><td>1.00</td><td>1.00</td><td>1.00</td><td>1.00</td><td>1.00</td><td>1.00</td><td>1.00</td><td>1.00</td><td>1.00</td><td>1.00</td><td>1.00</td><td>1.00</td></t<>		1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Acj Flow Rate, veh/h 387 0 0 0 0 304 326 238 98 538 638 Adj No. of Lanes 2 0 1 1 0 1 2 0 1 1 0 Perk Hour Factor 0.92		1863	1863	1863	1863	1863	1900	1863	1863	1900	1863	1863	1863
Peak Hour Factor 0.92 0.93 0.6 0.01 0.01		387	0	0	0	0	0	304	326	238	98	538	0
Peak Hour Factor 0.92 0.93 0.6 0.01 0.01	•				1	1							1
Percent Heavy Veh, % 2 3 6 100 1583 1774 1863 0 1774 1774 1774 1783 1614 1774 1863 1583 163 1633 162 1.7 13.9 0.0 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00<													0.92
Cap, veh/h 519 0 231 2 2 0 601 1193 852 635 1042 883 Arrive On Green 0.15 0.00 0.0													2
Arrive On Green 0.15 0.00	-												885
Sat Flow, veh/h 3548 0 1583 1774 1863 0 1774 1973 1410 1774 1863 1583 Grp Volume(v), veh/h 387 0													0.00
Grp Volume(v), veh/h 387 0 0 0 0 304 292 272 98 538 0 Grp Sat Flow(s), veh/h/ln 1774 0 1583 1774 1863 0 1774 1770 1614 1774 1863 1583 Q Serve(g_s), s 8.1 0.0 0.0 0.0 0.0 0.5 3 6.1 6.2 1.7 13.9 0.0 Cycle Q Clear(g_c), s 8.1 0.0 0.0 0.0 0.0 0.87 1.00 1.00 Prop In Lane 1.00 1.00 1.00 0.00 0.00 0.87 1.00 1.00 Lane Grp Cap(c), veh/h 519 0 231 2 2 0 601 107 975 635 1042 888 V/C Ratio(X) 0.75 0.00 0.00 0.00 0.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 <td></td>													
Grp Sat Flow(s), veh/h/ln 1774 0 1583 1774 1863 0 1774 1770 1614 1774 1863 1583 Q Serve(g, s), s 8.1 0.0 0.0 0.0 0.0 0.0 5.3 6.1 6.2 1.7 13.9 0.0 Cycle Q Clear(g_c), s 8.1 0.0 0.0 0.0 0.0 0.0 0.0 1.00	· · · · · · · · · · · · · · · · · · ·												0
Q Serve(g.s), s 8.1 0.0 0.0 0.0 0.0 5.3 6.1 6.2 1.7 13.9 0.0 Cycle Q Clear(g.c), s 8.1 0.0	•												
Cycle Q Clear(g_c), s 8.1 0.0 0.0 0.0 0.0 5.3 6.1 6.2 1.7 13.9 0.0 Prop In Lane 1.00 1.00 1.00 0.00 1.00 0.87 1.00 1.00 Lane Grp Cap(c), veh/h 519 0 231 2 2 0 601 1070 975 635 1042 888 V/C Ratio(X) 0.75 0.00 0.00 0.00 0.00 0.51 0.27 0.28 0.15 0.52 0.00 Avail Cap(c_a), veh/h 1141 0 509 411 431 0 763 1070 975 763 1042 888 HCM Platoon Ratio 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 0.00													
Prop In Lane 1.00 1.00 1.00 0.00 1.00 0.87 1.00 1.00 Lane Grp Cap(c), veh/h 519 0 231 2 2 0 601 1070 975 635 1042 888 V/C Ratio(X) 0.75 0.00 0.00 0.00 0.00 0.01 0.07 0.28 0.15 0.52 0.687 Avail Cap(c_a), veh/h 1141 0 509 411 431 0 763 1070 975 763 1042 888 HCM Platoon Ratio 1.00<													
Lane Grp Cap(c), veh/h 519 0 231 2 2 0 601 1070 975 635 1042 883 V/C Ratio(X) 0.75 0.00 0.00 0.00 0.00 0.00 0.51 0.27 0.28 0.15 0.52 0.00 Avail Cap(c_a), veh/h 1141 0 509 411 431 0 763 1070 975 763 1042 883 HCM Platon Ratio 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0			0.0			0.0			0.1			13.9	
V/C Ratio(X) 0.75 0.00 0.00 0.00 0.00 0.51 0.27 0.28 0.15 0.52 0.00 Avail Cap(c_a), veh/h 1141 0 509 411 431 0 763 1070 975 763 1042 888 HCM Platoon Ratio 1.00 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 </td <td>•</td> <td></td> <td>0</td> <td></td> <td></td> <td>0</td> <td></td> <td></td> <td>4070</td> <td></td> <td></td> <td>1010</td> <td></td>	•		0			0			4070			1010	
Avail Cap(c_a), veh/h 1141 0 509 411 431 0 763 1070 975 763 1042 885 HCM Platoon Ratio 1.00 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>													
HCM Platoon Ratio 1.00 1.	()												
Upstream Filter(I) 1.00 0.00 0.00 0.00 0.00 1.00 1.00 1.00 1.00 1.00 1.00 0.00 0.00 Uniform Delay (d), s/veh 31.8 0.0 0.0 0.0 0.0 0.0 7.3 7.3 7.3 6.1 10.6 0.0 Incr Delay (d2), s/veh 2.2 0.0 <td></td>													
Uniform Delay (d), s/veh 31.8 0.0 0.0 0.0 0.0 7.3 7.3 7.3 6.1 10.6 0.0 Incr Delay (d2), s/veh 2.2 0.0 0.0 0.0 0.0 0.0 0.7 0.6 0.7 0.1 1.8 0.0 Initial Q Delay(d3), s/veh 0.0													
Incr Delay (d2), s/veh 2.2 0.0 0.0 0.0 0.0 0.7 0.6 0.7 0.1 1.8 0.0 Initial Q Delay(d3),s/veh 0.0 <t< td=""><td>• • • • • • • • • • • • • • • • • • • •</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	• • • • • • • • • • • • • • • • • • • •												
Initial Q Delay(d3),s/veh 0.0 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.0</td></t<>													0.0
%ile BackOfQ(50%),veh/ln 4.1 0.0 0.0 0.0 0.0 2.6 3.1 2.9 0.9 7.6 0.0 LnGrp Delay(d),s/veh 34.0 0.0 0.0 0.0 0.0 0.0 7.9 7.9 8.0 6.2 12.5 0.0 LnGrp Delay(d),s/veh 34.0 0.0 0.0 0.0 0.0 7.9 7.9 8.0 6.2 12.5 0.0 LnGrp Delay(d),s/veh 34.0 0.0 0.0 0.0 7.9 7.9 8.0 6.2 12.5 0.0 LnGrp Delay(d),s/veh 34.0 0.0 0.0 868 636 636 Approach Delay, s/veh 34.0 0.0 0.0 8.0 11.5 A Approach LOS C A B B B B B B B B Timer 1 2 3 4 5 6 7 8 B B B B B B B B B B B B B B <													0.0
LnGrp Delay(d),s/veh 34.0 0.0 0.0 0.0 0.0 7.9 7.9 8.0 6.2 12.5 0.0 LnGrp LOS C A A A A A B B Approach Vol, veh/h 387 0 868 636 636 Approach Delay, s/veh 34.0 0.0 0.0 8.0 11.5 Approach LOS C A Sold 6.2 12.5 0.0 Timer 1 2 3 4 5 6 7 8 Assigned Phs 1 2 4 5 6 7 8 9 Assigned Phs 1 2 4 5 6 7 8 9 Change Period (Y+Rc), s 9.4 52.0 16.4 12.9 48.5 0.0 0.0 0.0 Change Period (Y+Rc), s 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0													0.0
LnGrp LOS C A A A A A B Approach Vol, veh/h 387 0 868 636													0.0
Approach Vol, veh/h 387 0 868 636 Approach Delay, s/veh 34.0 0.0 8.0 11.5 Approach LOS C A B Timer 1 2 3 4 5 6 7 8 Timer 1 2 3 4 5 6 7 8 Assigned Phs 1 2 4 5 6 8 Phs Duration (G+Y+Rc), s 9.4 52.0 16.4 12.9 48.5 0.0 Change Period (Y+Rc), s 5.0 5.0 5.0 5.0 5.0 Max Green Setting (Gmax), s 10.0 47.0 25.0 15.0 42.0 18.0 Max Q Clear Time (g_c+I1), s 3.7 8.2 10.1 7.3 15.9 0.0 Green Ext Time (p_c), s 0.1 9.5 1.2 0.6 8.6 0.0 Intersection Summary HCM 2010 Ctrl Delay 14.5 HCM 2010 LOS B 14.5 <td></td> <td></td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td>0.0</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.0</td>			0.0	0.0	0.0	0.0	0.0						0.0
Approach Delay, s/veh 34.0 0.0 8.0 11.5 Approach LOS C A B Timer 1 2 3 4 5 6 7 8 Assigned Phs 1 2 4 5 6 7 8 Assigned Phs 1 2 4 5 6 8 9 Assigned Phs 1 2 4 5 6 8 9 Assigned Phs 1 2 4 5 6 8 9 Assigned Phs 1 2 4 5 6 8 9 Assigned Phs 1 2 4 5 6 8 9 9 9 9 9 9 9 9 9 9 10.0 <	LnGrp LOS	С						A		A	A		
Approach LOS C A B Timer 1 2 3 4 5 6 7 8 Assigned Phs 1 2 4 5 6 8 8 Phs Duration (G+Y+Rc), s 9.4 52.0 16.4 12.9 48.5 0.0 0.0 Change Period (Y+Rc), s 5.0 5.0 5.0 5.0 5.0 5.0 Max Green Setting (Gmax), s 10.0 47.0 25.0 15.0 42.0 18.0 Max Q Clear Time (g_c+I1), s 3.7 8.2 10.1 7.3 15.9 0.0 Green Ext Time (p_c), s 0.1 9.5 1.2 0.6 8.6 0.0 Intersection Summary 14.5 HCM 2010 Ctrl Delay 14.5 HCM 2010 LOS B	Approach Vol, veh/h		387			0			868			636	
Timer 1 2 3 4 5 6 7 8 Assigned Phs 1 2 4 5 6 8 Phs Duration (G+Y+Rc), s 9.4 52.0 16.4 12.9 48.5 0.0 Change Period (Y+Rc), s 5.0 5.0 5.0 5.0 5.0 5.0 Max Green Setting (Gmax), s 10.0 47.0 25.0 15.0 42.0 18.0 Max Q Clear Time (g_c+11), s 3.7 8.2 10.1 7.3 15.9 0.0 Green Ext Time (p_c), s 0.1 9.5 1.2 0.6 8.6 0.0 Intersection Summary HCM 2010 Ctrl Delay 14.5 HCM 2010 LOS B 44.5	Approach Delay, s/veh		34.0			0.0			8.0			11.5	
Assigned Phs 1 2 4 5 6 8 Phs Duration (G+Y+Rc), s 9.4 52.0 16.4 12.9 48.5 0.0 Change Period (Y+Rc), s 5.0 5.0 5.0 5.0 5.0 Max Green Setting (Gmax), s 10.0 47.0 25.0 15.0 42.0 18.0 Max Q Clear Time (g_c+I1), s 3.7 8.2 10.1 7.3 15.9 0.0 Green Ext Time (p_c), s 0.1 9.5 1.2 0.6 8.6 0.0 Intersection Summary HCM 2010 Ctrl Delay 14.5 HCM 2010 LOS B 14.5	Approach LOS		С						А			В	
Phs Duration (G+Y+Rc), s 9.4 52.0 16.4 12.9 48.5 0.0 Change Period (Y+Rc), s 5.0 5.0 5.0 5.0 5.0 Max Green Setting (Gmax), s 10.0 47.0 25.0 15.0 42.0 18.0 Max Q Clear Time (g_c+I1), s 3.7 8.2 10.1 7.3 15.9 0.0 Green Ext Time (p_c), s 0.1 9.5 1.2 0.6 8.6 0.0 Intersection Summary HCM 2010 Ctrl Delay 14.5 14.5 HCM 2010 LOS B	Timer	1	2	3	4	5	6	7	8				
Phs Duration (G+Y+Rc), s 9.4 52.0 16.4 12.9 48.5 0.0 Change Period (Y+Rc), s 5.0 5.0 5.0 5.0 5.0 Max Green Setting (Gmax), s 10.0 47.0 25.0 15.0 42.0 18.0 Max Q Clear Time (g_c+I1), s 3.7 8.2 10.1 7.3 15.9 0.0 Green Ext Time (p_c), s 0.1 9.5 1.2 0.6 8.6 0.0 Intersection Summary HCM 2010 Ctrl Delay 14.5 HCM 2010 LOS B	Assigned Phs	1	2		4	5	6						
Change Period (Y+Rc), s 5.0 5.0 5.0 5.0 Max Green Setting (Gmax), s 10.0 47.0 25.0 15.0 42.0 18.0 Max Q Clear Time (g_c+I1), s 3.7 8.2 10.1 7.3 15.9 0.0 Green Ext Time (p_c), s 0.1 9.5 1.2 0.6 8.6 0.0 Intersection Summary HCM 2010 Ctrl Delay 14.5 14.5 HCM 2010 LOS B 14.5		9.4											
Max Green Setting (Gmax), s 10.0 47.0 25.0 15.0 42.0 18.0 Max Q Clear Time (g_c+l1), s 3.7 8.2 10.1 7.3 15.9 0.0 Green Ext Time (p_c), s 0.1 9.5 1.2 0.6 8.6 0.0 Intersection Summary HCM 2010 Ctrl Delay 14.5 14.5 HCM 2010 LOS B 14.5													
Max Q Clear Time (g_c+l1), s 3.7 8.2 10.1 7.3 15.9 0.0 Green Ext Time (p_c), s 0.1 9.5 1.2 0.6 8.6 0.0 Intersection Summary HCM 2010 Ctrl Delay 14.5 HCM 2010 LOS B 14.5													
Green Ext Time (p_c), s 0.1 9.5 1.2 0.6 8.6 0.0 Intersection Summary HCM 2010 Ctrl Delay 14.5 HCM 2010 LOS B													
HCM 2010 Ctrl Delay 14.5 HCM 2010 LOS B													
HCM 2010 Ctrl Delay 14.5 HCM 2010 LOS B	Intersection Summary												
HCM 2010 LOS B				14.5									
Notes				U									
	Notes												

Bloch Arena Alternative AM Peak Hour 11/21/2019 Future Year 2027 with Project

User approved volume balancing among the lanes for turning movement.

	•	×	Ť	1	1	Ļ			
Movement	WBL	WBR	NBT	NBR	SBL	SBT			
Lane Configurations	Y		↑ 1≱		٦	††			
Traffic Volume (veh/h)	40	35	620	35	80	970			
Future Volume (veh/h)	40	35	620	35	80	970			
Number	3	18	2	12	1	6			
Initial Q (Qb), veh	0	0	0	0	0	0			
Ped-Bike Adj(A_pbT)	1.00	1.00		1.00	1.00				
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00			
Adj Sat Flow, veh/h/ln	1863	1900	1863	1900	1863	1863			
Adj Flow Rate, veh/h	43	38	674	38	87	1054			
Adj No. of Lanes	0	0	2	0	1	2			
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92			
Percent Heavy Veh, %	0.02	0.02	2	2	2	2			
Cap, veh/h	154	136	1817	102	296	2625			
Arrive On Green	0.17	0.17	0.53	0.53	0.17	0.74			
Sat Flow, veh/h	882	779	3500	192	1774	3632			
Grp Volume(v), veh/h	82	0	350	362	87	1054			
Grp Sat Flow(s), veh/h/ln	1681	0	1770	1829	1774	1770			
Q Serve(g_s), s	5.1	0.0	13.8	13.8	5.2	13.1			
	5.1	0.0	13.8	13.8	5.2	13.1			
Cycle Q Clear(g_c), s Prop In Lane			13.0	0.10	5.2 1.00	13.1			
•	0.52	0.46	044			2625			
Lane Grp Cap(c), veh/h	294	0	944	975	296				
V/C Ratio(X)	0.28	0.00	0.37	0.37	0.29	0.40			
Avail Cap(c_a), veh/h	294	0	944	975	296	2625			
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00			
Upstream Filter(I)	1.00	0.00	1.00	1.00	1.00	1.00			
Uniform Delay (d), s/veh	42.9	0.0	16.3	16.3	43.8	5.7			
Incr Delay (d2), s/veh	2.3	0.0	1.1	1.1	2.5	0.5			
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0			
%ile BackOfQ(50%),veh/In	2.6	0.0	7.0	7.2	2.7	6.5			
LnGrp Delay(d),s/veh	45.3	0.0	17.4	17.4	46.3	6.2			
LnGrp LOS	D		В	В	D	Α			
Approach Vol, veh/h	82		712			1141			
Approach Delay, s/veh	45.3		17.4			9.2			
Approach LOS	D		В			А			
Timer	1	2	3	4	5	6	7 8		
Assigned Phs	1	2				6	8		
Phs Duration (G+Y+Rc), s	25.0	69.0				94.0	26.0		
Change Period (Y+Rc), s	5.0	5.0				5.0	5.0		
Max Green Setting (Gmax), s	20.0	64.0				89.0	21.0		
Max Q Clear Time (g_c+I1), s	7.2	15.8				15.1	7.1		
Green Ext Time (p_c), s	0.1	20.3				22.9	0.1		
Intersection Summary									
			12.0						
HCM 2010 Ctrl Delay			13.8						
HCM 2010 LOS			В						

	≯	→	\mathbf{r}	1	-	•	1	1	1	1	ţ	~
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	ľ	र्भ	1	۲.	el 🗧		1	≜ ⊅		٦	•	1
Traffic Volume (veh/h)	330	Ō	110	326	1	14	95	440	125	6	340	340
Future Volume (veh/h)	330	0	110	326	1	14	95	440	125	6	340	340
Number	7	4	14	3	8	18	5	2	12	1	6	16
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Adj Sat Flow, veh/h/ln	1863	1863	1863	1863	1863	1900	1863	1863	1900	1863	1863	1863
Adj Flow Rate, veh/h	359	0	0	354	1	15	103	478	136	7	370	0
Adj No. of Lanes	2	0	1	1	1	0	1	2	0	1	1	1
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Percent Heavy Veh, %	2	2	2	2	2	2	2	2	2	2	2	2
Cap, veh/h	440	0	196	389	22	329	431	1246	352	359	775	659
Arrive On Green	0.12	0.00	0.00	0.22	0.22	0.22	0.05	0.46	0.46	0.01	0.42	0.00
Sat Flow, veh/h	3548	0	1583	1774	100	1498	1774	2726	771	1774	1863	1583
Grp Volume(v), veh/h	359	0	0	354	0	16	103	309	305	7	370	0
Grp Sat Flow(s), veh/h/ln	1774	0	1583	1774	0	1598	1774	1770	1727	1774	1863	1583
Q Serve(g_s), s	10.4	0.0	0.0	20.4	0.0	0.8	3.4	12.1	12.2	0.2	15.2	0.0
Cycle Q Clear(g_c), s	10.4	0.0	0.0	20.4	0.0	0.8	3.4	12.1	12.2	0.2	15.2	0.0
Prop In Lane	1.00	0.0	1.00	1.00	0.0	0.94	1.00	12.1	0.45	1.00	10.2	1.00
Lane Grp Cap(c), veh/h	440	0	196	389	0	351	431	809	789	359	775	659
V/C Ratio(X)	0.82	0.00	0.00	0.91	0.00	0.05	0.24	0.38	0.39	0.02	0.48	0.00
Avail Cap(c_a), veh/h	608	0.00	271	473	0.00	426	595	809	789	444	775	659
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	0.00	1.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00
Uniform Delay (d), s/veh	44.8	0.0	0.0	40.0	0.0	32.3	16.6	18.7	18.8	17.7	22.3	0.0
Incr Delay (d2), s/veh	6.0	0.0	0.0	19.1	0.0	0.1	0.3	1.4	1.4	0.0	2.1	0.0
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/ln	5.5	0.0	0.0	12.1	0.0	0.4	1.7	6.1	6.2	0.0	8.3	0.0
LnGrp Delay(d),s/veh	50.9	0.0	0.0	59.0	0.0	32.4	16.9	20.1	20.2	17.8	24.4	0.0
LnGrp LOS	D	0.0	0.0	E	0.0	C	В	20.1 C	20.2 C	B	24.4 C	0.0
Approach Vol, veh/h		359		<u> </u>	370			717	<u> </u>		377	
Approach Delay, s/veh		50.9			57.9			19.7			24.3	
Approach LOS		50.9 D			57.5 E			19.7 B			24.3 C	
											U	
Timer	1	2	3	4	5	6	7	8				
Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+Rc), s	5.9	53.0		18.0	10.3	48.7		28.0				
Change Period (Y+Rc), s	5.0	5.0		5.0	5.0	5.0		5.0				
Max Green Setting (Gmax), s	6.0	48.0		18.0	15.0	39.0		28.0				
Max Q Clear Time (g_c+I1), s	2.2	14.2		12.4	5.4	17.2		22.4				
Green Ext Time (p_c), s	0.0	7.7		0.7	0.2	6.8		0.6				
Intersection Summary												
HCM 2010 Ctrl Delay			34.5									
HCM 2010 LOS			С									
Notes												

User approved volume balancing among the lanes for turning movement.

	•	×	Ť	1	1	ţ			
Movement	WBL	WBR	NBT	NBR	SBL	SBT			
Lane Configurations	Y		A		ሻ	<u>†</u> †			
Traffic Volume (veh/h)	40	40	724	60	30	646			
Future Volume (veh/h)	40	40	724	60	30	646			
Number	3	18	2	12	1	6			
Initial Q (Qb), veh	0	0	0	0	0	0			
Ped-Bike Adj(A_pbT)	1.00	1.00		1.00	1.00				
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00			
Adj Sat Flow, veh/h/ln	1863	1900	1863	1900	1863	1863			
Adj Flow Rate, veh/h	43	43	787	65	33	702			
Adj No. of Lanes	0	0	2	0	1	2			
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92			
Percent Heavy Veh, %	0.52	0.52	2	2	2	2			
Cap, veh/h	124	124	2262	187	74	2713			
Arrive On Green	0.15	0.15	0.68	0.68	0.04	0.77			
Sat Flow, veh/h	828	828	3404	273	1774	3632			
Grp Volume(v), veh/h	87	020	421	431	33	702			
Grp Sat Flow(s),veh/h/ln	1675	0	1770	1815	1774	1770			
Q Serve(g_s), s	5.6	0.0	11.8	11.9	2.2	6.9			
Cycle Q Clear(g_c), s	5.6	0.0	11.8	11.9	2.2	6.9			
Prop In Lane	0.49	0.49	4000	0.15	1.00	0740			
ane Grp Cap(c), veh/h	251	0	1209	1240	74	2713			
//C Ratio(X)	0.35	0.00	0.35	0.35	0.45	0.26			
Avail Cap(c_a), veh/h	251	0	1209	1240	74	2713			
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00			
Jpstream Filter(I)	1.00	0.00	1.00	1.00	1.00	1.00			
Jniform Delay (d), s/veh	45.7	0.0	7.9	7.9	56.1	4.1			
ncr Delay (d2), s/veh	3.7	0.0	0.8	0.8	18.3	0.2			
nitial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0			
%ile BackOfQ(50%),veh/ln	2.8	0.0	6.0	6.1	1.4	3.4			
_nGrp Delay(d),s/veh	49.5	0.0	8.7	8.7	74.4	4.3			
_nGrp LOS	D		Α	А	E	Α			
Approach Vol, veh/h	87		852			735			
Approach Delay, s/veh	49.5		8.7			7.5			
Approach LOS	D		А			А			
imer	1	2	3	4	5	6	7 8		
Assigned Phs	1	2				6	8		
Phs Duration (G+Y+Rc), s	10.0	87.0				97.0	23.0		
Change Period (Y+Rc), s	5.0	5.0				5.0	5.0		
Max Green Setting (Gmax), s	5.0	82.0				92.0	18.0		
<i>l</i> ax Q Clear Time (g_c+l1), s	4.2	13.9				8.9	7.6		
Green Ext Time (p_c), s	0.0	17.4				17.8	0.1		
ntersection Summary									
HCM 2010 Ctrl Delay			10.3						
ICM 2010 Clif Delay			10.5 B						
			D						

Bloch Arena Alternative Midday Peak Hour 11/21/2019 Future Year 2027 with Project All to Main Gate

	≯	→	\mathbf{r}	1	+	×	1	Ť	1	1	ţ	~
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	۲.	र्भ	1	۲.	ef 👘		٦	∱ ₽		٦	•	1
Traffic Volume (veh/h)	765	Ō	210	236	1	103	50	540	11	9	300	145
Future Volume (veh/h)	765	0	210	236	1	103	50	540	11	9	300	145
Number	7	4	14	3	8	18	5	2	12	1	6	16
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Adj Sat Flow, veh/h/ln	1863	1863	1863	1863	1863	1900	1863	1863	1900	1863	1863	1863
Adj Flow Rate, veh/h	832	0	0	257	1	112	54	587	12	10	326	0
Adj No. of Lanes	2	0	1	1	1	0	1	2	0	1	1	1
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Percent Heavy Veh, %	2	2	2	2	2	2	2	2	2	2	2	2
Cap, veh/h	957	0	427	299	2	265	332	1253	26	276	609	518
Arrive On Green	0.27	0.00	0.00	0.17	0.17	0.17	0.04	0.35	0.35	0.01	0.33	0.00
Sat Flow, veh/h	3548	0	1583	1774	14	1571	1774	3547	72	1774	1863	1583
Grp Volume(v), veh/h	832	0	0	257	0	113	54	293	306	10	326	0
Grp Sat Flow(s), veh/h/ln	1774	0	1583	1774	0	1585	1774	1770	1850	1774	1863	1583
Q Serve(g_s), s	22.8	0.0	0.0	14.4	0.0	6.5	2.0	13.1	13.1	0.4	14.6	0.0
Cycle Q Clear(g_c), s	22.0	0.0	0.0	14.4	0.0	6.5	2.0	13.1	13.1	0.4	14.6	0.0
	1.00	0.0	1.00	1.00	0.0	0.99	1.00	13.1	0.04	1.00	14.0	1.00
Prop In Lane	957	0	427	299	0	267	332	625	0.04 654	276	609	518
Lane Grp Cap(c), veh/h		0			0							
V/C Ratio(X)	0.87	0.00	0.00	0.86	0.00	0.42	0.16	0.47	0.47	0.04	0.54	0.00
Avail Cap(c_a), veh/h	1253	0	559	400	0	358	438	625	654	341	609	518
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	0.00	1.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00
Uniform Delay (d), s/veh	35.5	0.0	0.0	41.2	0.0	37.9	22.3	25.5	25.5	22.9	28.0	0.0
Incr Delay (d2), s/veh	5.4	0.0	0.0	13.3	0.0	1.1	0.2	2.5	2.4	0.1	3.4	0.0
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/In	11.9	0.0	0.0	8.1	0.0	2.9	1.0	6.8	7.1	0.2	8.0	0.0
LnGrp Delay(d),s/veh	40.9	0.0	0.0	54.5	0.0	39.0	22.5	28.0	27.9	23.0	31.3	0.0
LnGrp LOS	D			D		D	С	С	С	С	С	
Approach Vol, veh/h		832			370			653			336	
Approach Delay, s/veh		40.9			49.8			27.5			31.1	
Approach LOS		D			D			С			С	
Timer	1	2	3	4	5	6	7	8				
Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+Rc), s	6.2	41.0		32.5	8.9	38.3		22.2				
Change Period (Y+Rc), s	5.0	5.0		5.0	5.0	5.0		5.0				
Max Green Setting (Gmax), s	5.0	36.0		36.0	10.0	31.0		23.0				
Max Q Clear Time (g_c+I1), s	2.4	15.1		24.8	4.0	16.6		16.4				
Green Ext Time (p_c), s	0.0	6.1		2.7	0.0	5.2		0.8				
Intersection Summary												
HCM 2010 Ctrl Delay			36.9									
HCM 2010 LOS			D									
Notes												

Bloch Arena Alternative PM Peak Hour 11/21/2019 Future Year 2027 with Project

Synchro 9 Report Page 1 User approved volume balancing among the lanes for turning movement.

	•	×	Ť	1	1	ţ	
Movement	WBL	WBR	NBT	NBR	SBL	SBT	
_ane Configurations	- M		A⊅		ኘ	^	
Traffic Volume (veh/h)	35	120	1328	80	45	419	
Future Volume (veh/h)	35	120	1328	80	45	419	
Number	3	18	2	12	1	6	
nitial Q (Qb), veh	0	0	0	0	0	0	
Ped-Bike Adj(A_pbT)	1.00	1.00		1.00	1.00		
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	
Adj Sat Flow, veh/h/ln	1863	1900	1863	1900	1863	1863	
Adj Flow Rate, veh/h	38	130	1443	87	49	455	
Adj No. of Lanes	0	0	2	0	1	2	
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	
Percent Heavy Veh, %	0	0	2	2	2	2	
Cap, veh/h	61	208	2205	133	103	2654	
Arrive On Green	0.17	0.17	0.65	0.65	0.06	0.75	
Sat Flow, veh/h	365	1249	3486	204	1774	3632	
Grp Volume(v), veh/h	169	0	750	780	49	455	
Grp Sat Flow(s), veh/h/ln	1624	0	1770	1827	1774	1770	
Q Serve(g_s), s	11.6	0.0	30.9	31.3	3.2	4.4	
Cycle Q Clear(g_c), s	11.6	0.0	30.9	31.3	3.2	4.4	
Prop In Lane	0.22	0.0	30.9	0.11	1.00	4.4	
•	271		1150	1187	100	2654	
ane Grp Cap(c), veh/h		0	1150				
V/C Ratio(X)	0.62	0.00	0.65	0.66	0.47	0.17	
Avail Cap(c_a), veh/h	271	0	1150	1187	103	2654	
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	
Jpstream Filter(I)	1.00	0.00	1.00	1.00	1.00	1.00	
Uniform Delay (d), s/veh	46.5	0.0	12.8	12.8	54.7	4.3	
ncr Delay (d2), s/veh	10.4	0.0	2.9	2.8	14.7	0.1	
nitial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	
%ile BackOfQ(50%),veh/In	6.0	0.0	15.9	16.5	2.0	2.2	
_nGrp Delay(d),s/veh	56.9	0.0	15.6	15.7	69.4	4.4	
_nGrp LOS	E		В	В	E	Α	
Approach Vol, veh/h	169		1530			504	
Approach Delay, s/veh	56.9		15.7			10.8	
Approach LOS	Е		В			В	
Timer	1	2	3	4	5	6	7 8
Assigned Phs	1	2				6	8
Phs Duration (G+Y+Rc), s	12.0	83.0				95.0	25.0
Change Period (Y+Rc), s	5.0	5.0				5.0	5.0
Max Green Setting (Gmax), s	7.0	78.0				90.0	20.0
Max Q Clear Time (g_c+I1), s	5.2	33.3				6.4	13.6
Green Ext Time (p_c), s	0.0	24.4				31.3	0.3
ntersection Summary							
HCM 2010 Ctrl Delay			17.7				

Bloch Arena Alternative PM Peak Hour 11/21/2019 Future Year 2027 with Project

Appendix D Intersection Level of Service Definitions

This page intentionally left blank.

Highway Capacity Manual 2010

Signalized intersection level of service (LOS) is defined in terms of a weighted average control delay for the entire intersection. Control delay quantifies the increase in travel time that a vehicle experiences due to the traffic signal control as well as provides a surrogate measure for driver discomfort and fuel consumption. Signalized intersection LOS is stated in terms of average control delay per vehicle (in seconds) during a specified time period (e.g., weekday PM peak hour). Control delay is a complex measure based on many variables, including signal phasing and coordination (i.e., progression of movements through the intersection and along the corridor), signal cycle length, and traffic volumes with respect to intersection capacity and resulting queues. Table 1 summarizes the LOS criteria for signalized intersections, as described in the *Highway Capacity Manual 2010* (Transportation Research Board, 2010).

Level of Service	Average Control Delay (seconds/vehicle)	General Description
А	≤10	Free Flow
В	>10 - 20	Stable Flow (slight delays)
С	>20 - 35	Stable flow (acceptable delays)
D	>35 – 55	Approaching unstable flow (tolerable delay, occasionally wait through more than one signal cycle before proceeding)
E	>55 - 80	Unstable flow (intolerable delay)
F^1	>80	Forced flow (congested and queues fail to clear)

 If the volume-to-capacity (v/c) ratio for a lane group exceeds 1.0 LOS F is assigned to the individual lane group. LOS for overall approach or intersection is determined solely by the control delay.

Unsignalized intersection LOS criteria can be further reduced into three intersection types: all-way stop, two-way stop, and roundabout control. All-way stop and roundabout control intersection LOS is expressed in terms of the weighted average control delay of the overall intersection or by approach. Two-way stop-controlled intersection LOS is defined in terms of the average control delay for each minor-street movement (or shared movement) as well as major-street left-turns. This approach is because major-street through vehicles are assumed to experience zero delay, a weighted average of all movements results in very low overall average delay, and this calculated low delay could mask deficiencies of minor movements. Table 2 shows LOS criteria for unsignalized intersections.

able 2. Level of Service Criteria for Unsignalized Intersections							
Level of Service	Average Control Delay (seconds/vehicle)						
А	0 – 10						
В	>10 - 15						
C	>15 - 25						
D	>25 – 35						
E	>35 – 50						
F ¹	>50						

Source: Highway Capacity Manual 2010, Transportation Research Board, 2010.

 If the volume-to-capacity (v/c) ratio exceeds 1.0, LOS F is assigned an individual lane group for all unsignalized intersections, or minor street approach at two-way stop-controlled intersections. Overall intersection LOS is determined solely by control delay.

Appendix E Extracts from Planning Study and Traffic Study Data Request

This page intentionally left blank.

	arking Calculations Worksheet auidance: PFD v7-3 with 1/3 Scripts, 2/3 Rad and 1/3 Lab	Number of Parking Spaces Required = (.75)(X1) + (.40)(X2) + (X3) + (X4)					
Calc Code Ref.	Department	PFD Numbers	Avg. Number per Day based on 250 days	Factor in UFC 4-510-01	Required Parking Count		
X1	Staff	699		0.75	524		
X2	Total Patient Encounters	551,901	2,208	0.40	883		
	Behavioral Health (includes SARP)	28,342	113				
	Lab (Specimen Collection)	20,000	80				
	Dental	65,250	261				
	Internal Med and Specialties	30,929	124				
	Optometry	10,016	40				
	Pediatrics	13,868	55				
	Pharmacy scripts	160,524	642				
	Physical Therapy	47,172	189				
	PCMH	104,980	420				
	Preventative Medicine (BOMC, MRC, & Flight Med)	5,431	22				
	Radiology	34,784	139				
	Child & Adolescent BH (CAFBHS)	4,800	19				
	Women's Health	3,904	16				
	Immunizations	21,901	88				
X3	Inpatient Beds	0		1	0		
X4	Organizational Gov't Vehicles*	36		1	36		
	TOTAL PARKING	G COUNT R	EQUIRED		1,443		

NOTES:

Pharmacy Services: It is assumed that only 1/3 of total daily Rx workload will require a unique patient visit to the clinic. This assumption may still be overstating parking requirement.

Radiology Services: Some radiology services may be ordered and provided directly following a patient clinical appointment. It is assumed that 2/3 of radiology services will require an advance appointment and a unique patient visit.

Lab Services: Patients encounters are for specimen collection only. Blood and fluid collection are normally both done in same visit, so blood collection encounters are used in calculation. It is assumed that only 1/3 of daily collections are for patients not at clinic for other services.

Gov't Vehicles: Estimate based on current requirements. Includes 6 Oversized / Large Vehicles which consist of 2 Mobile Hearing Conservation Audiometric Truck (MOHCATS), 2 Mobile Dental Units (MDUs), 1 High Deck Patient Loading Platorm (HDLPLP) and, 1 Ambulance Bus (AMBUS).

HAWAII ENHANCED MULTI-SERVICE MARKET



JBPHH TRAFFIC STUDY DATA REQUEST



FOR OFFICIAL USE ONLY

On-base vs. Off-base Methodology





 Needed to create a proxy to identify zip code '96818' which covers housing areas <u>on & off</u> <u>base</u>

Source: https://www.zip-codes.com/zip-code/96818/zip-code-96818.asp

Housing Area	Maximum Residents	Come Thru Hickam Gate To Get to Clinic	Distribution	Actual Geography	% of Onbase versus offbase housing
Navy Barracks	2,942	Yes	11%	Onbase	
AF Barracks	514	No	2%	Onbase	50%
Other Navy Housing	152	No	1%	Onbase	50%
Hickam Housing	9,940	No	36%	Onbase	
Ford Island	1,644	Yes	6%	Off-Base	
Makalapa	356	Yes	1%	Off-Base	
McGrew Point	524	Yes	2%	Off-Base	
Catlin Park	1,276	Yes	5%	Off-Base	
Doris Miller Park	856	Yes	3%	Off-Base	
Halawa	384	Yes	1%	Off-Base	500/
Halsey Terrace	1,908	Yes	7%	Off-Base	50%
Hokulani	760	Yes	3%	Off-Base	
Maloelap	92	Yes	0%	Off-Base	
Hale Moku	1,272	Yes	5%	Off-Base	1
Moanalua Terrace	3,008	Yes	11%	Off-Base	1
Radford Terrace	1,608	Yes	6%	Off-Base	1
Total	27,236		100%		

 Estimated that 50% of the resident population in 96818 live either on or off base

Source: Manually obtained base housing data call, Mar 2019 (L.Riley)

On-base vs. Off-Base



Hickam and Makalapa Top 20 Zip Codes Appointment Volume By Beneficiary Category									
Zip Code Location	ADFM	ADSM	RET	RET/OTHER	Grand Total	Ranked Distribution			
HONOLULU-On-Base (96818)	21,326	25,412	448	1,469	48,654	18%			
HONOLULU-OFF-Base (96818)	21,326	25,412	448	1,469	48,654	18%			
HONOLULU-OFF-Base (968xx)	774	4,664	263	1,520	7,221	3%			
Ewa Beach	4,382	11,144	1,423	4,405	21,354	8%			
Aiea	3,053	7,162	514	2,303	13,032	5%			
Pearl Harbor	444	11,963	4	100	12,511	5%			
Pearl City	3,778	6,199	364	1,980	12,321	5%			
Kapolei	1,958	5,693	659	2,676	10,986	4%			
#N/A	403	7,854	41	2,226	10,524	4%			
Mililani	1,159	5,218	623	3,222	10,222	4%			
Waipahu	1,311	4,559	732	3,529	10,131	4%			
Kailua	1,268	7,413	278	1,098	10,057	4%			
Kapalama	1,753	5,905	169	2,004	9,831	4%			
Kaneohe	786	3,968	286	1,897	6,937	3%			
Wahiawa	987	2,864	129	823	4,803	2%			
Hickam AFB Barracks (On-Base)	224	4,105	37	22	4,388	2%			
Waikiki	528	2,783	118	397	3,826	1%			
Makiki	316	1,891	120	1,177	3,504	1%			
Waianae	393	1,310	198	1,410	3,311	1%			
Waialae / Kahala	218	1,159	132	1,236	2,745	1%			
M C B H Kaneohe Bay	75	743		2	820	0%			
Waimanalo	9	143	29	318	499	0%			
All Other Zip Codes	1,457	6,538	174	2,121	10,290	4%			
Totals	67,928	154,101	7,189	37,403	266,621	100%			
Source: M2, Appointment Detail, F	,	,	,	,					

- 80% of appointments generated from Offbase traffic demand
- 20% of appointments are residents living on base

Appointment Utilization



OVERALL Appointment Utilization											
	By Ber	nficiary Catego	ory and Time								
Time of				RET/	Grand						
Day	ADFM	ADSM	RET	OTHER	Total						
0	0%	0%	0%	0%	0%						
1	0%	0%	0%	0%	0%						
5	0%	0%	0%	0%	0%						
6	0%	1%	0%	0%	0%						
7	6%	9%	10%	16%	9%						
8	15%	17%	16%	16%	16%						
9	16%	15%	16%	18%	16%						
10	16%	15%	17%	15%	15%						
11	8%	7%	7%	3%	7%						
12	2%	6%	5%	12%	5%						
13	13%	14%	13%	10%	13%						
14	12%	11%	10%	6%	11%						
15	11%	5%	7%	3%	6%						
16	1%	1%	1%	0%	1%						
17	0%	0%	0%	0%	0%						
18	0%	0%	0%	0%	0%						
19	0%	0%	0%	0%	0%						
20	0%	0%	0%	0%	0%						
21	0%	0%	0%	0%	0%						
22	0%	0%	0%	0%	0%						
23	0%	0%	0%	0%	0%						
	100%	100%	100%	100%	100%						


Appointme	Appointment Distribution by Beneficiary Category										
	Active		Retiree	e							
Active Duty	Duty	Retired	Family	Total							
Family	Service	Service	Members	Total							
Members	Member	Member	/Others								
25%	58%	3%	14%	100%							

TIME OF DAY:

- ADSM Workload surges between 0800-1000
- Retiree Family Members utilize 0700 appointments more than other beneficiaries

Temporal Distribution





Source: M2, Appointment Detail, FY2019, Tmt DMIS 0280/0287, Excludes TCONs, 7 Jan 2020

- Busiest times of the day are 0800,0900,1000, where cumulatively 48% of appointments are scheduled
- Lunch time demand drops, but picks up at 1300 and tapers off by 1500
- Monday thru Wed represents 64% of the workload; Thurs & Fri are 36%



Appendix F Trip Distribution

This page intentionally left blank.

Distribution of Arrivals and Departures of Appointments											
Time of Day	AD	OFM ADSM			R	ET	RET/O	THER	Total		
Time of Day	In	Out	In	Out	In	Out	In	Out	In	Out	
6:30	33	0	115	0	6	0	49	0	203	0	
7:00	0	0	0	0	0	0	0	0	0	0	
7:30	83	0	218	0	10	0	49	0	360	0	
8:00	0	33	0	115	0	6	0	49	0	203	
8:30	88	0	192	0	11	0	56	0	347	0	
9:00	0	83	0	218	0	10	0	49	0	360	
9:30	88	0	192	0	11	0	50	0	341	0	
10:00	0	88	0	192	0	11	0	56	0	347	
10:30	44	0	90	0	5	0	9	0	148	0	
11:00	0	88	0	192	0	11	0	50	0	341	
11:30	11	0	77	0	3	0	37	0	128	0	
12:00	0	44	0	90	0	5	0	9	0	148	
12:30	72	0	179	0	9	0	31	0	291	0	
13:00	0	11	0	77	0	3	0	37	0	128	
13:30	66	0	141	0	6	0	19	0	232	0	
14:00	0	72	0	179	0	9	0	31	0	291	
14:30	61	0	64	0	4	0	9	0	138	0	
15:00	0	66	0	141	0	6	0	19	0	232	
15:30	6	0	13	0	1	0	0	0	20	0	
16:00	0	61	0	64	0	4	0	9	0	138	
16:30	0	0	0	0	0	0	0	0	0	0	
17:00	0	6	0	13	0	1	0	0	0	20	
Total	552	552	1281	1281	66	66	309	309	2208	2208	

0:00 0 0										
1:00	0	0								
2:00	0	0								
3:00	0	0								
4:00	0	0								
5:00	0	0								
6:00	168	0								
7:00	251	0								
8:00	0	0								
9:00	105	0								
10:00	0	0								
11:00	0	0								
12:00	0	0								
13:00	0	0								
14:00	0	0								
15:00	0	168								
16:00	0	251								
17:00	0	105								
18:00	0	0								
19:00	0	0								
20:00	0	0								
21:00	0	0								
22:00	0	0								
23:00	0	0								
Total 524 524										
Notes: Assume 80% of staff										
arrive/depart, then remaining 20%										
arrive/depart	after									
-	· ·									

Distribution of Arrivals and Departures of Staff

In

Out

Time of Day

Notes: Assumed patients arrive approximately 30 minutes prior to scheduled appointment

Assumed appointments take approximately an hour to complete

ADFM = Active Duty Family Member, ADSM = Active Duty Service Member, RET = Retired Service Member, RET/OTHER = Retiree Family Members/Others

AECOM

AM Peak Hour: 6:00-7:00 AM (~32% of Staff)										
Location		Si	aff		Appointment					
Location	In	Out	Total	Percentage	In	Out	Total	Percentage		
Offbase	84	0	84	50.0%	162	0	162	80.0%		
Navy Barracks	18	0	18	10.9%	9	0	9	4.3%		
Other Navy Housing	1	0	1	0.6%	1	0	1	0.2%		
AF Barracks	3	0	3	1.9%	2	0	2	0.8%		
Hickam West	39	0	39	23.1%	18	0	18	9.2%		
Hickam North	23	0	23	13.6%	11	0	11	5.4%		
Total	168	0	168	100.0%	203	0	203	100.0%		

AM Peak Hour: 7:00-8:00 AM (~48% of Staff)										
Location		Sta	aff		Appointment					
Location	In	Out	Total	Percentage	In	Out	Total	Percentage		
Offbase	126	0	126	50.0%	288	0	288	80.0%		
Navy Barracks	27	0	27	10.9%	15	0	15	0.0%		
Other Navy Housing	1	0	1	0.6%	1	0	1	0.0%		
AF Barracks	5	0	5	1.9%	3	0	3	0.0%		
Hickam West	58	0	58	23.1%	33	0	33	0.0%		
Hickam North	34	0	34	13.6%	20	0	20	0.0%		
Total	251	0	251	100.0%	360	0	360	80.0%		

Midday Peak Hour: 11:00 AM -12:00 PM										
Location		Sta	aff		Appointment					
Location	In	Out	Total	Percentage	In	Out	Total	Percentage		
Offbase	0	0	0	50.0%	102	273	375	80.0%		
Navy Barracks	0	0	0	10.9%	6	14	20	4.3%		
Other Navy Housing	0	0	0	0.6%	0	1	1	0.2%		
AF Barracks	0	0	0	1.9%	1	3	4	0.8%		
Hickam West	0	0	0	23.1%	12	32	44	9.2%		
Hickam North	0	0	0	13.6%	7	18	25	5.4%		
Total	0	0	0	100.0%	128	341	469	100.0%		

Midday Peak Hour: 12:00 PM -1:00 PM										
Location		Sta	aff		Appointment					
LOCATION	In	Out	Total	Percentage	In	Out	Total	Percentage		
Offbase	0	0	0	50.0%	233	118	351	80.0%		
Navy Barracks	0	0	0	10.9%	13	6	19	4.3%		
Other Navy Housing	0	0	0	0.6%	1	0	1	0.2%		
AF Barracks	0	0	0	1.9%	2	1	3	0.8%		
Hickam West	0	0	0	23.1%	26	13	39	9.2%		
Hickam North	0	0	0	13.6%	16	8	24	5.4%		
Total	0	0	0	100.0%	291	146	437	100.0%		

Afternoon Peak Hour: 3:00 PM -4:00 PM (~32% of Staff)										
Leastion		Sta	aff		Appointment					
Location	In	Out	Total	Percentage	In	Out	Total	Percentage		
Offbase	0	84	84	50.0%	16	186	202	80.0%		
Navy Barracks	0	18	18	10.9%	1	10	11	4.3%		
Other Navy Housing	0	1	1	0.6%	0	0	0	0.2%		
AF Barracks	0	3	3	1.9%	0	2	2	0.8%		
Hickam West	0	39	39	23.1%	2	21	23	9.2%		
Hickam North	0	23	23	13.6%	1	13	14	5.4%		
Total	0	168	168	100.0%	20	232	252	100.0%		

Afternoon Peak Hour: 4:00 PM -5:00 PM (~48% of Staff)											
Location		Sta	aff		Appointment						
	In	Out	Total	Percentage	In	Out	Total	Percentage			
Offbase	0	126	126	50.0%	0	110	110	80.0%			
Navy Barracks	0	27	27	10.9%	0	6	6	4.3%			
Other Navy Housing	0	1	1	0.6%	0	0	0	0.2%			
AF Barracks	0	5	5	1.9%	0	1	1	0.8%			
Hickam West	0	58	58	23.1%	0	13	13	9.2%			
Hickam North	0	34	34	13.6%	0	8	8	5.4%			
Total	0	251	251	100.0%	0	138	138	100.0%			

Appendix G Traffic Signal Warrant Analysis

This page intentionally left blank.

AM Peak Hour with ACC Bloch Arena Site – North Road and Battleship Drive Figure 4C-3. Warrant 3, Peak Hour

600 500 2 OR MORE LANES & 2 OR MORE LANES MINOR 400 STREET 2 OR MORE LANES & 1 LANE HIGHER-300 VOLUME 1 LANE & 1 LANE APPROACH -VPH 200 150* 100* 100 75 vph Vph Ļ 705 500 800 400 600 700 900 1000 1100 1200 1300 1400 1500 1600 1700 1800


Legend

MAJOR STREET—TOTAL OF BOTH APPROACHES— VEHICLES PER HOUR (VPH)

Observed Traffic VolumeRequired Thresholdvph vehicles per hour

*Note: 150 vph applies as the lower threshold volume for a minor-street approach with two or more lanes and 100 vph applies as the lower threshold volume for a minor-street approach with one lane.

Midday Peak Hour with ACC Bloch Arena Site – North Road and Battleship Drive Figure 4C-3. Warrant 3, Peak Hour



PM Peak Hour with ACC Bloch Arena Site – North Road and Battleship Drive Figure 4C-3. Warrant 3, Peak Hour

600 500 2 OR MORE LANES & 2 OR MORE LANES MINOR 400 STREET 2 OR MORE LANES & 1 LANE HIGHER-300 VOLUME 1 LANE & 1 LANE APPROACH -155 vph VPH 200 150* والمراجل والمتكر أأست والمتحاد الم 100* 100 vph 1,82 500 700 800 1200 1600 400 600 900 1000 1100 1300 1400 1500 1700 1800


Legend

MAJOR STREET—TOTAL OF BOTH APPROACHES— VEHICLES PER HOUR (VPH)

Observed Traffic VolumeRequired Thresholdvph vehicles per hour

*Note: 150 vph applies as the lower threshold volume for a minor-street approach with two or more lanes and 100 vph applies as the lower threshold volume for a minor-street approach with one lane.

AM Peak Hour with ACC Par 3 Tradewinds Site – Kuntz Avenue and McClelland Street Figure 4C-3. Warrant 3, Peak Hour




Legend

MAJOR STREET—TOTAL OF BOTH APPROACHES— VEHICLES PER HOUR (VPH)


Observed Traffic VolumeRequired Thresholdvph vehicles per hour

*Note: 150 vph applies as the lower threshold volume for a minor-street approach with two or more lanes and 100 vph applies as the lower threshold volume for a minor-street approach with one lane.

Midday Peak Hour with ACC Par 3 Tradewinds Site – Kuntz Avenue and McClelland Street Figure 4C-3. Warrant 3, Peak Hour




PM Peak Hour with ACC Par 3 Tradewinds Site – Kuntz Avenue and McClelland Street Figure 4C-3. Warrant 3, Peak Hour



AM Peak Hour with ACC

Par 3 Tradewinds Site – Kuntz Avenue and Kokomalei Street/Proposed Driveway


Figure 4C-3. Warrant 3, Peak Hour



Midday Peak Hour with ACC

Par 3 Tradewinds Site – Kuntz Avenue and Kokomalei Street/Proposed Driveway


Figure 4C-3. Warrant 3, Peak Hour



PM Peak Hour with ACC

Par 3 Tradewinds Site – Kuntz Avenue and Kokomalei Street/Proposed Driveway

Figure 4C-3. Warrant 3, Peak Hour



AM Peak Hour with ACC Par 3 Tradewinds Site – Kuntz Avenue and McChord Figure 4C-3. Warrant 3, Peak Hour

600 500 2 OR MORE LANES & 2 OR MORE LANES MINOR 400 STREET 2 OR MORE LANES & 1 LANE HIGHER-300 VOLUME 1 LANE & 1 LANE APPROACH -VPH 200 150* 100 100* vph 1,13 45 vph 800 1200 1500 400 500 600 700 900 1000 1100 1300 1400 1600 1700 1800


Legend

MAJOR STREET—TOTAL OF BOTH APPROACHES— VEHICLES PER HOUR (VPH)


Observed Traffic VolumeRequired Thresholdvph vehicles per hour

*Note: 150 vph applies as the lower threshold volume for a minor-street approach with two or more lanes and 100 vph applies as the lower threshold volume for a minor-street approach with one lane.

Midday Peak Hour with ACC Par 3 Tradewinds Site – Kuntz Avenue and McChord Figure 4C-3. Warrant 3, Peak Hour



PM Peak Hour with ACC Par 3 Tradewinds Site – Kuntz Avenue and McChord



Observed Traffic Volume *Note: 150 vph applies as the lower threshold volume for a minor-street approach with two or more lanes and 100 vph applies as the lower threshold volume for a minor-street approach with one lane.

vph


Required Threshold

vehicles per hour

AM Peak Hour with ACC


Kuntz Gate Site – Kuntz Avenue and Halehaka Street/Kamakahi Street

Figure 4C-3. Warrant 3, Peak Hour



Midday Peak Hour with ACC Kuntz Gate Site – Kuntz Avenue and Halehaka Street/Kamakahi Street







PM Peak Hour with ACC

Kuntz Gate Site – Kuntz Avenue and Halehaka Street/Kamakahi Street


Figure 4C-3. Warrant 3, Peak Hour




AM Peak Hour with ACC Kuntz Gate Site – Kuntz Avenue and Proposed Access Figure 4C-3. Warrant 3, Peak Hour



Midday Peak Hour with ACC Kuntz Gate Site – Kuntz Avenue and Proposed Access Figure 4C-3. Warrant 3, Peak Hour



PM Peak Hour with ACC Kuntz Gate Site – Kuntz Avenue and Proposed Access Figure 4C-3. Warrant 3, Peak Hour



Appendix H Itemization of Conceptual ROM Costs of Recommended Mitigation Improvements

JBPHH ACC -
Itemization of Conceptual ROM Costs of Recommended Mitigation Improvements

JBPHH ACC Site Alternatives	Conceptual ROM Costs
Tradewinds-Par 3 Site	
Restripe Kuntz Avenue to eliminate WB Kuntz LT lane at	
McClelland and lengthen EB Kuntz LT Lane at	
Kokomalei/ACC Driveway	50,000
Install new traffic signal at Kuntz Avenue/McClelland	
intersection	400,000
Add new crosswalks across east leg of Kuntz	
Avenue/McClelland intersection	50,000
Construct new ACC Access Driveway at Kuntz Avenue/	
Kokomalei Street intersection	100000
Install new traffic signal at Kuntz Avenue/Kokomalei	
intersection	400,000
Convert existing median striping into WB Kuntz LT Lane at	
Kokomalei/ACC Driveway	50,000
Add new crosswalks across east and west legs of Kuntz	
Avenue/Kokomalei/ACC Driveway intersection	50,000
Miscellaneous Traffic Signs	50,000
Approximate Conceptual ROM Total	\$1,150,000
Kuntz Gate Site	
Widen Kuntz Avenue by one lane width for approximately	
1,050 feet to provide WB LT lane at Halehaka/Kamakahi	
intersection and EB LT lane at proposed East Staff Parking	
Lot Driveway	1,050,000
Install new traffic signal at Kuntz Avenue/Halehaka/Kamakahi	
intersection	400,000
Widen Halehaka Street by one lane width for approximately	
260 feet to provide separate SB TH/LT and RT lanes between	
Kuntz Avenue and 20th Street.	260,000
Construct new ACC East Parking Lot Driveway on Kuntz	
Avenue	100,000
Miscellaneous Traffic Signs	50,000
Approximate Conceptual ROM Total	\$1,860,000
Bloch Arena Site	
Widen North Road by one lane width for approximately 1,500	
feet to maintain 2 NB lanes from Nimitz Gate to Pearl Harbor	
Drive and to provide SB LT lane at North Rd/Pearl Harbor	
Drive/ACC Driveway intersection and at North Rd/Battleship	
Drive intersection.	1,500,000
Add new ACC Driveway leg to North Road/Pearl Harbor Drive	
intersection	100,000
Modify existing traffic signal at North Road/Pearl Harbor Drive	
ACC Driveway intersection	400,000
Install new traffic signal at North Road/Battleship Drive	
intersection.	400,000
Relocate existing crosswalk at North Road/Battelship Drive	
intersection from south leg to north leg.	50,000
Construct secondary ACC access to Battleshp Drive	100,000
Miscellaneous Traffic Signs	50,000
Approximate Conceptual ROM Total	\$2,600,000

Appendix C Public and Agency Participation

The Draft EA was published on July 8, 2020, followed by a 30-day public review period. No comments were received from the public on the Draft EA. Consultation was conducted with SHPO (see Appendix A). The following are the public notices published in the Honolulu Star-Advertiser and HI OEQC's The Environmental Notice.



AECOM 1001 Bishop Street Suite 1600 Honolulu, HI 96813 www.aecom.com

808 521 3051 tel 808 524 0246 fax

June 30, 2020

Director Office of Environmental Quality Control Department of Health, State of Hawaii 235 S. Beretania Street, Room 702 Honolulu, Hawaii 96813 (*by electronic submittal*)

Dear Director:

Ambulatory Care Center Replacement Request for Publication National Environmental Policy Act (NEPA) - Draft Environmental Assessment Joint Base Pearl Harbor-Hickam, Oahu, Hawaii

On behalf of the United States Department of the Navy, we request publication of the subject NEPA Draft Environmental Assessment (EA) Notice of Availability in the Federal Notices section of the July 8, 2020 edition of the Office of Environmental Quality Control (OEQC) Environmental Notice.

Attached is a completed OEQC Publication Form (for NEPA Action EA) and an Adobe Acrobat PDF file of the Draft EA.

If there are any questions or you need additional information, please contact the Navy's point of contact, Mr. John Bigay, at (808) 472-1442 or by email at john.bigay@navy.mil.

Sincerely,

Adriane Truluck Project Manager, AECOM

Attachments 1. Draft EA for Ambulatory Care Center Replacement at JBPHH (PDF format) 2. NEPA Action EA/EIS Publication Form (Word format)

cc: ATTN: EV21JB, Naval Facilities Engineering Command, Pacific

DEPARTMENT OF DEFENSE UNITED STATES DEPARTMENT OF THE NAVY NOTICE OF AVAILABILITY DRAFT ENVIRONMENTAL ASSESSMENT AMBULATORY CARE CENTER REPLACEMENT AT JOINT BASE PEARL HARBOR-HICKAM, OAHU, HAWAII

Pursuant to Council on Environmental Quality regulations (40 Code of Federal Regulations §§1500 to 1508) implementing the National Environmental Policy Act, the United States Department of the Navy gives notice that a Draft Environmental Assessment (EA) has been prepared for an Ambulatory Care Center Replacement at Joint Base Pearl Harbor-Hickam (JBPHH), Oahu, Hawaii. The Proposed Action is to construct and operate a new ambulatory care center (ACC) to consolidate existing facilities and services separately managed by the Navy, Air Force, and Army to a location at JBPHH. The purpose of the Proposed Action is to provide comprehensive primary care, dental, behavioral health, occupational, and preventive special medicine services to active duty service members and beneficiaries in facilities that are appropriately sized, configured, and sited to meet mission requirements and comply with current federal criteria for military health facilities. The Proposed Action is needed to rectify current capacity deficiencies at the existing service clinics and ensure that the services continue to provide high-quality health care to entitled military personnel, dependents, and retirees in the JBPHH region

Interested parties may view a copy of the Draft EA for this action at the following website:

<u>https://www.navfac.navy.mil/navfac_worldwide/pacific/about_us/national-environmental-policy-act--nepa-information.html</u> (Scroll to bottom of this page for "NEPA documents available for public review")

Comments on the Draft EA may be submitted at any time during the 30-day public comment period from **July 9**, **2020 through August 8**, **2020**, via email at <u>NFPAC-Receive2@navy.mil</u>, or via U.S. mail, postmarked by August 8, 2020 to the following address:

Department of the Navy, NAVFAC Atlantic Attention: EA Project Manager for ACC Replacement (Code EV21) 6506 Hampton Boulevard Norfolk, Virginia 23508

NEPA Action EA/EIS Publication Form

Project Name: Draft Environmental Assessment for Ambulatory Care Center Replacement at Joint Base Pearl Harbor-Hickam, Oahu, Hawaii

Island: Oahu

District: Joint Base Pearl Harbor-Hickam TMK: 1-1-1-002:002, 1-9-9-001:008 Permits: N/A

Applicant or Proposing Agency:

Naval Facilities Engineering Command Pacific Department of Defense, Department of the Navy 258 Makalapa Drive, Suite 100, JBPHH, HI 96860 John Bigay, (808) 472-1442

Approving Agency:

Naval Facilities Engineering Command Pacific

Consultant:

AECOM 1001 Bishop Street, Suite 1600 Honolulu, HI 96813 Adriane Truluck, (808)356-5378

Status:

Comment Period: 30-days Deadline: 08/08/2020 Transmit Comments by mail to: Naval Facilities Engineering Command Atlantic, 6506 Hampton Boulevard, Norfolk, VA 23508, ATTN: EA Project Manager for ACC Replacement (Code EV21) Or by email to: NFPAC-Receive2@navy.mil.

Interested parties may also view a copy of the Draft EA for this action at the following website: https://www.navfac.navy.mil/navfac_worldwide/pacific/about_us/national-environmental-policy-act-nepa--information.html (Scroll to bottom of this page for "NEPA documents available for public review")

Summary:

Joint Base Pearl Harbor-Hickam (JBPHH), a command of the United States Department of the Navy (hereinafter, jointly referred to as the Navy) has prepared this Environmental Assessment (EA) to evaluate a proposal to construct and operate a new ambulatory care center (ACC) to consolidate existing facilities and services separately managed by the Navy, Air Force, and Army to a location at JBPHH. This EA evaluates the potential environmental impacts associated with three action alternatives and the No Action Alternative to the following resources: cultural resources, air quality, biological resources, visual resources, transportation, and hazardous materials and wastes.

The purpose of the Proposed Action is to provide comprehensive primary care, dental, behavioral health, occupational, and preventive special medicine services to active duty service members and beneficiaries in facilities that are appropriately sized, configured, and sited to meet mission requirements and comply with current federal criteria for military health facilities. The Proposed Action is needed to rectify current capacity deficiencies at the existing service clinics and ensure that the services continue to provide high-quality health care to entitled military personnel, dependents, and retirees in the JBPHH region.



The Environmental Notice July 8, 2020

David Y. Ige, Governor

The Environmental Notice provides public notice for projects undergoing environmental review in Hawai'i as mandated under Section 343-3, Hawai'i Revised Statutes, the Environmental Impact Statement Law. Along with publishing Environmental Assessments and Environmental Impact Statements for projects in Hawai'i, *The Environmental Notice* also includes other items related to the shoreline, coastal zone, and federal activities.





Cauliflower coral colonies (*Pocillopora meandrina*) live in shallow reef environments, such as here in Papahanaumokuakea Marine National Monument 235 South Beretania Street, Suite 702 • Honolulu, Hawaiʻi 96813 • (808) 586-4185 • <u>oeqchawaii@doh.hawaii.gov</u> • <u>http://health.hawaii.gov/oeqc</u>

TABLE OF CONTENTS 2 DHHL Hanapepe Homestead Community--Draft EA (AFNSI) 6 ANNOUNCEMENTS_____ STATEWIDE MAP OF NEW HRS CHAPTER 343 DOCUMENTS / PREVIOUSLY PUBLISHED DOCUMENTS OPEN FOR COMMENT 7 DETERMINATIONS______2 EXEMPTION DECLARATION______7 LISTS OF EXEMPTION NOTICES_____7 Hawai'i Hilo Scrap Metal Yard Closure and Remediation--Draft EA PRIOR AGENCY DETERMINATIONS_____8 (AFNSI) 3 SHORELINE NOTICES Wai'ōhinu Transfer Station Repairs and Enhancements--Final Applications for Shoreline Certification_____9 EA (FONSI) 3 Proposed Shoreline Certifications and Rejections 9 Kea'au Village Master Plan--Final EA (FONSI) ______4 COASTAL ZONE MANAGEMENT NOTICES Barry Family Project at Kea'au--Final EA (FONSI) 4 Special Management Area (SMA) Minor Permits 9 ΟΊΑΗυ NATIONAL HISTORIC PRESERVATION ACT (NHPA), SECTION 106 West O'ahu Solar Plus Storage Project--Final EA (FONSI) 5 CONSULTATION 10 Board of Water Supply Halau Wai Manoa--Final EA (FONSI) 5 NATIONAL ENVIRONMENTAL POLICY ACT (NEPA) ACTIONS 10 Waimānalo Paradise Seawall Repair--Final EA (FONSI) 6 FEDERAL NOTICES 11 GLOSSARY OF TERMS AND DEFINITIONS_____12 KAUA'I

ANNOUNCEMENTS

In response to questions and comments about the scope of Environmental Assessments, and how some EAs are becoming as voluminous as Environmental Impact Statements, we reiterate that the rules establish how the scope of EAs may vary with the scope of the proposed action and its impact. Recall that the primary purpose of an EA is to support the proposing or approving agency's required determination of whether the proposed action may have a significant impact on the environment. Generally, an EA is prepared when a Finding of <u>No Significant Impact</u> is anticipated, and the data and analysis in an EA should be commensurate with the importance of the impact. Less important material may be summarized, consolidated or simply referenced. The clarity of the substance of the information being conveyed is key. Keeping EAs appropriately sized and scoped helps the review process focus on the relevant concerns and also helps keep down the cost of both public and private projects.

STATEWIDE MAP OF NEW HRS CHAPTER 343 DOCUMENTS / DETERMINATIONS

DHHL Hanapepe Homestead Community

West O'ahu Solar Plus Storage -

BWS Hālau Wai Mānoa

/ Waimānalo Paradise Seawall

Barry Family Project

Hilo Scrap Metal Yard

Wai'ohinu Transfer Station -

Kea'au Village

LEGEND New item count in this issue: 8 total • - HRS § 343-5(b) Agency Actions: 4 • - HRS § 343-5(e) Applicant Actions: 4

Hawaı'ı

Hilo Scrap Metal Yard Closure and Remediation--Draft EA (AFNSI)

HRS §343- 5(a) Trigger	(1) Propose the use of state or county lands or the use of state or county funds	
District(s)	South Hilo	
TMK(s)	(3) 2-1-013:150 (por.)	
Permit(s)	Numerous (see document)	
Proposing/ Determining Agency	Department of Environmental Management, County of Hawaiʻi Gene Quiamas, (808) 961-8270, <u>Gene.Quiamas@hawaiicounty.gov</u> 345 Kekūanāoʻa Street, Suite 41, Hilo, HI 96720	
Consultant	Wilson Okamoto Corporation; 1907 S. Beretania Street, Suite 400, Honolulu, HI 968. Rebecca Candilasa, (808) 946-2277, <u>rcandilasa@wilsonokamoto.com</u>	26
Status	Statutory 30-day public review and comment period starts. Comments are due by Au to access and read the document, then send comments to the proposing/determini	

The County of Hawai'i Department of Environmental Management is planning to permanently close and remediate the site of the former Hilo Scrap Metal Yard located in Hilo on Hawai'i Island. The proposed action consists of excavating and disposing of all waste materials and all lead contaminated soils in the project area. As an alternative, DEM is also analyzing the cost benefits of only disposing of excavated non-recyclable waste materials and consolidating the lead-contaminated soils onsite, grading to optimize future use, and capping with an engineered cover system to prevent direct contact exposure to the lead-contaminated soil. Other activities may include conducting site assessments, post-excavation confirmation sampling, grading, backfilling portions of the site with clean aggregate, and vegetating. Once the site has been remediated, DEM plans to use the site in the future for consolidation of existing solid waste management program components in the area.

Wai'ōhinu Transfer Station Repairs and Enhancements--Final EA (FONSI)

HRS §343- 5(a) Trigger	(1) Propose the use of state or county lands or the use of state or county funds	
District(s)	Ka'ū	
TMK(s)	(3) 9-5-005:001 (por.), Kaulia Road right-of-way	
Permit(s)	Numerous (see document)	
Proposing/ Determining Agency	Department of Environmental Management, County of Hawai'i Ryan Dixon, (808) 961-8296, <u>Ryan.Dixon@hawaiicounty.gov</u> 345 Kekūanāo'a Street, Suite 41, Hilo, HI 96720	
Consultant	Wilson Okamoto Corporation; 1907 S. Beretania Street, Suite 400, Honolulu, HI 968 Rebecca Candilasa, (808) 946-2277, <u>rcandilasa@wilsonokamoto.com</u>	326
Status	Finding of No Significant Impact (FONSI) determination	

The Department of Environmental Management is proposed repairs and enhancements to the Wai'ōhinu Transfer Station. The proposed project consists of reconfiguring the site layout to improve ease-of-use and traffic flow, enhancing the various collection areas, and performing other site work needed to provide internal roadways, drainage, an individual wastewater system, and utilities. Existing transfer station operations will be relocated on the south side of the existing transfer station chutes and collection areas for various waste streams will be provided within the project area. Kaulia Road improvements will remain within the existing right-of-way and will be limited to the minimum necessary to provide a smooth transition to the stabilized roadway on-site.

Grandfathered under old rules

HAWAI'I (CONTINUED)

Kea'au Village Master Plan--Final EA (FONSI)

HRS §343- 5(a) Trigger	(1) Propose the use of state or county lands or the use of state or county funds(9)(A) Propose any wastewater treatment unit,	A states
District(s)	Puna	
TMK(s)	Numerous (see document)	
Permit(s)	State Land Use District Boundary Amendment(s) (<15 acres) (Sub-Area 1C); Rezoning Approval to Project District and CG; Special Permit(s) (by County at appropriate time for relocated fire and police station); and numerous others (see document)	
Approving Agency	Planning Department, County of Hawai'i Kevin Sullivan, (808) 961-8135, <u>kevin.sullivan@hawaiicounty.gov</u> 101 Pauahi Street, Suite 3, Hilo, HI 96720	
Applicant	W.H. Shipman Limited; 16-523 Kea'au-Pāhoa Road, Kea'au, HI 96749 Peggy Farias, (808) 966-9325, <u>mefarias@whshipman.com</u>	
Consultant	PBR Hawai'i & Associates, Inc.; 1001 Bishop Street, Suite 650, Honolulu, HI 96813 Tom Schnell, (808) 521-5631, <u>KeaauVillage@pbrhawaii.com</u>	
Status	Finding of No Significant Impact (FONSI) determination	

A two-phase Master Plan to infill areas adjacent to the existing Kea'au Village to create a mixed-use, walkable community that is consistent with long-range vision for the Kea'au area. The Project will infill vacant lands between the existing village, Kea'au Middle School, Kea'au High School, and Kea'au Elementary School, and establish a new regional commercial center on the west side of Volcano Highway. The Project will provide a range of housing opportunities to be located near existing public schools, and commercial development opportunities that will provide needed services for the Kea'au area. Applicant plans to submit a request for rezoning to County Project District and General Commercial (CG) Districts, and reclassification of certain State Land Use District boundaries within the Project Area. The initial rezoning will be limited to Phase 1. Phases 1 and 2 may be implemented over an approximately 10- to 20 plus-yr period.

Barry Family Project at Kea'au--Final EA (FONSI)

HRS §343- 5(a) Trigger	(7) Propose any reclassification of any land classified as a conservation district	And the second s
District(s)	Puna	
TMK(s)	(3) 1-5-059:059	A Star Anna March
Permit(s)	State Land Use District Boundary Amendment	
Approving Agency	Land Use Commission, State of Hawaiʻi Scott Derrickson, (808) 587-3921, <u>scott.a.derrickson@hawaii.gov</u> P.O. Box 2359, Honolulu, HI, 96804-2359	
Applicant	Kevin M. Barry and Monica S. Barry, Trustees of the Barry Family Trust Dated Nove c/o: Derek B. Simon, Esq., (808) 523-2589, <u>dsimon@carlsmith.com</u>	mber 15, 2006
Consultant	Carlsmith Ball LLP; 1001 Bishop Street, Suite 2100, Honolulu, HI 96813 Derek B. Simon, Esq., (808) 523-2589, <u>dsimon@carlsmith.com</u>	
Status	Finding of No Significant Impact (FONSI) determination	

The Applicants have petitioned the Land Use Commission of the State of Hawai'i for a State Land Use (SLU) District Boundary Amendment (DBA) to reclassify approximately 0.51 acres of land located within the Hawaiian Paradise Park subdivision on the shoreline in Kea'au, Puna, County and State of Hawai'i, from the SLU Conservation District to the SLU Agricultural District. The Applicants are pursing the DBA to allow for the construction of a modest dwelling and associated agricultural uses that the Applicants will use as their primary personal residence (Project). The Project is proposed to also include a two-car garage, a lanai on the makai side of the home facing the Pacific Ocean, a courtyard on the mauka side of the home fronting Paradise Ala Kai Drive, a small swimming pool, infrastructure (i.e., private water well, including an underground water storage tank, or private catchment system, underground individual wastewater system, and photovoltaic solar system), and appropriate landscaping.

O'AHU

West O'ahu Solar Plus Storage Project--Final EA (FONSI)

HRS §343- 5(a) Trigger	(1) Propose the use of state or county lands or the use of state or county funds	
District(s)	'Ewa	
TMK(s)	(1) 9-2-002: 007 (por.)	
Permit(s)	State Special Use Permit and numerous others (see document)	
Approving Agency	City & County of Honolulu, Department of Planning and Permitting Raymong Young, <u>rcsyoung@honolulu.gov</u> 650 South King Street, 7th Floor, Honolulu, HI 96813	Carlos and
Applicant	AES West Oahu Solar, LLC; 282 Century Place, #2000, Louisville, CO 80027 Nick Molinari, (303) 524-4368, <u>nick.molinari@aes.com</u>	
Consultant	Tetra Tech, Inc.; 737 Bishop Street, Suite 2340, Honolulu, HI 96813 Lisa Kettley, (808) 441-6651, <u>lisa.kettley@tetratech.com</u>	
Status	Finding of No Significant Impact (FONSI) determination	

AES West O'ahu Solar, LLC is proposing the West O'ahu Solar Plus Storage Project (Project) on land owned by University of Hawai'i, located at the base of Pu'u Kapuai, approximately 3 miles northeast of Kapolei, O'ahu. The Project would provide up to 12.5 MW of solar energy and 50 MWh of battery storage, thus contributing to the State of Hawai'i's goal of achieving 100 percent energy production from renewable sources. The major components of the Project would include: (1) a ground-mount-ed solar photovoltaic system, (2) a battery energy storage system, (3) a substation and interconnection equipment, (4) a network of electrical wiring and collector lines, and (5) service roads and fencing. The Project would interconnect with Hawaiian Electric Company's (HECO) island-wide electrical grid via an existing 46-kV sub-transmission line that traverses the Project area. The power generated by the Project would be sold to HECO under a new 25-year power purchase agreement. At the end of the Project's operational life, the facilities would be decommissioned and the Project area would be returned to substantially the same condition as existed prior to Project development. The Project area would also be made available for compatible agricultural uses pursuant to Hawai'i Revised Statutes (HRS) Chapter 205-4.5(a)(21).

Board of Water Supply (BWS) Hālau Wai Mānoa--Final EA (FONSI)

Grandfathered under old rules

HRS §343- 5(a) Trigger	(1) Propose the use of state or county lands or the use of state or county funds(2) Propose any use within any land classified as a conservation district	
District(s)	Honolulu	
TMK(s)	(1) 2-9-054: 004 (por.), 006 (por.), 019 (por.), 020 (por.), 021 (por.) & 029 (por.)	
Permit(s)	Numerous (see document)	
Proposing/ Determining Agency	Board of Water Supply (BWS), City and County of Honolulu Amy Tsuneyoshi, (808) 748-5936, <u>atsuneyoshi@hbws.org</u> 630 South Beretania Street, Honolulu, HI 96843	
Consultant	PBR HAWAII & Associates; 1001 Bishop Street, Suite 650, Honolulu, HI 96813 Greg Nakai, (808) 521-5631, gnakai@pbrhawaii.com	
Status	Finding of No Significant Impact (FONSI) determination	

Status Finding of No Significant Impact (FONSI) determination

BWS is proposing to establish the Hālau Wai Mānoa, which is a continuation of agricultural use at its property in upper Mānoa Valley, with a focus on promoting watershed protection, water conservation, native forest restoration, invasive species removal, lo'i restoration, & sustainable agriculture. The proposed project would provide place-based, hands-on educational opportunities for current & future generations to learn about watersheds, forest health, watershed protection, water conservation, & sustainable resource management practices. Additionally, the proposed project may serve as a base for mauka restoration and watershed/valley-wide partnership efforts in Mānoa. A gathering place (a traditional meeting hale or similar open-air structure) is proposed for agricultural and educational purposes, plus small ancillary structures. Through an appropriate procurement method, BWS intends to select a non-profit community organization to operate Hālau Wai Mānoa on a long-term agreement.

O'AHU (CONTINUED)

Waimānalo Paradise Seawall Repair--Final EA (FONSI)

HRS §343- 5(a) Trigger	(3) Propose any use within a shoreline area	
District(s)	Koʻolaupoko	
TMK(s)	(1) 4-1-002: 021 & 022	
Permit(s)	Shoreline Setback Variance, numerous others (see document)	Little and a
Approving Agency	Department of Planning and Permitting, City and County of Honolulu Alex Beatty, (808) 768-8032, <u>abeatty@honolulu.gov</u> 650 S King St, 7th fl, Honolulu, HI 96813	
Applicant	Nesbitt HI Holdings/Waimanalo Paradise; 300 E. Randolph St., Suite 3850 / 525 W. M c/o: Scott Ezer, (808) 545-2055, <u>sezer@hhf.com</u>	Ionroe St., Suite 1900, Chicago, IL 60661
Consultant	HHF Planners; 733 Bishop Street, #2590, Honolulu, HI 96813 Scott Ezer, (808) 545-2055, <u>sezer@hhf.com</u>	
Status	Finding of No Significant Impact (FONSI) determination	

Waimanalo Paradise LLC and Nesbitt HI Holdings, LLC are proposing repairs and modifications to an existing seawall fronting two residential oceanfront parcels in Waimānalo, Oʻahu, Hawaiʻi. The existing seawall was originally constructed roughly 100 years to protect the property from erosion and oceanrelated hazards, and is structurally deficient to meet current design soil and design wave loads. Proposed improvements consist of repairs to shore up damaged and deteriorated portions of the seawall; modifications to raise the wall height along portions of the seawall to a uniform 9-foot height; and the addition of structural elements located inland of the existing seawall.

KAUA'I

DHHL Hanapēpē Homestead Community--Draft EA (AFNSI)

HRS §343- 5(a) Trigger	(1) Propose the use of state or county lands or the use of state or county fund	
District(s)	Waimea	
TMK(s)	(4) 1-8-007:003; and 1-8-008:035, 081, 086, and 087	
Permit(s)	Numerous (see document)	
Proposing/ Determining Agency	Department of Hawaiian Home Lands, State of Hawai'i Nancy McPherson, (808) 620-9819, <u>nancy.m.mcpherson@hawaii.gov</u> 91-5420 Kapolei Parkway, Kapolei, HI 96707	
Consultant	SSFM International, Inc.; 501 Sumner Street, Suite 620, Honolulu, HI 96817 Jared Chang, (808) 356-1242, jchang@ssfm.com	
Status	Statutory 30-day public review and comment period starts. Comments are due by to access and read the document, then send comments to the proposing/determine	

The Hanapēpē Homestead Community Project seeks to provide Department of Hawaiian Home Lands (DHHL) waitlist beneficiaries with residential and subsistence agriculture homesteading opportunities in Hanapēpē, Kaua'i. This Project was identified in DHHL's Kaua'i Island Plan as one of three priority areas for new residential and agricultural homestead development on Kauai'. The majority of DHHL's Hanapēpē lands are designated for subsistence agriculture and residential homesteading. Other complementary land uses are designated for commercial and community use. This homestead community is envisioned as DHHL's largest residential and agricultural community on the west side of Kaua'i. It is situated adjacent to the Hanapēpē town center and within commuting distance of local employment centers.

PREVIOUSLY PUBLISHED DOCUMENTS OPEN FOR COMMENT

Status: Public review and comment period for these projects began previously. Please click on the links below to access, and send comments to the relevant agency and copy any relevant applicant and/or consultant.

COMMENTS DUE JULY 8, 2020

Hawai'i

Garrett Single-Family Residence and Farm at Maku'u--Draft EA (AFNSI)

Μαυι

Kahului Harbor Hawaiian Cement Facility Relocation--Draft EA (AFNSI)

Ο΄ΑΗυ

Windward District Operations Base Station at Kailua Beach Park--Draft EA (AFNSI)

COMMENTS DUE JULY 23, 2020

Μαυι

Kanahā Hotel at Kahului Airport (EIS Preparation Notice)

Ο΄ΑΗυ

<u>Farrington Highway Improvements--Draft EA (AFNSI)</u> <u>Kapa'a Light Industrial Park (Supplemental EIS Preparation Notice)</u> <u>New Hope Oahu Renovations and Addition--Draft EA (AFNSI)</u> [being processed pursuant to ROH Chapter 25]

EXEMPTION DECLARATION

Department of Hawaiian Home Lands, State of Hawai'i requests publication of their declaration that the following action is exempt from the requirement to prepare an EA pursuant to <u>HAR § 11-200.1-16</u>:

Watershed Implementation Project to Restore Ma'ili'ili Reservoir

The proposed project is designed to restore and re-purpose a reservoir located within DHHL's Wai'anae Moku landholding to reduce non-point source pollution. The reservoir is located on land designated by the U.S. Fish and Wildlife Service as wetlands and cannot be utilized for homesteading. The project is part of the City and County of Honolulu's Department of Facility Maintenance (C&C-DFM) settlement agreement with the State's Department of Health Clean Water Branch for violation of the U.S. Clean Water Act. While DHHL was not a party to the violation, the settlement will restore native vegetation within project area, improve water quality, provide educational opportunities, and long-term disaster resiliency. The project will effectively manage up to 10 acres of DHHL wetlands utilizing settlement dollars paid by C&C-DFM rather than Trust resources.

LISTS OF EXEMPTION NOTICES

Pursuant to <u>HAR § 11-200.1-17</u>, State and county agencies that have determined specific actions to be exempt from the requirement to prepare an EA are required to submit a listing of such exemptions made during the previous month. Following are Lists of Exemption Notices submitted by various agencies for June 2020; refer to the identified agency contact on each list for additional information about any specific exemption:

State of Hawai'i

Department of Hawaiian Home Lands Department of Land and Natural Resources Department of Transportation

County of Maui: Planning Department

City and County of Honolulu

Department of Design and Construction Department of Environmental Services Department of Planning and Permitting

PRIOR AGENCY DETERMINATIONS

 The Department of Land Managment, City and County of Honolulu <u>has determined</u> that, pursuant to HAR Section 11-200.1-11, additional environmental review is not required for Halewiliko Highlands Senior Affordable Rental Housing Project, a proposed 140-unit affordable senior rental housing facility to be developed on City land at 99-385 Pohai Place, 'Aiea, Hawai'i, on property identified by Tax Map Key No. (1) 9-9-078:006.

A Finding of No Significant Impact (FONSI) Determination was filed in January 2003 for 'Aiea Town Center Master Plan Final Environmental Assessment (EA). The EA addressed potential impacts and mitigation measures of the build-out of the 'Aiea Town Center Master Plan, including a 140-unit senior housing facility on the Property. Halewiliko Highlands Senior Affordable Rental Housing Project, the currently proposed action, serves the same purpose and is within the same property as the senior housing facility analyzed in the 'Aiea Town Center Master Plan Final EA/FONSI. That Final EA/FONSI determined that no significant impacts were anticipated regarding traffic and infrastructure. Since that Final EA/FONSI was filed in 2003, updated traffic and infrastructure reports were completed in 2020 and concluded that the Halewiliko Highlands Senior Affordable Rental Housing Project will not have a greater impact than what was addressed in the 'Aiea Town Center Master Plan Final EA/FONSI.

The Natural Energy Laboratory of Hawai'i Authority, State of Hawai'i <u>has determined</u> that additional environmental review
is not required for a proposed expansion of aquaculture facilities on existing NELHA Land leased by a tenant business. Two
prior-accepted Environmental Impact Statements, published in 1985 and 1992, describe anticipated impacts of development
of the Hawai'i Ocean Science and Technology (HOST) Park - including on lands applicable to the existing Forever Oceans
site. These evaluations were included in the assessment of several build-out scenarios intended to include future improvements, allowing for flexibility to adapt to current market and technology conditions.

NELHA has determined that the proposed expansion is consistent with the location, types and scale of scenarios evaluated in the prior EIS documents, and that the potential direct, indirect, and cumulative impacts of the project have been adequately disclosed and evaluated therein, and therefore that the Findings of No Significant Impact (FONSI) in those reports satisfy the requirements of HRS Chapter 343 for the proposed expansion pursuant to HAR Section 11-200.1-11.

 The Natural Energy Laboratory of Hawai'i Authority, State of Hawai'i <u>has determined</u> that additional environmental review is not required for a proposed installation of 126 KW of solar photovoltaic (PV) panels on the roof of an existing warehouse structure on NELHA Land leased by a tenant business. Two prior-accepted Environmental Impact Statements, published in 1985 and 1992, describe anticipated impacts of development of the Hawai'i Ocean Science and Technology (HOST) Park including on lands applicable to the existing Cyanotech Processing Building. These evaluations were included in the assessment of several build-out scenarios intended to include future improvements, allowing for flexibility to adapt to current market and technology conditions.

NELHA has determined that the proposed expansion is consistent with the location, types and scale of scenarios evaluated in the prior EIS documents, and that the potential direct, indirect, and cumulative impacts of the project have been adequately disclosed and evaluated therein, and therefore that the Findings of No Significant Impact (FONSI) in those reports satisfy the requirements of HRS Chapter 343 for the proposed expansion pursuant to HAR Section 11-200.1-11.

The Natural Energy Laboratory of Hawai'i Authority, State of Hawai'i <u>has determined</u> that additional environmental review is not required for a proposed installation of 230 KW of solar photovoltaic (PV) panels divided between the roofs of five distinct existing buildings within the Cyanotech Innovation Center, located on NELHA land leased by a tenant business. Two prior-accepted Environmental Impact Statements, published in 1985 and 1992, describe anticipated impacts of development of the Hawai'i Ocean Science and Technology (HOST) Park - including on lands applicable to the existing Cyanotech site. These evaluations were included in the assessment of several build-out scenarios intended to include future improvements, allowing for flexibility to adapt to current market and technology conditions.

NELHA has determined that the proposed expansion is consistent with the location, types and scale of scenarios evaluated in the prior EIS documents, and that the potential direct, indirect, and cumulative impacts of the project have been adequately disclosed and evaluated therein, and therefore that the Findings of No Significant Impact (FONSI) in those reports satisfy the requirements of HRS Chapter 343 for the proposed expansion pursuant to HAR Section 11-200.1-11.

SHORELINE NOTICES

APPLICATIONS FOR SHORELINE CERTIFICATION

The shoreline certification applications below are available for review at the Department of Land and Natural Resources offices on Kaua'i, Hawai'i, Maui, and Honolulu, 1151 Punchbowl Street, Room 220 (HRS § 205A-42 and HAR § 13-222-12). All comments shall be submitted in writing to the State Land Surveyor, 1151 Punchbowl Street, Room 210, Honolulu, HI 96813 and postmarked no later than 15 calendar days from the date of this public notice of the application. For more information, call Ian Hirokawa at (808) 587-0420.

File No.	Location	тмк	Applicant	Owner
OA-1902	1326 Mokulua Drive, Oʻahu 96734	(1) 4-3-004: 077	Austin, Tsutsumi & Associates, Inc.	Fairwater Hawaii LLC, Sandbags LLC
OA-1903	Heʻeia Fish Pond, Oʻahu 96744	(1) 4-6-005: 001 por.	ControlPoint Surveying, Inc.	Kamehameha Schools
MA-740	Waianapanapa Road, Maui 96713	(2) 1-3-005: 009 (por.)	R.T. Tanaka Engineers, Inc.	Department of Land and Natural Resources, Division of State Parks

PROPOSED SHORELINE CERTIFICATIONS AND REJECTIONS

The shoreline notices below have been proposed for certification or rejection by the Department of Land and Natural Resources (<u>HRS § 205A-42</u> and <u>HAR § 13-222-26</u>). Any person or agency who wants to appeal shall file a notice of appeal in writing with DLNR no later than 20 calendar days from the date of this public notice. Send the appeal to the Board of Land and Natural Resources, 1151 Punchbowl Street, Room 220, Honolulu, Hawai'i 96813.

File No.	Status	Location	тмк	Applicant	Owner
OA-1889	Proposed	Kamehameha Hwy vicinity of Laniakea Beach Park, Oʻahu 96712	(1) 6-1-009: 021 & 022; 6-1-010: 019 & 020; 6-1- 005: 023	WSP Parsons Brinckerhoff, on behalf of State of Hawai'i DOT	State of Hawai'i, Depart- ment of Transportation
OA-1896	Proposed	84-1101, 1103, and 1105 Farrington Highway, Oʻahu 96792	(1) 8-4-003: 021, 022, 023	Leaps & Boundaries, Inc.	NSL, LLC
OA-1898	Proposed	58-002 Makanale Street, Oʻahu	(1) 5-8-003: 012	R.M. Towill Corporation	Makanale Investments LLC
MA-731	Proposed	1544 Halama Street, Maui 96753	(2) 3-9-010: 010	Akamai Land Surveying, Inc.	Leonard Krahn & Andrea Krahn
MA-738	Proposed	3850 Wailea Alanui Drive, Maui 96753	(2) 2-1-008: 109	Fukumoto Engineering, Inc.	BRE Iconic GWR Owner LLC
LA-024	Proposed	Manele, Lana'i	(2) 4-9-017: por. 002 & 008	R.M. Towill	Lanai Resorts, LLC

COASTAL ZONE MANAGEMENT NOTICES

SPECIAL MANAGEMENT AREA (SMA) MINOR PERMITS

The SMA Minor permits below have been approved (<u>HRS § 205A-30</u>). For more information, contact the relevant county/state planning agency. Honolulu (768-8014); Hawai'i (East 961-8288, West 323-4770); Kaua'i (241-4050); Maui (270-7735); Kaka'ako or Kalaeloa Community Development District (587-2841).

Location (TMK)	Description (File No.)	Applicant/Agent
Kaua'i: Waimea (1-2-006: 042)	After-the-fact Utility Sheds (SMA(M)-2020-23)	Waimea Planation Cottages, LLC
Kauaʻi: Hanalei (5-5-010: 065)	Shed (SMA(M)-2020-24)	Anthony Sutton
Maui: Wailea (2-1-023: 007)	Restaurant Upgrade (SM2 20190066)	Four Seasons Resort Maui
Maui: Lahaina (4-3-005: 036)	Irrigation Well (SM2 20200057)	Lynn & Keith Zielinski
Maui: Lahaina (4-3-008: 019)	Addition of Two Bedrooms and Bath (SM2 20200059)	Michael Dale Napora
Maui: Spreckelsville (3-8-001: 072)	Baby Beach Signage (SM2 20200060)	A & B Properties Hawaii, LLC
Maui: Haʻikū (2-8-004: 032)	Aquaponic Greenhouse (SM2 20200062)	Fredrick R Honig Trust
Maui: Haʻikū (2-8-004: 032)	Greenhouse 1 & 2 (SM2 20200063)	Honig, Fredrick R RECV LVG TR

NATIONAL HISTORIC PRESERVATION ACT (NHPA), SECTION 106 CONSULTATION

Wailua WWTP NPDES Compliance Improvements

Island/District/TMKs	Kaua'i/Puna/ (4) 3-9-006:019 & 027, 3-9-002:004
Proposing/Approving	State of Hawai'i, Department of Health, Environmental Management Division, Wastewater Branch
Agency	2827 Waimano Home Road, Rm. 207, Pearl City, HI 96782
	Jon Nagato, (808) 586-4294, jonathan.nagato@doh.hawaii.gov
Consultant	Kennedy/Jenks Consultants, Inc.
	707 Richards Street, Suite 528, Honolulu, HI 96813
	Stephen Esaki, (808) 218-6030, StephenEsaki@KennedyJenks.com
Status	Comments due no later than August 7, 2020; send to Proposing Agency

The Department of Health (DOH) initiated Section 106 of the NHPA consultation with the State Historic Preservation Division (SHPD) in accordance with 36 CFR Part 800. In 1990, the U.S. Environmental Protection Agency (EPA) designated the DOH to act on EPA's behalf, pursuant to 36 CFR §800.2 (c) (4), when initiating Section 106 of the NHPA process in connection with projects funded under the Hawai'i Clean Water State Revolving Fund (CWSRF). The DOH is providing funding under the CWSRF to the County of Kaua'i for the Wailua WWTP NPDES Compliance Improvements. The proposed project will utilize federal funding and is considered an undertaking, consisting of improving the existing Wailua Wastewater Treatment Plant, which is owned and operated by the County of Kaua'i, as well as expanding the reuse of treated effluent at the Wailua Municipal Golf Course.

The DOH has engaged SHPD to determine the presence of potential sites of historic importance within the vicinity of the project area as well as the potential impact of the project on such sites, if present.

NATIONAL ENVIRONMENTAL POLICY ACT (NEPA) ACTIONS

As a courtesy, listed below are documents provided for publication that have been prepared pursuant to federal NEPA requirements, rather than Hawai'i's Chapter 343, HRS (sometimes referred to as "HEPA"). Accordingly, these entries may have unique comment periods. Occasionally, actions are subject to both NEPA and HEPA; in those cases, a separate Chapter 343, HRS, entry would be published in *The Environmental Notice* when a relevant document or determination is submitted to OEQC.

Island/District/TMKs	Oʻahu / ʻEwa / (1) 1-1-002:002, 9-9-001:008
Proposing/Approving Agency	Naval Facilities Engineering Command Pacific Department of Defense, Department of the Navy, 258 Makalapa Drive, Suite 100, JBPHH, HI 96860 John Bigay, (808) 472-1442
Consultant	AECOM 1001 Bishop Street, Suite 1600, Honolulu, HI 96813 Adriane Truluck, (808)356-5378
Status	Transmit Comments prior to August 8, 2020 deadline by mail to: Naval Facilities Engineering Command Atlantic, 6506 Hampton Boulevard, Norfolk, VA 23508, ATTN: EA Project Manager for ACC Replacement (Code EV21) Or by email to: <u>NFPAC-Receive2@navy.mil</u>

Ambulatory Care Center Replacement at Joint Base Pearl Harbor-Hickam--Draft EA

Joint Base Pearl Harbor-Hickam (JBPHH), a command of the United States Department of the Navy (hereinafter, jointly referred to as the Navy) has prepared this Environmental Assessment (EA) to evaluate a proposal to construct and operate a new ambulatory care center (ACC) to consolidate existing facilities and services separately managed by the Navy, Air Force, and Army to a location at JBPHH. This EA evaluates the potential environmental impacts associated with three action alternatives and the No Action Alternative to the following resources: cultural resources, air quality, biological resources, visual resources, transportation, and hazardous materials and wastes.

The purpose of the Proposed Action is to provide comprehensive primary care, dental, behavioral health, occupational, and preventive special medicine services to active duty service members and beneficiaries in facilities that are appropriately sized, configured, and sited to meet mission requirements and comply with current federal criteria for military health facilities. The Proposed Action is needed to rectify current capacity deficiencies at the existing service clinics and ensure that the services continue to provide high-quality health care to entitled military personnel, dependents, and retirees in the JBPHH region.

FEDERAL NOTICES

As a courtesy, listed below is a relevant entry from the Federal Register published since the last issue of *The Environmental Notice*. For more information, click on the title link, also available at <u>www.federalregister.gov</u>.

Notice: Endangered and Threatened Wildlife and Plants; Endangered Species Act Listing Determination for the Coral Pocillopora meandrina (published by the National Oceanic and Atmospheric Administration on 07/06/2020) We, NMFS, have completed a comprehensive status review under the Endangered Species Act (ESA) for the Indo-Pacific, reef-building coral Pocillopora meandrina. After reviewing the best scientific and commercial data available, including the General Status Review of Indo-Pacific Reef-building Corals and the *P. meandrina* Status Review Report, we have determined that listing *P. meandrina* as threatened or endangered based on its status throughout all or a significant portion of its range under the ESA is not warranted at this time. This finding was made on July 6, 2020.

This 12-month finding is a response to a petition to list *P. meandrina* under the ESA. Background to the petition, 90-day finding, and policy on listing species under the ESA is provided below.

On March 14, 2018, we received a petition from the Center for Biological Diversity to list the Indo-Pacific reef-building coral *Pocillopora meandrina* in Hawai'i as an endangered or threatened species under the ESA. Under the ESA, a listing determination addresses the status of a species, its subspecies, and, for any vertebrate species, any distinct population segment (DPS) that interbreeds when mature (16 U.S.C. 1532(16)). Under the ESA, a species is "endangered" if it is in danger of extinction throughout all or a significant portion of its range, or "threatened" if it is likely to become endangered within the foreseeable future throughout all or a significant portion of its range (ESA sections 3(6) and 3(20), respectively, 16 U.S.C. 1532(6) and (20)). The petition requested that the Hawai'i portion of the species' range be considered a significant portion of its range, thus the petition focused primarily on the status of *P. meandrina* in Hawai'i. However, the petition also requested that *P. meandrina* be listed throughout its range, and provided some information on its status and threats outside of Hawai'i. In light of recent court decisions regarding our policy on the interpretation of the phrase "significant portion of its range" (SPR) under the ESA (79 FR 37577, July 1, 2014), we interpreted the petition as a request to first consider the status of *P. meandrina* throughout its range, followed by an SPR review consisting of: (1) Analysis of any SPRs, including the portion of the range within Hawai'i; and (2) determination of the status of SPRs.

On September 20, 2018, we published a 90-day finding (83 FR 47592) announcing that the petition presented substantial scientific or commercial information indicating that *P. meandrina* may be warranted for listing under the ESA throughout all or a significant portion of its range. We also announced the initiation of a status review of the species, as required by section 4(b) (3)(a) of the ESA, and requested information to inform the agency's decision on whether this species warrants listing as endangered or threatened under the ESA.

The rangewide Status Review of *P. meandrina* consists of two documents: (1) The General Status Assessment (GSA) of Indo-Pacific Reef-building Corals (Smith 2019a); and (2) the *P. meandrina* Status Review Report (SRR; Smith 2019b). The GSA (Smith 2019a) provides contextual information on the status and trends of Indo-Pacific reef-building corals, and the SRR (Smith 2019b) reports the status and trends of *P. meandrina* based on the best available scientific information. Based on the information provided in the Status Review reports (Smith 2019a,b), an Extinction Risk Assessment (ERA) was carried out as specified in the "Guidance on Responding to Petitions and Conducting Status Reviews under the Endangered Species Act" (NMFS 2017). As per the guidance, an Extinction Risk Assessment (ERA) Team was established, consisting of seven reef-building coral subject matter experts, and the Team used the information in the Status Review reports to provide ratings of *P. meandrina*'s extinction risk, described in the final section of the SRR (Smith 2019b).

The two reports that make up this Status Review (Smith 2019a,b) represent a compilation of the best available scientific and commercial information on the *P. meandrina*'s biology, ecology, life history, threats, and status from information contained in the petition, our files, a comprehensive literature search, and consultation with Indo-Pacific reef coral experts. We also considered information submitted by the public in response to our 90-day finding (83 FR 47592; September 20, 2018). The draft Status Review reports (Smith 2019a,b) underwent independent peer review by reef coral experts as required by the Office of Management and Budget Final Information Quality Bulletin for Peer Review (M-05-03; December 16, 2004). The peer reviewers were asked to evaluate the adequacy, appropriateness, and application of data used in the Status Review reports, including the ERA methodology. Peer reviewer comments were addressed prior to dissemination and finalization of the Status Review reports and publication of this finding, as described in the Peer Review Report.

For additional information, please click the title link at the top of this entry.

GLOSSARY OF TERMS AND DEFINITIONS

Agency Actions

Projects or programs proposed by any department, office, board, or commission of the state or county government which is part of the executive branch of that government per <u>HRS 343-2</u>.

Applicant Actions

Projects or programs proposed by any person who, pursuant to statute, ordinance, or rule, requests approval (discretionary consent) for a proposed action per <u>HRS</u> <u>343-2</u>.

Draft Environmental Assessment

When an Agency or Applicant proposes an action that triggers HRS 343, an Environmental Assessment shall be prepared at the earliest practicable time to determine whether the action's environmental impact will be significant, and thus whether an environmental impact statement shall be required per <u>HRS 343-5(b)</u>, for Agency actions and <u>HRS 343-5(e)</u>, for Applicant actions. For actions for which the proposing or approving agency anticipates a Finding of No Significant Impact (AFNSI), a Draft EA (DEA) shall be made available for public review and comment for 30 days and public notice is published in this periodic bulletin.

Final Environmental Assessment and Finding of No Significant Impact

The action's proponent shall respond in writing to comments on a DEA received during the 30-day review period and prepare a Final EA (FEA) that includes those responses to determine whether an environmental impact statement shall be required. If there are no significant impacts, then the Agency will issue a Finding of No Significant Impact (FONSI). An Environmental Impact Statement (EIS) will not be required and the project has cleared HRS 343 requirements. The public has 30 days from the notice of a FONSI in this bulletin to ask the Environmental Court to require the preparation of an EIS.

Final Environmental Assessment and Environmental Impact Statement Preparation Notice

An EIS shall be required if the Agency finds that the proposed action may have a significant effect on the environment. The Agency shall file notice of such determination with OEQC, called an EIS Preparation Notice (EISPN) along with the supporting Final EA. After the notice of the FEA-EISPN is published in this bulletin, the public has 30 days to request to become a consulted party and to make written comments. The public (including the Applicant) has 60 days from the notice of the EISPN in this bulletin to ask a court to not require the preparation of an EIS.

Act 172-2012, Direct-to-EIS, Environmental Impact Statement Preparation Notice (with no EA)

Act 172 in 2012 amended HRS 343 by providing for an agency to bypass the preparation of an environmental assessment for various actions that in the experience of the agency would clearly require the preparation of an EIS. The agency must submit its determination that an EIS is required for an action (Act 172-2012, EISPN) with a completed OEQC publication form detailing the specifics of the action. This starts a 30-day scoping period in which the agency or applicant must hold a public scoping meeting for the preparation of the Draft EIS. Written comments and responses on the EISPN must be incorporated into the subsequent Draft EIS and oral comments from the OEQC with the Draft EIS.

Act 312-2012, Secondary Actions in the Highway or Public Right Of Way

Act 312-2012, amended HRS 343, by adding a new section (HRS 343-5.5., entitled "Exception to applicability of chapter"). HEPA allows for a statutory exception for "secondary actions" (those that involve infrastructure in the highway or public right-of-way) provided that the permit or approval of the related "primary action" (those outside of the highway or public-right-of-way and on private property) is not subject to discretionary consent and further provided that the applicant for the primary action submits documentation from the appropriate agency confirming that no further discretional approvals are required. An aid to understanding this is to visualize residential driveway improvements in the public rightof-way, versus, retail outlet driveway improvements in the public right-of-way.

Draft Environmental Impact Statement

After receiving the comments on the EISPN, the Agency or Applicant must prepare a Draft Environmental Impact Statement (DEIS). The content requirements of the DEIS shall contain an explanation of the environmental consequences of the proposed action including the direct, indirect and cumulative impacts and their mitigation measures. The public has 45 days from the first publication date in this bulletin to comment on a DEIS. The DEIS must respond to comments received during the EISPN comment period in a point-by-point manner.

Final Environmental Impact Statement

After considering all public comments filed during the DEIS stage, the Agency or Applicant must prepare a Final EIS (FEIS). The FEIS must respond in a point-by-point manner to all comments from the draft and must be included in the FEIS. For Applicant projects, the Approving Agency is the Accepting Authority and must make a determination within 30 days or the FEIS is deemed accepted as a matter of law. For an Agency project, the Governor or the Mayor (or their designated representative) is the Accepting Authority, and unlike applicant actions, there is no time limit on the accepting authority reviewing the FEIS. Only after the FEIS is accepted may the project be implemented.

Acceptability

The Accepting Authority must be satisified that the FEIS meets three criteria (process, content, response to comments) to accept it. If the FEIS is accepted, notice is published in this bulletin. The public has 60 days from publication to challenge the acceptance of a FEIS. For Applicant actions, non-acceptance by the Approving Agency is cause for the Applicant to administratively appeal to the Environmental Council. For Agency actions, there is no such administrative appeal. In both instances, the Applicant or the proposing Agency can prepare a revised DEIS after a non-acceptance determination.



Maui sunset

Photo by Thomas Hawk

National Environmental Policy Act

The National Environmental Policy Act (NEPA) requires federal projects to prepare a Federal EA or EIS. In many ways it is similar to Hawai'i's law. Some projects require both a State and Federal EIS and the public comment procedure should be coordinated. Upon request by a federal agency, OEQC publishes NEPA notices in this bulletin to help keep the public informed of important federal actions.

Conservation District

Proposed uses of land in the State Conservation District require a Conservation District Use Application (CDUA). These applications are reviewed and approved by the Board of Land and Natural Resources. Members of the public may intervene in the permit process. This bulletin will include EAs & EISs for actions proposed within the Conservation District.

Special Management Area and Shoreline Setback Area

The Special Management Area (SMA) is along the coastline of all islands and development in this area is generally regulated by <u>HRS 205A</u>, and county ordinance. A portion of the SMA that is addressed by HRS 343 is the <u>Shoreline Area</u>, which includes land between the State-certified shoreline and the county-determined shoreline setback line. This bulletin will include EAs & EISs for actions proposed within the Shoreline Setback Area.

Shoreline Certifications

State law requires that Hawai'i shorelines be surveyed and certified when necessary to clearly establish the shoreline setback from the certified shoreline. The public may participate in the process to help assure accurate regulatory boundaries. Private land owners often petition to have their shoreline certified by the State surveyor prior to construction. This bulletin publishes notice from the Department of Land and Natural Resources of shoreline certification applicants and final certifications or rejections.

Environmental Council

The Environmental Council is a 15-member citizen board appointed by the Governor. They serve as a liaison between the Director of OEQC and the general public concerning ecology and environmental quality. The Council makes the rules that govern the Environmental Impact Statement process (HRS 343). Agendas of their regular meetings are posted on the Internet and the public is invited to attend. The Council just completed the repeal of Hawaii Administrative Rules (HAR) Chapter 11-200 and adoption of HAR Chapter 11-200.1.

Agency Exemption Lists

Government agencies may keep a list describing the minor activities they regularly perform that are exempt from the environmental review process. These lists and any amendments shall be submitted to the Council for review and concurrence (HAR 11-200.1-16). This bulletin will publish an agency's draft exemption list for public comment prior to Council decision making, as well as notice of the Council's decision on the list.

Endangered Species

This bulletin is required by <u>HRS 343-3(c)</u>, to publish notice of public comment periods or public hearings for Habitat Conservation Plans (HCP), Safe Harbor Agreements (SHA), or Incidental Take Licenses (ITL) under the federal Endangered Species Act, as well as availability for public inspection of a proposed HCP or SHA, or a proposed ITL (as a part of an HCP or SHA).

Appendix D

Coastal Zone Management Act Correspondence

This page intentionally left blank.

From:	Nakagawa, John D <john.d.nakagawa@hawaii.gov></john.d.nakagawa@hawaii.gov>
Sent:	Tuesday, March 24, 2020 10:05 AM
To:	Bigay, John C CIV USN NAVFAC PACIFIC (USA)
Cc:	Nihipali, Justine W
Subject:	Re: CZMA DEMINIMIS NOTIFICATION
·	

Received.

John Nakagawa Hawaii Coastal Zone Management Program

From: Bigay, John C CIV USN NAVFAC PACIFIC (USA) Sent: Tuesday, March 24, 2020 9:58 AM To: Nakagawa, John D Subject: CZMA DEMINIMIS NOTIFICATION

Aloha, Mr. Nakagawa,

The Navy is preparing an Environmental Assessment for an Ambulatory Care Center (ACC) Replacement at Joint Base Pearl Harbor-Hickam (JBPHH), O'ahu, Hawai'i. The proposed action would construct and operate a new ACC at JBPHH. The new ACC would be a consolidated joint service facility replacing several existing facilities separately operated by the Navy, Air Force, and Army. In summary, construction would include an approximately 250,000-square foot (ft²) health/dental clinic facility (over multiple stories), an approximately 7,500-ft² central utility plant to service the health/dental clinic; approximately 1,500 parking stalls (i.e., 600 in surface parking and 900 in structured parking garage); and associated site preparation work and utility connections including electricity, water, storm sewer, and sanitary sewer. The final site selection has not been made, but all of the potential sites are located within the fencelines of JBPHH.

The proposal falls within Item 1 on the Navy/Marine Corps De Minimis Activities Under CZMA:

Item 1: New Construction of facilities and structures wholly within Navy/Marine Corps controlled areas (including land and water) that is similar to present use and when completed, the use or operation of which complies with existing regulatory requirements.

The Navy would observe all mitigation/conditions for Item 1 (i.e., 1, 3, 6, 9, 10, 11, 13, 14, 16). Per General Condition 16 of the De Minimis Activities Under CZMA, we are notifying you of the de minimis list use. Please let me know if you have any questions.

Very Respectfully,

John Bigay NEPA Planner NAVFAC Pacific



DEPARTMENT OF BUSINESS, ECONOMIC DEVELOPMENT & TOURISM

LINDA LINGLE GOVERNOR THEODORE E. LIU DIRECTOR MARK K. ANDERSON DEPUTY DIRECTOR ABBEY SETH MAYER DIRECTOR OFFICE OF PLANNING

Fax: (808) 587-2824

Telephope: (808) 587-2846

OFFICE OF PLANNING

235 South Beretania Street, 6th Floor, Honolulu, Hawaii 96813 Mailing Address: P.O. Box 2359, Honolulu, Hawaii 96804

Ref. No. P-12644

July 9, 2009

Lieutenant Commander E. J. D'Andrea Assistant Regional Engineer Department of the Navy Commander Navy Region Hawaii 850 Ticonderoga Street, Suite 110 Pearl Harbor, Hawaii 96860-5101

Attention: Mr. Brian Yamada

Dear Lt. Commander D'Andrea:

Subject: Hawaii Coastal Zone Management (CZM) Program Federal Consistency Concurrence with Modifications to the Department of the Navy De Minimis Activities in Hawaii under the Coastal Zone Management Act (CZMA)

The Hawaii CZM Program has completed the federal consistency review of the proposed modifications to the list of Department of the Navy de minimis activities under the CZMA, including changes to various activity categories, adding new activity categories, and expanding the coverage to Marine Corps Base Hawaii Kaneohe Bay and Camp Smith. The CZM Program conducted a thorough review of the request and a public notice of the CZM review was published in the State of Hawaii Office of Environmental Quality Control's publication, *The Environmental Notice*, on June 23, 2009. The public was provided an opportunity to participate in the review through July 7, 2009. There were no public comments received.

We concur that the activities identified on the modified list entitled, "Navy/Marine Corps De Minimis Activities Under CZMA" are expected to have insignificant direct or indirect (cumulative and secondary) coastal effects, and should not be subject to further review by the Hawaii CZM Program on the basis and condition that the listed activities are subject to and bound by full compliance with the corresponding "Project Mitigation / General Conditions."

The Hawaii CZM Program reserves the right to review, amend, suspend, and/or revoke the "Navy/Marine Corps De Minimis Activities Under CZMA" list whenever it finds that a listed activity or activities will have reasonably foreseeable coastal effects. CZM consistency Lieutenant Commander E. J. D'Andrea Page 2 July 9, 2009

concurrence does not convey approval with any other regulations administered by any State or County agency.

Modifying and expanding the list of Navy de minimis activities under the CZMA was a cooperative effort between our Office and Mr. Brian Yamada from the Department of the Navy, who interned with the Hawaii CZM Program in September 2008. We appreciate the efforts of Mr. Yamada in working with our CZM staff. The de minimis activities list will result in more efficient compliance with CZMA federal consistency requirements for both the Navy and the Hawaii CZM Program.

If you have any questions, please call John Nakagawa of our CZM Program at 587-2878.

Seth Mayer Director

c: U.S. Army Corps of Engineers, Regulatory Branch (w/ copy of de minimis list) Ms. Rebecca Hommon, Region Counsel, Navy Region Hawaii

JDN/do Disk #12



DEPARTMENT OF THE NAVY COMMANDER NAVY REGION HAWAII 850 TICONDEROGA ST STE 110 PEARL HARBOR, HAWAII 96860-5101

5090 Ser N4/ 04163

0 1 JUN 2009

CERTIFIED MAIL NO. 7007 2560 0002 0326 9580

Mr. Abbey Mayer Office of Planning Department of Business, Economic Development and Tourism P. O. Box 2359 Honolulu HI 96804



Dear Mr. Mayer:

SUBJECT: REQUEST FOR CONCURRENCE WITH MODIFICATIONS TO THE DEPARTMENT OF THE NAVY DE MINIMIS ACTIVITIES UNDER THE COASTAL ZONE MANAGEMENT ACT (CZMA)

This letter is to request your concurrence with the attached list of Navy/Marine Corps de minimis activities under the CZMA. The attached de minimis list will amend the current de minimis list which was established on April 2, 2007. The new de minimis list will include the Marine Corps, and will cover areas in the Pearl Harbor Naval complex, Naval Magazine Lualualei, Naval Communications and Telecommunications Area Master Station Pacific, Pacific Missile Range Facility on Kauai, Kaneohe Marine Corps Base Hawaii, Camp Smith and all associated installations/facilities/equipment located outside of those Navy/Marine Corps properties.

The Navy and Marine Corps have determined that the listed Proposed Actions have insignificant direct or indirect (cumulative and secondary) coastal effects and should therefore be categorized as de minimis in accordance with the Department of Commerce, National Oceanic and Atmospheric Administration, CZMA Federal Consistency Regulations 15 CFR part 930.33 (3). With the corresponding mitigation and conditions applied, these actions would be exempt from a negative determination or a consistency determination from the State of Hawaii.

Should you have any questions, please contact Mr. Brian Yamada at 472-1449, by facsimile transmission at 474-5419, or by email at brian.yamada@navy.mil.

Sincerely,

Julien J. Dandree

E. J. D'ANDREA Lieutenant Commander, CEC, U. S. Navy Assistant Regional Engineer By direction of the Commander

Enclosure: 1.Navy De minimis Activities Under CZMA

Navy/Marine Corps De Minimis Activities Under CZMA

*covering areas in Pearl Harbor Naval Complex, Naval Magazine Lualualei, Naval Communications and Telecommunications Area Master Station (NCTAMS) Pacific, Pacific Missile Range Facility (PMRF), Kaneohe Marine Corps Base Hawaii, Camp Smith, and all associated installations/facilities/equipment located outside of these Navy/Marine Corps properties

No.	Proposed Action	Description	Mitigation / Conditions
1	New Construction	Construction of new facilities and structures wholly within Navy/Marine Corps controlled areas (including land and water) that is similar to present use and, when completed, the use or operation of which complies with existing regulatory requirements.	1, 3, 6, 8, 9, 10, 11, 13, 14, 16
2	Utility Line Activities	Acquisition, installation, operation, construction, maintenance, or repair of utility or communication systems that use rights of way, easements, distribution systems, or facilities on Navy/Marine Corps controlled property. This also includes the associated excavation, backfill, or bedding for the utility lines, provided there is no change in preconstruction contours.	1, 10, 11, 12, 14, 16
3	Repair and Maintenance	Routine repair and maintenance of buildings, ancillary facilities, piers, wharves, dry docks, vessels, or equipment associated with existing operations and activities.	12, 14, 16
4	Aids to Navigation	Includes buoys, beacons, signs, etc. placed within Navy/Marine Corps controlled coasts and navigable waters as guides to mark safe water.	2, 5, 14, 16
5	Structures in Fleeting and Anchorage Areas	The installation of structures, buoys, floats and other devices placed within anchorage or fleeting areas to facilitate moorage of vessels within Navy/Marine Corps controlled property.	2, 5, 14, 16
6	Oil Spill and Hazardous Waste Cleanup	Activities required for the containment, stabilization, removal and cleanup of oil and hazardous or toxic waste materials on Navy/Marine Corps controlled property.	1, 8, 14, 16
7	Maintenance Dredging	Excavation and removal of accumulated sediment for maintenance to previously authorized depths.	2, 3, 4, 5, 7, 8, 9, 13, 14, 16
8	New Dredging	Excavation and removal of material from the ocean floor not to exceed 100 cubic yards below the plane of the ordinary high water mark or the mean high water mark from navigable waters of the US and; excavation and removal of material from the ocean floor within Navy/Marine Corps controlled property. This does not include dredging or degradation through coral reefs.	2, 3, 4, 5, 7, 8, 9, 13, 14, 16
9	Scientific Measuring Devices	The installation of devices which record scientific data (staff gages, tide gages, water recording devices, water quality testing and improvement devices and similar structures) on Navy/Marine Corps controlled property. Devices must not transmit acoustics (certain frequencies) that will adversely affect marine life.	1, 2, 14, 16
10	Studies and Data Collection and Survey Activities	Studies, data and information-gathering, and surveys that involve no permanent physical change to the environment. Includes topographic surveys, wetlands mapping, surveys for evaluating environmental damage, engineering efforts to support environmental analyses, core sampling, soil survey sampling, and historic resources surveys.	2, 3, 6, 8, 9, 11, 12, 13, 14, 16
11	Demolition	Demolition and disposal involving buildings or structures when done in accordance with applicable regulations and within Navy/Marine Corps controlled properties.	1, 11, 12, 14, 16
12	Military Testing and Training	Routine testing and evaluation of military equipment on or over military, or an established range, restricted area or operating area or training conducted on or over military land or water areas in which the impact is not significant.	9, 13, 14, 15, 16
13	Real Estate/Property Transfer	Real estate acquisitions or outleases of land involving new ingrants/outgrants and/or 50 acres or more where existing land use will change.	14, 16



14	Mission Changes	Mission changes, base closures/relocations/consolidations, and deployments that would cause long term population increases or decreases in affected areas.	14, 16
15	Limitation of Access to Property Permanent closure or limitation of access to any areas that were open previously to public use, such as roads or recreational purposes (provided the access is not required by established agreements with State of Hawaii, private industry, etc.)		14, 16
16	Environmental Management Activities	ental Management imited to, activities such as vegetation and mangrove removal, ditch clearing, sediment removal, invasive species removal, construction related to protecting endangered species and wildlife, and	
17	Towers	Installation, operation, and maintenance of towers (such as communication towers, cellular phone antennas, wind-energy towers) within Navy/Marine Corps controlled areas.	1, 2, 6, 8,9 , 12, 13, 14, 16
18	Alternative Energy Research Installation, operation, replacement, and removal of alternative energy research structures/equipment taking place within Navy/Marine Corps controlled areas.		1, 2, 3, 5, 6, 12, 13, 14, 16
19	Army Corps Nation Wide Permits	Work subject to an Army Corps of Engineers Nationwide permit (which are applicable to Hawaii)	16

Project Mitigation / General Conditions

1) Navy/Marine Corps controlled property refers to land areas, rights of way, easements, roads, safety zones, danger zones, ocean and naval defensive sea areas under active Navy/Marine Corps control.

2) If any listed species enters the area during conduct of construction activities, all activities should cease until the animal(s) voluntarily depart the area.

3) Turbidity and siltation from project related work shall be minimized and contained to within the vicinity of the site through appropriate use of effective silt containment devices and the curtailment of work during adverse tidal and weather conditions.

4) Dredging/filling in the marine/aquatic environment shall be scheduled to avoid coral spawning and recruitment periods.

5) All project-related materials and equipment (dredges, barges, backhoes, etc.) to be placed in the water shall be cleaned of pollutants prior to use.

6) No project-related materials (fill, revetment rock, pipe, etc.) should be stockpiled in the water (intertidal zones, reef flats, stream channels, wetlands, etc.).

7) All debris removed from the marine/aquatic environment shall be disposed of at an upland site or EPA approved ocean disposal site, and Best Management Practices shall be followed.

8) No contamination (trash or debris disposal, alien species introductions, etc.) of adjacent marine/aquatic environments (reef flats, channels, open ocean, stream channels, wetlands, etc.) shall result from project-related activities.

9) Fueling of project-related vehicles and equipment should take place away from the water and a contingency plan to control petroleum products accidentally spilled during the project shall be developed. Absorbent pads and containment booms shall be stored on-site, if appropriate, to facilitate clean-up of accidental petroleum releases.

10) Any under-layer fills used in the project shall be protected from erosion with stones (or core-loc units) as soon after placement as practicable.

11) Any soil exposed near water as part of the project shall be protected from erosion (with plastic sheeting, filter fabric, etc.) after exposure and stabilized as soon as practicable (with vegetation matting, hydroseeding, etc.).

12) Section 106, of the National Historic Preservation Act (NHPA), consultation requirements must be met. Also, follow guidelines in the area-specific Integrated Cultural Resources Management Plan (ICRMP) if applicable.

13) Navy/Marine Corps shall evaluate the possible impact of the action on species and habitats protected under the Endangered Species Act (ESA). If the Navy/Marine Corps determines that no such species or habitats will be affected by the action, neither U.S. Fish and Wildlife (FWS) Service nor National Oceanic and Atmospheric Administration (NOAA) concurrence is required. Should it be determined by the Navy/Marine Corps, FWS, or NOAA that the action may affect any such species or habitat, informal or formal consultation will be initiated by the Navy/Marine Corps as required by section 7 (Interagency Cooperation) of the ESA.
14) The National Environmental Policy Act (NEPA) review process will be completed.

15) The training, testing and evaluation will be conducted in accordance with applicable standard operating procedures protective of the environment.

16) Navy or Marine Corps staff shall notify State CZM of de minimis list usage for projects which require an Environmental Assessment (EA). Notification can be sent via email: to JNakagaw@dbedt.hawaii.gov

Appendix E Entry Control Facility Memorandum

This page intentionally left blank.



MILITARY SURFACE DEPLOYMENT AND DISTRIBUTION COMMAND TRANSPORTATION ENGINEERING AGENCY 1 SOLDIER WAY SCOTT AIR FORCE BASE, ILLINOIS 62225-5006

23 April 2020

Jeffery H. Butts, J.D., AICP Community Planner, EV21 NEPA Infrastructure Naval Facilities Engineering Command, Atlantic 6506 Hampton Blvd Norfolk, VA 23508-1278 (757) 322-4015 Jeffrey.Butts@navy.mil

SUBJECT: Entry Control Facility (ECF) ID Check Lane Sizing as part of the Ambulatory Care Center Development, Joint Base Pearl Harbor-Hickman (JBPHH), HI

ISSUE: The Naval Facilities Engineering Command (NAVFAC), Atlantic District, is in the initial stages of planning for the new Ambulatory Care Center (ACC) development. A traffic impact study is in the final stages of being completed to determine the AM and PM peak hour traffic volumes generated by the ACC and how this traffic impacts various intersections within the study area. As part of the ACC development-generated traffic, some of the trips will originate/terminate off base and will utilize an ECF to enter/exit the installation. This ECF Lane Sizing analysis utilizes the proposed AM peak hour traffic volumes included in the *Transportation Impact Assessment Report (TIAR) for Ambulatory Care Center Replacement at Joint Base Pearl Harbor-Hickam, Oahu, Hawaii,* dated February 2020 to determine the additional number of ID check lanes at the impacted ECFs for the three alternative site locations for the ACC, as discussed in the TIAR.

BLUF: For each of the three alternative locations for the ACC project, SDDCTEA has determined the minimum number of ID check lanes and the minimum storage required at each of the ECFs.

Future ACP minimum requirements

- O'Malley Gate:
 - Number of existing inbound POV ID check lanes Existing/Required: 4 lanes/4 lanes
 - Number of inbound POV ID check lanes for ACC 5 lanes
 - Minimum POV storage length 1,075 feet
- Kuntz Gate:
 - Number of existing inbound POV ID check lanes Existing/Required: 2 lanes/2 lanes
 - Number of inbound POV ID check lanes for ACC 2 lanes
 - Minimum POV storage length 650 feet
- Makalapa Gate:
 - Number of existing inbound POV ID check lanes Existing/Required: 3 lanes/4 lanes
 - Number of inbound POV ID check lanes for ACC 4 lanes
 - Minimum POV storage length 1,000 feet

Ambulatory Care Center Joint Base Pearl Harbor-Hickam, HI

- Nimitz Gate:
 - Number of existing inbound POV ID check lanes Existing/Required: 4 lanes/5 lanes
 - Number of inbound POV ID check lanes for ACC 5 lanes
 - Minimum POV storage length 1,525 feet

BACKGROUND:

As part of the planning process, the project team has developed a TIAR to determine the number of peak hour vehicular trips generated by the ACC, the number of trips originating/terminating on and off the installation, trip assignment to the ECFs and intersections within the study area, and the impact of the development-generated traffic on the intersections within the study area for each alternative. During the design charrette for the project, it was noted that the impact of the development-generated traffic on the various ECFs to the installation was not included in the TIAR.

In order to keep the project on-schedule, the SDDCTEA Traffic Engineering (TE) Branch offered to perform the ECF lane sizing assessments for the four (4) gates impacted by the three (3) alternative sites for the ACC on JBPHH. The SDDCTEA TE Branch worked with Mr. Jeffery Butts, Community Planner, NAVFAC, to obtain the existing traffic volumes and estimated typical traffic queues at the four ECFs – Nimitz Gate, Makalapa Gate, Kuntz Gate, and O'Malley Gate. Peak hour development-generated traffic from the ACC as well as its trip assignment along the study corridors, intersections and ECFs was obtained from the project's TIAR.

The purpose of this ECF Lane Assessment is to calculate the number of additional ID check lanes at each of the 4 ECFs impacted by the 3 ACC alternatives.

TRAFFIC VOLUMES

Existing Demand Volumes

Reports from the electronic card readers at the four ECFs potentially impacted by the ACC alternatives were provided by NAVFAC. The reports included the hourly totals of vehicles processed through the ECF. The traffic counts were provided for the Nimitz Gate, Makalapa Gate, Kuntz Gate, and O'Malley Gate. The traffic count data was provided for each 1-hour period of when the gate was open but it was not collected in 15-minute increments. Queue data of vehicles waiting to be processed was not available in the traffic data provided. However, visual observations of the typical location of the backup of traffic waiting at the gates was provided by guards from the installation. Vehicular volumes for the queue of traffic were estimated based upon these typical queue lengths and added to the existing AM peak hour traffic volumes for each gate. These four ECFs process only POVs and do not allow commercial vehicles.

The hourly existing traffic data provided was for a 5-day period earlier this year. The three-day traffic counts of Tuesday, Wednesday and Thursday were utilized to calculate the average weekday AM peak hour traffic volume for each of the gates. The estimated typical traffic backup (queue) lengths, provided by the installation, were converted to an estimated POV volume. The estimated queue volume was added to the existing AM peak hour traffic volume. This value results in the existing AM peak hour demand volume at each of the gates. Table 1 summarizes the existing weekday AM peak hour traffic demand volume at each ECF.

Table 1 Existing AM Peak Hour ECF Volumes					
Ex AM VolEst. Ex AMTotalGate(vph)(vph)(vph)					
O'Malley	1,508	37	1,545		
Kuntz	400	10	410		
Makalapa	1,288	30	1,318		
Nimitz 1,642 119 1,761					

*Including typical estimated existing AM queues based on visual observations.

Background Growth

Based upon the information in the TIAR, no growth in background traffic through the year 2027 was assumed for the background traffic around the three proposed alternative sites.

Future Demand Volume

In order to determine the future demand traffic volume, the existing demand volume is added to the development-generated traffic as detailed in the TIAR. Table 2 includes a summary of the future demand AM peak hour demand traffic volumes that are projected to utilize each of the gates for the various ACC alternatives.

Table 2Future AM Peak Hour Demand Volume						
Ex Gate Vol* Background ACC Future						
O'Malley	1,545	0	207	1,752		
Kuntz	410	0	207	617		
Makalapa	1,318	0	123	1,441		
Nimitz	1,761	0	123	1,884		

*Including typical estimated existing AM queues based on visual observations

ACP POV Lane Requirements

The installation provided the number of existing ID check lanes that are currently being utilized to process traffic at each of the gates. Due to the existing traffic backups that at the gates, this analysis calculated the required number of ID check lanes that should be provided at each gate to adequately process the existing peak hour demand traffic. The minimum number of existing ID check lanes required will be compared to the number of lanes required to adequately process the

future peak hour traffic demand at the gates. By comparing these two values of ID check lanes, the true impact of the ACC-generated traffic can be determined.

In order to calculate the minimum number of ID check lanes to adequately process the existing and future peak hour traffic volumes, the SDDCTEA SMART Decision Evaluator was utilized to calculate the minimum number of ID check lanes required at each gate. Tables 3-6 include the existing number of ID check lanes and the minimum number of ID check lanes at each gate for both the existing and future peak hour demand volumes as well the total queue length and average vehicular delay.

Table 3 O'Malley ECF					
SMART Evaluator R	esults (Ex	kisting AM \	/ol 1,545 v	/ph*)	
		Manual Han Processing Proc			
	Single	Tandem	Single	Tandem	
Required Lanes	4	3	5	4	
Total Queue (# Veh)	54	48	45	33	
Delay/Veh (Sec)	97	95	35	24	
Total Manpower	4	6	5	8	
Existing # of ID Check Lan	es:			4	
Recommended # of ID Che	ck Lanes			4	
SMART Evaluator F	Results (F	uture AM V	ol 1,752 vj	oh*)	
		anual essing		ndheld essing	
	Single	Tandem	Single	Tandem	
Required Lanes	5	4	6	4	
Total Queue (# Veh)	43	28	42	57	
Delay/Veh (Sec)	27	19	25	86	
Total Manpower	5	8	6	8	
Recommended # of ID Check Lanes: 5					

*Including typical estimated existing AM queues based on visual observations

As shown in Table 3, currently there are four (4) ID check lanes at the O'Malley gate. The existing peak hour traffic demand of 1,545 vehicles per hour (vph) requires a minimum of 4 ID check lanes (based upon a single guard in each lane preforming manual processing of each entering vehicle). The future traffic demand of 1,715 vph results in a minimum of 5 ID check lanes to adequately process the peak hour demand. With 5 ID check lanes, with 1 guard in each lane doing manual ID checks, this results in a total queue of 43 vehicles and an average delay of 27 seconds per vehicle.

The results of the existing and future ECF lane sizing for the Kuntz Gate is shown in Table 4. The existing peak hour demand volume is 410 vph and the future peak hour traffic demand volume is 617 vph.

Table 4 Kuntz ECF						
SMART Evaluator F	Results (E	Existing AM	Vol 410 v	oh*)		
		Manual Har Processing Proc				
	Single	Tandem	Single	Tandem		
Required Lanes	2	1	2	1		
Total Queue (# Veh)	3	5	5	11		
Delay/Veh (Sec)	19	29	22	74		
Total Manpower	2	2	2	2		
Existing # of ID Check Lan	Existing # of ID Check Lanes: 2					
Recommended # of ID Che	ck Lanes	:		2		
SMART Evaluator	Results (Future AM \	/ol 617 vp	h*)		
	-	anual essing		idheld essing		
	Single	Tandem	Single	Tandem		
Required Lanes	2	2	2	2		
Total Queue (# Veh)	11	5	18	7		
Delay/Veh (Sec)	26	16	54	20		
Total Manpower	2	4	2	4		
Recommended # of ID Check Lanes: 2						

*Including typical estimated existing AM queues based on visual observations

**Note: The minimum approach zone length provided for queuing vehicles is 200 feet.

As shown in Table 4, currently there are two (2) existing ID check lanes at the Kuntz Gate. The results of the existing peak hour traffic demand volume is two (2) ID check lanes to adequately process the volume. With the additional traffic from the ACC, no additional ID check lanes are required at the Kuntz Gate. The total queue increases from 3 vehicles to 12 vehicles. The total average delay increases from 19 seconds per vehicle to 26 seconds per vehicle.

At the Makalapa Gate, the existing peak hour demand volume is 1,318 vph and the future peak hour demand volume is 1,441 vph. The results of the existing and future ECF lane sizing calculations for the existing and future peak hour traffic volumes utilizing the Makalapa Gate are shown in Table 5.

Table 5 Makalapa ECF					
SMART Evaluator Results (Existing AM Vol 1,318 vph*)					
		Manual Han Processing Proc			
	Single	Tandem	Single	Tandem	
Required Lanes	4	3	4	3	
Total Queue (# Veh)	27	22	47	44	
Delay/Veh (Sec)	24	22	81	104	
Total Manpower	4	6	4	6	
Existing # of ID Check Lanes: 3					
Recommended # of ID Che	Recommended # of ID Check Lanes: 4				
SMART Evaluator F	Results (F	uture AM V	ol 1,441 vp	oh*)	
		anual essing		dheld essing	
	Single	Tandem	Single	Tandem	
Required Lanes	4	3	5	4	
Total Queue (# Veh)	40	34	34	24	
Delay/Veh (Sec)	38	36	25	20	
Total Manpower4658					
Recommended # of ID Check Lanes: 4					

*Including typical estimated existing AM queues based on visual observations

As shown in Table 5, the Makalapa Gate currently has three (3) ID check lanes to process traffic. Based on the analysis of the existing peak hour traffic demand volume, four (4) ID check lanes are needed to adequately process the AM peak hour traffic volumes. The Makalapa Gate does not require any additional ID check lanes to process the traffic generated by the ACC (if the required number of ID check lanes to process the existing traffic demand were provided). Based upon the analysis, with four (4) ID check lanes utilizing Manual Processing with a single guard in each lane, the total vehicular queue expected is 40 vehicles with an average delay of 38 seconds per vehicle.

At the Nimitz Gate, the existing peak hour demand volume is 1,761 vph and the future peak hour demand volume is 1,884 vph. The results of the existing and future ECF lane sizing calculations for the existing and future peak hour traffic volumes utilizing the Nimitz Gate are shown in Table 6.

Table 6 Nimitz ECF					
NIMITZ ECF SMART Evaluator Results (Existing AM Vol 1,761 vph*)					
	Ma	Manual Hai Processing Proc			
	Single	Tandem	Single	Tandem	
Required Lanes	5	4	6	4	
Total Queue (# Veh)	45	30	44	60	
Delay/Veh (Sec)	29	20	25	102	
Total Manpower	5	8	6	8	
Existing # of ID Check Lanes: 4					
Recommended # of ID Che	ck Lanes			5	
SMART Evaluator F	Results (F	uture AM V	ol 1,884 vj	oh*)	
		anual essing		ndheld essing	
	Single	Tandem	Single	Tandem	
Required Lanes	5	4	6	5	
Total Queue (# Veh)	61	41	57	37	
Delay/Veh (Sec)	62	26	37	21	
Total Manpower	5	8	6	10	
Recommended # of ID Check Lanes: 5					

*Including typical estimated existing AM queues based on visual observations

Currently, at the Nimitz Gate, there are four (4) ID check lanes to process traffic. As shown in Table 6, the existing peak hour demand volume requires five (5) ID check lanes for Manual Processing with a single guard per lane. With the additional traffic generated by the ACC that will utilize the Nimitz Gate, five (5) IDC check lanes are required for adequately process the peak hour traffic. The analysis shows that there will be a queue of 61 vehicles and an average delay of 62 seconds per vehicle.

LOS

Per 2012 Army Standard, a LOS D was the design goal. The number of ID check lanes shown in Tables 3-6 for the existing and future peak hour traffic volumes are the minimum number that will operate at a LOS D or better.

Queue

The design of the ACP should consider an appropriate approach zone length that prevents the ECF traffic from queuing so that it does not impact movements into entrances, intersections or interchanges. For an ECF with only POV traffic, use the average length of 25 feet for 1 vehicle to convert the queue in vehicles to a length in feet. The minimum queue length should be based upon the value shown in the table for that gate.

ACP POV Lane Recommendation

Based upon the comparison of the existing and future peak hour design demand traffic volumes of the four JBPHH gates impacted by the proposed ACC development, Table 7 includes a summary of the minimum required ID check lanes at each gate.

Table 7 ID Check Lanes Summary							
	E	ECF Lanes					
Gate	Current # of Lanes Existing # Lanes for Future						
O'Malley	4	4	5				
Kuntz	2	2	2				
Makalapa	3 4 4						
Nimitz	4	4 5 5					

Table 7 summarizes the minimum required number of ID check lanes at each ECF impacted by the ACC project. Based upon the comparison of the number of ID check lanes currently present at each gate to the number of ID check lanes recommended for the existing traffic volumes, the Makalapa Gate and Nimitz Gate both need one (1) additional lane to satisfactorily meet the peak hour traffic demands.

The results of the ID check lane analysis show that only the O'Malley Gate requires one (1) additional ID check lane to adequately process the additional peak hour due to the ACC. The other gates would be able to process the additional ACC traffic if the required number of ID check lanes for the existing peak hour traffic demand volume were in place.

If you have any questions, feel free to contact me.

Sincerely,

Amy Maurer, P.E., PTOE Traffic Engineer SDDCTEA – Traffic Engineering (618) 220-6838 amy.b.maurer.civ@mail.mil